


NOTES  
 1. The Contractor must check and confirm dimensions  
 2. All discrepancies must be reported and resolved by the  
 3. All work before works commence  
 4. All work and materials to be in accordance with current  
 applicable Statutory Legislation and to comply with all relevant  
 Codes of Practice  
 5. Level datum is 100m above previous datum to avoid  
 confusion with previous drawings  
 6. MAIN ENTRANCE AND LOBBY ARE TO BE LOCATED IN THE  
 7. ALL DRAWINGS ARE TO BE  
 8. COLOURED AREAS IN ANNOTATION REQUIRE FURTHER DETAILS  
 FROM THE STRUCTURAL ENGINEER



## CAPED SQUARE

SOME FURTHER SIGNAGE MAY BE  
 REQUIRED, BUT THIS CAN ONLY BE  
 DETERMINED ON SITE  
 TO BE READ IN CONJUNCTION WITH M & E  
 DRAWINGS AND THE A23 SERIES.

NOTES

ALL FLOORS WITHIN THE BUILDING,  
 CONSTRUCTED AS COMPARTMENT FLOOR:  
 90 MINS  
 MEZZANINE FLOOR: 60 MINS.  
 INTERMEDIATE FLOORS WITHIN THE DUPLEX  
 APARTMENTS: 30 MINS

WALL BETWEEN INDIVIDUAL APARTMENTS  
 AND BETWEEN APARTMENTS AND COMMON  
 PART OF THE BUILDING: 90 MINS.  
 WALL CLOSING ANY REFUSE STORAGE  
 CHAMBERS: 60 MINS.  
 WALL SEPARATING DIFFERENT PURPOSE  
 GROUPS & OCCUPANCIES (I.E. WALL  
 SEPARATING RESIDENTIAL BUILDINGS FROM  
 THE CAR PARK & SEPARATING THE  
 RETAIL UNITS FROM THE RESIDENTIAL  
 PART OF THE BUILDING: 90 MINS.  
 STAIRCASES (FIRE-FIGHTING, LIFT-MELL,  
 VENTILATION SHAFTS, SMOKE SHAFTS,  
 RISERS FOR SERVICES & ANY OTHER  
 SHAFTS PENETRATING THE COMPARTMENT  
 FLOOR: 90 MINS

FIRE FIGHTING CORE, STAIR SHAFT, LIFT  
 SHAFT: 120 MINS.

TRANSFORMER ROOMS, SWITCH GEAR  
 ROOMS, BOILER ROOMS, STORAGE SPACE  
 FOR FUEL EXCEPT FOR T3 (TRANSFORMER  
 ROOM) AND GENERATOR ROOM: 60 MINS.

ALL CORRIDOR WALLS IN THE INTERIOR OF  
 THE FLATS, HOTEL ROOMS: 30 MINS

Fire Resistance Legend:

30 Minutes  
 60 Minutes  
 90 Minutes  
 120 Minutes  
 240 Minutes

Fire Signage Legend:

To be read in conjunction with Door Signage  
 Schedule 3942 / A\_26\_C01 & A\_26\_C02

Exit / Running Man sign  
 Refer Fire Signage Schedule A26C02  
 for directions

Fire Lift Control Switch

1a EXIT / RUNNING MAN / ARROW (TO THE LEFT)  
 1b EXIT / RUNNING MAN / ARROW (TO THE RIGHT)  
 2a EXIT / RUNNING MAN / ARROW (STRAIGHT ON)  
 2b EXIT / RUNNING MAN / ARROW (TO THE LEFT)  
 2c EXIT / RUNNING MAN / ARROW (TO THE RIGHT)  
 2d EXIT / RUNNING MAN / ARROW (DOWN & TO THE LEFT)  
 2e EXIT / RUNNING MAN / ARROW (UP & TO THE LEFT)  
 2f EXIT / RUNNING MAN / ARROW (UP & TO THE RIGHT)  
 2g EXIT / RUNNING MAN / ARROW (UP & TO THE LEFT)  
 2h EXIT / RUNNING MAN / ARROW (UP & TO THE RIGHT)  
 2i FIRE LIFT CONTROL SWITCH  
 10 EMERGENCY EXIT SIGN WITH GREEN RUNNING MAN LEGEND

KEY TO DIRECTION SIGNAGE	
SIGNAGE NAME	DESCRIPTION
A	BUILDING NAME
C	LEVEL REFERENCE
B1	1-5 Arrow to the left
B2	6-7 Arrow to the right
C1	8-9 Arrow to the left
D1	003 - 004 (Arrow to the right)

Please note:  
 For chemical storage signage, refer  
 to Devlin drawings WL58/63 and WL58/61

C4 WAY FINDING SIGNAGE ADDED  
 MINOR SIGNAGE NOT PROVIDED  
 C3 ISSUED WITH WAY FINDING SIGNAGE ADDED  
 C2 BUILDING CONTROL COMMENTS INCORPORATED  
 C1 ISSUED FOR CONSTRUCTION  
 Date: 24/04/12  
 24/02/11  
 23/02/08  
 01/07/08  
 02/01/08

Rolfe Judd

Architecture Planning Interiors  
 Old Church Court, Claylands Road, The Oval, London SW8 1NZ  
 T 020 7556 1500  
 www.rolfe-judd.co.uk

Client: BALLYMORE (HAYES) LIMITED

Project: HIGH POINT VILLAGE

Drawing:

GROUND FLOOR PLAN  
 SIGNAGE LAYOUT 3 OF 4

Scale: 1:100 (A0) Date: JUNE 2007 Drawn: RG/AS

Drawing No: 3942 / A(26)P00c  
 CAD Ref No: G13942 V Series/General/A26/A26P00c

© Copyright Rolfe Judd Ltd

Revision: C4

CONSTRUCTION  
 ISSUE

