

TREE SURVEY: BS5837

Location: 44 Sweetcroft Road

Date: 23rd July 2010

Tree No.	Tree Species	Height (m)	Crown Spread	Diameter at 1.5m (mm)	Age Class	Height of Crown Clearance (m)	Remaining Useful Life (Yrs)	Conditions	Recommendations	Category Grading	Root Protection Area - Radius (m)	Root Protection Area - Area (m2)
T1	Blue Atlas Cedar (<i>Cedrus atlantica</i> 'Glauc') <u>'Glauc'</u>	17.1	7.5	700	M	4	40+	Vigour normal, lower branches recently removed	No work necessary at present	A1	8.40	221.70
T2	Beech (<i>Fagus sylvatica</i>)	9.2	2.5	390	MA	2.5	40+	Vigour normal, no significant visible defects	No work necessary at present	C1	4.68	68.82
T3	Weeping Willow (<i>Salix alba</i>)	5.2	3	410	MA	2.5	40+	Vigour normal, no significant visible defects	No work necessary at present	C1	4.68	68.82
S4	Syringa	2	1	10	MA	N/A	<10	Small shrub of normal vigour	No work necessary at present	C1	0.10	0.03

LONDON BOROUGH OF HILLINGDON
PASSED CONDITIONALLY
PURSUANT TO SECTION 16 OF THE
BUILDING ACT 1984
2 - DEC 2010
BUILDING CONTROL
MANA

LONDON BOROUGH OF HILLINGDON
RECEIVED
BUILDING CONTROL TEAM
24 AUG 2010
PLANNING & COMMUNITY SERVICES

5
for info, resent 3.7.23