

Transport Statement

September 2023

EAS

Adam and Eve Pub,
830 Uxbridge Road,
London Borough of Hillingdon

Yumuna House LTD

Document History

JOB NUMBER: 3705/2023
DOCUMENT REF: Transport Statement
REVISIONS: A – For Submission

Revision	Comments	By	Checked	Authorised	Date
Draft	Client Draft	CG	SA	SA	27/09/2023

This document has been prepared for the sole use of Yumuna House Ltd. Its content should not be relied upon by others without the written authority of EAS Transport Planning Ltd. If any unauthorised third party makes use of this report they do so at their own risk and EAS Transport Planning Ltd owe them no duty of care or skill.

The content of this report is based on information available as of September 2023, the validity of the statements made may therefore vary over time as planning guidance / policies and the evidence base change.

Contents

1	Introduction	1	4	The Proposed Development	17
2	Policy Context	2		The Development Proposals	17
	Introduction	2		Access	17
	National Planning Policy Framework			Parking	17
	(2023)	2			
	Hillingdon Local Plan	7	5	Development Impact	21
	Accessible Hillingdon Supplementary			Introduction	21
	Planning Document	9		Proposed Trip Generation assessment	21
	Hillingdon Local Implementation Plan	9		Servicing & Delivery	21
				Construction Impact	22
3	Existing Site Function and Base Line		6	Summary and Conclusions	23
	Conditions	11		Summary	23
	Location and Existing Land Uses.	11			
	Local Facilities	11			
	Walking and Cycling	12	7	Appendices	24
	Public Transport	12		Appendix: A - Location Plan	
	PTAL	14		Appendix: B - Masterplan	
	Local Car Availability: 2011 Census			Appendix: C – Cycle Map	
	Data	14		Appendix: D - Bus Map	
	Local journey to work data: 2011			Appendix: E – PTAL Report	
	Census	15		Appendix: F – Access Arrangement	
	The Local Road Network	16		Appendix: G – Swept Path Analysis	
	Existing Parking and Servicing	16		Appendix: H – TRICS Outputs	

1 Introduction

- 1.1 This Transport Statement has been prepared by EAS Transport Planning Ltd on behalf of Yumuna House Ltd. It relates to the proposed redevelopment of the Shiraz Restaurant site at 830 Uxbridge Road, in the London Borough of Hillingdon. A location plan is included as **Appendix A**.
- 1.2 The proposals are to retain the ground floor restaurant and existing Houses of Multiple Occupancy at the site (HMOs), whilst demolishing the function room and removal of the car sales business operating within the existing rear car park; to allow for on-site parking and the erection of 5 three-bedroom dwellings at the rear of the property. The HMO properties will be retained whilst also benefiting from proposed on-site parking. The existing restaurant will also be retained on the ground floor.
- 1.3 There will be 5 residential parking spaces for the 5 dwellings as well as 4 spaces for the existing HMOs, with restaurant staff making use of parking to the front of the site. Secure on-site cycle parking will be compliant with the policy requirement. The site plan is contained in **Appendix B**.
- 1.4 This Transport Statement has been drawn up in accordance with on-line guidance produced by Transport for London (TfL).
- 1.5 The contents of this Transport Statement are:
 - Section 2 – sets out the proposed policy context;
 - Section 3 – describes the existing site function and sets out the baseline conditions;
 - Section 4 – describes the proposed development including proposed measures to influence travel behaviour;
 - Section 5 – describes how the expected transport impacts due to the development trips will be analysed; and
 - Section 6 – gives a summary and conclusions.

2 Policy Context

Introduction

2.1 This section sets out the policy context. Development and growth are encouraged at national, London and local level. How this is made sustainable in the longer term is by encouraging walking, cycling and public transport use.

National Planning Policy Framework (2023)

2.2 The revised National Planning Policy Framework ('NPPF') was published in September 2023 and sets out the government's planning policies for England and how these are expected to be applied.

2.3 Planning law requires that applications for planning permission be determined in accordance with the development plan unless material considerations indicate otherwise. The National Planning Policy Framework must be taken into account in preparing the development plan and it is a material consideration in planning decisions. Planning policies and decisions must also reflect relevant international obligations and statutory requirements.

2.4 The purpose of the planning system is to contribute to the achievement of sustainable development. At a very high level, the objective of sustainable development can be summarised as meeting the needs of the present without compromising the ability of future generations to meet their own needs.

2.5 In respect of that, Paragraph 10 of the NPPF states:

*"So that sustainable development is pursued in a positive way, at the heart of the Framework is a **presumption in favour of sustainable development** (original emphasis)."*

2.6 Section 9 of the NPPF on Promoting Sustainable Transport state in paragraphs 104 and 105:

"Transport issues should be considered from the earliest stages of plan-making and development proposals, so that:

- a) *the potential impacts of development on transport networks can be addressed;*
- b) *opportunities from existing or proposed transport infrastructure, and changing transport technology and usage, are realised – for example in relation to the scale, location or density of development that can be accommodated;*
- c) *opportunities to promote walking, cycling and public transport use are identified and pursued;*
- d) *the environmental impacts of traffic and transport infrastructure can be identified, assessed and taken into account – including appropriate opportunities for avoiding and mitigating any adverse effects, and for net environmental gains; and*
- e) *patterns of movement, streets, parking and other transport considerations are integral to the design of schemes, and contribute to making high quality places.*

The planning system should actively manage patterns of growth in support of these objectives. Significant development should be focused on locations which are or can be made sustainable, through limiting the need to travel and offering a genuine choice of

transport modes. This can help to reduce congestion and emissions, and improve air quality and public health. However, opportunities to maximise sustainable transport solutions will vary between urban and rural areas, and this should be taken into account in both plan-making and decision-making.”

2.7 Paragraph 107, in relation to parking standards, states that the following should be taken into account:

- a) *“the accessibility of the development;*
- b) *the type, mix and use of development;*
- c) *the availability of and opportunities for public transport;*
- d) *local car ownership levels; and*
- e) *the need to ensure an adequate provision of spaces for charging plug-in and other ultra-low emission vehicles.”*

2.8 Paragraph 108 adds that:

“Maximum parking standards for residential and non-residential development should only be set where there is a clear and compelling justification that they are necessary for managing the local road network, or for optimising the density of development in city and town centres and other locations that are well served by public transport. In town centres, local authorities should seek to improve the quality of parking so that it is convenient, safe and secure, alongside measures to promote accessibility for pedestrians and cyclists.”

2.9 Paragraphs 110 and 111 state that in assessing applications for development it should be ensured that:

“In assessing sites that may be allocated for development in plans, or specific applications for development, it should be ensured that:

- a) *appropriate opportunities to promote sustainable transport modes can be – or have been – taken up, given the type of development and its location;*
- b) *safe and suitable access to the site can be achieved for all users;*
- c) *the design of streets, parking areas, other transport elements and the content of associated standards reflects current national guidance, including the National Design Guide and the National Model Design Code; and*
- d) *any significant impacts from the development on the transport network (in terms of capacity and congestion), or on highway safety, can be cost effectively mitigated to an acceptable degree.*

111. Development should only be prevented or refused on highways grounds if there would be an unacceptable impact on highway safety, or the residual cumulative impacts on the road network would be severe.”

2.10 Furthermore, paragraphs 112 and 113 continue:

“112. Within this context, applications for development should:

- a) *give priority first to pedestrian and cycle movements, both within the scheme and with neighbouring areas; and second – so far as possible – to facilitating access to high quality public transport, with layouts that maximise the catchment area for bus*

or other public transport services, and appropriate facilities that encourage public transport use;

- b) address the needs of people with disabilities and reduced mobility in relation to all modes of transport;*
- c) create places that are safe, secure and attractive – which minimise the scope for conflicts between pedestrians, cyclists and vehicles, avoid unnecessary street clutter, and respond to local character and design standards;*
- d) allow for the efficient delivery of goods, and access by service and emergency vehicles; and*
- e) be designed to enable charging of plug-in and other ultra-low emission vehicles in safe, accessible and convenient locations.*

113. All developments that will generate significant amounts of movement should be required to provide a Travel Plan, and the application should be supported by a Transport Statement or Transport Assessment so that the likely impacts of the proposal can be assessed."

The London Plan (2021)

2.11 The New London Plan was formally published on the 2nd of March 2021. This document is now the main material consideration element in planning decisions within Greater London.

2.12 Policy T1 'Strategic approach to transport' states that development proposals should facilitate the delivery of the Mayor's strategic target of 80% of all trips in London to be made by foot, cycle or public transport by 2041. All development should make the most effective use of land, reflecting its connectivity and accessibility by existing and future public transport, walking and cycling routes, and ensure that any impacts on London's transport networks and supporting infrastructure are mitigated.

2.13 Policy T2 accordingly states that development proposals should deliver patterns of land use that facilitate residents making shorter, regular trips by walking or cycling. Development proposals should:

- 1) "demonstrate how they will deliver improvements that support the ten Healthy Streets Indicators in line with Transport for London guidance;*
- 2) reduce the dominance of vehicles on London's streets whether stationary or moving; and*
- 3) be permeable by foot and cycle and connect to local walking and cycling networks as well as public transport."*

2.14 Policy T4 states that:

- A) "Development proposals should reflect and be integrated with current and planned transport access, capacity and connectivity.*
- B) When required in accordance with national or local guidance, transport assessments/statements should be submitted with development proposals to ensure that any impacts on the capacity of the transport network (including impacts on pedestrians and the cycle network), at the local, network-wide and strategic level, are fully assessed. Transport assessments should focus on embedding the Healthy Streets Approach within, and in the vicinity of, new development. Travel Plans, Parking Design and*

Management Plans, Construction Logistics Plans and Delivery and Servicing Plans will be required having regard to Transport for London guidance.

- C) *Where appropriate, mitigation, either through direct provision of public transport, walking and cycling facilities and highways improvements or through financial contributions, will be required to address any adverse transport impacts that are identified.*
- D) *Where the ability to absorb increased travel demand through active travel modes has been exhausted, existing public transport capacity is insufficient to allow for the travel generated by proposed developments, and no firm plans and funding exist for an increase in capacity to cater for the increased demand, planning permission will be contingent on the provision of necessary public transport and active travel infrastructure.*
- E) *The cumulative impacts of development on public transport and the road network capacity including walking and cycling, as well as associated effects on public health, should be taken into account and mitigated.*
- F) *Development proposals should not increase road danger."*

2.15 Policy T5 states that developments should provide cycle parking in accordance with the minimum standards set out in Table 10.2 and should be designed and laid out in accordance with the guidance contained in the London Cycling Design Standards. Table 10.2 sets the minimum at C3 residential developments as:

- 1 long-term cycle parking space per studio or one-bedroom one-person dwelling;
- 1.5 long-term cycle parking spaces per one-bedroom two-person dwelling;
- 2 long-term cycle parking spaces per all other dwellings; and
- 2 short-term cycle parking spaces for 5 to 40 dwellings, and thereafter 1 space per 40 dwellings

2.16 It should be noted that the site is not in an area where higher minimum cycle parking standards apply.

2.17 Policy T6 states that car-free development should be the starting point for all development proposals in places that are (or are planned to be) well-connected by public transport, with developments elsewhere designed to provide the minimum necessary parking ('car-lite'). Although, disabled parking should be provided for 'car-free' developments, in line with Part E of this Policy.

- A. *"Car parking should be restricted in line with levels of existing and future public transport accessibility and connectivity.*
- B. *Car-free development should be the starting point for all development proposals in places that are (or are planned to be) well-connected by public transport, with developments elsewhere designed to provide the minimum necessary parking ('car-lite'). Car-free development has no general parking but should still provide disabled persons parking in line with Part E of this policy.*
- C. *An absence of local on-street parking controls should not be a barrier to new development, and boroughs should look to implement these controls wherever necessary to allow existing residents to maintain safe and efficient use of their streets.*

- D. The maximum car parking standards set out in Policy T6.1 Residential parking to Policy T6.5 Non-residential disabled persons parking should be applied to development proposals and used to set local standards within Development Plans.
- E. Appropriate disabled persons parking for Blue Badge holders should be provided as set out in Policy T6.1 Residential parking to Policy T6.5 Non-residential disabled persons parking.
- F. Where provided, each motorcycle parking space should count towards the maximum for car parking spaces at all use classes.
- G. Where car parking is provided in new developments, provision should be made for infrastructure for electric or other Ultra-Low Emission vehicles in line with Policy T6.1 Residential parking, Policy T6.2 Office parking, Policy T6.3 Retail parking, and Policy T6.4 Hotel and leisure uses parking. All operational parking should make this provision, including offering rapid charging. New or re-provided petrol filling stations should provide rapid charging hubs and/or hydrogen refuelling facilities.
- H. Where electric vehicle charging points are provided on-street, physical infrastructure should not negatively affect pedestrian amenity and should ideally be located off the footway. Where charging points are located on the footway, it must remain accessible to all those using it including disabled people.
 - I. Adequate provision should be made for efficient deliveries and servicing and emergency access.
 - J. A Parking Design and Management Plan should be submitted alongside all applications which include car parking provision indicating how the car parking will be designed and managed, with reference to Transport for London guidance on parking management and parking design.
- K. Boroughs that have adopted or wish to adopt more restrictive general or operational parking policies are supported, including borough-wide or other area-based car-free policies. Outer London boroughs wishing to adopt minimum residential parking standards through a Development Plan Document (within the maximum standards set out in Policy T6.1 Residential parking) must only do so for parts of London that are PTAL 0-1. Inner London boroughs should not adopt minimum standards. Minimum standards are not appropriate for non-residential use classes in any part of London.
- L. Where sites are redeveloped, parking provision should reflect the current approach and not be re-provided at previous levels where this exceeds the standards set out in this policy. Some flexibility may be applied where retail sites are redeveloped outside of town centres in areas which are not well served by public transport, particularly in outer London."

2.18 Policy T6.1 states that new residential development should not exceed the maximum parking standards set out in Table 10.3. This states that sites in Outer London with a PTAL of 3 (such as this site) should have a maximum of 0.75 spaces per 1-2 bed dwelling and 1 space per 3 bed+ dwelling.

2.19 Additionally, at least 20% of spaces should include active electric vehicle charging provision, with passive provision for all the remaining spaces.

2.20 Car club spaces will also be considered to offset private parking requirements. These should have active charging facilities.

2.21 Also, for three per cent of dwellings, at least one designated disabled parking space per dwelling is provided from the outset, though they should not be allocated to specific dwellings but should be located near to the relevant block's entrance and lift core.

Hillingdon Local Plan

2.22 The Hillingdon Local Plan is formed of two separately adopted documents – the Strategic Policies adopted in 2012, and the Development Management Policies, adopted in 2020. The two sections of the Local Plan form the council's future development strategy, setting out a framework and detailed policies to guide planning decisions.

2.23 The Hillingdon Local Plan Part 1 – Strategic Policies (formerly Core Strategies) was adopted at a Council meeting on 8th November 2012 and is now a part of the Development Plan for the Borough.

2.24 Policy T1 on Accessible Local Destinations states that development will be favoured at sites where the impact on the transport network can best be accommodated. Developments should encourage access by sustainable modes.

2.25 Policy T3 on North – South Sustainable Transport Links aims to improve north – south public transport links and to link residential areas with employment areas and transport interchanges.

2.26 This development takes advantage of proximity to public transport and local services and will reduce reliance on private car by reducing car trips to essential uses.

2.27 The Local Plan Part 2 comprises Development Management Policies, Site Allocations and Designations and Polices Map. The Local Plan Part 2 Development Management Policies and Site Allocations and Designations were adopted as part of the borough's development plan at Full Council on 16th January 2020.

2.28 Policy DMT 1 on Managing Transport Impacts states that

"Development proposals will be required to meet the transport needs of the development and address its transport impacts in a sustainable manner. In order for developments to be acceptable they are required to:

- i. be accessible by public transport, walking and cycling either from the catchment area that it is likely to draw its visitors from and / or the services and facilities necessary to support the development;*
- ii. maximise safe, convenient and inclusive accessibility to, and from within developments for pedestrians, cyclists and public transport users;*
- iii. provide equal access for all people, including inclusive access for disabled people;*
- iv. adequately address delivery, servicing and drop-off requirements; and*
- v. have no significant adverse transport or associated air quality and noise impacts on the local and wider environment, particularly on the strategic road network.*

Development proposals will be required to undertake a satisfactory Transport Assessment and Travel Plan if they meet or exceed the appropriate thresholds. All major

developments 11 that fall below these thresholds will be required to produce a satisfactory Transport Statement and Local Level Travel Plan. All these plans should demonstrate how any potential impacts will be mitigated and how such measures will be implemented”

2.29 Policy DMT 2 on Highways Impacts effectively supersedes Policy AM7 in the Unitary Development Plan. It requires development proposals to ensure that:

- i. *“safe and efficient vehicular access to the highway network is provided to the Council’s standards;*
- ii. *they do not contribute to the deterioration of air quality, noise or local amenity or safety of all road users and residents;*
- iii. *safe, secure and convenient access and facilities for cyclists and pedestrians are satisfactorily accommodated in the design of highway and traffic management schemes;*
- iv. *impacts on local amenity and congestion are minimised by routeing through traffic by the most direct means to the strategic road network, avoiding local distributor and access roads; and*
- v. *there are suitable mitigation measures to address any traffic impacts in terms of capacity and functions of existing and committed roads, including along roads or through junctions which are at capacity.”*

2.30 Policy DMT 5 on Pedestrians and Cyclists requires that:

“Development proposals to ensure that safe, direct and inclusive access for pedestrians and cyclists is provided on the site connecting it to the wider network, including:

- i. *the retention and, where appropriate, enhancement of any existing pedestrian and cycle routes;*
- ii. *the provision of a high quality and safe public realm or interface with the public realm, which facilitates convenient and direct access to the site for pedestrian and cyclists;*
- iii. *the provision of well signposted, attractive pedestrian and cycle routes separated from vehicular traffic where possible; and*
- iv. *the provision of cycle parking and changing facilities.”*

2.31 Policy DMT 6 on Vehicle Parking requires that:

“Development proposals to comply with the parking standards outlined in Appendix C Table 1 in order to facilitate sustainable development and address issues relating to congestion and amenity. The Council may agree to vary these requirements when:

- i. *the variance would not lead to a deleterious impact on street parking provision, congestion or local amenity; and / or*
- ii. *a transport appraisal and travel plan has been approved and parking provision is in accordance with its recommendations.*

B) All car parks provided for new development will be required to contain conveniently located reserved spaces for wheelchair users and those with restricted mobility in accordance with the Council’s Accessible Hillingdon SPD.”

2.32 Appendix C on parking standards contains the following specifications:

- For non-retail commercial development, car parking areas must include 10% of spaces suitable for a wheelchair user in accordance with the provisions in the Council's Accessible Hillingdon SPD May 2013;
- A further 5% of all parking should be allocated to Brown Badge holders (being local residents of 65 years and over);
- Parking for electric vehicles should meet London Plan targets;
- For road layouts, swept path analysis must include 300mm error margins around the body of the vehicle. This should be satisfactorily accommodated within the existing and proposed road layout;
- Parking for bicycles must be located in a safe, secure and accessible location. Covered parking should be provided where possible. Cycle spaces should be located as near as possible to the building entrance(s);
- As a minimum, cycle parking should normally take the form of Sheffield stands or a similar stand which allows both the frame and wheels of a cycle to be secured without risk of damage;
- In addition to car and bicycle parking, parking spaces for motorised two-wheelers (motorcycles, mopeds and scooters) must also be provided at the rate of 5% of car parking spaces; and
- Motorised two-wheeler parking should be secure and where possible covered and close to building entrances; Ideally parking should be grouped together for security.

2.33 Appendix C of the Local Plan sets the maximum standard for car parking at non-food shops set within PTAL 2-4 areas, as 1 car parking spaces per 35-50sqm of floor space, as well as one cycle parking space per 500sqm of floor space. The table heading describes these as maximum standards but this may be a misprint for minimum, as paragraph 8.26 of the same document also states that this standard should be met. The standard of provision is below the minimum standards in the London Plan requirements.

Accessible Hillingdon Supplementary Planning Document

2.34 The Accessible Hillingdon Supplementary Planning Document was adopted in 2017, providing guidance on the design of inclusive infrastructure within the Borough.

2.35 In regard to commercial development, this document states that all new commercial developments must have 10% plus 5% of spaces designed to Blue Badge standards with a parking space measuring 2.4 by 4.8m with an adjacent 1.2m side transfer area. The former 10% of parking spaces are to be allocated as Blue Badge spaces, whereas the 5% of the spaces are to be allocated as Brown Badge spaces.

Hillingdon Local Implementation Plan

2.36 The Local Implementation Plan ('LIP3') is Hillingdon's transport plan, detailing its transport objectives and programme to support delivery of the Mayor's Transport Strategy within the borough. The LIP considers the goals, challenges, policies and outcomes detailed in the MTS and tailors them to Hillingdon.

2.37 Dated November 2018 the LIP3 considers Borough objectives through the life of the MTS to 2041 and is Hillingdon's third LIP replacing the earlier 2011 Plan.

2.38 Chapter 2 of this document sets the objectives of the LIP3 as:

- *"Hillingdon's streets will be characterised by the 10 healthy streets indicators;*
- *Real and perceived threats to safety will be identified and addressed;*
- *Through design, planning and management Hillingdon's streets will be used most efficiently and have less traffic on them;*
- *Town centres will be vibrant, clean and accessible, residential areas will be safe, quiet and relaxing, business streets will be connected;*
- *The public transport network will respond to and shape the built-up area it serves;*
- *Public transport in Hillingdon will be inclusive and satisfy the travel needs of residents, visitors and businesses;*
- *The development and management of Hillingdon's streets will support frequent and reliable public transport services;*
- *Through land use/transport planning the travel choices available will include all those that are active, efficient and sustainable;*
- *Transport investment will connect and facilitate the release of sites for new homes and jobs."*

3 Existing Site Function and Base Line Conditions

Location and Existing Land Uses.

- 3.1 The site is currently the Shiraz Afghan cuisine restaurant on Uxbridge Road, Hayes UB4 0RR. This is a locally listed building and has recently been incorporated into the Hayes Village Conservation Area.
- 3.2 An area to the rear of the public house is currently used for a car sales business. This use will cease when the site is redeveloped and the planning application covers this area.
- 3.3 The site is located in the London Borough of Hillingdon, on the north side of Uxbridge Road and almost opposite the signalled junction with Church Road.
- 3.4 The site is within the Uxbridge Road (Hayes) minor town centre, also known as Hayes Parades, and forms part of a string of retail and commercial properties.
- 3.5 Uxbridge Road (A4020) is a London Distributor Road linking Uxbridge, Hillingdon and Southall.

Local Facilities

- 3.6 Key local facilities are shown on the facilities plan in **Appendix A**. The site is very well located for all facilities being located on Uxbridge Road with various shops and commercial establishments nearby.
- 3.7 Facilities close to the site are:
 - Lidl Food Store;
 - Tesco Express
 - Various Restaurants;
 - Banks;
 - A Cyber Café;
 - Public House;
 - Dry Cleaners;
 - Hair Dressers and;
 - Pharmacy
- 3.8 Public transport facilities are excellent with bus stops close to the site, and good quality pedestrian and cycle facilities present. These are described in detail below.

Walking and Cycling

3.9 The footways around the site are well maintained and well lit. Adjacent to the site on Uxbridge Road the footway is approximately eight metres wide and along Uxbridge Road it varies in width from approximately four to eight metres with some parts shared with cyclists.

3.10 Uxbridge Road is a busy urban street and has a central reserve with guard railing. Adjacent to the site is a pedestrian signal crossing which forms part of the signal junction of Uxbridge Road and Church Road.

3.11 The Transport for London Local Cycling Guide 6 shows cycle paths on both sides of Uxbridge Road as far east as the A312 and as far west as Hayes End. Cycle tracks also run from Ossie Garvin Roundabout alongside the A312 Parkway towards Northolt and Heathrow. To the west, Lansbury Drive, Hayes End Road and Wood End Road have been identified as quieter roads recommended by cyclists and sections of Uxbridge Road have advisory cycle lanes. Cycle routes are indicated on the local cycle routes plan contained in **Appendix C**.

3.12 There are cycle hoops for general use at various points along Uxbridge Road, for example at the junctions with Warley Road and Shakespeare Avenue east of the site and west of Gledwood Drive.

Public Transport

3.13 The nearest eastbound bus stop on Uxbridge Road is 65 metres from the site and the nearest westbound stop is 80 metres away via the pedestrian crossings. There are also bus stops on Church Road, 65 and 85 metres away. The nearest stops served by the limited stop route 607 (Uxbridge – Ealing) are stop E eastbound, 260 metres away, and stop F westbound, 350 metres away. All the stops have shelters.

3.14 Table 3.1 summarises the bus routes serving these stops while **Appendix D** gives a bus map.

Bus Stop	Service	Route	Frequency
Uxbridge Road (stop J eastbound, stop K westbound)	90	Northolt station – Kingshill Avenue – Hayes station – Feltham Leisure West	Every 11 mins
	427	Uxbridge station – Acton Old Town Hall, Salisbury Street	Every 10 mins
	696	Conway Drive – Hume Way (stopping at various schools)	2 per school peak hours
	U7	Uxbridge station – Hillingdon Hospital – Charlville Lane – Lombardy Retail Park	Every 30 mins
	N207	Night bus (operational between 00:12 – 04:17) Uxbridge station – Bloomsbury Square	Every 30 mins
	697	Wood End – Yeading – Hayes – Hillingdon - Ickenham	07:33 – 07:38
Uxbridge Road (stop E eastbound, stop F westbound)	SL8 Superloop	Express service between Uxbridge station – White City bus station (limited stop)	7 to 15 mins
Church Road (stop G northbound, stop H southbound)	195	Charville Lane – Hayes station – Southall – Brentford County Court	Every 12 mins
	H98	Hayes End Kingsway – Hayes station – Hounslow bus station	Every 10 mins

	278	Heathrow – Harlington – Hayes – North Hillingdon - Ickenham – West Ruislip	Every 10 mins (24hr)
	698	West Drayton – Hayes – Hillingdon – Ickenham (07:22 – 07:37)	4 buses

Table 3.1 Local Bus Services

3.15 The nearest railway station to the site is Hayes & Harlington which is located around 2.2 kilometres to the south of the proposed development. Hayes & Harlington is located in Travelcard Zone 5 and Oyster "pay as you go" can be used for journeys originating or ending at the station. The station is served by several bus routes from the site, as noted in Table 3.1 above.

3.16 Great Western Railway (GWR) currently serve Hayes & Harlington with stopping services and fast services in both directions between Paddington and Reading stations, as well as Didcot Parkway and Oxford. Heathrow Connect services, which is jointly run by Heathrow Airport Holdings (who built the tunnel and airport junction to the airport) and FirstGroup (providing a fast electric main line alternative to the Piccadilly line for passengers travelling to Heathrow Airport) also serve the station and replaced the previous stopping services under First Great Western Link between Hayes & Harlington and London Paddington.

3.17 Table 3.2 summarises the GWR train frequencies. The basic off-peak service (except Sundays) comprises two trains from Oxford, two from Reading, two from Heathrow and two starting from Hayes. Additional trains operate at peak periods.

	Trains per hour		Eastbound to London Paddington		Westbound to Reading	
	Daytime	Evening	First train	Last train	First train	Last train
M - F	6	6	05:56	23:56 *	05:34	00:12 *
Sat	6	6	04:45	00:46	06:57 **	00:48
Sun	2	2	07:03	00:54	07:03	00:11

* There are also trains to London Paddington at 02:57 and 04:27 and to Reading at 01:51 and 03:51.

** There are also trains to Reading at 00:51, 02:01 and 03:51.

Operated by First Great Western.

	Trains per hour		Eastbound to London Paddington		Southbound to Heathrow	
	Daytime	Evening	First train	Last train	First train	Last train
M - F	2	2	05:35	00:13	04:57	23:22
Sat	2	2	05:35	00:13	04:57	23:57
Sun	1	1	06:19	23:19	05:27	23:28

Operated by Heathrow Connect.

Table 3.2 Train Services from Hayes & Harlington Station

3.18 Hayes & Harlington station is served by Crossrail (Elizabeth Line) trains using new twin-bore main line diameter tunnels underneath central London which will surface west of Paddington station. Although beyond the core tunnel section, Hayes & Harlington is provided with a frequent metro service across the capital to Docklands, Abbey Wood, east London and Shenfield, replacing the current Great Western Railway service.

3.19 As part of the works preparing the station for Crossrail services Network rail provided a new station building, lifts to provide step free access, platform extensions and a new platform.

3.20 A summary of the Elizabeth line frequencies.

	Trains per hour in each direction		Eastbound to Shenfield		Westbound to Reading	
	Daytime	Evening	First train	Last train	First train	Last train
M - F	10	9	05:27	00:19	04:36	00:07
Sat	10	10	05:27	00:24	04:53	00:16
Sun	10	9	06:00	00:19	05:27	23:59

Table 3.3 Elizabeth Line Train Services from Hayes & Harlington Station

PTAL

3.21 The Public Transport Accessibility Level Index is used to derive accessibility maps for London. Details of the methodology can be found in the Transport for London Transport Assessment Guidance document (2014). This guidance states that:

The most widely recognised form of measuring accessibility to the public transport network in London is PTALs (Public Transport Accessibility Levels). The PTAL of a site will influence factors such as the appropriate quantum of development on a site, the level of car parking and the need for additional public transport services.

3.22 A full PTAL assessment for the site is included in **Appendix E** which shows a PTAL for the site of 3 which is defined as Moderate.

Local Car Availability: 2011 Census Data

3.23 The site is located within the London Borough of Hillingdon and within Lower Layer Super Output Area (LSOA) 021C. Data from the 2011 Census have been used to assess local levels of car availability for the LSOA , comparing this with the Borough as a whole. Table 3.4 below shows the data while Figure 3.1 shows the extent of the LSOA.

	LSOA Hillingdon 021C	LB Hillingdon
	number	%
All categories: Car or van availability	514	100.0
No cars or vans in household	154	30.0
1 car or van in household	206	40.1
2 cars or vans in household	113	22.0
3 cars or vans in household	36	7.0
4 or more cars or vans in household	5	1.0
Sum of all cars or vans in the area	566	-
Cars per household	-	1.10
		1.22

Table 3.4: 2011 Census car & van ownership in Hillingdon Borough and LSOA 021C (Nomis Table KS404EW)




Figure 3.1: LSOA Hillingdon 021C. the arrow shows the site location

3.24 Table 3.3 shows that car availability in the LSOA is slightly lower than in Hillingdon as a whole with 1.10 cars per household compared with 1.22 for the whole Borough. 30% of households in the LSOA had no car whereas the figure for the Borough was 23%.

Local journey to work data: 2011 Census

3.25 Data from the 2011 Census have also been used to assess local journey to work details for both the Borough as a whole and the LSOA 021, as shown in Table 3.5.

	LSOA Hillingdon 021C		Hillingdon Borough	
	Total	%	Total	%
All residents aged 16 - 74	1,248	-	199,926	-
Not in employment	509	-	69,636	-
Work from home	13	1.8%	5,121	3.9%
Underground, metro, tram	40	5.4%	17,458	13.4%
Train	36	4.9%	5,643	4.3%
Bus	185	25.0%	15,731	12.1%
Taxi	1	0.1%	469	0.4%
Motorcycle, scooter, moped	0	0.0%	0	0.8%
Car driver	369	49.9%	68,925	52.9%
Car passenger	30	4.1%	4,092	3.1%
Bicycle	4	0.5%	1,936	1.5%
Foot	57	7.7%	9,192	7.1%
Other method of travel to work	4	0.5%	664	0.5%
Residents in employment	739	100.0%	130,290	100.0%

Table 3.5: 2011 Census Local Journey to work data (Nomis Table QS701EW)

3.26 Approximately half of employed people in the LSOA drive to work, similar to the Borough as a whole, and the proportions walking and travelling by train (National Rail) are also very similar. The main difference is that a quarter of employed people in the LSOA travel to work by bus, double the proportion for the Borough; conversely, the proportion using the Underground is much less. The distance from the nearest Underground station is naturally a factor but the frequent bus service, including the limited stop route 607, to some extent makes up for this.

The Local Road Network

- 3.27 Vehicular access to the site is from Uxbridge Road. Immediately to the east of the existing building there is a drive leading to parking areas behind and to the east and northeast of the site, including the Job Centre. Access to the drive is facilitated by a dropped kerb. Only left turn in and left turn out are possible here because of the central reservation.
- 3.28 Uxbridge Road has a 40 mph speed limit. To the east it crosses the A312 (The Parkway) at a multi-level junction. To the north The Parkway links with the A40 at Northolt while to the south it links with the M4 and then the A30 east of Heathrow Airport. Further east Uxbridge Road continues towards Southall and Ealing.
- 3.29 To the west Uxbridge Road leads to Uxbridge town centre and the M40 at Junction 1.

Existing Parking and Servicing

- 3.30 Refuse collection currently takes place by a refuse vehicle turning within the job centre car park. The next section of this report demonstrates that a refuse vehicle could turn in the access drive adjacent to the Adam and Eve building in the future should the job centre site be closed.
- 3.31 As part of a programme to upgrade the Hayes Parades, LB Hillingdon plan to provide improved 'Stop & Shop' parking with marked bays, and additional parking bays in nearby side roads, in the area of Belmore Parade immediately to the east of the site.

4 The Proposed Development

The Development Proposals

4.1 A site plan of the proposed redevelopment is included in **Appendix B**. These show the proposed mixed use development in which:

- 5 x 3 bed residential dwellings are proposed within the rear existing car park currently used for car sales;
- the front portion of the existing restaurant building is retained, with the ground floor to remain as a restaurant and upper floors remain as HMOs with a total of 9 bedrooms;
- a section of the events room of approximately 160sqm will be demolished to allow vehicle access to the rear; and
- there is also a basement of 96sqm that is to be retained.

4.2 The notice for sale describes the building as having car parking for approximately 50 vehicles. While some informal parking appears to take place at the side of the building the main parking area is at the rear and is currently occupied by a car sales business. As noted in the previous section this operation will cease at the site and the proposed development includes the area that it occupies.

4.3 5 residential car parking spaces are to be included for the 5 dwellings, 1 per dwelling and 4 car parking spaces will be available for the existing HMOs. Restaurant staff will make continue to make use of parking facilities available at the front of the property.

Access

4.4 The existing junction arrangement with Uxbridge Road is illustrated in **Appendix F**. Entry from and exit onto Uxbridge Road will be left turn in, left turn out, as it is at present. It can be seen that tactile paving and bollards are already in place indicating a break in the segregated footway and cycleway. The close proximity to the signal junction with Church Road and signalised pedestrian crossing to the site junction as illustrated on the sketch, will provide gaps within the traffic on Uxbridge Road, allowing traffic to exit the site.

4.5 A visibility splay in excess of 2.4m x 120m is available to the west, suitable for the 40mph speed limit and to DMRB standards, as illustrated in **Appendix F**.

4.6 Pedestrian access to the retained building will remain as at present – i.e. direct from the street. Access to the residential blocks will be around the east side of the retained building.

Parking

4.7 The car park will be accessed to the rear of the property via the existing access. Suitable turning facilities for deliveries and cars will be within the car park section as shown on the swept path analysis contained at **Appendix G**.

4.8 Whilst refuse will likely remain operating as it currently does, utilising the turning space in the job centre. Should the job centre close, suitable turning facilities are available on site to allow deliveries and servicing. This has been illustrated at **Appendix G**.

4.9 The proposed provision of car, motorcycle and pedal cycle parking spaces can be set against the London Plan and the Hillingdon Development Management Policies standards.

4.10 Table 4.1 shows the standards relating to car parking (which are maximum standards except where shown). The proposed 5 residential car parking spaces are within the maximum in the London Plan and Development management policy.

Land use	London Plan 2021	Hillingdon Development Management Policies 2020
C3 – C4 dwellings	1 space per 3 bed+ dwelling	2 spaces per dwelling
Permitted spaces (5x 3 bed units)	5	10
HMOs	N/a	1 space per 2 occupants. For HMOs over 6 occupants, car parking requirements will be assessed through a transport appraisal and travel plan.
Permitted spaces (9 bedrooms)	N/a	5 total based on 1 per 2 occupants

Table 4.1: London and Hillingdon car parking standards (maxima except where shown)

4.11 The proposed 5 residential parking spaces is in line with the London Plan 2021 standards and below the maximum Hillingdon's Development Management policies. The 4 HMO parking spaces are in line with Hillingdon's Development Management policy for HMOs with over 6 occupants.

4.12 Whilst the sites previously approved scheme proposed 8 parking spaces for the HMO units. It is considered that 4 spaces available on site will be adequate due to the location being on Uxbridge Road very near to bus stops and facilities. Since this is an existing use, the 4 spaces is considered a betterment to the existing parking available on site for the HMO units and in line with Hillingdon's Development Management policy.

4.13 With the site's key bus connections and close proximity to the shops on Uxbridge Road, the reduced parking level should be acceptable. Comparing the proposed parking to the current car ownership highlighted within table 3.4, the local area has a car ownership of 1.1 per dwelling. This means the proposal of 1 space per dwelling is in line with current car ownership and policy requirements as per the London Plan 2021.

4.14 All visitors and staff of the restaurant will use the existing arrangements of using the hardstanding to the front of the restaurant with space for 8 cars.

4.15 It should also be noted that the LB Hillingdon, as part of its work to improve the environment of the Hayes Parades, have upgraded the existing 'Stop & Shop' scheme to maximise parking, particularly in and around the Belmore Parade, and to provide additional parking on side roads.

4.16 Table 4.2 shows the minimum standards for disabled parking.

Land use	London Plan 2021	Hillingdon Development Management Policies 2020
C3 units	Disabled persons parking should be provided for new residential developments. Residential development proposals delivering ten or more units must, as a minimum: 1) ensure that for three per cent of dwellings, at least one designated disabled persons parking bay per dwelling is available from the outset	10% of spaces

* Brown Badge: a special badge for older Hillingdon residents with restricted mobility

Table 4.2: London and Hillingdon minimum disabled car parking standards.

4.17 In terms of disable parking on the site, there will be 1 space provided and included within the 5 residential parking spaces.

4.18 Table 4.3 shows the minimum standards for provision of charging points for electric cars.

Land use	London Plan 2021	Hillingdon Development Management Policies 2020
C3 units	20% active + 100% passive	5% active plus 5% passive “to meet the Mayor’s targets. This will be reviewed in future”
HMO	N/a	

Table 4.3: London and Hillingdon minimum standards for electric charging points.

4.19 The London Plan standards will be applicable. 2 of the parking spaces will be proposed to include electric charging facilities with provisions of the remaining spaces to be converted at a later date.

4.20 Table 4.4 shows the minimum standards for cycle parking spaces.

Land use	London Plan 2021	Hillingdon Development Management Policies 2020
C3 Dwellings	1.5 spaces per 2 person 1 bedroom dwelling 2 spaces per all other Dwellings Plus 2 space / 40 units	2 per dwelling
Minimum spaces (5 units)	12	10
HMO	N/a	1 per occupant
Minimum spaces (9 bedrooms)	N/a	9

Table 4.4: London and Hillingdon minimum standards for pedal cycling parking.

4.21 There will be secure on-site cycle parking for 19 cycles adjacent to the retained building in a secure and covered store, and 8 public spaces to the front of retained building in the form

of four Sheffield style stands. The proposed parking provision is therefore in line with the minimum provision as set out in the London Plan and the Hillingdon Unitary Plan or Development Management Policies.

5 Development Impact

Introduction

5.1 This section discusses the expected impact of the proposed development. The impacts on public transport, the local pedestrian and cycle environment, the local highway network and local parking capacity are all separately considered.

5.2 As the restaurant and HMO's will be retained only the new dwellings have been considered.

Proposed Trip Generation assessment

5.3 The TRICS 7.8.4 database was interrogated to identify trip rates for the existing and proposed uses.

5.4 The criteria used for the proposed houses were private homes in Greater London and with a PTAL of 3 or under. Two sites were chosen, comprising a mixture of Neighbourhood Centre and Edge of Town Centre. Although these locations may appear to be incompatible, the proposed development is clearly in a suburban area and the town centre where it is located is a narrow ribbon, strung for some distance along an arterial road.

5.5 Table 5.1 shows the vehicle trip rates per unit for the selected developments of private homes in London, applying them to the proposed development of 5 dwellings. The full TRICS output is shown in **Appendix H**.

	08:00 - 09:00			17:00 - 18:00			07:00 - 21:00		
	In	Out	Total	In	Out	Total	In	Out	Total
Total Vehicles	0.071	0.366	0.437	0.148	0.093	0.241	2.039	1.895	3.934
OGVs	0.000	0.000	0.000	0.005	0.000	0.005	0.037	0.032	0.069
Trips:									
Vehicles	0	2	2	1	0	1	10	9	20
OGVs	0	0	0	0	0	0	0	0	0

Table 5.1: Vehicle trip rates for private flats (per unit) and expected trips for a development of 5 dwellings

5.6 It will be seen that the development will generate very few vehicle trips, with 2 and 1 trips predicted in each peak hour and only 10 arriving and 9 leaving during the 14 hour period surveyed.

5.7 It may be concluded that the number of trips experienced as a result of the 5 dwellings in the peak times is unlikely to be perceptible against the background traffic volumes and will not require any mitigation measures. In addition, taking into the likely trips generated by the car sales business it is possible that a reduction will be experienced at the site.

Servicing & Delivery

5.8 Servicing and delivery currently take place from the shared area adjacent to the building. This will be changed, and deliveries will be able to make use of turning facilities within the car park allowing them to pull in and out in forward gear. Refuse will also be collected with

stores to the side of the property. There will be facilities on site for refuse vehicles to turn allowing them to enter and exit in forward gear.

5.9 Full swept path analysis of a large refuse vehicle and delivery vehicle is illustrated within **Appendix G**.

Construction Impact

5.10 A Construction Traffic Management Plan (CTMP) will be produced by the appointed contractor to be agreed with Hillingdon Council prior to any work commencing. The main site access for construction vehicles will be via the existing access into the site.

5.11 The CTMP is likely to include details such as:

- Likely construction trips generated;
- accumulative impacts of construction traffic;
- mitigation measures proposed including:
 - site access arrangements;
 - booking systems;
 - construction phasing;
 - vehicular routes; and
 - scope for load consolidation or modal shift.

5.12 The CTMP will seek to ensure that construction impact is minimal on bus services, road users, pedestrians, cyclists and service vehicles

6 Summary and Conclusions


Summary

- 6.1 It is proposed to redevelop the site occupied by the Adam and Eve public house on Uxbridge Road, Hayes, LB Hillingdon.
- 6.2 The masterplan proposal set out here is to retain the existing restaurant and HMOs, whilst demolishing the function room to allow for on-site parking and the erection of 5 three-bedroom dwellings at the rear of the property. A minor extension is also proposed at the rear of the restaurant.
- 6.3 There will be 5 residential parking spaces for the 5 dwellings as well as 4 spaces for the existing HMOs. The Restaurant will continue to make use of the hardstanding to the front of the restaurant. There will be secure on-site cycle parking compliant with the policy requirement.
- 6.4 The level of parking provided supports policies to replace private vehicle travel by sustainable modes and complies with London and LB Hillingdon planning policies. It also recognises the likelihood that the existing restaurant will rely for much of its custom on linked trips from other businesses in the Uxbridge Road (Hayes) town centre.
- 6.5 There will be secure on-site cycle parking for 19 cycles adjacent to the retained building in a secure and covered store, and 8 public spaces to the front of retained building in the form of four Sheffield style stands. The proposed parking provision is therefore in line with the minimum provision as set out in the London Plan and the Hillingdon Unitary Plan or Development Management Policies.
- 6.6 Access for servicing and deliveries will be as it is at present off the existing access / hardstanding adjacent to the retained building, with new turning facilities provided to accommodate refuse and delivery vehicles.
- 6.7 The area is well served by buses and has good walking and cycling links with the surrounding area. This is reflected in bus use in the area for work trips being twice that in LB Hillingdon as a whole. There is good access to local shops and other facilities.
- 6.8 An analysis of vehicle traffic generation shows that the number of trips generated by the residential are unlikely to be perceptible against the background traffic volumes and will not require any mitigation measures. In addition, taking into the likely trips generated by the car sales business it is possible that a reduction will be experienced at the site.
- 6.9 The proposed development is therefore considered to make a sustainable contribution to the area and to be policy compliant on transport and highways grounds.

7 Appendices

- Appendix: A - Location Plan
- Appendix: B - Masterplan
- Appendix: C – Cycle Map
- Appendix: D - Bus Map
- Appendix: E – PTAL Report
- Appendix: F – Access Arrangement
- Appendix: G – Swept Path Analysis
- Appendix: H – TRICS Outputs

Appendix: A - Location Plan



SCHOOLS

NO.	SCHOOL NAME
1.	DR TRIPLETTS'S C OF E PRIMARY SCHOOL
2.	GRANGE PARK SCHOOLS
3.	UXBRIDGE COLLEGE
4.	ROSEDALE COLLEGE

RETAIL AREA.

NO.	AREA NAME
1.	HAYES BRIDGE RETAIL PARK
2.	LOMBARDY RETAIL PARK
3.	HAYES HIGH STREET

SUPERSTORES

NO.	SUPERSTORE
1.	LIDL
2.	SAINSBURYS

KEY:

- DEVELOPMENT SITE
- BUS STOPS
- EDUCATION FACILITIES WITHIN 800m OF SITE (SEE BELOW FOR DETAILS)
- EDUCATION FACILITIES WITHIN 1200m OF SITE (SEE BELOW FOR DETAILS)
- RETAIL (SEE BELOW FOR DETAILS)
- SUPERSTORES
- PUBLIC OPEN SPACE
- 400m (5MINUTE WALK) ISOCHRONES AND 800m ISOCHRONES FROM SITE BOUNDARY
- QUIETER ROADS RECOMMENDED BY OTHER CYCLISTS
- OFF ROAD ROUTES
- ROUTES MARKED FOR USE BY CYCLISTS

REV	DATE	BY	DESCRIPTION	CHK	APD

DRAWING STATUS:



Unit 23, The Maltings, Stanstead Abbotts, Hertfordshire, SG12 8HG
Tel: 01920 871777

www.eastp.co.uk

CLIENT:

CLARIDGE ARCHITECTS

ARCHITECT:

ADAM AND EVE
UXBRIDGE ROAD

PROJECT:

LOCATION AND FACILITIES PLAN

SCALE @ A3: 1:10000	DESIGN DRAWN: CG	DATE: 26/09/2023
PROJECT No: 1311	DRAWING No: FIG01	

Appendix: B - Masterplan

836

832

874C

SPEED REDUCTION
MEASURES TO BE
PROVIDED AT EXIT

SHARED ACCESS

bernard murray design
chartered architect
www.bmurraydesign.co.uk

13 MERRYFIELDS, UXBRIDGE, MIDDLESEX UB8 2BT
TEL: 07859 477174 EMAIL: BMURRAYDESIGN@PAIODO.CO.UKPROJECT
ADAM & EVE PUBLIC HOUSE
830 UXBRIDGE ROAD
HAYES
UB4 0RRCLIENT
YAMUNA HOUSE LTDDRAWING
PROPOSED SITE PLANSCALE 1:200 @ A3 DRAWING NUMBER REV.
DATE OCT 2021 DRAWN BM
1129-21 EDRAWING
PROPOSED SITE PLAN

2M HIGH BRICK WALL

1.6M CLOSE BOARD TIMBER FENCE


2M HIGH BRICK WALL

PERMEABLE PAVING

DOTTED OUTLINE INDICATES 4 NO.
SPACES ALLOCATED TO HMO
HOUSESBLUE HATCHING INDICATES 5 NO.
SPACES ALLOCATED TO PROPOSED
HOUSESHMO BIN
STOREHMO BIKE
STORE

RAMP

Appendix: C – Cycle Map



© Crown Copyright. All rights reserved.
London Borough of Hillingdon 100019283 2006



Cycling Routes in Hillingdon

 Borough Boundary

London Cycle Route

- strategic route on road
- strategic route off road
- motor traffic free routes
- LCC advisory route

Appendix: D - Bus Map

Buses from Hayes, Uxbridge Road

Route finder


Day buses including 24-hour routes

Bus route	Towards	Bus stops
90	Feltham	D E J L N U
	Northolt	C F K M O T
140 <small>24 hour service</small>	Harrow Weald	P T
	Heathrow Terminals 1,2,3	C U
195	Brentford	D E H
Charville Lane Estate	C F G	
427	Acton	A E J L N R
	Uxbridge	B F K M O S
607	Uxbridge ♦	F S
	White City ♦	E R
E6	Bulls Bridge	C U
	Greenford	P T
H98	Hayes End	B F G
	Hounslow	A E H
U7	Uxbridge	C F K M O V


Night buses

Bus route	Towards	Bus stops
N207	Holborn	A E J L N R
	Uxbridge	B F K M O S

♦ Limited stop



Appendix: E – PTAL Report



Map data ©2022

PTAL output for Base Year	
3	
UB4 0RR Uxbridge Rd, Hayes UB4 0RR, UK Easting: 509895, Northing: 181477	
Grid Cell: 85136	
Report generated: 09/05/2022	
Calculation Parameters	
Day of Week	M-F
Time Period	AM Peak
Walk Speed	4.8 kph
Bus Node Max. Walk Access Time (mins)	8
Bus Reliability Factor	2.0
LU Station Max. Walk Access Time (mins)	12
LU Reliability Factor	0.75
National Rail Station Max. Walk Access Time (mins)	12
National Rail Reliability Factor	0.75

Map key- PTAL

0 (Worst)	1a
1b	2
3	4
5	6a
6b (Best)	


Map layers

PTAL (cell size: 100m)


Calculation data

Mode	Stop	Route	Distance (metres)	Frequency(vph)	Walk Time (mins)	SWT (mins)	TAT (mins)	EDF	Weight	AI
Bus	UXBRIDGE ROAD CHURCH RD	U7	173.54	2	2.17	17	19.17	1.57	0.5	0.78
Bus	UXBRIDGE ROAD CHURCH RD	90	173.54	6	2.17	7	9.17	3.27	0.5	1.64
Bus	UXBRIDGE ROAD CHURCH RD	427	173.54	7.5	2.17	6	8.17	3.67	0.5	1.84
Bus	UXBRIDGE ROAD CHURCH RD	607	173.54	6	2.17	7	9.17	3.27	0.5	1.64
Bus	CHURCH ROAD UXBRIDGE RD	H98	123.17	7.5	1.54	6	7.54	3.98	1	3.98
Bus	CHURCH ROAD UXBRIDGE RD	195	123.17	5	1.54	8	9.54	3.14	0.5	1.57
Total Grid Cell AI:										11.44

Appendix: F – Access Arrangement




2.4m X 120m VISIBILITY SPLAY CAN BE ACHIEVED




REV	DATE	BY	DESCRIPTION	CHK	APD
DRAWING STATUS:					
EAS					
Unit 23, The Maltings, Stanstead Abbotts, Hertfordshire, SG12 8HG Tel: 01920 871777 www.eastp.co.uk					
CLIENT:					
ARCHITECT:					
PROJECT:					
ADAM AND EVE UXBRIDGE ROAD					
TITLE:					
ACCESS ARRANGEMENTS					
SCALE @ A2:	1:500	DESIGN-DRAWN:	CG	DATE:	25/09/2023
PROJECT No:		DRAWING No:			
3705		SK01 REV B			

Appendix: G – Swept Path Analysis



<p>7.5t Box Van Overall Length 2.100m Overall Width 3.556m Overall Body Height 0.351m Min Body Ground Clearance 2.064m Track Width 2.04m Lock to lock time 4.00s Kerb to Kerb Turning Radius 7.400m</p>		<p>8.01 8.01m 4.25 4.25m 2.10m 3.556m 0.351m 2.064m 2.04m 4.00s 7.400m</p>						
<p>Phoenix 2 Duo (P2-15W with Elite 6x4 chassis) Overall Length 11.200m Overall Width 2.530m Overall Body Height 3.751m Min Body Ground Clearance 0.304m Track Width 2.500m Lock to lock time 4.00s Kerb to Kerb Turning Radius 9.500m</p>		<p>11.200m 2.530m 3.751m 0.304m 2.500m 4.00s 9.500m</p>						
<p>Luxury 4x4 (2006) Overall Length 4.972m Overall Width 2.034m Overall Body Height 1.905m Min Body Ground Clearance 0.279m Max Track Width 1.884m Lock to lock time 4.00s Kerb to Kerb Turning Radius 5.800m</p>		<p>4.972m 2.034m 1.905m 0.279m 1.884m 4.00s 5.800m</p>						
<table border="1"> <thead> <tr> <th>REV</th><th>DATE</th><th>BY</th><th>DESCRIPTION</th><th>CHK</th><th>APD</th></tr> </thead> </table>			REV	DATE	BY	DESCRIPTION	CHK	APD
REV	DATE	BY	DESCRIPTION	CHK	APD			
<p>DRAWING STATUS:</p>								
<p>Ordnance Survey (c) Crown Copyright 2018. All rights reserved. Licence number 100022432</p>								
<p>EAS</p>								
<p>Unit 23, The Maltings, Stanstead Abbotts, Hertfordshire, SG12 8HG Tel: 01920 871777 www.eastp.co.uk</p>								
<p>CLIENT:</p>								
<p>ARCHITECT:</p>								
<p>PROJECT:</p>								
<p>HILLINGDON, UXBRIDGE ROAD ADAM & EVE PUB</p>								
<p>TITLE:</p>								
<p>SWPT PATH ANALYSIS</p>								
SCALE @ A3:	DESIGN-DRAWN:	DATE:						
1:250	CG	25/09/2023						
PROJECT No:	DRAWING No:							
1311	SK04 REV B							

 | |

Appendix: H – TRICS Outputs

TRIP RATE CALCULATION SELECTION PARAMETERS:

Land Use : 03 - RESIDENTIAL
 Category : C - FLATS PRIVATELY OWNED
 MULTI-MODAL VEHICLES

Selected regions and areas:

01	GREATER LONDON	
BT	BRENT	2 days
HG	HARINGEY	1 days
HM	HAMMERSMITH AND FULHAM	1 days
HO	HOUNSLOW	2 days
HV	HAVERING	1 days

Secondary Filtering selection:

Parameter: Number of dwellings
 Actual Range: 30 to 530 (units:)
 Range Selected by User: 9 to 530 (units:)

Public Transport Provision:

Selection by: Include all surveys

Date Range: 01/01/09 to 30/11/16

Selected survey days:

Tuesday	1 days
Wednesday	5 days
Friday	1 days

Selected survey types:

Manual count	7 days
Directional ATC Count	0 days

Selected Locations:

Town Centre	2
Edge of Town Centre	1
Suburban Area (PPS6 Out of Centre)	4

Selected Location Sub Categories:

Development Zone	3
Residential Zone	1
Built-Up Zone	2
High Street	1

Secondary Filtering selection:

Use Class: C3 7 days

Population within 1 mile:

10,001 to 15,000	1 days
25,001 to 50,000	4 days
50,001 to 100,000	1 days
100,001 or More	1 days

Population within 5 miles:

125,001 to 250,000	1 days
500,001 or More	6 days

Car ownership within 5 miles:

0.6 to 1.0	6 days
1.1 to 1.5	1 days

Secondary Filtering selection (Cont.):

Travel Plan:

Yes	4 days
No	3 days

PTAL Rating:

2 Poor	2 days
3 Moderate	2 days
4 Good	1 days
5 Very Good	2 days

LIST OF SITES relevant to selection parameters

1	BT-03-C-01	BLOCKS OF FLATS LAKESIDE DRIVE	BRENT
		PARK ROYAL Suburban Area (PPS6 Out of Centre) Development Zone	
		Total Number of dwellings: 170 Survey date: WEDNESDAY 28/09/16	Survey Type: MANUAL
2	BT-03-C-02	BLOCKS OF FLATS ENGINEERS WAY	BRENT
		WEMBLEY Suburban Area (PPS6 Out of Centre) Development Zone	
		Total Number of dwellings: 472 Survey date: WEDNESDAY 30/11/16	Survey Type: MANUAL
3	HG-03-C-02	BLOCK OF FLATS HIGH ROAD WOODSIDE PARK WOOD GREEN Suburban Area (PPS6 Out of Centre) Residential Zone	HARINGEY
		Total Number of dwellings: 30 Survey date: WEDNESDAY 01/10/14	Survey Type: MANUAL
4	HM-03-C-01	BLOCK OF FLATS VANSTON PLACE	HAMMERSMITH AND FULHAM
		FULHAM Town Centre High Street	
		Total Number of dwellings: 42 Survey date: WEDNESDAY 16/07/14	Survey Type: MANUAL
5	HO-03-C-02	BLOCK OF FLATS HIGH STREET	HOUNSLOW
		BRENTFORD Town Centre Built-Up Zone	
		Total Number of dwellings: 86 Survey date: WEDNESDAY 03/09/14	Survey Type: MANUAL
6	HO-03-C-03	BLOCKS OF FLATS COMMERCE ROAD	HOUNSLOW
		BRENTFORD Edge of Town Centre Development Zone	
		Total Number of dwellings: 150 Survey date: FRIDAY 18/11/16	Survey Type: MANUAL

LIST OF SITES relevant to selection parameters (Cont.)

7 HV-03-C-02 BLOCKS OF FLATS HAVERING
WATERLOO ROAD

ROMFORD
Suburban Area (PPS6 Out of Centre)
Built-Up Zone
Total Number of dwellings: 530
Survey date: TUESDAY 22/11/16 Survey Type: MANUAL

MANUALLY DESELECTED SITES

Site Ref	Reason for Deselection
HK-03-C-03	PTAL over 5
IS-03-C-03	PTAL over 5
IS-03-C-04	PTAL over 5
KI-03-C-02	PTAL over 5
KN-03-C-01	PTAL over 5
KN-03-C-02	PTAL over 5
KN-03-C-03	Central London
SK-03-C-01	PTAL over 5
SK-03-C-02	PTAL over 5
WH-03-C-01	PTAL over 5

TRIP RATE for Land Use 03 - RESIDENTIAL/C - FLATS PRIVATELY OWNED
MULTI-MODAL VEHICLES

Calculation factor: 1 DWELLS

BOLD print indicates peak (busiest) period

Time Range	ARRIVALS			DEPARTURES			TOTALS		
	No. Days	Ave. DWELLS	Trip Rate	No. Days	Ave. DWELLS	Trip Rate	No. Days	Ave. DWELLS	Trip Rate
00:00 - 01:00									
01:00 - 02:00									
02:00 - 03:00									
03:00 - 04:00									
04:00 - 05:00									
05:00 - 06:00									
06:00 - 07:00									
07:00 - 08:00	7	211	0.027	7	211	0.053	7	211	0.080
08:00 - 09:00	7	211	0.023	7	211	0.061	7	211	0.084
09:00 - 10:00	7	211	0.030	7	211	0.036	7	211	0.066
10:00 - 11:00	7	211	0.034	7	211	0.043	7	211	0.077
11:00 - 12:00	7	211	0.028	7	211	0.038	7	211	0.066
12:00 - 13:00	7	211	0.029	7	211	0.029	7	211	0.058
13:00 - 14:00	7	211	0.040	7	211	0.043	7	211	0.083
14:00 - 15:00	7	211	0.030	7	211	0.032	7	211	0.062
15:00 - 16:00	7	211	0.045	7	211	0.038	7	211	0.083
16:00 - 17:00	7	211	0.064	7	211	0.043	7	211	0.107
17:00 - 18:00	7	211	0.072	7	211	0.043	7	211	0.115
18:00 - 19:00	7	211	0.068	7	211	0.039	7	211	0.107
19:00 - 20:00	3	264	0.039	3	264	0.033	3	264	0.072
20:00 - 21:00	3	264	0.038	3	264	0.032	3	264	0.070
21:00 - 22:00									
22:00 - 23:00									
23:00 - 24:00									
Total Rates:		0.567			0.563				1.130

Parameter summary

Trip rate parameter range selected: 30 - 530 (units:)
Survey date date range: 01/01/09 - 30/11/16
Number of weekdays (Monday-Friday): 7
Number of Saturdays: 0
Number of Sundays: 0
Surveys automatically removed from selection: 1
Surveys manually removed from selection: 10

TRIP RATE for Land Use 03 - RESIDENTIAL/C - FLATS PRIVATELY OWNED
MULTI-MODAL TAXIS

Calculation factor: 1 DWELLS

BOLD print indicates peak (busiest) period

Time Range	ARRIVALS			DEPARTURES			TOTALS		
	No. Days	Ave. DWELLS	Trip Rate	No. Days	Ave. DWELLS	Trip Rate	No. Days	Ave. DWELLS	Trip Rate
00:00 - 01:00									
01:00 - 02:00									
02:00 - 03:00									
03:00 - 04:00									
04:00 - 05:00									
05:00 - 06:00									
06:00 - 07:00									
07:00 - 08:00	7	211	0.003	7	211	0.002	7	211	0.005
08:00 - 09:00	7	211	0.003	7	211	0.004	7	211	0.007
09:00 - 10:00	7	211	0.003	7	211	0.002	7	211	0.005
10:00 - 11:00	7	211	0.001	7	211	0.001	7	211	0.002
11:00 - 12:00	7	211	0.002	7	211	0.003	7	211	0.005
12:00 - 13:00	7	211	0.000	7	211	0.000	7	211	0.000
13:00 - 14:00	7	211	0.001	7	211	0.001	7	211	0.002
14:00 - 15:00	7	211	0.001	7	211	0.001	7	211	0.002
15:00 - 16:00	7	211	0.003	7	211	0.003	7	211	0.006
16:00 - 17:00	7	211	0.001	7	211	0.002	7	211	0.003
17:00 - 18:00	7	211	0.004	7	211	0.003	7	211	0.007
18:00 - 19:00	7	211	0.004	7	211	0.004	7	211	0.008
19:00 - 20:00	3	264	0.003	3	264	0.004	3	264	0.007
20:00 - 21:00	3	264	0.001	3	264	0.001	3	264	0.002
21:00 - 22:00									
22:00 - 23:00									
23:00 - 24:00									
Total Rates:		0.030			0.031			0.061	

Parameter summary

Trip rate parameter range selected: 30 - 530 (units:)
 Survey date date range: 01/01/09 - 30/11/16
 Number of weekdays (Monday-Friday): 7
 Number of Saturdays: 0
 Number of Sundays: 0
 Surveys automatically removed from selection: 1
 Surveys manually removed from selection: 10

TRIP RATE for Land Use 03 - RESIDENTIAL/C - FLATS PRIVATELY OWNED
MULTI-MODAL OGVS

Calculation factor: 1 DWELLS

BOLD print indicates peak (busiest) period

Time Range	ARRIVALS			DEPARTURES			TOTALS		
	No. Days	Ave. DWELLS	Trip Rate	No. Days	Ave. DWELLS	Trip Rate	No. Days	Ave. DWELLS	Trip Rate
00:00 - 01:00									
01:00 - 02:00									
02:00 - 03:00									
03:00 - 04:00									
04:00 - 05:00									
05:00 - 06:00									
06:00 - 07:00									
07:00 - 08:00	7	211	0.003	7	211	0.003	7	211	0.006
08:00 - 09:00	7	211	0.001	7	211	0.000	7	211	0.001
09:00 - 10:00	7	211	0.003	7	211	0.003	7	211	0.006
10:00 - 11:00	7	211	0.003	7	211	0.003	7	211	0.006
11:00 - 12:00	7	211	0.001	7	211	0.001	7	211	0.002
12:00 - 13:00	7	211	0.000	7	211	0.000	7	211	0.000
13:00 - 14:00	7	211	0.002	7	211	0.003	7	211	0.005
14:00 - 15:00	7	211	0.002	7	211	0.001	7	211	0.003
15:00 - 16:00	7	211	0.000	7	211	0.001	7	211	0.001
16:00 - 17:00	7	211	0.000	7	211	0.000	7	211	0.000
17:00 - 18:00	7	211	0.002	7	211	0.001	7	211	0.003
18:00 - 19:00	7	211	0.000	7	211	0.000	7	211	0.000
19:00 - 20:00	3	264	0.000	3	264	0.000	3	264	0.000
20:00 - 21:00	3	264	0.000	3	264	0.000	3	264	0.000
21:00 - 22:00									
22:00 - 23:00									
23:00 - 24:00									
Total Rates:		0.017			0.016			0.033	

Parameter summary

Trip rate parameter range selected: 30 - 530 (units:)
Survey date date range: 01/01/09 - 30/11/16
Number of weekdays (Monday-Friday): 7
Number of Saturdays: 0
Number of Sundays: 0
Surveys automatically removed from selection: 1
Surveys manually removed from selection: 10

TRIP RATE for Land Use 03 - RESIDENTIAL/C - FLATS PRIVATELY OWNED
MULTI-MODAL CYCLISTS

Calculation factor: 1 DWELLS

BOLD print indicates peak (busiest) period

Time Range	ARRIVALS			DEPARTURES			TOTALS		
	No. Days	Ave. DWELLS	Trip Rate	No. Days	Ave. DWELLS	Trip Rate	No. Days	Ave. DWELLS	Trip Rate
00:00 - 01:00									
01:00 - 02:00									
02:00 - 03:00									
03:00 - 04:00									
04:00 - 05:00									
05:00 - 06:00									
06:00 - 07:00									
07:00 - 08:00	7	211	0.002	7	211	0.006	7	211	0.008
08:00 - 09:00	7	211	0.002	7	211	0.007	7	211	0.009
09:00 - 10:00	7	211	0.001	7	211	0.003	7	211	0.004
10:00 - 11:00	7	211	0.001	7	211	0.003	7	211	0.004
11:00 - 12:00	7	211	0.001	7	211	0.001	7	211	0.002
12:00 - 13:00	7	211	0.001	7	211	0.000	7	211	0.001
13:00 - 14:00	7	211	0.004	7	211	0.001	7	211	0.005
14:00 - 15:00	7	211	0.001	7	211	0.003	7	211	0.004
15:00 - 16:00	7	211	0.001	7	211	0.001	7	211	0.002
16:00 - 17:00	7	211	0.003	7	211	0.001	7	211	0.004
17:00 - 18:00	7	211	0.003	7	211	0.001	7	211	0.004
18:00 - 19:00	7	211	0.004	7	211	0.003	7	211	0.007
19:00 - 20:00	3	264	0.005	3	264	0.000	3	264	0.005
20:00 - 21:00	3	264	0.003	3	264	0.000	3	264	0.003
21:00 - 22:00									
22:00 - 23:00									
23:00 - 24:00									
Total Rates:		0.032			0.030			0.062	

Parameter summary

Trip rate parameter range selected: 30 - 530 (units:)
 Survey date date range: 01/01/09 - 30/11/16
 Number of weekdays (Monday-Friday): 7
 Number of Saturdays: 0
 Number of Sundays: 0
 Surveys automatically removed from selection: 1
 Surveys manually removed from selection: 10

TRIP RATE for Land Use 03 - RESIDENTIAL/C - FLATS PRIVATELY OWNED
 MULTI-MODAL VEHICLE OCCUPANTS

Calculation factor: 1 DWELLS

BOLD print indicates peak (busiest) period

Time Range	ARRIVALS			DEPARTURES			TOTALS		
	No. Days	Ave. DWELLS	Trip Rate	No. Days	Ave. DWELLS	Trip Rate	No. Days	Ave. DWELLS	Trip Rate
00:00 - 01:00									
01:00 - 02:00									
02:00 - 03:00									
03:00 - 04:00									
04:00 - 05:00									
05:00 - 06:00									
06:00 - 07:00									
07:00 - 08:00	7	211	0.034	7	211	0.067	7	211	0.101
08:00 - 09:00	7	211	0.026	7	211	0.089	7	211	0.115
09:00 - 10:00	7	211	0.036	7	211	0.041	7	211	0.077
10:00 - 11:00	7	211	0.040	7	211	0.053	7	211	0.093
11:00 - 12:00	7	211	0.038	7	211	0.049	7	211	0.087
12:00 - 13:00	7	211	0.037	7	211	0.036	7	211	0.073
13:00 - 14:00	7	211	0.052	7	211	0.053	7	211	0.105
14:00 - 15:00	7	211	0.039	7	211	0.042	7	211	0.081
15:00 - 16:00	7	211	0.064	7	211	0.053	7	211	0.117
16:00 - 17:00	7	211	0.092	7	211	0.054	7	211	0.146
17:00 - 18:00	7	211	0.094	7	211	0.059	7	211	0.153
18:00 - 19:00	7	211	0.098	7	211	0.050	7	211	0.148
19:00 - 20:00	3	264	0.054	3	264	0.058	3	264	0.112
20:00 - 21:00	3	264	0.053	3	264	0.048	3	264	0.101
21:00 - 22:00									
22:00 - 23:00									
23:00 - 24:00									
Total Rates:		0.757			0.752				1.509

Parameter summary

Trip rate parameter range selected: 30 - 530 (units:)
 Survey date date range: 01/01/09 - 30/11/16
 Number of weekdays (Monday-Friday): 7
 Number of Saturdays: 0
 Number of Sundays: 0
 Surveys automatically removed from selection: 1
 Surveys manually removed from selection: 10

TRIP RATE for Land Use 03 - RESIDENTIAL/C - FLATS PRIVATELY OWNED
 MULTI-MODAL PEDESTRIANS
 Calculation factor: 1 DWELLS
 BOLD print indicates peak (busiest) period

Time Range	ARRIVALS			DEPARTURES			TOTALS		
	No. Days	Ave. DWELLS	Trip Rate	No. Days	Ave. DWELLS	Trip Rate	No. Days	Ave. DWELLS	Trip Rate
00:00 - 01:00									
01:00 - 02:00									
02:00 - 03:00									
03:00 - 04:00									
04:00 - 05:00									
05:00 - 06:00									
06:00 - 07:00									
07:00 - 08:00	7	211	0.026	7	211	0.055	7	211	0.081
08:00 - 09:00	7	211	0.028	7	211	0.095	7	211	0.123
09:00 - 10:00	7	211	0.030	7	211	0.039	7	211	0.069
10:00 - 11:00	7	211	0.031	7	211	0.046	7	211	0.077
11:00 - 12:00	7	211	0.060	7	211	0.045	7	211	0.105
12:00 - 13:00	7	211	0.054	7	211	0.043	7	211	0.097
13:00 - 14:00	7	211	0.037	7	211	0.059	7	211	0.096
14:00 - 15:00	7	211	0.041	7	211	0.049	7	211	0.090
15:00 - 16:00	7	211	0.067	7	211	0.043	7	211	0.110
16:00 - 17:00	7	211	0.061	7	211	0.051	7	211	0.112
17:00 - 18:00	7	211	0.061	7	211	0.038	7	211	0.099
18:00 - 19:00	7	211	0.030	7	211	0.027	7	211	0.057
19:00 - 20:00	3	264	0.074	3	264	0.037	3	264	0.111
20:00 - 21:00	3	264	0.051	3	264	0.025	3	264	0.076
21:00 - 22:00									
22:00 - 23:00									
23:00 - 24:00									
Total Rates:		0.651			0.652			1.303	

Parameter summary

Trip rate parameter range selected: 30 - 530 (units:)
 Survey date date range: 01/01/09 - 30/11/16
 Number of weekdays (Monday-Friday): 7
 Number of Saturdays: 0
 Number of Sundays: 0
 Surveys automatically removed from selection: 1
 Surveys manually removed from selection: 10

TRIP RATE for Land Use 03 - RESIDENTIAL/C - FLATS PRIVATELY OWNED
 MULTI-MODAL BUS/TRAM PASSENGERS

Calculation factor: 1 DWELLS

BOLD print indicates peak (busiest) period

Time Range	ARRIVALS			DEPARTURES			TOTALS		
	No. Days	Ave. DWELLS	Trip Rate	No. Days	Ave. DWELLS	Trip Rate	No. Days	Ave. DWELLS	Trip Rate
00:00 - 01:00									
01:00 - 02:00									
02:00 - 03:00									
03:00 - 04:00									
04:00 - 05:00									
05:00 - 06:00									
06:00 - 07:00									
07:00 - 08:00	7	211	0.003	7	211	0.051	7	211	0.054
08:00 - 09:00	7	211	0.009	7	211	0.068	7	211	0.077
09:00 - 10:00	7	211	0.009	7	211	0.024	7	211	0.033
10:00 - 11:00	7	211	0.009	7	211	0.018	7	211	0.027
11:00 - 12:00	7	211	0.009	7	211	0.016	7	211	0.025
12:00 - 13:00	7	211	0.014	7	211	0.017	7	211	0.031
13:00 - 14:00	7	211	0.014	7	211	0.020	7	211	0.034
14:00 - 15:00	7	211	0.018	7	211	0.013	7	211	0.031
15:00 - 16:00	7	211	0.024	7	211	0.017	7	211	0.041
16:00 - 17:00	7	211	0.033	7	211	0.018	7	211	0.051
17:00 - 18:00	7	211	0.047	7	211	0.019	7	211	0.066
18:00 - 19:00	7	211	0.043	7	211	0.021	7	211	0.064
19:00 - 20:00	3	264	0.028	3	264	0.018	3	264	0.046
20:00 - 21:00	3	264	0.021	3	264	0.016	3	264	0.037
21:00 - 22:00									
22:00 - 23:00									
23:00 - 24:00									
Total Rates:		0.281			0.336			0.617	

Parameter summary

Trip rate parameter range selected: 30 - 530 (units:)
 Survey date date range: 01/01/09 - 30/11/16
 Number of weekdays (Monday-Friday): 7
 Number of Saturdays: 0
 Number of Sundays: 0
 Surveys automatically removed from selection: 1
 Surveys manually removed from selection: 10

TRIP RATE for Land Use 03 - RESIDENTIAL/C - FLATS PRIVATELY OWNED
MULTI-MODAL TOTAL RAIL PASSENGERS

Calculation factor: 1 DWELLS

BOLD print indicates peak (busiest) period

Time Range	ARRIVALS			DEPARTURES			TOTALS		
	No. Days	Ave. DWELLS	Trip Rate	No. Days	Ave. DWELLS	Trip Rate	No. Days	Ave. DWELLS	Trip Rate
00:00 - 01:00									
01:00 - 02:00									
02:00 - 03:00									
03:00 - 04:00									
04:00 - 05:00									
05:00 - 06:00									
06:00 - 07:00									
07:00 - 08:00	7	211	0.003	7	211	0.070	7	211	0.073
08:00 - 09:00	7	211	0.005	7	211	0.093	7	211	0.098
09:00 - 10:00	7	211	0.009	7	211	0.031	7	211	0.040
10:00 - 11:00	7	211	0.006	7	211	0.023	7	211	0.029
11:00 - 12:00	7	211	0.012	7	211	0.019	7	211	0.031
12:00 - 13:00	7	211	0.009	7	211	0.020	7	211	0.029
13:00 - 14:00	7	211	0.015	7	211	0.015	7	211	0.030
14:00 - 15:00	7	211	0.021	7	211	0.015	7	211	0.036
15:00 - 16:00	7	211	0.016	7	211	0.016	7	211	0.032
16:00 - 17:00	7	211	0.018	7	211	0.013	7	211	0.031
17:00 - 18:00	7	211	0.044	7	211	0.020	7	211	0.064
18:00 - 19:00	7	211	0.059	7	211	0.015	7	211	0.074
19:00 - 20:00	3	264	0.078	3	264	0.015	3	264	0.093
20:00 - 21:00	3	264	0.042	3	264	0.015	3	264	0.057
21:00 - 22:00									
22:00 - 23:00									
23:00 - 24:00									
Total Rates:		0.337			0.380			0.717	

Parameter summary

Trip rate parameter range selected: 30 - 530 (units:)
 Survey date date range: 01/01/09 - 30/11/16
 Number of weekdays (Monday-Friday): 7
 Number of Saturdays: 0
 Number of Sundays: 0
 Surveys automatically removed from selection: 1
 Surveys manually removed from selection: 10

TRIP RATE for Land Use 03 - RESIDENTIAL/C - FLATS PRIVATELY OWNED
MULTI-MODAL TOTAL PEOPLE

Calculation factor: 1 DWELLS

BOLD print indicates peak (busiest) period

Time Range	ARRIVALS			DEPARTURES			TOTALS		
	No. Days	Ave. DWELLS	Trip Rate	No. Days	Ave. DWELLS	Trip Rate	No. Days	Ave. DWELLS	Trip Rate
00:00 - 01:00									
01:00 - 02:00									
02:00 - 03:00									
03:00 - 04:00									
04:00 - 05:00									
05:00 - 06:00									
06:00 - 07:00									
07:00 - 08:00	7	211	0.068	7	211	0.249	7	211	0.317
08:00 - 09:00	7	211	0.070	7	211	0.351	7	211	0.421
09:00 - 10:00	7	211	0.087	7	211	0.137	7	211	0.224
10:00 - 11:00	7	211	0.087	7	211	0.143	7	211	0.230
11:00 - 12:00	7	211	0.120	7	211	0.129	7	211	0.249
12:00 - 13:00	7	211	0.115	7	211	0.116	7	211	0.231
13:00 - 14:00	7	211	0.122	7	211	0.149	7	211	0.271
14:00 - 15:00	7	211	0.120	7	211	0.122	7	211	0.242
15:00 - 16:00	7	211	0.173	7	211	0.131	7	211	0.304
16:00 - 17:00	7	211	0.207	7	211	0.138	7	211	0.345
17:00 - 18:00	7	211	0.249	7	211	0.136	7	211	0.385
18:00 - 19:00	7	211	0.235	7	211	0.116	7	211	0.351
19:00 - 20:00	3	264	0.240	3	264	0.128	3	264	0.368
20:00 - 21:00	3	264	0.169	3	264	0.105	3	264	0.274
21:00 - 22:00									
22:00 - 23:00									
23:00 - 24:00									
Total Rates:		2.062			2.150				4.212

Parameter summary

Trip rate parameter range selected: 30 - 530 (units:)
 Survey date date range: 01/01/09 - 30/11/16
 Number of weekdays (Monday-Friday): 7
 Number of Saturdays: 0
 Number of Sundays: 0
 Surveys automatically removed from selection: 1
 Surveys manually removed from selection: 10

TRIP RATE for Land Use 03 - RESIDENTIAL/C - FLATS PRIVATELY OWNED
MULTI-MODAL CARS

Calculation factor: 1 DWELLS

BOLD print indicates peak (busiest) period

Time Range	ARRIVALS			DEPARTURES			TOTALS		
	No. Days	Ave. DWELLS	Trip Rate	No. Days	Ave. DWELLS	Trip Rate	No. Days	Ave. DWELLS	Trip Rate
00:00 - 01:00									
01:00 - 02:00									
02:00 - 03:00									
03:00 - 04:00									
04:00 - 05:00									
05:00 - 06:00									
06:00 - 07:00									
07:00 - 08:00	7	211	0.019	7	211	0.044	7	211	0.063
08:00 - 09:00	7	211	0.017	7	211	0.053	7	211	0.070
09:00 - 10:00	7	211	0.020	7	211	0.026	7	211	0.046
10:00 - 11:00	7	211	0.023	7	211	0.032	7	211	0.055
11:00 - 12:00	7	211	0.017	7	211	0.027	7	211	0.044
12:00 - 13:00	7	211	0.022	7	211	0.022	7	211	0.044
13:00 - 14:00	7	211	0.030	7	211	0.031	7	211	0.061
14:00 - 15:00	7	211	0.022	7	211	0.025	7	211	0.047
15:00 - 16:00	7	211	0.035	7	211	0.028	7	211	0.063
16:00 - 17:00	7	211	0.055	7	211	0.036	7	211	0.091
17:00 - 18:00	7	211	0.058	7	211	0.031	7	211	0.089
18:00 - 19:00	7	211	0.059	7	211	0.030	7	211	0.089
19:00 - 20:00	3	264	0.032	3	264	0.025	3	264	0.057
20:00 - 21:00	3	264	0.033	3	264	0.028	3	264	0.061
21:00 - 22:00									
22:00 - 23:00									
23:00 - 24:00									
Total Rates:		0.442			0.438			0.880	

Parameter summary

Trip rate parameter range selected: 30 - 530 (units:)
 Survey date date range: 01/01/09 - 30/11/16
 Number of weekdays (Monday-Friday): 7
 Number of Saturdays: 0
 Number of Sundays: 0
 Surveys automatically removed from selection: 1
 Surveys manually removed from selection: 10

TRIP RATE for Land Use 03 - RESIDENTIAL/C - FLATS PRIVATELY OWNED
MULTI-MODAL LGVS

Calculation factor: 1 DWELLS

BOLD print indicates peak (busiest) period

Time Range	ARRIVALS			DEPARTURES			TOTALS		
	No. Days	Ave. DWELLS	Trip Rate	No. Days	Ave. DWELLS	Trip Rate	No. Days	Ave. DWELLS	Trip Rate
00:00 - 01:00									
01:00 - 02:00									
02:00 - 03:00									
03:00 - 04:00									
04:00 - 05:00									
05:00 - 06:00									
06:00 - 07:00									
07:00 - 08:00	7	211	0.003	7	211	0.002	7	211	0.005
08:00 - 09:00	7	211	0.001	7	211	0.001	7	211	0.002
09:00 - 10:00	7	211	0.004	7	211	0.003	7	211	0.007
10:00 - 11:00	7	211	0.007	7	211	0.007	7	211	0.014
11:00 - 12:00	7	211	0.007	7	211	0.007	7	211	0.014
12:00 - 13:00	7	211	0.007	7	211	0.007	7	211	0.014
13:00 - 14:00	7	211	0.007	7	211	0.006	7	211	0.013
14:00 - 15:00	7	211	0.005	7	211	0.004	7	211	0.009
15:00 - 16:00	7	211	0.005	7	211	0.006	7	211	0.011
16:00 - 17:00	7	211	0.007	7	211	0.005	7	211	0.012
17:00 - 18:00	7	211	0.005	7	211	0.006	7	211	0.011
18:00 - 19:00	7	211	0.002	7	211	0.003	7	211	0.005
19:00 - 20:00	3	264	0.000	3	264	0.001	3	264	0.001
20:00 - 21:00	3	264	0.000	3	264	0.000	3	264	0.000
21:00 - 22:00									
22:00 - 23:00									
23:00 - 24:00									
Total Rates:		0.060			0.058			0.118	

Parameter summary

Trip rate parameter range selected: 30 - 530 (units:)
 Survey date date range: 01/01/09 - 30/11/16
 Number of weekdays (Monday-Friday): 7
 Number of Saturdays: 0
 Number of Sundays: 0
 Surveys automatically removed from selection: 1
 Surveys manually removed from selection: 10

TRIP RATE for Land Use 03 - RESIDENTIAL/C - FLATS PRIVATELY OWNED
MULTI-MODAL MOTOR CYCLES

Calculation factor: 1 DWELLS

BOLD print indicates peak (busiest) period

Time Range	ARRIVALS			DEPARTURES			TOTALS		
	No. Days	Ave. DWELLS	Trip Rate	No. Days	Ave. DWELLS	Trip Rate	No. Days	Ave. DWELLS	Trip Rate
00:00 - 01:00									
01:00 - 02:00									
02:00 - 03:00									
03:00 - 04:00									
04:00 - 05:00									
05:00 - 06:00									
06:00 - 07:00									
07:00 - 08:00	7	211	0.000	7	211	0.002	7	211	0.002
08:00 - 09:00	7	211	0.001	7	211	0.003	7	211	0.004
09:00 - 10:00	7	211	0.000	7	211	0.001	7	211	0.001
10:00 - 11:00	7	211	0.000	7	211	0.000	7	211	0.000
11:00 - 12:00	7	211	0.001	7	211	0.001	7	211	0.002
12:00 - 13:00	7	211	0.000	7	211	0.000	7	211	0.000
13:00 - 14:00	7	211	0.000	7	211	0.001	7	211	0.001
14:00 - 15:00	7	211	0.000	7	211	0.000	7	211	0.000
15:00 - 16:00	7	211	0.001	7	211	0.000	7	211	0.001
16:00 - 17:00	7	211	0.001	7	211	0.000	7	211	0.001
17:00 - 18:00	7	211	0.003	7	211	0.001	7	211	0.004
18:00 - 19:00	7	211	0.003	7	211	0.002	7	211	0.005
19:00 - 20:00	3	264	0.005	3	264	0.003	3	264	0.008
20:00 - 21:00	3	264	0.004	3	264	0.003	3	264	0.007
21:00 - 22:00									
22:00 - 23:00									
23:00 - 24:00									
Total Rates:		0.019			0.017			0.036	

Parameter summary

Trip rate parameter range selected: 30 - 530 (units:)
 Survey date date range: 01/01/09 - 30/11/16
 Number of weekdays (Monday-Friday): 7
 Number of Saturdays: 0
 Number of Sundays: 0
 Surveys automatically removed from selection: 1
 Surveys manually removed from selection: 10

TRIP RATE CALCULATION SELECTION PARAMETERS:

Land Use : 06 - HOTEL, FOOD & DRINK

Category : C - PUB/RESTAURANT

MULTI-MODAL VEHICLES

Selected regions and areas:

01	GREATER LONDON	
HG	HARINGEY	1 days
HK	HACKNEY	1 days
IS	ISLINGTON	1 days
WH	WANDSWORTH	1 days

Secondary Filtering selection:

Parameter: Gross floor area

Actual Range: 320 to 1000 (units: sqm)

Range Selected by User: 320 to 1123 (units: sqm)

Public Transport Provision:

Selection by: Include all surveys

Date Range: 01/01/09 to 02/10/14

Selected survey days:

Monday	1 days
Tuesday	2 days
Thursday	1 days

Selected survey types:

Manual count	4 days
Directional ATC Count	0 days

Selected Locations:

Town Centre	2
Suburban Area (PPS6 Out of Centre)	1
Neighbourhood Centre (PPS6 Local Centre)	1

Selected Location Sub Categories:

Residential Zone	1
Built-Up Zone	2
High Street	1

Secondary Filtering selection:

Use Class:
A4 4 daysPopulation within 1 mile:
50,001 to 100,000 3 days
100,001 or More 1 daysPopulation within 5 miles:
500,001 or More 4 daysCar ownership within 5 miles:
0.5 or Less 1 days
0.6 to 1.0 3 daysTravel Plan:
No 4 daysPTAL Rating:
6a Excellent 2 days
6b (High) Excellent 2 days

LIST OF SITES relevant to selection parameters

1	HG-06-C-01 HIGH ROAD	WETHERSPOON	HARINGEY
	WOOD GREEN Town Centre Built-Up Zone Total Gross floor area: Survey date: THURSDAY	1000 sqm 02/10/14	Survey Type: MANUAL
2	HK-06-C-01 COMMERCIAL STREET	PUB/RESTAURANT	HACKNEY
	SHOREDITCH Neighbourhood Centre (PPS6 Local Centre) Built-Up Zone Total Gross floor area: Survey date: TUESDAY	320 sqm 19/11/13	Survey Type: MANUAL
3	IS-06-C-01 NEWINGTON GREEN RD NEWINGTON GREEN CANONBURY Suburban Area (PPS6 Out of Centre) Residential Zone Total Gross floor area: Survey date: MONDAY	350 sqm 22/09/14	Survey Type: MANUAL ISLINGTON
4	WH-06-C-01 WANDSWORTH HIGH ST	PUB/RESTAURANT	WANDSWORTH
	WANDSWORTH Town Centre High Street Total Gross floor area: Survey date: TUESDAY	400 sqm 26/11/13	Survey Type: MANUAL

MANUALLY DESELECTED SITES

Site Ref	Reason for Deselection
CI-06-C-01	Central London

TRIP RATE for Land Use 06 - HOTEL, FOOD & DRINK/C - PUB/RESTAURANT
MULTI-MODAL VEHICLES

Calculation factor: 100 sqm

BOLD print indicates peak (busiest) period

Time Range	ARRIVALS			DEPARTURES			TOTALS		
	No. Days	Ave. GFA	Trip Rate	No. Days	Ave. GFA	Trip Rate	No. Days	Ave. GFA	Trip Rate
00:00 - 01:00									
01:00 - 02:00									
02:00 - 03:00									
03:00 - 04:00									
04:00 - 05:00									
05:00 - 06:00									
06:00 - 07:00									
07:00 - 08:00									
08:00 - 09:00									
09:00 - 10:00									
10:00 - 11:00	4	518	0.338	4	518	0.193	4	518	0.531
11:00 - 12:00	4	518	0.338	4	518	0.242	4	518	0.580
12:00 - 13:00	4	518	0.290	4	518	0.193	4	518	0.483
13:00 - 14:00	4	518	0.386	4	518	0.290	4	518	0.676
14:00 - 15:00	4	518	0.242	4	518	0.386	4	518	0.628
15:00 - 16:00	4	518	0.386	4	518	0.242	4	518	0.628
16:00 - 17:00	4	518	0.145	4	518	0.145	4	518	0.290
17:00 - 18:00	4	518	0.242	4	518	0.193	4	518	0.435
18:00 - 19:00	4	518	0.290	4	518	0.483	4	518	0.773
19:00 - 20:00	4	518	0.435	4	518	0.386	4	518	0.821
20:00 - 21:00	4	518	0.338	4	518	0.580	4	518	0.918
21:00 - 22:00	4	518	0.435	4	518	0.386	4	518	0.821
22:00 - 23:00	4	518	0.386	4	518	0.386	4	518	0.772
23:00 - 24:00	4	518	0.145	4	518	0.338	4	518	0.483
Total Rates:		4.396			4.443				8.839

Parameter summary

Trip rate parameter range selected: 320 - 1000 (units: sqm)

Survey date date range: 01/01/09 - 02/10/14

Number of weekdays (Monday-Friday): 4

Number of Saturdays: 0

Number of Sundays: 0

Surveys automatically removed from selection: 0

Surveys manually removed from selection: 1

TRIP RATE for Land Use 06 - HOTEL, FOOD & DRINK/C - PUB/RESTAURANT
MULTI-MODAL TAXIS

Calculation factor: 100 sqm

BOLD print indicates peak (busiest) period

Time Range	ARRIVALS			DEPARTURES			TOTALS		
	No. Days	Ave. GFA	Trip Rate	No. Days	Ave. GFA	Trip Rate	No. Days	Ave. GFA	Trip Rate
00:00 - 01:00									
01:00 - 02:00									
02:00 - 03:00									
03:00 - 04:00									
04:00 - 05:00									
05:00 - 06:00									
06:00 - 07:00									
07:00 - 08:00									
08:00 - 09:00									
09:00 - 10:00									
10:00 - 11:00	4	518	0.000	4	518	0.000	4	518	0.000
11:00 - 12:00	4	518	0.000	4	518	0.000	4	518	0.000
12:00 - 13:00	4	518	0.000	4	518	0.000	4	518	0.000
13:00 - 14:00	4	518	0.048	4	518	0.048	4	518	0.096
14:00 - 15:00	4	518	0.048	4	518	0.048	4	518	0.096
15:00 - 16:00	4	518	0.048	4	518	0.048	4	518	0.096
16:00 - 17:00	4	518	0.000	4	518	0.000	4	518	0.000
17:00 - 18:00	4	518	0.000	4	518	0.000	4	518	0.000
18:00 - 19:00	4	518	0.193	4	518	0.193	4	518	0.386
19:00 - 20:00	4	518	0.290	4	518	0.290	4	518	0.580
20:00 - 21:00	4	518	0.145	4	518	0.145	4	518	0.290
21:00 - 22:00	4	518	0.242	4	518	0.242	4	518	0.484
22:00 - 23:00	4	518	0.242	4	518	0.145	4	518	0.387
23:00 - 24:00	4	518	0.097	4	518	0.193	4	518	0.290
Total Rates:		1.353			1.352			2.705	

Parameter summary

Trip rate parameter range selected: 320 - 1000 (units: sqm)
 Survey date date range: 01/01/09 - 02/10/14
 Number of weekdays (Monday-Friday): 4
 Number of Saturdays: 0
 Number of Sundays: 0
 Surveys automatically removed from selection: 0
 Surveys manually removed from selection: 1

TRIP RATE for Land Use 06 - HOTEL, FOOD & DRINK/C - PUB/RESTAURANT
MULTI-MODAL OGVS

Calculation factor: 100 sqm

BOLD print indicates peak (busiest) period

Time Range	ARRIVALS			DEPARTURES			TOTALS		
	No. Days	Ave. GFA	Trip Rate	No. Days	Ave. GFA	Trip Rate	No. Days	Ave. GFA	Trip Rate
00:00 - 01:00									
01:00 - 02:00									
02:00 - 03:00									
03:00 - 04:00									
04:00 - 05:00									
05:00 - 06:00									
06:00 - 07:00									
07:00 - 08:00									
08:00 - 09:00									
09:00 - 10:00									
10:00 - 11:00	4	518	0.000	4	518	0.000	4	518	0.000
11:00 - 12:00	4	518	0.000	4	518	0.000	4	518	0.000
12:00 - 13:00	4	518	0.000	4	518	0.000	4	518	0.000
13:00 - 14:00	4	518	0.048	4	518	0.048	4	518	0.096
14:00 - 15:00	4	518	0.000	4	518	0.000	4	518	0.000
15:00 - 16:00	4	518	0.000	4	518	0.000	4	518	0.000
16:00 - 17:00	4	518	0.000	4	518	0.000	4	518	0.000
17:00 - 18:00	4	518	0.048	4	518	0.048	4	518	0.096
18:00 - 19:00	4	518	0.000	4	518	0.000	4	518	0.000
19:00 - 20:00	4	518	0.000	4	518	0.000	4	518	0.000
20:00 - 21:00	4	518	0.000	4	518	0.000	4	518	0.000
21:00 - 22:00	4	518	0.000	4	518	0.000	4	518	0.000
22:00 - 23:00	4	518	0.048	4	518	0.048	4	518	0.096
23:00 - 24:00	4	518	0.000	4	518	0.000	4	518	0.000
Total Rates:			0.144			0.144			0.288

Parameter summary

Trip rate parameter range selected: 320 - 1000 (units: sqm)
 Survey date date range: 01/01/09 - 02/10/14
 Number of weekdays (Monday-Friday): 4
 Number of Saturdays: 0
 Number of Sundays: 0
 Surveys automatically removed from selection: 0
 Surveys manually removed from selection: 1

TRIP RATE for Land Use 06 - HOTEL, FOOD & DRINK/C - PUB/RESTAURANT
MULTI-MODAL CYCLISTS

Calculation factor: 100 sqm

BOLD print indicates peak (busiest) period

Time Range	ARRIVALS			DEPARTURES			TOTALS		
	No. Days	Ave. GFA	Trip Rate	No. Days	Ave. GFA	Trip Rate	No. Days	Ave. GFA	Trip Rate
00:00 - 01:00									
01:00 - 02:00									
02:00 - 03:00									
03:00 - 04:00									
04:00 - 05:00									
05:00 - 06:00									
06:00 - 07:00									
07:00 - 08:00									
08:00 - 09:00									
09:00 - 10:00									
10:00 - 11:00	4	518	0.097	4	518	0.000	4	518	0.097
11:00 - 12:00	4	518	0.048	4	518	0.000	4	518	0.048
12:00 - 13:00	4	518	0.000	4	518	0.000	4	518	0.000
13:00 - 14:00	4	518	0.000	4	518	0.048	4	518	0.048
14:00 - 15:00	4	518	0.000	4	518	0.000	4	518	0.000
15:00 - 16:00	4	518	0.000	4	518	0.000	4	518	0.000
16:00 - 17:00	4	518	0.097	4	518	0.097	4	518	0.194
17:00 - 18:00	4	518	0.048	4	518	0.048	4	518	0.096
18:00 - 19:00	4	518	0.097	4	518	0.097	4	518	0.194
19:00 - 20:00	4	518	0.000	4	518	0.048	4	518	0.048
20:00 - 21:00	4	518	0.000	4	518	0.000	4	518	0.000
21:00 - 22:00	4	518	0.000	4	518	0.048	4	518	0.048
22:00 - 23:00	4	518	0.097	4	518	0.097	4	518	0.194
23:00 - 24:00	4	518	0.000	4	518	0.000	4	518	0.000
Total Rates:		0.484			0.483			0.967	

Parameter summary

Trip rate parameter range selected: 320 - 1000 (units: sqm)
 Survey date date range: 01/01/09 - 02/10/14
 Number of weekdays (Monday-Friday): 4
 Number of Saturdays: 0
 Number of Sundays: 0
 Surveys automatically removed from selection: 0
 Surveys manually removed from selection: 1

TRIP RATE for Land Use 06 - HOTEL, FOOD & DRINK/C - PUB/RESTAURANT
MULTI-MODAL VEHICLE OCCUPANTS

Calculation factor: 100 sqm

BOLD print indicates peak (busiest) period

Time Range	ARRIVALS			DEPARTURES			TOTALS		
	No. Days	Ave. GFA	Trip Rate	No. Days	Ave. GFA	Trip Rate	No. Days	Ave. GFA	Trip Rate
00:00 - 01:00									
01:00 - 02:00									
02:00 - 03:00									
03:00 - 04:00									
04:00 - 05:00									
05:00 - 06:00									
06:00 - 07:00									
07:00 - 08:00									
08:00 - 09:00									
09:00 - 10:00									
10:00 - 11:00	4	518	0.483	4	518	0.290	4	518	0.773
11:00 - 12:00	4	518	0.290	4	518	0.290	4	518	0.580
12:00 - 13:00	4	518	0.531	4	518	0.193	4	518	0.724
13:00 - 14:00	4	518	0.725	4	518	0.531	4	518	1.256
14:00 - 15:00	4	518	0.386	4	518	0.628	4	518	1.014
15:00 - 16:00	4	518	0.628	4	518	0.290	4	518	0.918
16:00 - 17:00	4	518	0.290	4	518	0.242	4	518	0.532
17:00 - 18:00	4	518	0.338	4	518	0.242	4	518	0.580
18:00 - 19:00	4	518	0.338	4	518	0.676	4	518	1.014
19:00 - 20:00	4	518	0.725	4	518	0.628	4	518	1.353
20:00 - 21:00	4	518	0.531	4	518	0.870	4	518	1.401
21:00 - 22:00	4	518	0.435	4	518	0.435	4	518	0.870
22:00 - 23:00	4	518	0.483	4	518	0.725	4	518	1.208
23:00 - 24:00	4	518	0.242	4	518	0.435	4	518	0.677
Total Rates:		6.425			6.475				12.900

Parameter summary

Trip rate parameter range selected: 320 - 1000 (units: sqm)
 Survey date date range: 01/01/09 - 02/10/14
 Number of weekdays (Monday-Friday): 4
 Number of Saturdays: 0
 Number of Sundays: 0
 Surveys automatically removed from selection: 0
 Surveys manually removed from selection: 1

TRIP RATE for Land Use 06 - HOTEL, FOOD & DRINK/C - PUB/RESTAURANT
MULTI-MODAL PEDESTRIANS

Calculation factor: 100 sqm

BOLD print indicates peak (busiest) period

Time Range	ARRIVALS			DEPARTURES			TOTALS		
	No. Days	Ave. GFA	Trip Rate	No. Days	Ave. GFA	Trip Rate	No. Days	Ave. GFA	Trip Rate
00:00 - 01:00									
01:00 - 02:00									
02:00 - 03:00									
03:00 - 04:00									
04:00 - 05:00									
05:00 - 06:00									
06:00 - 07:00									
07:00 - 08:00									
08:00 - 09:00									
09:00 - 10:00									
10:00 - 11:00	4	518	3.768	4	518	3.430	4	518	7.198
11:00 - 12:00	4	518	4.300	4	518	1.691	4	518	5.991
12:00 - 13:00	4	518	6.473	4	518	3.623	4	518	10.096
13:00 - 14:00	4	518	6.957	4	518	5.411	4	518	12.368
14:00 - 15:00	4	518	5.072	4	518	4.058	4	518	9.130
15:00 - 16:00	4	518	4.638	4	518	4.010	4	518	8.648
16:00 - 17:00	4	518	3.527	4	518	6.618	4	518	10.145
17:00 - 18:00	4	518	7.778	4	518	9.614	4	518	17.392
18:00 - 19:00	4	518	12.464	4	518	13.671	4	518	26.135
19:00 - 20:00	4	518	11.594	4	518	9.662	4	518	21.256
20:00 - 21:00	4	518	8.068	4	518	10.242	4	518	18.310
21:00 - 22:00	4	518	5.556	4	518	5.362	4	518	10.918
22:00 - 23:00	4	518	4.928	4	518	6.377	4	518	11.305
23:00 - 24:00	4	518	5.169	4	518	6.425	4	518	11.594
Total Rates:			90.292			90.194			180.486

Parameter summary

Trip rate parameter range selected: 320 - 1000 (units: sqm)
 Survey date date range: 01/01/09 - 02/10/14
 Number of weekdays (Monday-Friday): 4
 Number of Saturdays: 0
 Number of Sundays: 0
 Surveys automatically removed from selection: 0
 Surveys manually removed from selection: 1

TRIP RATE for Land Use 06 - HOTEL, FOOD & DRINK/C - PUB/RESTAURANT
MULTI-MODAL BUS/TRAM PASSENGERS

Calculation factor: 100 sqm

BOLD print indicates peak (busiest) period

Time Range	ARRIVALS			DEPARTURES			TOTALS		
	No. Days	Ave. GFA	Trip Rate	No. Days	Ave. GFA	Trip Rate	No. Days	Ave. GFA	Trip Rate
00:00 - 01:00									
01:00 - 02:00									
02:00 - 03:00									
03:00 - 04:00									
04:00 - 05:00									
05:00 - 06:00									
06:00 - 07:00									
07:00 - 08:00									
08:00 - 09:00									
09:00 - 10:00									
10:00 - 11:00	4	518	0.386	4	518	0.386	4	518	0.772
11:00 - 12:00	4	518	0.338	4	518	0.435	4	518	0.773
12:00 - 13:00	4	518	0.580	4	518	0.580	4	518	1.160
13:00 - 14:00	4	518	0.870	4	518	0.773	4	518	1.643
14:00 - 15:00	4	518	0.290	4	518	0.290	4	518	0.580
15:00 - 16:00	4	518	0.338	4	518	0.386	4	518	0.724
16:00 - 17:00	4	518	0.725	4	518	0.193	4	518	0.918
17:00 - 18:00	4	518	0.483	4	518	0.290	4	518	0.773
18:00 - 19:00	4	518	1.208	4	518	0.773	4	518	1.981
19:00 - 20:00	4	518	0.628	4	518	0.966	4	518	1.594
20:00 - 21:00	4	518	0.580	4	518	1.256	4	518	1.836
21:00 - 22:00	4	518	0.338	4	518	0.580	4	518	0.918
22:00 - 23:00	4	518	0.725	4	518	0.918	4	518	1.643
23:00 - 24:00	4	518	0.048	4	518	0.580	4	518	0.628
Total Rates:		7.537			8.406				15.943

Parameter summary

Trip rate parameter range selected: 320 - 1000 (units: sqm)
 Survey date date range: 01/01/09 - 02/10/14
 Number of weekdays (Monday-Friday): 4
 Number of Saturdays: 0
 Number of Sundays: 0
 Surveys automatically removed from selection: 0
 Surveys manually removed from selection: 1

TRIP RATE for Land Use 06 - HOTEL, FOOD & DRINK/C - PUB/RESTAURANT
MULTI-MODAL TOTAL RAIL PASSENGERS

Calculation factor: 100 sqm

BOLD print indicates peak (busiest) period

Time Range	ARRIVALS			DEPARTURES			TOTALS		
	No. Days	Ave. GFA	Trip Rate	No. Days	Ave. GFA	Trip Rate	No. Days	Ave. GFA	Trip Rate
00:00 - 01:00									
01:00 - 02:00									
02:00 - 03:00									
03:00 - 04:00									
04:00 - 05:00									
05:00 - 06:00									
06:00 - 07:00									
07:00 - 08:00									
08:00 - 09:00									
09:00 - 10:00									
10:00 - 11:00	4	518	0.725	4	518	0.145	4	518	0.870
11:00 - 12:00	4	518	0.870	4	518	0.483	4	518	1.353
12:00 - 13:00	4	518	2.271	4	518	1.111	4	518	3.382
13:00 - 14:00	4	518	1.981	4	518	0.628	4	518	2.609
14:00 - 15:00	4	518	1.643	4	518	0.918	4	518	2.561
15:00 - 16:00	4	518	1.449	4	518	0.918	4	518	2.367
16:00 - 17:00	4	518	0.773	4	518	0.628	4	518	1.401
17:00 - 18:00	4	518	2.367	4	518	0.918	4	518	3.285
18:00 - 19:00	4	518	2.367	4	518	1.739	4	518	4.106
19:00 - 20:00	4	518	2.705	4	518	2.319	4	518	5.024
20:00 - 21:00	4	518	1.111	4	518	2.367	4	518	3.478
21:00 - 22:00	4	518	0.483	4	518	1.932	4	518	2.415
22:00 - 23:00	4	518	0.676	4	518	2.512	4	518	3.188
23:00 - 24:00	4	518	0.145	4	518	1.787	4	518	1.932
Total Rates:		19.566			18.405				37.971

Parameter summary

Trip rate parameter range selected: 320 - 1000 (units: sqm)
Survey date date range: 01/01/09 - 02/10/14
Number of weekdays (Monday-Friday): 4
Number of Saturdays: 0
Number of Sundays: 0
Surveys automatically removed from selection: 0
Surveys manually removed from selection: 1

TRIP RATE for Land Use 06 - HOTEL, FOOD & DRINK/C - PUB/RESTAURANT
MULTI-MODAL TOTAL PEOPLE

Calculation factor: 100 sqm

BOLD print indicates peak (busiest) period

Time Range	ARRIVALS			DEPARTURES			TOTALS		
	No. Days	Ave. GFA	Trip Rate	No. Days	Ave. GFA	Trip Rate	No. Days	Ave. GFA	Trip Rate
00:00 - 01:00									
01:00 - 02:00									
02:00 - 03:00									
03:00 - 04:00									
04:00 - 05:00									
05:00 - 06:00									
06:00 - 07:00									
07:00 - 08:00									
08:00 - 09:00									
09:00 - 10:00									
10:00 - 11:00	4	518	5.459	4	518	4.251	4	518	9.710
11:00 - 12:00	4	518	5.845	4	518	2.899	4	518	8.744
12:00 - 13:00	4	518	9.855	4	518	5.507	4	518	15.362
13:00 - 14:00	4	518	10.531	4	518	7.391	4	518	17.922
14:00 - 15:00	4	518	7.391	4	518	5.894	4	518	13.285
15:00 - 16:00	4	518	7.053	4	518	5.604	4	518	12.657
16:00 - 17:00	4	518	5.411	4	518	7.778	4	518	13.189
17:00 - 18:00	4	518	11.014	4	518	11.111	4	518	22.125
18:00 - 19:00	4	518	16.473	4	518	16.957	4	518	33.430
19:00 - 20:00	4	518	15.652	4	518	13.623	4	518	29.275
20:00 - 21:00	4	518	10.290	4	518	14.734	4	518	25.024
21:00 - 22:00	4	518	6.812	4	518	8.357	4	518	15.169
22:00 - 23:00	4	518	6.908	4	518	10.628	4	518	17.536
23:00 - 24:00	4	518	5.604	4	518	9.227	4	518	14.831
Total Rates:			124.298			123.961			248.259

Parameter summary

Trip rate parameter range selected: 320 - 1000 (units: sqm)
 Survey date date range: 01/01/09 - 02/10/14
 Number of weekdays (Monday-Friday): 4
 Number of Saturdays: 0
 Number of Sundays: 0
 Surveys automatically removed from selection: 0
 Surveys manually removed from selection: 1

TRIP RATE for Land Use 06 - HOTEL, FOOD & DRINK/C - PUB/RESTAURANT
MULTI-MODAL CARS

Calculation factor: 100 sqm

BOLD print indicates peak (busiest) period

Time Range	ARRIVALS			DEPARTURES			TOTALS		
	No. Days	Ave. GFA	Trip Rate	No. Days	Ave. GFA	Trip Rate	No. Days	Ave. GFA	Trip Rate
00:00 - 01:00									
01:00 - 02:00									
02:00 - 03:00									
03:00 - 04:00									
04:00 - 05:00									
05:00 - 06:00									
06:00 - 07:00									
07:00 - 08:00									
08:00 - 09:00									
09:00 - 10:00									
10:00 - 11:00	4	518	0.290	4	518	0.145	4	518	0.435
11:00 - 12:00	4	518	0.097	4	518	0.048	4	518	0.145
12:00 - 13:00	4	518	0.242	4	518	0.097	4	518	0.339
13:00 - 14:00	4	518	0.048	4	518	0.145	4	518	0.193
14:00 - 15:00	4	518	0.193	4	518	0.145	4	518	0.338
15:00 - 16:00	4	518	0.193	4	518	0.097	4	518	0.290
16:00 - 17:00	4	518	0.097	4	518	0.097	4	518	0.194
17:00 - 18:00	4	518	0.145	4	518	0.145	4	518	0.290
18:00 - 19:00	4	518	0.048	4	518	0.193	4	518	0.241
19:00 - 20:00	4	518	0.097	4	518	0.097	4	518	0.194
20:00 - 21:00	4	518	0.048	4	518	0.242	4	518	0.290
21:00 - 22:00	4	518	0.048	4	518	0.048	4	518	0.096
22:00 - 23:00	4	518	0.097	4	518	0.145	4	518	0.242
23:00 - 24:00	4	518	0.000	4	518	0.000	4	518	0.000
Total Rates:		1.643			1.644				3.287

Parameter summary

Trip rate parameter range selected: 320 - 1000 (units: sqm)
 Survey date date range: 01/01/09 - 02/10/14
 Number of weekdays (Monday-Friday): 4
 Number of Saturdays: 0
 Number of Sundays: 0
 Surveys automatically removed from selection: 0
 Surveys manually removed from selection: 1

TRIP RATE for Land Use 06 - HOTEL, FOOD & DRINK/C - PUB/RESTAURANT
MULTI-MODAL LGVS

Calculation factor: 100 sqm

BOLD print indicates peak (busiest) period

Time Range	ARRIVALS			DEPARTURES			TOTALS		
	No. Days	Ave. GFA	Trip Rate	No. Days	Ave. GFA	Trip Rate	No. Days	Ave. GFA	Trip Rate
00:00 - 01:00									
01:00 - 02:00									
02:00 - 03:00									
03:00 - 04:00									
04:00 - 05:00									
05:00 - 06:00									
06:00 - 07:00									
07:00 - 08:00									
08:00 - 09:00									
09:00 - 10:00									
10:00 - 11:00	4	518	0.000	4	518	0.000	4	518	0.000
11:00 - 12:00	4	518	0.242	4	518	0.193	4	518	0.435
12:00 - 13:00	4	518	0.048	4	518	0.097	4	518	0.145
13:00 - 14:00	4	518	0.048	4	518	0.000	4	518	0.048
14:00 - 15:00	4	518	0.000	4	518	0.048	4	518	0.048
15:00 - 16:00	4	518	0.000	4	518	0.000	4	518	0.000
16:00 - 17:00	4	518	0.048	4	518	0.048	4	518	0.096
17:00 - 18:00	4	518	0.000	4	518	0.000	4	518	0.000
18:00 - 19:00	4	518	0.000	4	518	0.000	4	518	0.000
19:00 - 20:00	4	518	0.000	4	518	0.000	4	518	0.000
20:00 - 21:00	4	518	0.000	4	518	0.000	4	518	0.000
21:00 - 22:00	4	518	0.048	4	518	0.048	4	518	0.096
22:00 - 23:00	4	518	0.000	4	518	0.000	4	518	0.000
23:00 - 24:00	4	518	0.048	4	518	0.048	4	518	0.096
Total Rates:			0.482			0.482			0.964

Parameter summary

Trip rate parameter range selected: 320 - 1000 (units: sqm)
 Survey date date range: 01/01/09 - 02/10/14
 Number of weekdays (Monday-Friday): 4
 Number of Saturdays: 0
 Number of Sundays: 0
 Surveys automatically removed from selection: 0
 Surveys manually removed from selection: 1

TRIP RATE for Land Use 06 - HOTEL, FOOD & DRINK/C - PUB/RESTAURANT
MULTI-MODAL MOTOR CYCLES

Calculation factor: 100 sqm

BOLD print indicates peak (busiest) period

Time Range	ARRIVALS			DEPARTURES			TOTALS		
	No. Days	Ave. GFA	Trip Rate	No. Days	Ave. GFA	Trip Rate	No. Days	Ave. GFA	Trip Rate
00:00 - 01:00									
01:00 - 02:00									
02:00 - 03:00									
03:00 - 04:00									
04:00 - 05:00									
05:00 - 06:00									
06:00 - 07:00									
07:00 - 08:00									
08:00 - 09:00									
09:00 - 10:00									
10:00 - 11:00	4	518	0.000	4	518	0.000	4	518	0.000
11:00 - 12:00	4	518	0.000	4	518	0.000	4	518	0.000
12:00 - 13:00	4	518	0.000	4	518	0.048	4	518	0.048
13:00 - 14:00	4	518	0.000	4	518	0.000	4	518	0.000
14:00 - 15:00	4	518	0.000	4	518	0.000	4	518	0.000
15:00 - 16:00	4	518	0.000	4	518	0.000	4	518	0.000
16:00 - 17:00	4	518	0.000	4	518	0.000	4	518	0.000
17:00 - 18:00	4	518	0.000	4	518	0.000	4	518	0.000
18:00 - 19:00	4	518	0.000	4	518	0.000	4	518	0.000
19:00 - 20:00	4	518	0.000	4	518	0.000	4	518	0.000
20:00 - 21:00	4	518	0.000	4	518	0.000	4	518	0.000
21:00 - 22:00	4	518	0.048	4	518	0.000	4	518	0.048
22:00 - 23:00	4	518	0.000	4	518	0.048	4	518	0.048
23:00 - 24:00	4	518	0.000	4	518	0.000	4	518	0.000
Total Rates:			0.048			0.096			0.144

Parameter summary

Trip rate parameter range selected: 320 - 1000 (units: sqm)
 Survey date date range: 01/01/09 - 02/10/14
 Number of weekdays (Monday-Friday): 4
 Number of Saturdays: 0
 Number of Sundays: 0
 Surveys automatically removed from selection: 0
 Surveys manually removed from selection: 1