



A4 SIZE
JUNE 2022

I'm looking for...



Branch Locator

Site Index

Building
Materials

Timber & Sheet
Materials

Doors, Windows &
Joinery

Contents,
Landscaping

Decorating &
Inflatables

Planning &
Fencing

Barbecues

Electrical &
Lighting

Accessories
Autumn

15%
OFF

LANDSCAPING PRODUCTS ONLINE

WHEN YOU SPEND OVER £20
EX VAT UNTIL 30th JUNE 2022


⚠ HURRY - offer ends soon

Product / Gardens & Landscaping / Paving & Walling / Garden Paving Slabs

Romana Beton Outdoor Porcelain Tile Silver 600x600x2

484589

Be the first to review this product



SAVE
WITH
SAVE15

RETAIL P
£89.
£749.


Save 15%
when you
check out

Login

Hover Over to Zoom In



FREQUENTLY BOUGHT TOGETHER



Price Summary

Main Product Price £899.81

Add-on(s) Selected 1 £180.88

£899.81 (Inc. VAT)

£180.88 (Inc. VAT)

TOTAL PRICE

Yo

£1,080.69 (Inc. VAT)

WD24

1

Added

1

Added



Add all items to basket

Yo



Rickma

Overview

Featuring a subtle shaded design in a contemporary grey colour, these 20mm thick 600x600mm outdoor porcelain tiles are perfect for creating stylish and durable patios.Â

Robust and durable 20mm thick outdoor porcelain

Algae and moss resistant - no special maintenance required

View more

Technical specification

Country Origin	Turkey	Brand Name	Romana
Range Description	Beton	Dimensions	600mm x 600mm x 20mm
Length	600 mm	Thickness	20 mm
Width	600 mm	Weight	33.60 kg
Material	Porcelain	Colour	Silver
Colour Family	Greys	Finish	Matt
Suitable for	Outdoor	Range	Paving
Type	Porcelain Paving	Pack Coverage	20.21 m2

Reviews

Be the first to review this product. [Write a review](#)

Related products

 Quick view

 Quick view

 Quick view



I'm looking for...



Products & Services | Tools & Equipment

Building
MaterialsTimber & Sheet
MaterialsDoors, Windows &
JoineryGardens &
LandscapingDecorating &
InteriorsPlumbing &
Heating

Bathrooms

Electrical &
LightingFurniture
Adhesives**15%**
OFF**LANDSCAPING PRODUCTS ONLINE**WHEN YOU SPEND OVER £20
EX VAT UNTIL 30TH JUNE T&Cs

⚠ HURRY - offer ends soon


Product / Gardens & Landscaping / Fencing & Trellis / Fence Panels

Close Board Fence Panel Dip Treated 6ft

9000239444



3.7 13 Reviews



RETAIL P

FRON

FRON

Logi

Heig

Hover Over to Zoom In



FREQUENTLY BOUGHT TOGETHER



Price Summary

Main Product Price £58.10

Add-on(s) Selected 1 £5.76

Yo

WD24

Yo

Rickma

Close Board Fence Panel

£58.10 (Inc. VAT)

DIMENSIONS:

1828mm x 1828mm

1

Added

Blue Circle Ready to Use

£5.76 (Inc. VAT)

1

Added



TOTAL PRICE

£63.86 (Inc. VAT)

Add all items to basket

Overview

This 6ft Closeboard Panel from Forest is a strong, sturdy and secure panel, perfect for privacy and security along garden boundaries.

It features thick overlapping square cut 8mm boards, arranged vertically and sandwiched by a frame all the way round. There is further reinforcement from 3 additional horizontal battens. The finish is rough sawn timber that is Dip Treated to give a 10 year Anti-Rot guarantee, with periodic re-treatment, and an attractive golden brown colour.

View more

Technical specification

Thickness	47 mm	Width	1830 mm
Size Imperial	6 ft x 6 ft	Weight	31.70 kg
Material	Softwood	Colour	Golden Brown
Treatment	Dip Treated	Years Guaranteed	10
Type	Fence Panel	Brand Name	Forest Garden
Country Origin	United Kingdom	Manufacturer Model No	FB66
Made To Order	N		

Reviews

3.7



13 Reviews

Write a review

5 Stars (5 reviews)

4 Stars (3 reviews)

3 Stars (2 reviews)

2 Stars (2 reviews)

1 Stars (1 reviews)

Most liked positive review



Close Board Panels

Pretty good panels but you have to be careful of the nails that have gone a bit squiffy and protrude through the edge of the panels.

Most liked negative review



Really poorly made panel!

Terribly made panels. Had seven delivered today and found all of them to be out of square with loose and poorly fitted nails. One was at least 6 inches out of square. han

vs



Thomas, from Rotherham, requested a Brick Quotation 8 minutes ago

Anglian Cream Stock

Brickhunter Code: BH03535

NOT IN PRODUCTION

Images may not reflect the true colour or texture.

The Anglian Cream Stock brick, manufactured by Anglian Brick, is a handmade brick that is cream in colour with a smooth texture.

As a facing brick, the Anglian Cream Stock brick is commonly chosen for its aesthetic qualities, and will provide a cream, smooth textured façade.

[Find a Quotation](#)

[Order Brick Match](#)



About This Brick:

Name

Anglian Cream Stock

SKU

BH03535

Our website uses cookies to give you the best experience possible. By using our website, you are accepting the use of cookies from us and our partners.

[Click here for more information.](#)

[Allow Cookies](#)

Material	Clay
Texture	Smooth
Manufacturing Process	Handmade
Production Status	Not In Production
Samples Available	No



TrustScore 4.7

[373 reviews](#)

Showing our favourite reviews

bricks delivered on time very good...

bricks delivered on time very good service

Iain Golding

20 June

ABOUT US

We believe people deserve to buy bricks happily, which is why we invest our time and skill into a customer experience which is quick and easy to use. We'd love to help you buy the best bricks for your project.

[› MORE ABOUT US](#)

BLOG



How You Can Sell Bricks Through Brickhunter

2 WEEKS AGO



Indy 500: The Most Famous Bricks in Motorsport

1 MONTH AGO

[› MORE POSTS](#)



Our website uses cookies to give you the best experience possible. By using our website, you are accepting the use of cookies from us and our partners.


[Click here for more information](#)

[Allow Cookies](#)

Drivesett Argent Priora®

4.0 | Read review (1)

For items in stock, order now for delivery from Monday 11th July



<

>

Marshalls Drivesett Argent Priora in dark

Select a colour:



Selected: Dark

DriveSett Argent Priora is a high-quality, long-lasting paving solution for driveways and paths. It is made from 100% recycled
post-consumer materials and is manufactured in the UK. It is a sustainable and cost-effective alternative to traditional paving.



Specifications

X

Drivesett Argent Priora Project Pack

Colours Available	Graphite (GR) Light (LT) Dark (DK)
Finish	Textured
Pack Type	Mixed Size
Length (mm)	240 160 80
Width (mm)	160 160 160
Thickness (mm)	60 60 60
Pack Size (m ²)	8.06
Jointing Included	No

Due to the nature of this product and the manufacturing process, some variation may occur. Where images are viewed online or in printed material, we cannot guarantee that the colours shown directly reflect the colours of the actual product.


We use cookies to help give you the best experience possible. By continuing, you agree to our use of cookies.

For further information on the types of cookies we use, please see our cookie policy.

[Accept and close](#)



EO Genius



Modular, scalable and future proof smart charger for electric vehicles. Designed for fleets, workplaces, apartments and destinations.

Add the EO Hub to unlock all our smart charging options and get access to the EO Cloud platform.

Installation & Warranty

- + Unique wall plate connector for quick deployment and future upgrade.
- + 3-year product warranty with options to extend.

Features

- + Mennekes branded locking Type 2 universal socket as standard.
- + Power Ratings: Single Phase up to 7.2kW // Three phase up to 22kW.
- + Wall or post mounted with EO Post.
- + RFID.
- + Available in two colours: Black & White.

Intelligence

- + Add EO Hub to enable communications with EO Cloud back-office.
- + Static, dynamic & scheduled active load management via EO Cloud.
- + EO App smartphone integration via EO Cloud.

MODEL ORDER CODE	EG002	EG004
Description	EO Genius 32A 1-Phase Charger - Locking Socket	EO Genius 32A 3-Phase Charger - Locking Socket

ELECTRICAL DATA		
Rated Power	Up to 7.2kW	Up to 22kW
Charging Current	6A to 32A (variable)	6A to 32A (variable)
Rated Current	Up to 32A max	Up to 32A max
Nominal Supply	230VAC 50Hz	400VAC 50Hz
Supply Connections	L1, N, PE 2.5 - 10mm ²	L1, L2, L3, N, PE 2.5 - 10mm ²
Over Current Protection	40A Supply	40A Supply
Earth Leakage Protection	A dedicated 30mA Type A RCD must be used on the supply circuit Integral 6mA DC leakage detection - no Type B RCD required	
Standby Power Consumption	<3W	
Status Indication	3 colour LED indicator (green, blue, red)	
Charging Mode	Mode 3 (IEC 61851-1 / SAE J1772 compliant communication protocol)	
Socket	Mennekes branded IEC 62196 Type 2, IP54 hinged lid, locking pin Manual override pin release key	
Supply Cable Entry	Ø20mm or Ø25mm hole drilled at site into wall plate connector	

MECHANICAL DATA		
Dimensions (H x W x D)	360mm x 165mm x 155mm	
Unit Weight	<3 kg	
Mounting Location	Wall or Post mounted using wall plate, Indoor or Outdoor (permanent mounting)	
Ambient Temperature	-30°C to +50°C	
Internal Electronics Temperature	-25°C to +85°C	
Operating Humidity	5 to 95%	
Enclosure	PC / ABS UV stabilised (UL94 HB Fire Rated)	
Protection	IP66 / IP54	
Impact Rating	IK08	
Standard Finish	Natural White (RAL9016), Black available as an option (RAL9005)	

COMMUNICATIONS		
Each EO Genius has a 3m RS485 flying lead pre-fitted. RS485 connectivity for communications with EO Hub for EO Cloud access. EO Hub requires active internet connection & firewall configuration for EO Cloud.		

COMPLIANCE		
OLEV EVHS & WCS Approved CE Marked, EMC Directive 2014/30/EU, IEC 61851-1, IEC 61851-22, IEC 62196-2, EN 301-489 RFID - ISO/IEC 14443 (MIFARE)		

OPTIONS		
Static, dynamic & scheduled active load management when installed with EO Hub and current transformers. For post mounting refer to EO Post datasheet. Unbranded, non-locking standard Type 2 socket available upon request. RFID Card Reader.		

Designed to permit installations compliant with IET Wiring Regulations BS 7671:17 and the Electricity Safety, Quality, and Continuity Requirements (ESQ) and IEC 6300-2009+A1(2010). In no event will EO Charging accept any liability for any damages, liabilities or consequences resulting from the use and/or misuse of our hardware or software products except and only to the extent that they are caused by our negligence.

Home

Charging
Posts

The
Flex-
Stand



Flex-
Stand
Extras

Impact
Protection

Extras

Gallery

FAQ's



EO Genius charging

post/pedestal – square post

Can't find what you are looking for? Simply contact us and we will make what you need.

Trade terms available for repeat customers. Please enquire for bulk discounts.



EVCAP

with plinth

0 - £0.00

Checkout

All of our products are designed and manufactured by us. We stock the parts and make to order.

Our standard lead times are 4-5 working days. Powder coating can take up to an additional 5 days.

Subtotal £219.99

1

Add to basket

SKU: CP-S-SQ-P-EOG

Categories: Electric Vehicle Charging Posts, Square Charging Posts

Tag: EO Genius

Description

>

Description

Additional information


Have you purchased or looking to purchase an EO Genius EV charger? Do you want the freedom to place it where it is suitable for you? Break away from mounting your electric vehicle charger to a wall with our range of charger posts designed and manufactured specifically for the [EO Genius charger](#).

It comes with all the required fasteners to connect your EO Genius charger to the unit.

This high-quality electric vehicle charger post is square in style (other styles are also available) featuring a plinth mount perfect for outdoor installations.

Stainless steel not your style? If you prefer a sleek satin black look, we can powder coat your charging post during the manufacturing process.

Also, if you're worried about potential collisions with your charging post, we also manufacture various styles of [impact protection barrier](#) to help guard against damage to

 Nationwide delivery[Home](#) / [Channel Drainage](#) / [Pedestrian Channels - A15 Class](#) / [ACO Channel Drainage](#) / **ACO Threshold 1000mm A15 Plastic Channel Drain & Silver Grate**

>

ACO Threshold 1000mm A15 Plastic Channel Drain & Silver Grate

[\(2\) Read all reviews](#)**Product Code:**

ACO-19000

Brand:

ACO

Est. Delivery: 1-2 Working Days

Shipping costs displayed in basket

[View Transport Policy](#)**Colour***

Silver

£39.00

Incl. VAT

Search by name, code, or brand...



>Description

ACO Threshold channel drain is designed for use in domestic properties to eliminate any water from pooling at external doors. The threshold is only 60mm wide and sits flush to the door for maximum discretion, allowing water to be drained away quickly and efficiently. Whilst ACO Threshold channel drain has been built with long-life and durability in mind, a choice of built-in silver or black Heelguard grates offer aesthetic design too.

This ACO Threshold channel drain comes with an attached silver aluminium grate with Heelguard design. Heelguard design means that high heels cannot become lodged in the grate as the slits are too narrow, reducing the risk of injury to people entering and exiting the property or damage to the channel drain grate. The extruded plastic base of ACO Threshold channel drain only bolsters the security of the drain once the system has been bedded in concrete.

ACO Threshold channel drain can be connected, thanks to 80mm diameter outlets, to domestic soakaways and accessories like a drain connector, 80mm bottom outlet and closing end cap complete the drain system.

ACO Threshold Channel Drain Specification

Length: 1000mm

Width: 61mm

Depth: 100mm

Weight: 1.63kg

Specification

Downloads

Questions & Answers

Reviews

Products We Recommend

 LATERAL

Aquascape Polyconcrete
125mm Galvanised Edge
Shallow Channel C250

£89.95 incl. VAT

1 Add



ACO Threshold Channel
Drain Corner Unit with Silver
Grate

£34.20 incl. VAT

1 Add



ACO Threshold 50mm Outlet
End Cap

£21.00 incl. VAT

1 Add




Stainless Steel Shower
Channel Grating Only
1000mm - Oslo

£52.12 incl. VAT

1 Add

ACO Guides & Articles




5.0
Google
Customer Reviews






Ramp & Driveway
Heating



Ramp and Driveway Ice & Snow Melting Systems

For Ramps, Driveways and Car Parks



Driveway Heating System Thermostat
FRO-47A-STAT



Outdoor Heating Cable PKC-7.0



Ground Temperature and
Moisture Sensor FRO-GRO-SENS

Automated Ramp, Driveway and Car Park Heating

Heat Mat's Scandinavian designed ice & snow melting systems can be used beneath virtually any surface to ensure it remains free from dangerous ice and snow build-up. The robust heating wire systems are suitable to protect driveways, car parks, pathways, steps, loading ramps and bridges and when used in conjunction with intelligent thermostats they provide an energy efficient and fully automated heating system.

Custom made ice and snow melting thermostats monitor both the ground temperature and the moisture level to ensure that they only operate when they are really needed. The thermostats are fully programmable and can be set up for the specific local conditions as required.

In addition to ensuring that driveways and walkways remain free of dangerous ice and snow build-up the heating systems also prevent the need to use salt to keep areas clear, minimising costs and also ensuring both the road surface and the surrounding environment are not damaged or contaminated by salt build-up.

- Improved safety for vehicles and pedestrians as surfaces are automatically safe to drive and walk on
- Automated clearance of ice and snow, ensuring that Health and Safety requirements can be met and that the first person on site does not have to make the area safe
- Surfaces (particularly concrete) are not damaged by grit and salt, and are also protected from the normal freeze/thaw activity in winter
- The surrounding ground and waterways are protected from salt pollution
- A number of different sensors and timers can be combined to ensure that the system only operates when it is required, minimising energy usage
- Entirely maintenance free. Once the system is installed there is no requirement for any maintenance work and some systems include an automatic alarm warning if the system fails for whatever reason
- A tried and trusted system. These systems have been used in Scandinavia for more than a decade and have proved their worth in extreme temperatures and weather conditions

HeatMat Ice & Snow Systems

Call 01444 247020
to find out more or
visit our website at
www.heatmat.co.uk

Ramp & Drive Ice & Snow Melting Features

- Fully automated clearance of ice and snow
- Improved safety for vehicles and pedestrians
- Maintain access by keeping loading ramps and bridges safe for use
- Save staff time on clearing ice and snow
- Save money on salt and grit and reduce the environmental impact on the surrounding area and water courses
- Reduce the damage caused to asphalt and concrete surfaces
- Intelligent thermostats monitor ground temperature and moisture levels to minimise energy usage
- Proven systems from Scandinavia
- Independently control two separate areas of heating via a single thermostat
- A choice of thermostats compatible with your individual requirements
- Optional moisture sensors can reduce energy usage by up to 80%

Suitable product ranges



Ice & Snow
thermostats



In-screed cable



Self-limiting
heating cable



Choice of output

For normal installations we recommend an output of around 270W/sqm which provides a good balance between speed of operation and power requirements. Often the limiting factor to the size of area which can be heated is the available power supply on site, and with restricted power supplies it is often possible to specify a lower powered system which will still clear the ice and snow.

Tyre track heating

Where a long driveway requires heating it is quite acceptable to simply heat two tyre tracks leaving other areas unheated. This saves on the power requirements and installation and running costs and it allows longer driveways to be heated than would otherwise be possible.

Drainage channel heating

When heating a driveway or path area it is vital to ensure that the water can safely run away, and does not become pooled to then refreeze. When heating a driveway area we recommend that trace heating cables are installed into the drainage channels to ensure complete clearance.

Installation methods

There are a number of different installation methods, although all of them involve fixing down outdoor heating cable to Heat Fix metal bands or zip-tying it onto reinforcement mesh. A rough overview of the three most popular installation methods is detailed below; please contact Heat Mat technical support for more details.

Specialist cables for hot asphalt

There are two installation options for use with hot asphalt. The most efficient is to use our specialist

cables which can be laid directly beneath hot asphalt, and the alternative is to use a standard cable which will need to be covered with a minimum of 10mm of sand and the asphalt cooled before laying. The normal method of installation beneath asphalt would be to level the current surface. If the surface is concrete or similar Heat Fix strips can be nail-gunned to the base and the cable installed onto these. If the surface is not concrete or similar a layer of 30mm of sand or finely crushed stone should be laid with a wire mesh placed on top of this, and the cables zip-tied in place. The asphalt layer should be a minimum of 55mm thick.

Block paving

Care must be taken not to drop any paving slabs onto the cable during the installation process as these could damage the heating system. The normal method of installation would be to level the current surface and lay a 60mm layer of sand/grit and compact this as required. A wire mesh would then be laid on top of this layer and the heating cables would be zip-tied in place. A further 40-50mm layer of sand/grit would then be laid on top and this would be compacted by hand to ensure no damage to the heating cables. The block paving could then be laid, and to achieve the greatest benefit from the heating system the blocks should be between 50 and 80mm thick.

Concrete

Heating cables are often installed into concrete bases as concrete is particularly prone to damage from rock salt and freeze/thaw activity. The standard installation method would be to level the existing base before covering it with a support layer of sand/grit 30-40mm deep. A reinforcement mesh should then be laid and the cables can be zip-tied in place on this, before placing a layer of sand on top to protect the cables; this should be a minimum of 10mm thick. The concrete can now be poured and it should form a layer with a minimum depth of 50mm, and the concrete mix must not include sharp stones as these could damage the cables.

TECHNICAL SPECIFICATION

In-screed and outdoor heating cable PKC-7.0-XXXX

Supply Voltage	230V ~10%
Power output	170W-270W/sqm
Maximum load	21W per meter
Output Range	210W - 306.7W
Standard Range	10.5m - 150.0m
Cold lead	2m double insulated cable
Wire thickness	6.8-7.2mm
Cable flexibility	Minimum radius 50mm
IP Rating	IPX7
Inner insulation	0.8mm silicon rubber
Outer insulation	Robust PVC/UV resistant
Earth protection	100% aluminium earth shield
Cable reinforcement	Fibreglass strands
Fixing materials	Heat Fix metal fixing bands
Compliant with	Part L, 17th Edition IEE Wiring Regulations, EN60335-2-17:1999, IEC60730

10.8kW Thermostatic FRO-47A-STAT

Supply voltage	120/230V ±10%, 50-60Hz
Temperature range	0/±5%
Working range	-20/+5%
Built-in timer for manual snow melting/defrost	1-6 hours
Output relay	3 x 16A potential free relay
2 zone application	Output is 2 x 16A potential free relay
Water based system	Controlling a 3 or 4 way valve, primary pump, secondary pump
Display	Graphic and with back-light
Ambient operating temp	0/ +50°C
Housing / incl. cover	(IP20)
Height	49.84
Mounting	DN-rail mount
Dimensions (H/W/D)	170/162/45 mm
LED's indicate the functions	
On/Green	Supply Voltage to the thermostat
Alarm/Red	Fault indication

Ground temperature and moisture sensor FRO-GRO-SENS

Sensor	Moisture and temperature
Mounting	Outdoor area
Housing	IP65
Operating temperature	-20/+70°C
Dimensions	H32.960 mm



About Heat Mat

With more than 1,200,000m² of underfloor heating installed, 20 years' experience of the UK underfloor heating market and a wealth of knowledge on Scandinavian ice and snow melting systems, you can rely on Heat Mat to understand your needs and supply the products to satisfy your requirements.

This is why we are the Professionals' Choice, the number one supplier of electric underfloor heating and ice and snow melting systems to the UK's professional installation market.



Contact us

Heat Mat Limited
Ashwyn Business Centre,
Marchants Way, Burgess Hill,
West Sussex, RH15 8QY
T. 01444 247020
F. 01444 247121
Email sales@heatmat.co.uk
www.heatmat.co.uk

Heat Mat


Ice & Snow Systems



To see all of
our products
use your smart
phone to scan
this code.



I'm looking for...

Building
MaterialsTimber & Sheet
MaterialsDoors, Windows &
JoineryGardens &
LandscapingDecorating &
FurniturePainting &
DecoratingFencing &
FencingGates &
GatesFencing
FencingTRADE PROFESSIONAL
ACCOUNT


DO YOU WANT BETTER PRICES AND FREE DELIVERY?

Product / Gardens & Landscaping / Gates & Railings / Garden Gates

Vertical Tongue and Groove Gate 6ft (1.83m High)

445787

Be the first to review this product



RETAIL P

£156.72

£131.00

Login

Hover Over to Zoom In



Available

Best Selling Similar Products



Horizontal Tongue and
Groove Gate 6ft (1.83m
High)
£156.72 (Inc. VAT)



Heavy Duty Dome Top
Tongue & Groove Gate 6ft
High)
£162.34 (Inc. VAT)



Double Slatted Gate 6ft
1.83m High)
£149.58 (Inc. VAT)

Yard

WD24 6PJ

Yard

Rickma

£130.60 (Ex. VAT)

£135.28 (Ex. VAT)

£124.65 (Ex. VAT)

Overview

The 6ft Vertical Tongue & Groove Gate from Forest is made with high-quality 12mm interlocking boards, creating a strong and robust gate.

It uses the same construction as Forest's Vertical Tongue & Groove Fence Panels making an ideal match, as well as being a stylish stand-alone gate that is ideal for side-accesses to back gardens.

Housed in a rebated frame this is a substantial gate that looks great and offers a high level of security.

Made from Pressure Treated timber with a 15 year guarantee against rot and decay.

▼ View more

Technical specification

Height	1830 mm	Length	45 mm
Thickness	45 mm	Width	900 mm
Size Imperial	6' x 2'11"	Weight	21 kg
Material	Mixed Softwood	Colour	Natural Timber
Finish	Made from smooth-planed timber for an attractive, high quality finish	Treatment	Pressure Treated
Years Guaranteed	15	Type	Gate
Brand Name	Forest Garden	Country Origin	Poland
Manufacturer Model No	VTGG63HD		

Reviews

Be the first to review this product. [Write a review](#)

Related products

 Quick view

 Quick view

 Quick view





FREE STANDARD DELIVERY*
Weekend Services Available




0% FINANCE
No Deposit Required



7 YEAR GUARANTEE
Peace of Mind Comes as Standard

Great 
★ Trustpilot

[Home](#) [Barcelona 4 Seater Cube Set With Footstools in Grey](#)



Barcelona

4 Seater Cube Set With Footstools in Grey

Product code: SET-BCL-012

[Write a review](#) 

£2,199

Spread the cost from £219.90 per month
(0% apr / 10 months)

[Finance from £219.90 a month](#)

QTY 1

[ADD TO BASKET](#)

Delivery available from Saturday 2nd July

Frequently Bought Together

This Item



Barcelona
4 Seater Cube Set With
Footstools in Grey

£2,199

Frequently Bought With



Cantilever...
[Rotating Cantilever Parasol
and Plastic Base in Grey](#)

£379



Storage...
[Outdoor Rattan Garden
Storage Box in Grey](#)

£529

Price Summary



[1x 4 Seater Cube S...](#)

£2,199

Spread the cost from £219.90 per
month (0% apr / 10 months)

[ADDED](#)

[ADD TO BUNDLE](#)

[ADD TO BUNDLE](#)

Total Bundle Price

£2,199

[ADD BUNDLE TO BASKET](#)



FREE Outdoor
Cover



Aluminium Anti-
Rust Frame



Weatherproof
Weave



Lightweight



Easy-Clean



Superior Foam
Cushions



Made by us:
Designed by you



Tempered Glass



Distressed Finish

[Description](#)

[Dimensions](#)

SKU	SET-BCL-012
EAN CODE	5055497706459
WIDTH (CM)	Table 120, Chair 59, Footstool 50
DEPTH (CM)	Table 120, Chair 59, Footstool 53
HEIGHT (CM)	Table 73, Chair 69, Footstool 39
REQUIRES ASSEMBLY?	Yes

 [Reviews](#)

[Pay by Finance](#)

 [Delivery & Returns](#)




Why Rattan Direct?

Free Standard
Delivery

0% Finance
Options

7 Year Guarantee



[Outdoor Rattan Garden Storage Box
in Grey](#)

ONLY £529

 [ADD TO BASKET](#)



[Rotating Cantilever Parasol and
Plastic Base in Grey](#)

ONLY £379.00

 [ADD TO BASKET](#)



[Shield Cover for Ascot Armchair](#)


ONLY £49

 [ADD TO BASKET](#)

Garden Storage Box Grey

ONLY: £99

N



FREE DELIVERY IN 10 WORKING DAYS

Subject to delivery postcode

[ADD TO BASKET](#)

- Quick set-up with easy to use instructions
- Enjoy a capacity of up to 460 litres in the garden
- Keep all your outdoor furniture accessories neatly tucked away
- Hard-wearing
- Easy to maintain

Specifications

- Colour: Grey
- £99 Material: Plastic
- Size: 63 cm (H) x 120 cm (W) x 61 cm (D)

[ADD TO BASKET](#)[Sign Up To Our Newsletter](#)

Be the first to know about new product releases, offer and more.

[Subscribe](#)

Find Us On

[\(https://www.facebook.com/gardenbuildingsdirect\)](https://www.facebook.com/gardenbuildingsdirect)[\(https://twitter.com/gardenbuildings\)](https://twitter.com/gardenbuildings)[\(https://www.instagram.com/gardenbuildingsdirect/\)](https://www.instagram.com/gardenbuildingsdirect/)[\(https://www.youtube.com/user/GardenBuildingsDirec\)](https://www.youtube.com/user/GardenBuildingsDirec)

Company Information


Help & Information

Novuna
Personal Finance

Credit subject to status and affordability. Terms & Conditions Apply. Kybotech Limited trading as www.gardenbuildingsdirect.co.uk is a credit broker and is Authorised and Regulated by the Financial Conduct Authority.

Credit is provided by the lender Novuna Personal Finance, a trading style of Mitsubishi HC Capital UK PLC, authorised and regulated by the Finance Conduct Authority. Finance Services Register no.704348. The register can be accessed through <http://www.fca.org.uk> (<http://www.fca.org.uk>)

[Sitemap](#) (/sitemap) | © 2022 Kybotech Limited.



590/G

£104.99



Sparrow Terrace 1SP

Colour

Stone

Quantity

1

[ADD TO CART](#)

Orders placed before noon are dispatched same day. Please allow 1-3 business days for delivery unless shown differently above.

[Our Shipping Policy](#) [FREE Standard Delivery over £49](#) [Price Promise](#)

Overview

Schwegler Sparrow Terrace 1SP

Numbers of house sparrows in the UK have been tumbling, our population of six million pairs is half what it was in 1980. The good news is that the decline is levelling out, and there has actually been increases in many localities. One satisfying way to help sparrows is in providing a Sparrow Terrace nesting box. Sparrows are highly sociable birds that like to nest in



Sparrow House Occupants

House and tree sparrows, and in some instances other birds which use nest boxes such as tits, redstart and spotted flycatcher.

Sparrow Terrace Siting:

On all types of houses in built-up areas, industrial and agricultural buildings such as barns and factories.

Installation:

2 meters or more above ground level.

Option 1: Simple, surface installation using the plugs and screws supplied.

Option 2: Complete installation as a nesting block within brick or concrete walls. To avoid conducting low temperatures please also use wall insulation, or install at a suitable depth in the wall.

Cleaning

Advised but not essential. By turning the screw hook by 180° the front panel can be removed.

Dimensions of Sparrow Terrace brood chambers:

Each: height 16 x width 10.5 x depth approx. 15 cm

Overall: 245H x 430W x 200D mm

Weight: 13kg

Colour options:


Brown or Stone.



You may also like



Home > Robin Nester Pocket



GN-SKROBRNP

£11.99

Robin Nester Pocket

Quantity

1

[ADD TO CART](#)

Orders placed before noon are dispatched same day. Please allow 1-3 business days for delivery unless shown differently above.

[Our Shipping Policy](#)


FREE Standard Delivery over £49

[Price Promise](#)

Overview

Brushwood Robin Nester

This robin nest pocket has been designed specifically with the knowledge that robins prefer an open nesting box with easy access, but robins also like a concealed nesting site. This robin nester really fits the bill, having been manufactured from brushwood with a rattan landing platform and nest divider, it makes for a very purposeful and natural nest for robins that can be fixed in an outbuilding such as a shed or porch, or safely stowed into low level foliage where robins love to nest and hideaway.

EU Shipping Update - read more [\(/eu\)](#)Promotions
(/promotions)Equipment shop [\(/equipment\)](#)Bookstore [\(/books\)](#)Wildlife Survey & Monitoring [\(/wildlife-survey-and-monitoring\)](#)Practical Conservation Equipment [\(/practical-conservation-equipment\)](#) > Bat Boxes [\(/4?q=&hPP=60&idx=titles&p=0&fR\[hide\]\[0\]=false&fR\[live\]\[0\]=true&fR\[shops.id\]\[0\]=4\)](#) > Bat Boxes [\(/4?q=&hPP=60&idx=titles&p=0&fR\[doc_s\]\[0\]=Bat%20Boxes%20%3E%20Integrated%20Bat%20Boxes\)](#)

Vivara Pro Build-in WoodStone Bat Box



Select product

Usually dispatched within 1-2 weeks
£36.50

#252139

Ex-d демо damaged right corner
Usually dispatched within 1-2 weeks
£30.00

#256714

Selected product:

£36.50

ADD TO BASKET

Manufacturer: CJ Wildlife [\(/manufacturer/cj-wildlife\)](#)

- ✓ Discreet entrance hole
- ✓ Designed to fit in wall cavities
- ✓ Entrance sits flush with wall
- ✓ Fully FSC Certified

Recommended Accessories

PRO UK Build-In
The Build-in
WoodStone Bat Box has[\(/build-in-woodstone-
bat-box-uk-brick-size?\)](#)
bkfno=256321

£35.99

[About this product](#) | [Specification](#) | [Customer reviews](#) | [Related products](#)

Additional images



About this product

The Vivara Pro Build-in WoodStone Bat Box has been specifically designed to fit into the cavity of house walls. It features a slim sized entrance hole which can sit flush in a course of bricks to provide a discreet entry way for bats. It is manufactured from hard-wearing WoodStone and plywood with removable side panels so that several boxes can be placed side by side. Position the box at least 2m above ground level away from artificial light sources. WoodStone is a mixture of sawdust from FSC wood sources and concrete, and it is designed to last for years. It is breathable so there will be no problems with condensation and Woodstone maintains a consistent temperature inside, providing excellent insulation for roosting bats.

Dimensions: (H) 500 x (W) 210 x (D) 150mm. Weight: 5.6kg

Specification

- * Height: 500mm
- * Width: 210mm
- * Depth: 150mm
- * Weight: 5.6kg
- * Material: WoodStone

Customer Reviews

[Review this product](#) [\(/review/create?id=256714\)](#)

Coming September 2022

SPECIAL OFFER
£10 OFF

PRE-ORDER HERE

[\(https://www.nhbs.com/collins-
bird-guide-book?\)](#)
bkfno=255852&ad_id=4260FIELD
GUIDEUP TO 45% OFF
SELECTED TITLES

BROWSE HERE

[\(https://www.nhbs.com/field-
guide-sale?ad_id=4261\)](#)Echo Meter
Touch 2

USB-C Powered Edition

NEW UPDATE IN STOCK
PRO VERSION ALSO AVAILABLE

ORDER HERE

[\(https://www.nhbs.com/echo-
meter-touch-2-android?\)](#)
bkfno=255963&ad_id=4290FREE copies of our
2022 subject specific
catalogues

BROWSE HERE

Bestsellers in Integrated Bat Boxes

Vivara Pro Build-in
WoodStone Bat Box
[\(https://www.nhbs.com/ib-vl-
05-vivara-pro-build-in-
woodstone-batbox?\)](#)
bkfno=252213)

£39.95

1FR Schwegler Bat Tube
[\(https://www.nhbs.com/1fr-
schwegler-bat-tube?\)](#)
bkfno=178018)

£121.99

PRO UK Build-in WoodStone
Bat Box
[\(https://www.nhbs.com/build-
in-woodstone-bat-box-uk-
brick-size?\)](#)
bkfno=256321)

£35.99

Bat Access Brick
[\(https://www.nhbs.com/bat-
brick?\)](#)
bkfno=197697)

£23.99


1FE Schwegler Bat Access
Panel
[\(https://www.nhbs.com/1fe-
schwegler-bat-access-
panel?\)](#)
bkfno=183033)

£82.00

[Browse products in Integrated Bat Boxes](#) [\(/4?q=&hPP=60&idx=titles&p=0&fR\[doc_s\]\[0\]=false&fR\[hide\]\[0\]=false&fR\[live\]\[0\]=true&fR\[shops.id\]\[0\]=4&hFR\[subjects_equipment.lv1\]\[0\]=Bat%20Boxes%20%3E%20Integrated%20Bat%20Boxes\)](#)


Other products from CJ Wildlife

See more Wall lights



EXTERNAL LIGHTING

U



Price drop

Zinc Odin Fixed Matt Anthracite LED PIR Motion sensor Outdoor Up down Wall light 7W

Sold & shipped by B&Q

[Write a review](#)

Was £30

£24

Save £6

20% off selected outdoor lighting. Price includes discount.

Home Delivery

Available to WD246PJ

1

[Add to basket](#)

Product details

Product information

The matt anthracite charcoal Odin outdoor wall light is perfect for illuminating your outdoor spaces such as doorways and gardens.



[View more](#)

Specifications

Bulb included	Bulb sold separately
Bulb type	Reflector
Cap fitting	GU10
Dimmable	Non-dimmable
IP rating	IP44
Material	Die-cast aluminium & glass
Maximum bulb wattage	7W
Model name/number	BQ-37503-ANTH
Override facility	Without override facility
PIR detection angle	180°
PIR detection range	8m
Power output	7W
Power source	Mains-powered
Power voltage supply	220-240V
Product diameter	68mm
Product height	215mm
Product width	68mm
Resistant to water	Weatherproof
Timer	Without timer function
Product code	5020024707254

See more Post lights

~~EXTERNAL~~ Lighting



FAITH - CGC Dark Grey Cylindrical LED Post Light

Sold & shipped by [CGC Interiors](#)

[Write a review](#)

£83.99

Pay in 3 interest-free payments of £28.00 with [PayPal](#). Learn more

 [Home Delivery](#)

Available to WD246PJ

[Change postcode](#)

Delivery within 7 days (excludes bank holidays). Delivery date advised when shipped. Shipped by a verified seller. 

 [Click + Collect](#)

Unavailable for this item



Find in store

Store stock check for this product is currently unavailable

1



Add to basket

Product details

Product information

CONSTRUCTION: Elegant and modern cylinder design, aluminium body with anthracite finish and opal diffuser - with coverings that can be positioned anywhere within 350 degrees **LIGHT OUTPUT:** 500 lumens, 8W, 3000k built in warm white LED, opal diffuser delivers a smooth warm LED light in any 135 degree angle **DIMENSIONS:** Diameter: 7.8 cm Length: 65 cm **TECHNICAL:** IP54 Rated for outdoor use, 220-240V mains power, ambient temperature -5 to +30, class 1

[View more](#)

Specifications

Bulb type	Integrated
IP rating	IP54
Light technology	LED
Lumens	500lm
Number of bulbs	1
PIR detection angle	350°
PIR detection range	12m
Power output	240W
Product depth	78mm
Product diameter	78mm
Product height	78mm
Product width	78mm
Motion sensor	No motion sensor
Product code	5060759784359

Reviews & Ratings