



# BEFORE BUILT SIDE ELEVATION



EAVES LEVEL  
FIX CONTINUOUS TILTING FILLET TO SUPPORT UNDERLAY AT EAVES AND PREVENT WATER RETAINING TROUGHS. ENSURE THAT TOP OF FASCIA BOARD IS FIXED 45mm ABOVE TOP OF RAFTERS. SOFTWOOD FASCIA BOARD TO BE A MIN OF 175mm x 25mm. SOFTWOOD SOFFIT BOARD TO BE 200mm x 19mm, SET 19mm ABOVE BOTTOM OF FASCIA BOARD. FIX ALL TILES IN EAVES COURSE WITH TILES PROJECTING 50mm OVER GUTTER, USING EAVES CLIPS WITH 50mm x 3mm ALUMINIUM NAILS. USE EITHER KLOBBER LTD ACCESSORIES OR ALTERNATIVE PROPRIETARY PRODUCTS (SIMILAR APPROVED)

REFER TO LEAD DEVELOPMENT  
ASSOCIATION FOR RECOMMENDED  
SPECIFICATION DETAILS FOR PITCHED  
ROOF/WALL ABUTMENTS.  
ALL NEW LEADWORK TO BE TREATED  
WITH PATINATION OIL.

LATERAL RESTRAINT:  
TO BE PROVIDED TO ALL EXTERNAL  
WALLS AT ROOF LEVEL USING  
GALVANISED MILD STEEL STRAPS 30MM  
WIDEX5MM DEEPX 900MM LONG DOWN TO  
300MM INTO CAVITY AND DRILLED.  
PLUGGED AND SCREWED TO BLOCK  
WORK USING NO.12 MASONARY  
SCREWS-FIX TO SOLID MASONARY AND  
NOT MORTAR BED PERPENDICULAR  
JOINTS.



Client:-Mr.Ashokkumar Kugathasan	Drawing no:-56.3	Revision-A Checked by:S.K
Title:- Proposed single storey front porch extension at No:56 Diamond Road, Ruislip, HA4 0PG.	Drawn by:- S.E 05/24	Scale:-1:100 Org.size-A3