



Do not scale from this drawing.
SAFETY HEALTH AND ENVIRONMENTAL INFORMATION
IN ADDITION TO THE HAZARD/RISKS NORMALLY ASSOCIATED WITH THE TYPES OF WORK DETAILED ON THIS DRAWING, NOTE THE FOLLOWING RISKS AND INFORMATION.
RISKS LISTED HERE ARE NOT EXHAUSTIVE. REFER TO DESIGN ASSESSMENT FORM NO.
CONSTRUCTION
DEMOLITION
FOR INFORMATION RELATING TO USE, CLEANING AND MAINTENANCE SEE THE HEALTH AND SAFETY FILE
IT IS ASSUMED THAT ALL WORKS WILL BE CARRIED OUT BY A COMPETENT CONTRACTOR WORKING, WHERE APPROPRIATE, TO AN APPROVED METHOD STATEMENT.

Rev.	Date	Description	Drawn	Checked	Approved
B	05/03/19	AMENDED TO CLIENTS EMAIL AND COMMENTS - 11/02/19	BC	GW	GW
A	09/10/18	AMENDED TO CLIENTS COMMENTS	BC	KS	GW

- Notes:
- DO NOT SCALE FROM THIS DRAWING.
 - ALL DIMENSIONS ARE SHOWN IN MILLIMETRES U.N.O.
 - ALL SETTING OUT DIMENSIONS SHALL BE CONFIRMED BY THE CONTRACTOR PRIOR TO FABRICATION FOLLOWING SITE SURVEY.
 - ALL CONCRETE GRADE TO BE C40.
 - ALL STEEL TO BE GRADE S275.
 - ALL BOLTS TO BE GRADE 8.8 IN ACCORDANCE WITH BS EN 1993.
 - ALL WELDS TO BE 6mm CFW MIN UNCO.
 - SETTING OUT TOLERANCE TO BE CONFIRMED BY LU.
 - ALL STEELWORK TO BE FABRICATED, TESTED AND ERECTED IN ACCORDANCE WITH NSSS.
 - FABRICATION DRAWINGS TO BE SUPPLIED FOR REVIEW 20 DAYS MINIMUM PRIOR TO FABRICATION.
 - ALL NEW STRUCTURAL STEELWORK SHALL BE BLAST CLEANED TO SA2.5 AND HOT-DIP GALVANISED TO 120 MICRONS. T-WASH ETCH PRIMER (OR SIMILAR LUL APPROVED PRODUCT) SHALL BE APPLIED TO HOT-DIP

Client:	Project Title:	EASTCOTE			FAIRHURST Oak House, Reeds Crescent, WATFORD, WD24 4PH Tel: 01923 210 460 Fax: 0844 381 4412			
	Drawing Title:	PROPOSED NEW FENCING & SECTIONS						
	Scale of A1:	AS SHOWN				Status:	For Approval	
	Drawn:	BC	Checked:	GW		Approved:	GW	
	Date:	17/09/18	Date:	17/09/18		Date:	17/09/18	
	Drawing No.:	119854/2003				Revision:	B	