


CONDITION 8

EXTERNAL LIGHTING

EXTERNAL LIGHTING KEY:

PIR	EXTERNAL SPOT WALL LIGHT PIR 35W - 100lm/W shall turn off when not in use. All the other lights to be sensor night lights
	WATER PROOF FIXED DOWN LIGHT 12W - 110-120lm/w
	SPOT FLOOR LIGHT 7.5W - 110-120lm/w
	300 MM HIGH FREE STANDING EXTERIOR LIGHT 12W - 110-120lm/w
	BRICKLIGHT 35W - 100lm/W
	WATER PROOF EXTERNAL SOCKET 2 X 13A



PROJECT	DWG NO.	SCALE	DETAIL	29.09.2020 SUBMITTED TO PLANNING DEPT.	A 30.11.2020 INFORMATION ADDED AS REQUESTED	B 30.11.2020 INFORMATION ADDED AS REQUESTED	PROJECT NO.	PR Architecture Ltd. Chartered Architect
11 SANDY LODGE WAY, NORTHWOOD. HA6 2AH	33B	1:100 @ A1	CONDITION 8 - EXTERNAL LIGHTING				18.53	
PROPOSED 4 FLATS BUILDING								120, Pinner Road, Harrow, HA1 4JD. Tel: 0208 357 2304