



TYPICAL WINDOWS
 DIMENSIONS ARE INDICATIVE AND NEED TO BE CHECKED AND VERIFIED ON SITE BY WINDOW SUPPLIER PRIOR TO MANUFACTURE.
 WINDOWS SIZES TO BE ADJUSTED TO SUIT APERTURES

GLAZING
 GLAZING IN ALUMINIUM WINDOWS AND DOORS TO HAVE DOUBLE GLAZED SEALED UNITS WITH 16mm AIR GAP AND A SOFT LOW-E COATING TO ACHIEVE U-VALUE 1.4 W/M²K
 WINDOWS ON SOUTH ELEVATION TO HAVE SOLAR GLASS
 PROVIDE BACKGROUND VENTILATION
 WINDOWS TO BE FITTED WITH RESTRICTORS
 TOUGHENED LAMINATED SAFETY GLASS TO BE PROVIDED IN DOORS AND ALL CRITICAL AREAS.
 GROUND FLOOR ENTRANCE DOOR AND WINDOWS TO BE PAS 24 CERTIFIED

0.2 0.1 0 Metres 0.4 0.6
 Scale 1:25

REVISED WINDOWS	DATE	B
REVISED WINDOWS	DEC 2022	A

AMENDMENTS

Any changes made to the drawings must be checked by the Architect and signed off by the Client. All drawings are the copyright of the Architect and must not be copied or reproduced without the written permission of the Architect.

ESCAPE WINDOWS
 OPENABLE WINDOWS TO HAVE AN UNOBSTRUCTED OPENING AREA OF 0.33 SQ.M AND HAVE A MINIMUM DIMENSION OF 450 MM IN EITHER DIRECTION.
 THE BOTTOM OF THE OPENING SHOULD BE NO MORE THAN 1100MM ABOVE THE FLOOR.



bernard murray design
 chartered architect

www.bmurraydesign.co.uk
 78 BRIDGE ROAD, UXBRIDGE, MIDDLESEX UB8 2QW
 TEL: 07989 477174 EMAIL: BMURRAYDESIGN@YAHOO.CO.UK

PROJECT
 TRANSPORT HOUSE
 HILLINGDON
 UB10 0LY

CLIENT
 MR CM CHHAYA

DRAWING
 PROPOSED WINDOWS

SCALE	1:25 @ A3	DRAWING NUMBER	REV.
DATE	JUN 2022	1134-35	B
DRAWN	BM		