


WORKS ORDER

Customer:	KARAN	Glazed	Input Info:	06-01-2020 Hanworth Glazing
Reference:		Supply only	In Production	
Job No. :	4843 (Item: 1)	Page 1 of 16	Print Info:	06-01-2020 2:27 pm

Main Options:

Product	Legend 5 Series Casement
Size	1785 x 1190
Quantity	1
Design	CASE 47
Frame (Head)	5F5 60mm Outerframe
Frame (Cill)	5F5 60mm Outerframe
Frame (Left jamb)	5F5 60mm Outerframe
Frame (Right jamb)	5F5 60mm Outerframe
Transom	5T1/OL1 72mm T/Z Section
Mullion	5T1/OL1 72mm T/Z Section
Sash	5V1/V2 68.5mm T/Z Sash
Cill	5S01 150mm Cill
Colour	White
Sash colour	White
Cill colour	White
Drainage	Concealed/Base Drainage
Bead type	28mm Chamfered (Legend 70
Handle	White Espag Handle
Casement locking	Mushroom
Friction stay	Standard Friction Stay
Open in/out	Open in
Glazed in/out	Glazed in
Reinforcing rule	Normal reinforcing
Reinforcing type	Steel reinforcing
Gasket	Black Gasket

Location: F BED LEFT



Sections required:					Qty	Length	End prep	Reinforcing	Length
Hor	Frame	5F5 60mm Frame	2	1790	\-/				
Ver	Frame	5F5 60mm Frame	2	1165	\-/				
Hor	Transom	5T1M 72mm T	1	662	<->				
Ver	Mullion	5T1M 72mm T	2	1189	<->		5RS-FT1L Steel		1030
Hor	Sash	5V2M 76.5mm T	4	565	\-/ *				
Hor	Sash	5V2M 76.5mm T	4	574	\-/ *				
Ver	Sash	5V2M 76.5mm T	2	365	\-/ *				
Ver	Sash	5V2M 76.5mm T	2	725	\-/ *				
Ver	Sash	5V2M 76.5mm T	4	1101	\-/ *		5RS-V2 Steel		941
Hor	Cill	5S01 150mm Cill	1	1885	-				
Bead type		5CJB28 Glazing Bead		9220			* - Denotes bar reversed		

Accessories Required:

Qty Length

White Espag Handle	3	Items
12" S/H Friction Stays	2	Pairs
8" T/H Friction Stays	1	Pairs
350mm Mushroom Espag	1	Items
950mm Mushroom Espag	2	Items
Espag keep	8	Items
SH 66 DS Dummy Sash Lifting Blocks	4	Items
5SC02R/L 150mm Cill End Caps	1	Items
5SH67 Locking Wedge	8	Items
F66-50019-W Run Up Block	6	Items

WORKS ORDER

Customer:	KARAN	Glazed	Input Info:	06-01-2020 Hanworth Glazing
Reference:		Supply only	In Production	
Job No. :	4843 (Item: 1)	Page 2 of 16	Print Info:	06-01-2020 2:27 pm

Glass Required:		Qty	Width	Height
A1	4-20-4 Clear Low E : Standard	1	435	971
D1	4-20-4 Clear Low E : Standard	1	444	235
D4	4-20-4 Clear Low E : Standard	1	444	595
H1	4-20-4 Clear Low E : Standard	1	435	971


WORKS ORDER

Customer:	KARAN	Glazed	Input Info:	06-01-2020 Hanworth Glazing
Reference:		Supply only	In Production	
Job No. :	4843 (Item: 2)	Page 3 of 16	Print Info:	06-01-2020 2:27 pm

Main Options:

Product	Legend 5 Series Casement
Size	1815 x 1195
Quantity	1
Design	CASE 47
Frame (Head)	5F5 60mm Outerframe
Frame (Cill)	5F5 60mm Outerframe
Frame (Left jamb)	5F5 60mm Outerframe
Frame (Right jamb)	5F5 60mm Outerframe
Transom	5T1/OL1 72mm T/Z Section
Mullion	5T1/OL1 72mm T/Z Section
Sash	5V1/V2 68.5mm T/Z Sash
Cill	5S01 150mm Cill
Colour	White
Sash colour	White
Cill colour	White
Drainage	Concealed/Base Drainage
Bead type	28mm Chamfered (Legend 70
Handle	White Espag Handle
Casement locking	Mushroom
Friction stay	Standard Friction Stay
Open in/out	Open in
Glazed in/out	Glazed in
Reinforcing rule	Normal reinforcing
Reinforcing type	Steel reinforcing
Gasket	Black Gasket

Location: F BED RIGHT



Sections required:			Qty	Length	End prep	Reinforcing	Length
Hor	Frame	5F5 60mm Frame	2	1820	\-/	RS-5F5 Steel	1685
Ver	Frame	5F5 60mm Frame	2	1170	\-/		
Hor	Transom	5T1M 72mm T	1	692	<->	5RS-FT1L Steel	1035
Ver	Mullion	5T1M 72mm T	2	1194	<->		
Hor	Sash	5V2M 76.5mm T	4	565	\-/ *	5RS-V2 Steel	946
Hor	Sash	5V2M 76.5mm T	4	604	\-/ *		
Ver	Sash	5V2M 76.5mm T	2	365	\-/ *		
Ver	Sash	5V2M 76.5mm T	2	730	\-/ *		
Ver	Sash	5V2M 76.5mm T	4	1106	\-/ *		
Hor	Cill	5S01 150mm Cill	1	1915	-		
Bead type		5CJB28 Glazing Bead		9370			

* - Denotes bar reversed

Accessories Required:	Qty	Length
White Espag Handle	3	Items
12" S/H Friction Stays	2	Pairs
8" T/H Friction Stays	1	Pairs
350mm Mushroom Espag	1	Items
950mm Mushroom Espag	2	Items
Espag keep	8	Items
SH 66 DS Dummy Sash Lifting Blocks	4	Items
5SC02R/L 150mm Cill End Caps	1	Items
5SH67 Locking Wedge	8	Items
F66-50019-W Run Up Block	6	Items

WORKS ORDER

Customer:	KARAN	Glazed	Input Info:	06-01-2020 Hanworth Glazing
Reference:		Supply only	In Production	
Job No. :	4843 (Item: 2)	Page 4 of 16	Print Info:	06-01-2020 2:27 pm

Glass Required:		Qty	Width	Height
A1	4-20-4 Clear Low E : Standard	1	435	976
D1	4-20-4 Clear Low E : Standard	1	474	235
D4	4-20-4 Clear Low E : Standard	1	474	600
H1	4-20-4 Clear Low E : Standard	1	435	976


WORKS ORDER

Customer:	KARAN	Glazed	Input Info:	06-01-2020 Hanworth Glazing
Reference:		Supply only	In Production	
Job No. :	4843 (Item: 3)	Page 5 of 16	Print Info:	06-01-2020 2:27 pm

Main Options:

Product	Legend 5 Series Casement
Size	3495 x 1180
Quantity	1
Design	CASE 40
Frame (Head)	5F5 60mm Outerframe
Frame (Cill)	5F5 60mm Outerframe
Frame (Left jamb)	5F5 60mm Outerframe
Frame (Right jamb)	5F5 60mm Outerframe
Mullion	5T1/OL1 72mm T/Z Section
Sash	5V1/V2 68.5mm T/Z Sash
Cill	5S01 150mm Cill
Colour	White
Sash colour	White
Cill colour	White
Drainage	Concealed/Base Drainage
Bead type	28mm Chamfered (Legend 70
Handle	White Espag Handle
Casement locking	Mushroom
Friction stay	Standard Friction Stay
Open in/out	Open in
Glazed in/out	Glazed in
Reinforcing rule	Normal reinforcing
Reinforcing type	Steel reinforcing
Gasket	Black Gasket

Location: BACK BED LEFT



Sections required:			Qty	Length	End prep	Reinforcing	Length
Hor	Frame	5F5 60mm Frame	2	3500	\-/	RS-5F5 Steel	3365
Ver	Frame	5F5 60mm Frame	2	1155	\-/		
Ver	Mullion	5T1M 72mm T	2	1179	<->	5RS-FT1L Steel	1020
Hor	Sash	5V2M 76.5mm T	4	865	\-/ *		
Hor	Sash	5V2M 76.5mm T	2	1684	\-/ *	5RS-V2 Steel	1524
Ver	Sash	5V2M 76.5mm T	6	1091	\-/ *	5RS-V2 Steel	931
Hor	Cill	5S01 150mm Cill	1	3595	-		
Bead type				11934	* - Denotes bar reversed		

Accessories Required:			Qty	Length
White Espag Handle			2	Items
24" T/H Friction Stays			2	Pairs
550mm Mushroom Espag			2	Items
Espag keep			4	Items
SH 66 DS Dummy Sash Lifting Blocks			4	Items
5SC02R/L 150mm Cill End Caps			1	Items
5SH67 Locking Wedge			6	Items

Glass Required:			Qty	Width	Height
A1	4-20-4 Clear Low E : Standard		1	735	961
D1	4-20-4 Clear Low E : Standard		1	1554	961
H1	4-20-4 Clear Low E : Standard		1	735	961


WORKS ORDER

Customer:	KARAN	Glazed	Input Info:	06-01-2020 Hanworth Glazing
Reference:		Supply only	In Production	
Job No. :	4843 (Item: 4)	Page 6 of 16	Print Info:	06-01-2020 2:27 pm

Main Options:

Product	Legend 5 Series Casement
Size	4155 x 1190
Quantity	1
Design	CASE 40
Frame (Head)	5F5 60mm Outerframe
Frame (Cill)	5F5 60mm Outerframe
Frame (Left jamb)	5F5 60mm Outerframe
Frame (Right jamb)	5F5 60mm Outerframe
Mullion	5T1/OL1 72mm T/Z Section
Sash	5V1/V2 68.5mm T/Z Sash
Cill	5S01 150mm Cill
Colour	White
Sash colour	White
Cill colour	White
Drainage	Concealed/Base Drainage
Bead type	28mm Chamfered (Legend 70
Handle	White Espag Handle
Casement locking	Mushroom
Friction stay	Standard Friction Stay
Open in/out	Open in
Glazed in/out	Glazed in
Reinforcing rule	Normal reinforcing
Reinforcing type	Steel reinforcing
Gasket	Black Gasket

Location: BACK BED RIGHT



Sections required:			Qty	Length	End prep	Reinforcing	Length
Hor	Frame	5F5 60mm Frame	2	4160	\-/	RS-5F5 Steel	4025
Ver	Frame	5F5 60mm Frame	2	1165	\-/		
Ver	Mullion	5T1M 72mm T	2	1189	<->	5RS-FT1L Steel	1030
Hor	Sash	5V2M 76.5mm T	4	865	\-/ *		
Hor	Sash	5V2M 76.5mm T	2	2344	\-/ *	5RS-V2 Steel	2184
Ver	Sash	5V2M 76.5mm T	6	1101	\-/ *	5RS-V2 Steel	941
Hor	Cill	5S01 150mm Cill	1	4255	-		
Bead type		5CJB28 Glazing Bead		13314			

* - Denotes bar reversed

Accessories Required:			Qty	Length
White Espag Handle			2	Items
24" T/H Friction Stays			2	Pairs
550mm Mushroom Espag			2	Items
Espag keep			4	Items
SH 66 DS Dummy Sash Lifting Blocks			4	Items
5SC02R/L 150mm Cill End Caps			1	Items
5SH67 Locking Wedge			6	Items

Glass Required:			Qty	Width	Height
A1	4-20-4 Clear Low E : Standard		1	735	971
D1	4-20-4 Clear Low E : Standard		1	2214	971
H1	4-20-4 Clear Low E : Standard		1	735	971


WORKS ORDER

Customer:	KARAN	Glazed	Input Info:	06-01-2020 Hanworth Glazing
Reference:		Supply only	In Production	
Job No. :	4843 (Item: 5)	Page 7 of 16	Print Info:	06-01-2020 2:27 pm

Main Options:

Product	Legend 5 Series Casement
Size	1815 x 1340
Quantity	1
Design	CASE 47
Frame (Head)	5F5 60mm Outerframe
Frame (Cill)	5F5 60mm Outerframe
Frame (Left jamb)	5F5 60mm Outerframe
Frame (Right jamb)	5F5 60mm Outerframe
Transom	5T1/OL1 72mm T/Z Section
Mullion	5T1/OL1 72mm T/Z Section
Sash	5V1/V2 68.5mm T/Z Sash
Cill	5S01 150mm Cill
Colour	White
Sash colour	White
Cill colour	White
Drainage	Concealed/Base Drainage
Bead type	28mm Chamfered (Legend 70
Handle	White Espag Handle
Casement locking	Mushroom
Friction stay	Standard Friction Stay
Open in/out	Open in
Glazed in/out	Glazed in
Reinforcing rule	Normal reinforcing
Reinforcing type	Steel reinforcing
Gasket	Black Gasket

Location: F ROOM RIGHT



Sections required:			Qty	Length	End prep	Reinforcing	Length
Hor	Frame	5F5 60mm Frame	2	1820	\-/	RS-5F5 Steel	1685
Ver	Frame	5F5 60mm Frame	2	1315	\-/		
Hor	Transom	5T1M 72mm T	1	692	<->		
Ver	Mullion	5T1M 72mm T	2	1339	<->	5RS-FT1L Steel	1180
Hor	Sash	5V2M 76.5mm T	4	565	\-/ *		
Hor	Sash	5V2M 76.5mm T	4	604	\-/ *		
Ver	Sash	5V2M 76.5mm T	2	365	\-/ *		
Ver	Sash	5V2M 76.5mm T	2	875	\-/ *		
Ver	Sash	5V2M 76.5mm T	4	1251	\-/ *	5RS-V2 Steel	1091
Hor Cill		5S01 150mm Cill	1	1915	-		
Bead type		5CJB28 Glazing Bead		10240	* - Denotes bar reversed		

Accessories Required:		Qty	Length
White Espag Handle		3	Items
12" S/H Friction Stays		2	Pairs
8" T/H Friction Stays		1	Pairs
350mm Mushroom Espag		1	Items
950mm Mushroom Espag		2	Items
Espag keep		8	Items
SH 66 DS Dummy Sash Lifting Blocks		4	Items
5SC02R/L 150mm Cill End Caps		1	Items
5SH67 Locking Wedge		8	Items
F66-50019-W Run Up Block		6	Items

WORKS ORDER

Customer:	KARAN	Glazed	Input Info:	06-01-2020 Hanworth Glazing
Reference:		Supply only	In Production	
Job No. :	4843 (Item: 5)	Page 8 of 16	Print Info:	06-01-2020 2:27 pm

Glass Required:		Qty	Width	Height
A1	4-20-4 Clear Low E : Standard	1	435	1121
D1	4-20-4 Clear Low E : Standard	1	474	235
D4	4-20-4 Clear Low E : Standard	1	474	745
H1	4-20-4 Clear Low E : Standard	1	435	1121


WORKS ORDER

Customer:	KARAN	Glazed	Input Info:	06-01-2020 Hanworth Glazing
Reference:		Supply only	In Production	
Job No. :	4843 (Item: 6)	Page 9 of 16	Print Info:	06-01-2020 2:27 pm

Main Options:

Product	Legend 5 Series Casement
Size	2950 x 1340
Quantity	1
Design	Style FF
Frame (Head)	5F5 60mm Outerframe
Frame (Cill)	5F5 60mm Outerframe
Frame (Left jamb)	5F5 60mm Outerframe
Frame (Right jamb)	5F5 60mm Outerframe
Transom	5T1/OL1 72mm T/Z Section
Mullion	5T1/OL1 72mm T/Z Section
Sash	5V1/V2 68.5mm T/Z Sash
Cill	5S01 150mm Cill
Colour	White
Sash colour	White
Cill colour	White
Drainage	Concealed/Base Drainage
Bead type	28mm Chamfered (Legend 70
Handle	White Espag Handle
Casement locking	Mushroom
Friction stay	Standard Friction Stay
Open in/out	Open in
Glazed in/out	Glazed in
Reinforcing rule	Normal reinforcing
Reinforcing type	Steel reinforcing
Gasket	Black Gasket

Location: FRONT ROOM LEFT



Sections required:			Qty	Length	End prep	Reinforcing	Length
Hor	Frame	5F5 60mm Frame	1	595	-/		
Hor	Frame	5F5 60mm Frame	1	595	\-	RS-5F5 Steel	2820
Hor	Frame	5F5 60mm Frame	1	1775	-*		
Hor	Frame	5F5 60mm Frame	1	2955	\-/	RS-5F5 Steel	2820
Ver	Frame	5F5 60mm Frame	2	1315	\-/		
Hor	Transom	5OL1M 72mm Z	2	667	<-> *		
Hor	Transom	5OL1M 72mm Z	1	667	<-> *	5RS-FT1L Steel	1688
Ver	Mullion	5OL1M 72mm Z	1	417	->	5RS-FT1L Steel	1180
Ver	Mullion	5OL1M 72mm Z	1	417	<- *	5RS-FT1L Steel	1180
Ver	Mullion	5T1M 72mm T	2	417	<- *		
Ver	Mullion	5T1M 72mm T	1	927	<-		
Ver	Mullion	5T1M 72mm T	1	927	<-		
Ver	Mullion	5T1M 72mm T	2	927	<-		
Hor	Sash	5V2M 76.5mm T	4	555	\-/ *		
Hor	Sash	5V2M 76.5mm T	6	579	\-/ *		
Ver	Sash	5V2M 76.5mm T	6	875	\-/ *		
Ver	Sash	5V2M 76.5mm T	4	1251	\-/ *	5RS-V2 Steel	1091
Hor	Cill	5S01 150mm Cill	1	3050	-\		
Bead type		5CJB28 Glazing Bead		18960			

* - Denotes bar reversed

WORKS ORDER

Customer:	KARAN	Glazed	Input Info:	06-01-2020 Hanworth Glazing
Reference:		Supply only	In Production	
Job No. :	4843 (Item: 6)	Page 10 of 16	Print Info:	06-01-2020 2:27 pm

Accessories Required:	Qty	Length
White Espag Handle	2	Items
12" S/H Friction Stays	2	Pairs
950mm Mushroom Espag	2	Items
Espag keep	6	Items
SH 66 DS Dummy Sash Lifting Blocks	12	Items
5SC02R/L 150mm Cill End Caps	1	Items
5SH67 Locking Wedge	10	Items
F66-50019-W Run Up Block	6	Items

Glass Required:	Qty	Width	Height
A1 4-20-4 Clear Low E : Standard	1	425	1121
C1 4-20-4 Clear Low E : Standard	1	550	335
C4 4-20-4 Clear Low E : Standard	1	449	745
E1 4-20-4 Clear Low E : Standard	1	550	335
E4 4-20-4 Clear Low E : Standard	1	449	745
G1 4-20-4 Clear Low E : Standard	1	550	335
G4 4-20-4 Clear Low E : Standard	1	449	745
I1 4-20-4 Clear Low E : Standard	1	425	1121


WORKS ORDER

Customer:	KARAN	Glazed	Input Info:	06-01-2020 Hanworth Glazing
Reference:		Supply only	In Production	
Job No. :	4843 (Item: 7)	Page 11 of 16	Print Info:	06-01-2020 2:27 pm

Main Options:

Product	Legend 5 Series Casement
Size	900 x 1180
Quantity	1
Design	CASE 6
Frame (Head)	5F5 60mm Outerframe
Frame (Cill)	5F5 60mm Outerframe
Frame (Left jamb)	5F5 60mm Outerframe
Frame (Right jamb)	5F5 60mm Outerframe
Transom	5T1/OL1 72mm T/Z Section
Sash	5V1/V2 68.5mm T/Z Sash
Cill	5S01 150mm Cill
Colour	White
Sash colour	White
Cill colour	White
Drainage	Concealed/Base Drainage
Bead type	28mm Chamfered (Legend 70
Handle	White Espag Handle
Casement locking	Mushroom
Friction stay	Standard Friction Stay
Open in/out	Open in
Glazed in/out	Glazed in
Reinforcing rule	Normal reinforcing
Reinforcing type	Steel reinforcing
Gasket	Black Gasket

Location: BATH TOP



Sections required:			Qty	Length	End prep	Reinforcing	Length	
Hor	Frame	5F5 60mm Frame	2	905	\-/	5RS-V2 Steel	681	
Ver	Frame	5F5 60mm Frame	2	1155	\-/			
Hor	Transom	5T1M 72mm T	1	929	<->			
Hor	Sash	5V2M 76.5mm T	2	841	\-/ *			
Hor	Sash	5V2M 76.5mm T	2	841	\-/ *			
Ver	Sash	5V2M 76.5mm T	2	365	\-/ *			
Ver	Sash	5V2M 76.5mm T	2	715	\-/ *			
Hor Cill		5S01 150mm Cill	1	1000	-			
Bead type		5CJB28 Glazing Bead		4564	* - Denotes bar reversed			
Accessories Required:			Qty	Length				
White Espag Handle			1	Items				
8" T/H Friction Stays			1	Pairs				
550mm Mushroom Espag			1	Items				
Espag keep			2	Items				
SH 66 DS Dummy Sash Lifting Blocks			4	Items				
5SC02R/L 150mm Cill End Caps			1	Items				
5SH67 Locking Wedge			4	Items				
Glass Required:						Qty	Width	Height
A1	4-20-4 Obs Low E : Standard Stippolyte		1	711	235			
A4	4-20-4 Obs Low E : Standard Stippolyte		1	711	585			


WORKS ORDER

Customer:	KARAN	Glazed	Input Info:	06-01-2020 Hanworth Glazing
Reference:		Supply only	In Production	
Job No. :	4843 (Item: 8)	Page 12 of 16	Print Info:	06-01-2020 2:27 pm

Main Options:

Product	Legend 5 Series Casement
Size	885 x 1190
Quantity	1
Design	CASE 6
Frame (Head)	5F5 60mm Outerframe
Frame (Cill)	5F5 60mm Outerframe
Frame (Left jamb)	5F5 60mm Outerframe
Frame (Right jamb)	5F5 60mm Outerframe
Transom	5T1/OL1 72mm T/Z Section
Sash	5V1/V2 68.5mm T/Z Sash
Cill	5S01 150mm Cill
Colour	White
Sash colour	White
Cill colour	White
Drainage	Concealed/Base Drainage
Bead type	28mm Chamfered (Legend 70
Handle	White Espag Handle
Casement locking	Mushroom
Friction stay	Standard Friction Stay
Open in/out	Open in
Glazed in/out	Glazed in
Reinforcing rule	Normal reinforcing
Reinforcing type	Steel reinforcing
Gasket	Black Gasket

Location: **LANDING**



Sections required:					Qty	Length	End prep	Reinforcing	Length
Hor	Frame	5F5 60mm Frame	2	890	\-/				
Ver	Frame	5F5 60mm Frame	2	1165	\-/				
Hor	Transom	5T1M 72mm T	1	914	<->				
Hor	Sash	5V2M 76.5mm T	2	826	\-/ *				
Hor	Sash	5V2M 76.5mm T	2	826	\-/ *			5RS-V2 Steel	666
Ver	Sash	5V2M 76.5mm T	2	365	\-/ *				
Ver	Sash	5V2M 76.5mm T	2	725	\-/ *				
Hor	Cill	5S01 150mm Cill	1	985	-				
Bead type				5CJB28 Glazing Bead	4524				
									* - Denotes bar reversed
Accessories Required:					Qty	Length			
White Espag Handle					1		Items		
8" T/H Friction Stays					1		Pairs		
550mm Mushroom Espag					1		Items		
Espag keep					2		Items		
SH 66 DS Dummy Sash Lifting Blocks					4		Items		
5SC02R/L 150mm Cill End Caps					1		Items		
5SH67 Locking Wedge					4		Items		
Glass Required:					Qty	Width	Height		
A1	4-20-4 Clear Low E : Standard				1	696	235		
A4	4-20-4 Clear Low E : Standard				1	696	595		


WORKS ORDER

Customer:	KARAN	Glazed	Input Info:	06-01-2020 Hanworth Glazing
Reference:		Supply only	In Production	
Job No. :	4843 (Item: 9)	Page 13 of 16	Print Info:	06-01-2020 2:27 pm

Main Options:

Product	Legend 5 Series Casement
Size	1710 x 910
Quantity	1
Design	CASE 25
Frame (Head)	5F5 60mm Outerframe
Frame (Cill)	5F5 60mm Outerframe
Frame (Left jamb)	5F5 60mm Outerframe
Frame (Right jamb)	5F5 60mm Outerframe
Transom	5T1/OL1 72mm T/Z Section
Mullion	5T1/OL1 72mm T/Z Section
Sash	5V1/V2 68.5mm T/Z Sash
Cill	5S01 150mm Cill
Colour	White
Sash colour	White
Cill colour	White
Drainage	Concealed/Base Drainage
Bead type	28mm Chamfered (Legend 70
Handle	White Espag Handle
Casement locking	Mushroom
Friction stay	Standard Friction Stay
Open in/out	Open in
Glazed in/out	Glazed in
Reinforcing rule	Normal reinforcing
Reinforcing type	Steel reinforcing
Gasket	Black Gasket

Location: LOFT



Sections required:			Qty	Length	End prep	Reinforcing	Length
Hor	Frame	5F5 60mm Frame	2	1715	\-/		
Ver	Frame	5F5 60mm Frame	2	885	\-/		
Hor	Transom	5T1M 72mm T	1	1113	<->	5RS-FT1L Steel	954
Ver	Mullion	5T1M 72mm T	1	909	<->		
Hor	Sash	5V2M 76.5mm T	2	615	\-/ *		
Hor	Sash	5V2M 76.5mm T	4	1025	\-/ *	5RS-V2 Steel	865
Ver	Sash	5V2M 76.5mm T	2	365	\-/ *		
Ver	Sash	5V2M 76.5mm T	2	445	\-/ *		
Ver	Sash	5V2M 76.5mm T	2	821	\-/ *		
Hor	Cill	5S01 150mm Cill	1	1810	-		
Bead type		5CJB28 Glazing Bead		7152		* - Denotes bar reversed	

Accessories Required:

Qty Length

White Espag Handle	2	Items
12" S/H Friction Stays	1	Pairs
8" T/H Friction Stays	1	Pairs
550mm Mushroom Espag	1	Items
750mm Mushroom Espag	1	Items
Espag keep	5	Items
SH 66 DS Dummy Sash Lifting Blocks	4	Items
5SC02R/L 150mm Cill End Caps	1	Items
5SH67 Locking Wedge	6	Items
F66-50019-W Run Up Block	3	Items

Glass Required:

Qty Width Height

A1	4-20-4 Clear Low E : Standard	1	895	235
A4	4-20-4 Clear Low E : Standard	1	895	315
F1	4-20-4 Clear Low E : Standard	1	485	691


WORKS ORDER

Customer:	KARAN	Glazed	Input Info:	06-01-2020 Hanworth Glazing
Reference:		Supply only	In Production	
Job No. :	4843 (Item: 10)	Page 14 of 16	Print Info:	06-01-2020 2:27 pm

Main Options:

Product	Legend 5 Series Mixed Sash
Size	1790 x 1920-1190
Quantity	1
Design	Style FF
Frame (Head)	5F2 72mm Outerframe
Frame (Cill)	5F2 72mm Outerframe
Frame (Left jamb)	5F2 72mm Outerframe
Frame (Right jamb)	5F2 72mm Outerframe
Cill	5S01 150mm Cill
Colour	White
Cill colour	White
Drainage	Concealed/Base Drainage
Bead type	28mm Chamfered (Legend 70
Glazed in/out	Glazed in
Reinforcing rule	Normal reinforcing
Reinforcing type	Steel reinforcing
Gasket	Black Gasket

Location: FRONT MIDDLE



Sections required:			Qty	Length	End prep	Reinforcing	Length
Hor	Frame	5F2M 72mm O/F	1	1160	25.4°-39.2°	5RS-F2 Steel	1001
Hor	Frame	5F2M 72mm O/F	1	1160	39.2°-25.4°	5RS-F2 Steel	1001
Hor	Frame	5F2M 72mm O/F	1	1795	\-/ *	5RS-F2 Steel	1636
Ver	Frame	5F2M 72mm O/F	1	1165	25.4°-/ *	5RS-F2 Steel	1006
Ver	Frame	5F2M 72mm O/F	1	1165	\-25.4° *	5RS-F2 Steel	1006
Hor Cill		5S01 150mm Cill	1	1890	-		
	Cill Reinf	5RA-SO13 Aluminium	1	1890	-		
Bead type		5CJB28 Glazing Bead		6041	* - Denotes bar reversed		
Accessories Required:			Qty	Length			
5SC02R/L 150mm Cill End Caps			1		Items		
Glass Required:					Qty	Width	Height
A1	4-20-4 Clear Low E : Standard				1	See seperate sheet	

* - Denotes bar reversed

WORKS ORDER


Customer:	KARAN	Glazed	Input Info:	06-01-2020 Hanworth Glazing
Reference:		Supply only	In Production	
Job No. :	4843 (Item: 11)	Page 15 of 16	Print Info:	06-01-2020 2:27 pm

Welded Midrail/Dummy height from bottom of sash (A4) : 808

Main Options:

Product	Legend 5 Series Single Door
Size	930 x 2380
Quantity	1
Design	DOOR 4
Frame (Head)	5F2 72mm Outerframe
Frame (Cill)	5F2 72mm Outerframe
Frame (Left jamb)	5F2 72mm Outerframe
Frame (Right jamb)	5F2 72mm Outerframe
Transom	5T1/OL1 72mm T/Z Section
Midrail	5DV2 107mm T Section
Sash	5DV1/DV2 107mm T/Z Sash
Cill	5S01 150mm Cill
Colour	White
Sash colour	White
Cill colour	White
Drainage	Concealed/Base Drainage
Bead type	28mm Chamfered (Legend 70
Handle	White Lever/Lever
Door hinge	Butt Hinges
Door lock	Standard
Cylinder	Standard Cylinder
Door hinge quantity	3 hinges
Open in/out	Open out
Glazed in/out	Glazed in
Reinforcing rule	Normal reinforcing
Reinforcing type	Steel reinforcing
Gasket	Black Gasket

Location:



Aperture Options:

Transom	5T2/OL2 87mm T/Z Section
---------	--------------------------

Ref:

(A3)

Sections required:			Qty	Length	End prep	Reinforcing	Length
Hor	Frame	5F2M 72mm O/F	1	935	\-/	5RS-F2 Steel	776
Hor	Frame	5F2M 72mm O/F	1	935	\-/ *	5RS-F2 Steel	776
Ver	Frame	5F2M 72mm O/F	1	355	-/ *		
Ver	Frame	5F2M 72mm O/F	1	355	\- *		
Ver	Frame	5F2M 72mm O/F	1	2005	-/	5RS-F2 Steel	2196
Ver	Frame	5F2M 72mm O/F	1	2005	\-	5RS-F2 Steel	2196
Hor	Midrail	5DV2M 107mm T	1	847	<-> *	5RS-DV1 Steel	627
Hor	Transom	5OL2M 87mm Z Section	1	965	<-> *	5RS-T2 Steel	805
Hor	Sash	5DV2M 107mm T	2	847	\-/ *	5RS-DV1 Steel	627
Ver	Sash	5DV2M 107mm T	2	1946	\-/ *	5RS-DV1 Steel	1726
Hor	Cill	5S01 150mm Cill	1	930	-		
	Cill Reinf	5RA-SO13 Aluminium	1	930	-		
	Bead type	5CJB28 Glazing Bead		8272			

* - Denotes bar reversed

Accessories Required:

Qty Length

White Espag Handle	1	Items
White L/L Handle	1	Items
Nickel cylinder lock	1	Items
Std Door lock	1	Items
White Butt Door Hinges	3	Items
5SC02R/L 150mm Cill End Caps	1	Items

Glass Required:

Qty Width Height

A1	4-20-4 Clear Tuff Low E : Standard	1	816	266
A4	4-20-4 Clear Tuff Low E : Standard	1	658	1005

WORKS ORDER

Customer:	KARAN	Glazed	Input Info:	06-01-2020 Hanworth Glazing
Reference:		Supply only	In Production	
Job No. :	4843 (Item: 11)	Page 16 of 16	Print Info:	06-01-2020 2:27 pm

Panels Required:

Ref	Qty	Width	Height	Panel type
A8	1	658	677	Full Panel 28mm Ayrshire Solid
				Colour : White
				Reinforcing : Standard
				Letterbox : -
				Knocker : -
				Numerals : -
				Spyhole : -
				Cutting : Not cut to Size