




1 - Location Map
1 : 1250




2 Site
1 : 200



No.	Description	Date



1 Front
1 : 100

No.	Description	Date





Ground F

1 : 100



**MEGAPLAN
Architecture**

Telephone +44 (0)
2037303151
info@megaplan.co.uk
London, United Kingdom

Drawing Number:
B102

Issued for
Pre Application
Planning Application Approval
Building Control Approval
Tenders
Construction


Client
**Piروز Armenian
46 Warren Rd UB10 8AD, London.**

Title
Proposed Plans

Landscaping

Project number 230223-B1
Date February 2023
Drawn by RB
Checked by MB
Scale @ A3 1 : 100

No.	Description	Date



NOTES:

1. MEGAPLAN LIMITED RETAIN COPYRIGHT OF DESIGN, SCHEME & OWNERSHIP OF DRAWINGS.

2. DRAWINGS SHOULD BE READ IN CONJUNCTION WITH STRUCTURAL ENGINEER'S DRAWINGS.

3. ANY OMISSION TO BE REPORTED TO AND CLARIFIED WITH CLIENT PRIOR TO COMMENCEMENT.


4. VERIFY DIMENSIONS, LEVELS AND EXISTING STRUCTURE, ETC ON SITE PRIOR TO COMMENCEMENT.

5. ALL WORKS TO COMPLY WITH CURRENT REGULATIONS, BRITISH STANDARDS ETC.


6. PLEASE NOTE THAT BEFORE BUILDING WORK COMMENCES IT IS RESPONSIBILITY OF THE BUILDER OR OWNER TO SERVE PARTY WALL NOTICES TO ALL NEIGHBOURS.

7. INITIAL DRAWINGS SUBMITTED TO BUILDING CONTROL ARE SUBJECT TO ADDITIONAL INFORMATION REQUIRED BY BUILDING CONTROL NHBC, WHICH COULD HAVE SIGNIFICANT COST OR ADDITIONAL WORKS TO BE DONE ON SITE.

8. ALL WORKS COMMENCED ON SITE PRIOR TO OBTAINING FULL PLANNING AND/OR BUILDING CONTROL APPROVAL WILL BE CARRIED OUT AT YOUR OWN RISK.





1 Longitudinal AA
1 : 100




2 Cross AA
1 : 100

No.	Description	Date





1 Longitudinal BB
1 : 100




2 Cross BB
1 : 100

Landscaping

Project number 230223-B1
Date February 2023
Drawn by RB
Checked by MB
Scale @ A3 1 : 100

No.	Description	Date



Filled Soakaway Notes :

The proposed rear extension includes the installation of a Soakaway system in accordance with building regulations to ensure proper drainage and prevent water buildup on the property. The Soakaway will be designed and installed by a qualified professional in compliance with all relevant codes and standards and will also be inspected and approved by the local building authority before use."

Soakaway location
Soakaway should be:
built on land lower than, or sloping away from, buildings
sited at least 5m from the foundations of a building
sited to take account of topography, ensuring that water is drained away from the building
in soil of low permeability, only be provided where no alternative system is available.


Soakaway design
NHBC will require a percolation test for a soakaway, especially where there is doubt about the ground,
a large quantity of run-off into the soakaway may swamp the ground.
A test may not be necessary where the ground is free draining and granular.

In soil, chalk and fill material subject to modification or instability, the advice of a specialist geotechnologist should be sought regarding the siting and suitability of Soakaway.

Small soakaway

Small soakaway are holes filled with granular material, e.g. broken brick, crushed rock or gravel, with particle size 10mm to 150mm.

PVC sheet or concrete blinding should be laid over the fill to prevent topsoil from being washed down into the soakaway.



1 Section 1
1 : 50



MEGAPLAN
Architecture

Telephone +44 (0)
2037303151
info@megaplan.co.uk
London, United Kingdom

Drawing Number:

B105

Issued for

Pre Application
Planning Application Approval
Building Control Approval
Tenders
Construction

Client

Pirootz Armenian
46 Warren Rd UB10 8AD, London.

Title

Proposed Ramp Details

Landscaping

Project number 230223-B1

Date February 2023

Drawn by RB

Checked by MB

Scale @ A3 1 : 50

No.	Description	Date

SCALE BAR 1:100 @ A3

0m 5

1:50 @ A3

0m 1 2 2.5

1:20 @ A3

0m 1 2

NOTES:

MEGAPLAN LIMITED RETAIN COPYRIGHT OF DESIGN, SCHEME & OWNERSHIP OF DRAWINGS.

DRAWINGS SHOULD BE READ IN CONJUNCTION WITH STRUCTURAL ENGINEER'S DRAWINGS.

ANY OMISSION TO BE REPORTED TO AND CLARIFIED WITH CLIENT PRIOR TO COMMENCEMENT.


VERIFY DIMENSIONS, LEVELS AND EXISTING STRUCTURE, ETC ON SITE PRIOR TO COMMENCEMENT.

ALL WORKS TO COMPLY WITH CURRENT REGULATIONS, BRITISH STANDARDS ETC.

PLEASE NOTE THAT BEFORE BUILDING WORK COMMENCES IT IS RESPONSIBILITY OF THE BUILDER OR OWNER TO SERVE PARTY WALL NOTICES TO ALL NEIGHBOURS.

INITIAL DRAWINGS SUBMITTED TO BUILDING CONTROL ARE SUBJECT TO ADDITIONAL INFORMATION REQUIRED BY BUILDING CONTROL NHBC, WHICH COULD HAVE SIGNIFICANT COST OR ADDITIONAL WORKS TO BE DONE ON SITE.

ALL WORKS COMMENCED ON SITE PRIOR TO OBTAINING FULL PLANNING AND/OR BUILDING CONTROL APPROVAL WILL BE CARRIED OUT AT YOUR OWN RISK.



1 Detail 1
1 : 5



MEGAPLAN
Architecture

Telephone +44 (0)
2037303151
info@megaplan.co.uk
London, United Kingdom

Drawing Number:

B106

Issued for

Pre Application
Planning Application Approval
Building Control Approval
Tenders
Construction

Client

Pirooz Armenian
46 Warren Rd UB10 8AD, London.

Title

Proposed Ramp Details

Landscaping

Project number 230223-B1


Date February 2023

Drawn by RB

Checked by MB

Scale @ A3 1 : 5

No.	Description	Date



NOTES:

MEGAPLAN LIMITED RETAIN COPYRIGHT OF DESIGN, SCHEME & OWNERSHIP OF DRAWINGS

DRAWINGS SHOULD BE READ IN CONJUNCTION WITH STRUCTURAL ENGINEER'S DRAWINGS

ANY OMISSION TO BE REPORTED TO AND CLARIFIED WITH CLIENT PRIOR TO COMMENCEMENT

VERIFY DIMENSIONS, LEVELS AND EXISTING STRUCTURE, ETC ON SITE PRIOR TO COMMENCEMENT

ALL WORKS TO COMPLY WITH CURRENT REGULATIONS, BRITISH STANDARDS ETC

PLEASE NOTE THAT BEFORE BUILDING WORK COMMENCES IT IS RESPONSIBILITY OF THE BUILDER OR OWNER TO SERVE PARTY WALL NOTICES TO ALL NEIGHBOURS

INITIAL DRAWINGS SUBMITTED TO BUILDING CONTROL ARE SUBJECT TO ADDITIONAL INFORMATION REQUIRED BY BUILDING CONTROL IN/RE: WHICH COULD HAVE SIGNIFICANT COST OR ADDITIONAL WORKS TO BE DONE ON SITE


ALL WORKS COMMENCED ON SITE PRIOR TO OBTAINING FULL PLANNING AND/OR BUILDING CONTROL APPROVAL WILL BE CARRIED OUT AT YOUR OWN RISK



1

Axonometry

No.	Description	Date




Legend	
Concrete Block Paving	
Brick Paving	
Mixer Flower Beds	
Proposed Hedge	
Existing Tree	
Parking Zone	


1








Landscaping






1 : 50



No.	Description	Date



Schedule of Materials				
Material No.	Material	Location	Description	Image
M1	Course Aggregate	Parking area and front garden, used in the joints for the entire permeable surface 110 m2 approx	Coarse aggregates are irregular broken stones or naturally occurring round gravels that are used to make concrete, coarse aggregates for structural concrete consist of broken stones of hard rock like granite and limestone (angular aggregates) or river gravels (round aggregates).	
M2	Concrete Pavers	Front garden 33.76m2	A paver is a paving stone, tile, brick or brick-like piece of concrete commonly used as exterior flooring. In a factory, concrete pavers are made by pouring a mixture of concrete and some type of colouring agent into a mold of some shape and allowing to set.	
M3	Brick Pavers	Parking area and driveway 86.93m2		
M4	Stipa tenuissima - Grass	front garden, green area 22.35m2	S. tenuissima is a deciduous grass to 60cm, forming a compact upright tuft of thread-like leaves, with narrow, arching, feathery flowering panicles in summer	
M5	Brick London	215mm x 102.5mm x 65mm London stock yellow brick with 10mm mortar in boundary wall and Kerbs	It's a pressed brick with frog, red and brown multi colour with a light sandfaced texture. The size of a standard brick in the UK is 215mm x 102.5mm x 65mm (length x depth x height)	
M6	Coping stone	140 x 600 x 50mm concrete coping stone on boundary wall (matching brick) with pier caps 600x600mm at corners of boundary wall	<ul style="list-style-type: none">For use on top of wallsUse on top of walls to protect them from water penetrationComes complete with drip channelsDouble weathered	
M7	Softwood - Cladding Decking External Cladding	Cladding wood 30x150x11mm on 4x2 studs for the refuse & recycle and secure bicycle store.	<p>It is used extensively to clad brick and mortar, timber frame buildings and increasingly in prefabricated modular buildings.</p> <p>It acts as a weatherboard or 'rainscreen' to the wall behind and has the additional benefit of protecting and concealing external insulation on walls.</p>	

Schedule of Plants						
Plant No.	Species	Diameter mm	Height mm	Life Expectancy	Description	Image
P1	Aster	60	200	5+	Asters lend themselves well to a range of garden styles from prairie plantings to cottage gardens and mixed borders. More are perennials lasting years in the border, but some such as Callistephus (China asters) are grown as annuals from seed each spring.	
P2	Calendula	70	600	5+	These easy-to-grow hardy annuals flower from summer through to early autumn, making them a great choice for summer borders and containers. The flowers are good for cutting, have edible petals and are also used by herbalists to make skincare products. Plants often self-seed from year to year.	
P3	Annual leucanthemum	60	1300	5+	Blooming abundantly all summer, these mainly compact annuals are ideal for growing towards the front of a border, where they fill gaps left by earlier-flowering plants. These short-lived plants are also suitable for rock gardens and summer containers.	
P4	Zinnia	40	600	5+	Plant breeders have treated us to a rich colour range of velvet-petalled zinnias. Their single or double flowers make great bedding or container displays and are long-lived cut flowers. These tender annuals are at their best in the latter half of summer.	
P5	Buxus Sempervirens	40	600	5+	A large, evergreen shrub or small tree to 5m tall, with glossy, dark green leaves to 3cm long, and small, yellowish flowers in clusters, produced in the leaf axils during spring	

1

Schedules

Landscaping

No.	Description	Date

