

Tree Works Schedule

Site name: Harefield Grove, Rickmansworth Road, Harefield
 Client: Comer Homes
 Job Number: 20/027

Survey Date: 9 and 10 July 2020
 Surveyor: Simon Smith

Tree No.	Tree Species	Life Stage	Stem Ø (mm) at 1.5m	Height (crown height) (m)	Height of (FSB)	Crown Spread				Condition	Comments	Tree Management Recommendations	Est Remaining Contribution (Years)	BS Cat	RPA Radius (m)	RPA area (m2)
						N	E	S	W							
G1	Chamaecyparis lawsoniana (Lawson Cypress),x Cupressocyparis leylandii (Leyland Cypress),Acer pseudoplatanus (Sycamore),Sorbus aucuparia (Rowan),Prunus laurocerasus (Cherry Laurel),Fraxinus excelsior (Common Ash)	SM	173	5(0.5)		1.5	1	0.5	1	Good	Unable to fully inspect - vegetation. Stem diameter estimated. Mixed group of ornamental conifers, shrubs and self-set trees.	Remove.	10+	C2	2.1	14
T2	Pyrus calleryana "Chanticleer" (Chanticleer Pear)	SM	200	8(2)	2	3	2	2	2	Poor	Unable to fully inspect - vegetation. Stem diameter estimated. Low vigour. Sparse crown.	Remove.	10+	C1	2.4	18
T3	Pyrus calleryana "Chanticleer" (Chanticleer Pear)	SM	140	6(1.5)	2	1.5	1.5	1.5	1.5	Poor	Sparse crown.	Remove.	10+	C2	1.7	9
T4	Pyrus calleryana "Chanticleer" (Chanticleer Pear)	SM	100	3.5(1.5)	1.5SW	1.5	1	1.5	1.5	Poor	Scattered dieback in crown.	Remove.	10+	C2	1.2	5
T5	Pyrus calleryana "Chanticleer" (Chanticleer Pear)	SM	110	4(1.5)	1.5N	1.5	1	1.5	1.5	Fair	Basal and stem epicormic growth.	Remove.	10+	C2	1.3	5
T6	Pyrus calleryana "Chanticleer" (Chanticleer Pear)	SM	120	4.5(1.5)	1.5NW	2.5	1.5	2	1.5	Fair	Basal and stem epicormic growth.	Remove.	10+	C2	1.4	7
T7	Pyrus calleryana "Chanticleer" (Chanticleer Pear)	SM	110	4.5(1.5)	1.5NW	2	1.5	1.5	2	Fair	Basal and stem epicormic growth.	Remove.	10+	C2	1.3	5

Over 30 Years of Service, Value and Innovation

34-52 Out Westgate, Bury St Edmunds, Suffolk IP33 3PA
 tel: 01284 335797 email: jamesblake@jba-landmarc.com
 Chairman: James Blake BA (Hons) Dip LA (Hons) CMLI
 Company Secretary: Louise Blake BSc PGCE
 Directors: Elzbieta Zebrowska MSc Eng LArch MSc Env Sc CMLI : Kevin Slezacek DipArb MAarbor
 Associate Directors: Vivienne Jackson : Marie Lowe CIMA Cert BA

www.jba-landmarc.com

Registration no.08169866 VAT no. 512 4127 91

Tree No.	Tree Species	Life Stage	Stem Ø (mm) at 1.5m	Height (crown height) (m)	Height of (FSB)	Crown Spread				Condition	Comments	Tree Management Recommendations	Est Remaining Contribution (Years)	BS Cat	RPA Radius (m)	RPA area (m2)
						N	E	S	W							
T8	Pyrus calleryana "Chanticleer" (Chanticleer Pear)	SM	120	4.5(2)	2	2	2	2.5	2	Poor	Scattered dieback in crown. Basal and stem epicormic growth.	Remove.	10+	C2	1.4	7
T9	Pyrus calleryana "Chanticleer" (Chanticleer Pear)	SM	100	3.5(1.5)	1.5N	1.5	2	1.5	1.5	Poor	Scattered dieback in crown. Basal and stem epicormic growth.	Remove.	10+	C2	1.2	5
T10	Pyrus calleryana "Chanticleer" (Chanticleer Pear)	SM	100	4(1.5)	1.5N	1	2	1.5	1	Poor	Scattered dieback in crown. Basal and stem epicormic growth.	Remove.	10+	C2	1.2	5
T11	Pyrus calleryana "Chanticleer" (Chanticleer Pear)	SM	100	4.5(1.5)	1.5	1	2	1	2	Poor	Scattered dieback in crown. Basal and stem epicormic growth.	Remove.	10+	C2	1.2	5
T12	Pyrus calleryana "Chanticleer" (Chanticleer Pear)	SM	150	6(1.5)	2	2.5	2.5	2.5	1	Poor	Low vigour. Basal and stem epicormic growth.	Remove.	10+	C2	1.8	10
T13	Pyrus calleryana "Chanticleer" (Chanticleer Pear)	SM	200	7(2.5)	2	1.5	1.5	2	2	Fair	Unable to fully inspect - ivy and vegetation. Stem diameter estimated. Low vigour.	Remove.	10+	C2	2.4	18
T14	Betula pendula (Silver Birch)	EM	340	11(1.5)	2E	4	5	3	4	Good	Unable to fully inspect - ivy.	Remove.	20+	B1	4.1	52
T15	Betula pendula (Silver Birch)	SM	220	9(1)	3NE	4	4	5	4	Fair	Upper crown dieback.	Remove.	10+	C1	2.6	22
T16	Sorbus aucuparia (Rowan)	SM	100	4(2)	2	1.5	2	2	1	Fair	Swedish whitebeam basal sucker growth, forming secondary stems.	Remove.	10+	C1	1.2	5

Over 30 Years of Service, Value and Innovation

34-52 Out Westgate, Bury St Edmunds, Suffolk IP33 3PA
tel: 01284 335797 email: jamesblake@jba-landmarc.com
Chairman: James Blake BA (Hons) Dip LA (Hons) CMLI
Company Secretary: Louise Blake BSc PGCE
Directors: Elizabeth Zebrowska MSc Eng LArch MScEnvSc CMLI : Kevin Slezacek DipArb MAarbor
Associate Directors: Vivienne Jackson : Marie Lowe CIMA Cert BA

www.jba-landmarc.com

Registration no. 08169866 VAT no. 512 4127 91

Tree No.	Tree Species	Life Stage	Stem Ø (mm) at 1.5m	Height (crown height) (m)	Height of (FSB)	Crown Spread				Condition	Comments	Tree Management Recommendations	Est Remaining Contribution (Years)	BS Cat	RPA Radius (m)	RPA area (m2)
						N	E	S	W							
T17	Prunus padus (Bird Cherry)	EM	390	8(2)	1.5W	4.5	4.5	5.5	5.5	Fair	Unable to fully inspect - ivy. Broken branches in crown.	Remove.	10+	C1	4.7	69
T18	Sorbus aucuparia (Rowan)	SM	100	6(3)		1.5	1.5	1.5	1.5	Good	Not identified on topographical survey. Unable to fully inspect - vegetation. Stem diameter estimated.	Remove.	10+	C1	1.2	5
T19	Betula pendula (Silver Birch)	SM	200	9(2.5)	2.5N	3.5	3	2.5	3	Fair	Not identified on topographical survey. Unable to fully inspect - ivy and vegetation. Stem diameter estimated. Upper crown dieback.	Remove.	10+	C1	2.4	18
T20	Betula pendula (Silver Birch)	EM	320	11(2)	3NE	4	4	4	4	Poor	Unable to fully inspect - ivy and vegetation. Low vigour. Minor dead wood.	Remove.	10+	C1	3.8	46
T21	Sorbus aria (Whitebeam)	SM	180	5.5(2.5)	2.5	2.5	2.5	2.5	2.5	Fair	Unable to fully inspect - ivy. Established basal sucker growth, forming secondary stems.	Remove.	10+	C1	2.2	15
T22	Sorbus aria (Whitebeam)	SM	190	5(2.5)	2	2.5	2.5	2.5	2.5	Fair	Unable to fully inspect - ivy. Established basal sucker growth, forming secondary stems.	Remove.	10+	C1	2.3	16
T23	Sorbus aria (Whitebeam)	SM	100	4(2.5)	2.5	1.5	1	1.5	1.5	Fair	Low vigour.	Remove.	10+	C1	1.2	5
T24	Betula pendula (Silver Birch)	EM	250	12(1)	2E	3	3	3.5	5	Good	Unable to fully inspect - ivy. Branch tearout.	Remove.	20+	B2	3.0	28
T25	Betula pendula (Silver Birch)	EM	250	12(2)		2	2	2	2.5	Fair	Not identified on topographical survey. Unable to fully inspect - ivy and vegetation. Stem diameter estimated. Sparse crown.	Remove.	10+	C1	3.0	28

Over 30 Years of Service, Value and Innovation

34-52 Out Westgate, Bury St Edmunds, Suffolk IP33 3PA
tel: 01284 335797 email: jamesblake@jba-landmarc.com
Chairman: James Blake BA (Hons) Dip LA (Hons) CMLI
Company Secretary: Louise Blake BSc PGCE
Directors: Elizabeth Zebrowska MSc Eng LArch MScEnvSc CMLI : Kevin Slezacek DipArb MAarbor
Associate Directors: Vivienne Jackson : Marie Lowe CIMA Cert BA

www.jba-landmarc.com

Registration no.08169866 VAT no. 512 4127 91

Tree No.	Tree Species	Life Stage	Stem Ø (mm) at 1.5m	Height (crown height) (m)	Height of (FSB)	Crown Spread				Condition	Comments	Tree Management Recommendations	Est Remaining Contribution (Years)	BS Cat	RPA Radius (m)	RPA area (m2)
						N	E	S	W							
T26	Betula utilis (Himalayan Birch)	EM	300	8(1.5)	1.5NE	4.5	5	5	5	Good		Remove.	20+	B1	3.6	41
T27	Sorbus aucuparia (Rowan)	D	150	6(3.5)		2	3	3	4	Dead	Unable to fully inspect - vegetation. Stem diameter estimated. Fireblight.	Remove.	<10	U	1.8	10
G28	Chamaecyparis lawsoniana (Lawson Cypress), Acer pseudoplatanus (Sycamore), Alnus cordata (Italian Alder), Cupressus macrocarpa (Monterey Cypress)	SM	100	6(1)		1	1	1	1	Good	Group of evergreen shrubs with self-set trees.	Remove.	10+	C2	1.2	5
G29	Betula pendula (Silver Birch), Salix caprea (Goat Willow)	EM	229	13(2)		2	3	3	3	Good	Unable to fully inspect - ivy and vegetation. Stem diameter estimated. Largest stem diameter recorded.	Remove.	20+	B2	2.7	24
G30	Taxus baccata (Common Yew)	SM	150	7(1)		1.5	1.5	1.5	1.5	Fair	Unable to fully inspect - ivy and vegetation. Stem diameter estimated. Scattered dieback in crown.	Remove.	10+	C2	1.8	10
T31	Betula pendula (Silver Birch)	SM	230	11(2)	3.5N	3	3.5	3	5	Fair	Stem leans to south-west. Sparse crown. Branch growing over top of lamp column.	Remove.	10+	C1	2.8	24
T32	Sorbus aucuparia (Rowan)	D	150	6(3)		2.5	2	2.5	1.5	Dead	Unable to fully inspect - vegetation. Stem diameter estimated.	Remove.	<10	U	1.8	10
T33	Sorbus aria (Whitebeam)	SM	150	6(2)	2	4	3.5	3.5	3	Good	Unable to fully inspect - ivy and vegetation. Stem diameter estimated.	Remove.	10+	C1	1.8	10

Over 30 Years of Service, Value and Innovation

34-52 Out Westgate, Bury St Edmunds, Suffolk IP33 3PA
tel: 01284 335797 email: jamesblake@jba-landmarc.com
Chairman: James Blake BA (Hons) Dip LA (Hons) CMLI
Company Secretary: Louise Blake BSc PGCE
Directors: Elzbieta Zebrowska MSc Eng LArch MSc Env Sc CMLI : Kevin Slezacek DipArb MArbor
Associate Directors: Vivienne Jackson : Marie Lowe CIMA Cert BA

www.jba-landmarc.com

Registration no. 08169866 VAT no. 512 4127 91

Tree No.	Tree Species	Life Stage	Stem Ø (mm) at 1.5m	Height (crown height) (m)	Height of (FSB)	Crown Spread				Condition	Comments	Tree Management Recommendations	Est Remaining Contribution (Years)	BS Cat	RPA Radius (m)	RPA area (m2)
						N	E	S	W							
T34	Chamaecyparis lawsoniana (Lawson Cypress)	EM	450	13(0.5)		2	2.5	2	1.5	Good		Remove.	20+	B1	5.4	92
G35	Chamaecyparis lawsoniana (Lawson Cypress)	SM	150	12(0.5)	2	2	1	2	2	Good		Remove.	10+	C2	5.4	92
T36	Salix caprea (Goat Willow)	M	660	8(1.5)	25	4	8	7	8.5	Good	Minor dead wood. Branch pruning wounds.	Remove.	10+	C1	7.9	197
T37	Sorbus aucuparia (Rowan)	SM	160	7(1.5)	1.5NW	2.5	2.5	2.5	2.5	Good		Remove.	10+	C1	1.9	12
T38	Sorbus aucuparia (Rowan)	EM	250	8(2)	2.5	2	2.5	3.5	2.5	Fair	Minor dead wood. Stem pruning wounds. Stem wounds. Branch tearout. Fireblight.	Remove.	10+	C1	3.0	28
T39	Chamaecyparis lawsoniana (Lawson Cypress)	SM	300	12(0)		2	3	3.5	3.5	Good	Unable to fully inspect - vegetation. Stem diameter estimated. Close to building.	Remove.	10+	C1	3.6	41
T40	Chamaecyparis pisifera (Sawara Cypress)	SM	191	6(0.5)		1	2	2	1	Good	Stem diameter estimated. Multi-stemmed from base.	Remove.	10+	C1	2.3	16
G41	Chamaecyparis lawsoniana (Lawson Cypress)	EM	424	13(0.5)		2.5	2	2.5	2	Good	Unable to fully inspect - vegetation. Stem diameter estimated. Largest stem diameter recorded.	Remove.	20+	B2	5.1	81
T42	Ilex aquifolium (Common Holly)	SM	210	8(1)	3	2.5	2.5	2.5	2.5	Poor	Upper crown dieback.	Remove.	<10	U	2.5	20

Over 30 Years of Service, Value and Innovation

34-52 Out Westgate, Bury St Edmunds, Suffolk IP33 3PA
tel: 01284 335797 email: jamesblake@jba-landmarc.com
Chairman: James Blake BA (Hons) Dip LA (Hons) CMLI
Company Secretary: Louise Blake BSc PGCE
Directors: Elzbieta Zebrowska MSc Eng LArch MSc Env Sc CMLI : Kevin Slezacek DipArb MAarbor
Associate Directors: Vivienne Jackson : Marie Lowe CIMA Cert BA

www.jba-landmarc.com

Registration no.08169866 VAT no. 512 4127 91

Tree No.	Tree Species	Life Stage	Stem Ø (mm) at 1.5m	Height (crown height) (m)	Height of (FSB)	Crown Spread				Condition	Comments	Tree Management Recommendations	Est Remaining Contribution (Years)	BS Cat	RPA Radius (m)	RPA area (m2)
						N	E	S	W							
T43	Taxus baccata (Common Yew)	SM	350	7(1)	0.5	3.5	3.5	3.5	3.5	Fair	Unable to fully inspect - vegetation. Stem diameter estimated. Stem pruning wounds. Sparse crown. Fruiting bodies on stem. <i>Laetiporus sulphureus</i> (Chicken of the Woods).	Remove.	10+	C1	4.2	55
T45	Picea abies (Norway Spruce)	EM	480	21(3)	7	3	3.5	3.5	2	Fair	Sparse crown.	Section fell to ground level and grind stump to a maximum depth of 250mm.	10+	C1	5.8	104
T46	Taxus baccata (Common Yew)	SM	200	4(0.5)		3.5	3.5	3.5	3.5	Poor	Unable to fully inspect - vegetation. Stem diameter estimated. Multi-stemmed from base. Upper crown dieback.	Remove.	10+	C1	2.4	18
T47	x Cupressocyparis leylandii (Leyland Cypress)	EM	450	13(1)	0.5	5	5	5	5	Good	Unable to fully inspect - vegetation. Stem diameter estimated.	Remove.	20+	B1	5.4	92
T48	Aesculus hippocastanum (Horse Chestnut)	M	740	17(8)	11	4.5	2.5	4	7	Fair	Historic crown lift. Codominant leaders. Tag 0405.	Remove.	10+	C1	8.9	248
G49	Taxus baccata (Common Yew), Prunus laurocerasus (Cherry Laurel), Thuja plicata (Western Red Cedar), Acer pseudoplatanus (Sycamore), Pinus sylvestris (Scots Pine), Quercus robur (Common Oak), Chamaecyparis lawsoniana (Lawson Cypress), Quercus rubra (Red Oak)	EM	450	17(0.5)		3	4	3	3	Good	Stem diameter estimated. Largest stem diameter recorded. Occasional tree with upper crown dieback.	Eastern side of group: prune back understorey vegetation to clear driveway by a maximum 1m. Crown lift trees overhanging the driveway where necessary to achieve a height clearance from 4m from ground level.	20+	B2	5.4	92

Over 30 Years of Service, Value and Innovation

34-52 Our Westgate, Bury St Edmunds, Suffolk, IP33 3PA
tel: 01284 335797 email: jamesblake@jba-landmarc.com
Chairman: James Blake BA (Hons) Dip LA (Hons) CMLI
Company Secretary: Louise Blake BSc PGCE
Directors: Elżbieta Żebrowska MSc Eng LArch MScEnvSc CMLI : Kevin Slezacek DipArb MArbor
Associate Directors: Vivienne Jackson : Marie Lowe CIMA Cert BA

www.jba-landmarc.com

Registration no.08169866 VAT no. 512 4127 91

Page 8 of 17

Tree No.	Tree Species	Life Stage	Stem Ø (mm) at 1.5m	Height (crown height) (m)	Height of (FSB)	Crown Spread				Condition	Comments	Tree Management Recommendations	Est Remaining Contribution (Years)	BS Cat	RPA Radius (m)	RPA area (m ²)
						N	E	S	W							
T50	Thuja plicata (Western Red Cedar)	EM	780	17(0.5)	4	4.5	4.5	4.5	5	Good		Remove.	20+	B1	9.4	275
T51	Salix caprea (Goat Willow)	EM	512	8(0)		7	6.5	4	7	Good		Remove.	20+	B1	6.1	118
T52	Betula pendula (Silver Birch)	EM	270	15(2)	3SW	3.5	3.5	1	4	Good	Historic crown lift.	Remove.	20+	B2	3.2	33
T53	Betula pendula (Silver Birch)	EM	230	11(2)	3NW	3.5	2	2.5	3	Good	Unable to fully inspect - ivy.	Remove.	20+	B2	2.8	24
T54	Betula pendula (Silver Birch)	EM	270	13(5)	5S	4	4.5	2	3.5	Good	Historic crown lift.	Remove.	20+	B2	3.2	33
T55	Betula pendula (Silver Birch)	EM	310	15(10)	6W	3.5	3.5	2	3	Good	Historic crown lift.	Remove.	20+	B2	3.7	43
T56	Betula pendula (Silver Birch)	EM	320	15(8)	7SW	3	3.5	5	5	Good	Historic crown lift.	Remove.	20+	B2	3.8	46
T57	Chamaecyparis lawsoniana (Lawson Cypress)	EM	1077	11(0)	0.5	6	4	1.5	4	Good	Branch tearout.	Section fell to ground level.	20+	B2	12.9	524
T64	Quercus rubra (Red Oak)	EM	620	12(0.5)	3E	9	7	10.5	8	Good	Minor dead wood.	Crown lift where necessary to achieve a height clearance of 2.5m over proposed path route.	20+	B1	7.4	174

Over 30 Years of Service, Value and Innovation

34-52 Out Westgate, Bury St Edmunds, Suffolk IP33 3PA
tel: 01284 335797 email: jamesblake@jba-landmarc.com
Chairman: James Blake BA (Hons) Dip LA (Hons) CMLI
Company Secretary: Louise Blake BSc PGCE
Directors: Elzbieta Zebrowska MSc Eng LArch MSc Env Sc CMLI : Kevin Slezacek DipArb MAarbor
Associate Directors: Vivienne Jackson : Marie Lowe CIMA Cert BA

www.jba-landmarc.com

Registration no.08169866 VAT no. 512 4127 91

Tree No.	Tree Species	Life Stage	Stem Ø (mm) at 1.5m	Height (crown height) (m)	Height of (FSB)	Crown Spread				Condition	Comments	Tree Management Recommendations	Est Remaining Contribution (Years)	BS Cat	RPA Radius (m)	RPA area (m2)
						N	E	S	W							
T65	Chamaecyparis lawsoniana (Lawson Cypress)	M	920	20(0)	2W	0	1	6	5	Poor	Main leaders dead, all live growth from low layering branches.	Section fell to ground level.	<10	U	11.0	383
T83	Corylus avellana "Contorta" (Corkscrew Hazel)	SM	173	6(0.5)		3.5	3	3.5	3	Good		Remove.	10+	C1	2.1	14
T88	Aesculus hippocastanum (Horse Chestnut)	SM	280	8(1)	2	6	5	5	5.5	Fair	Basal wounds. Stem pruning wounds. Horse Chestnut Leaf Miner.	Crown lift where necessary to achieve a height clearance of 2.5m over proposed path route.	10+	C1	3.4	35
T89	Tilia x europaea (Common Lime)	EM	700	24(0.5)	4SW	5.5	6	5	5	Good	Branch pruning wounds. Bird box on stem.	Crown lift where necessary to achieve a height clearance of 2.5m over proposed path route.	20+	B1,B2	8.4	222
T91	Ilex aquifolium (Common Holly)	EM	350	15(0.5)	3	4	4	5	3	Good	Stem pruning wounds. Historic crown lift.	Crown lift where necessary to achieve a height clearance of 2.5m over proposed path route.	20+	B2	4.2	55
T92	Quercus robur (Common Oak)	M	1090	20(1.5)	5	6	4.5	9	9	Fair	Basal wounds. Stem pruning wounds. Stem cavity. Burring around base and on stem. Historic removal of large laterals at 5m.	Crown lift where necessary to achieve a height clearance of 2.5m over proposed path route.	20+	B2	13.1	538
T94	Tilia x europaea (Common Lime)	M	850	23(1)	5SW	6	3	5	6	Good	Stem pruning wounds. Branch pruning wounds.	Crown lift where necessary to achieve a height clearance of 2.5m over proposed path route.	20+	B2	10.2	327

Over 30 Years of Service, Value and Innovation

34-52 Out Westgate, Bury St Edmunds, Suffolk IP33 3PA
tel: 01284 335797 email: jamesblake@jba-landmarc.com
Chairman: James Blake BA (Hons) Dip LA (Hons) CMLI
Company Secretary: Louise Blake BSc PGCE
Directors: Elizabeth Zelenkova MSc Eng LArch MSc Env Sc CMLI : Kevin Slezacek DipArb MArbor
Associate Directors: Vivienne Jackson : Marie Lowe CIMA Cert BA

www.jba-landmarc.com

Registration no. 08169866 VAT no. 512 4127 91

Tree No.	Tree Species	Life Stage	Stem Ø (mm) at 1.5m	Height (crown height) (m)	Height of (FSB)	Crown Spread				Condition	Comments	Tree Management Recommendations	Est Remaining Contribution (Years)	BS Cat	RPA Radius (m)	RPA area (m2)
						N	E	S	W							
T95	Acer platanoides (Norway Maple)	EM	440	12(1.5)	3NW	8	9	5	8	Fair	Minor dead wood. Root girdling. Stem pruning wounds. Branch stubs.	Crown lift where necessary to achieve a height clearance of 2.5m over proposed path route.	10+	C1	5.3	88
G97	x Cupressocyparis leylandii (Leyland Cypress)	SM	300	13(2.5)		3	3	4	3	Good	Stem diameter estimated. Largest stem diameter recorded. Planted as screen. Historic pruning of lower canopy.	Section fell to ground level trees north and east of Conservatory House.	10+	C2	3.6	41
T98	Betula pendula (Silver Birch)	EM	410	17(1)	4SW	5	6	4	8	Good	Unable to fully inspect - ivy and vegetation.	Crown lift to achieve a height clearance of 2.5m over parking spaces and 2m over buildings.	20+	B2	4.9	76
T99	Betula pendula (Silver Birch)	EM	510	17(2)	4	7	5	4	6	Good	Unable to fully inspect - ivy.	Crown lift to achieve a height clearance of 2.5m over parking spaces and 2m over buildings.	20+	B2	6.1	118
G100	Taxus baccata (Common Yew)	EM	415	8(1)		6.5	3	6.5	2	Good	Stem diameter estimated. Largest stem diameter recorded. Historic crown lift.	Remove.	20+	B2	5.0	78
G102	Taxus baccata (Common Yew)	SM	200	6(1)		5	2	3	2	Good		Remove the westernmost 5m length of the group.	10+	C2	2.4	18
T104	Acer pseudoplatanus (Sycamore)	EM	520	12(1.5)	4S	0	3	12.5	8.5	Fair	Poor shape & form. Stem leans to south-west.	Remove.	10+	C1	6.2	122
T105	Acer pseudoplatanus (Sycamore)	SM	300	10(1)	5S	3	4	7	4	Good	Unable to fully inspect - ivy. Stem diameter estimated. Self-set.	Remove.	10+	C1	3.6	41

Over 30 Years of Service, Value and Innovation

34-52 Out Westgate, Bury St Edmunds, Suffolk IP33 3PA
tel: 01284 335797 email: jamesblake@jba-landmarc.com
Chairman: James Blake BA (Hons) Dip LA (Hons) CMLI
Company Secretary: Louise Blake BSc PGCE
Directors: Elzbieta Zebrowska MSc Eng LArch MScEnvSc CMLI : Kevin Slezacek DipArb MAarbor
Associate Directors: Vivienne Jackson : Marie Lowe CIMA Cert BA

www.jba-landmarc.com

Registration no.08169866 VAT no. 512 4127 91

Tree No.	Tree Species	Life Stage	Stem Ø (mm) at 1.5m	Height (crown height) (m)	Height of (FSB)	Crown Spread				Condition	Comments	Tree Management Recommendations	Est Remaining Contribution (Years)	BS Cat	RPA Radius (m)	RPA area (m2)
						N	E	S	W							
G106	Taxus baccata (Common Yew)	SM	200	5(1)		4	2	4	2	Good	Stem diameter estimated.	Remove.	10+	C2	2.4	18
G107	Taxus baccata (Common Yew)	SM	173	5(1)		3	1.5	2	2	Good		Remove.	10+	C2	2.1	14
G110	Prunus laurocerasus (Cherry Laurel)	SM	200	6(0)		2	2	2	2	Good	Stem diameter estimated.	Remove.	10+	C2	2.4	18
T118	Pyrus communis (Common Pear)	EM	210	8(4.5)	2	3	2	2.5	1	Fair		Section fell to ground level.	10+	C1	2.5	20
T123	Acer pseudoplatanus (Sycamore)	SM	350	10(2)	3.5N	7	5	3	4	Good	Unable to fully inspect - vegetation. Stem diameter estimated. Self-set.	Remove.	10+	C1	4.2	55
T124	Quercus robur (Common Oak)	SM	320	8(2)	1.5SW	3	5	6	7	Fair	Poor shape & form.	Remove.	10+	C1	3.8	46
T125	Malus domestica (Orchard Apple)	SM	308	6(1.5)	0.5	6	4	0	3	Poor	In terminal decline. Scattered dieback in crown.	Remove.	<10	U	3.7	43
T127	Taxus baccata (Common Yew)	EM	480	13(2)	0.5E	5	6.5	2	5	Fair	Minor dead wood. Sparse crown.	Section fell to ground level.	10+	C1	5.8	104
T128	Taxus baccata (Common Yew)	EM	573	13(2)	2.5E	4	5	3	6	Fair	Minor dead wood. Scattered browning foliage.	Section fell to ground level.	10+	C1	6.9	149

Over 30 Years of Service, Value and Innovation

34-52 Out Westgate, Bury St Edmunds, Suffolk IP33 3PA
tel: 01284 335797 email: jamesblake@jba-landmarc.com
Chairman: James Blake BA (Hons) Dip LA (Hons) CMLI
Company Secretary: Louise Blake BSc PGCE
Directors: Elzbieta Zebrowska MSc Eng LArch MSc Env Sc CMLI : Kevin Slezacek DipArb MArbor
Associate Directors: Vivienne Jackson : Marie Lowe CIMA Cert BA

www.jba-landmarc.com

Registration no. 08169866 VAT no. 512 4127 91

Tree No.	Tree Species	Life Stage	Stem Ø (mm) at 1.5m	Height (crown height) (m)	Height of (FSB)	Crown Spread				Condition	Comments	Tree Management Recommendations	Est Remaining Contribution (Years)	BS Cat	RPA Radius (m)	RPA area (m2)
						N	E	S	W							
G130	Quercus robur (Common Oak), Tilia x euchlora (Crimean Lime), Fagus sylvatica (Common Beech), Ilex aquifolium (Common Holly), Prunus laurocerasus (Cherry Laurel), Chamaecyparis lawsoniana (Lawson Cypress), Quercus rubra (Red Oak), Pinus sylvestris (Scots Pine)	EM	400	15(1)		4	4	6	8	Good	Stem diameter estimated.	Remove cherry laurel within building footprint of Garden House. Section fell the three northernmost trees in the group. Grind stumps to a maximum depth of 250mm. Crown lift where necessary to achieve a height clearance of 2.5m over proposed path route.	20+	B2	4.8	72

Over 30 Years of Service, Value and Innovation

34-52 Out Westgate, Bury St. Edmunds, Suffolk, IP33 3PA
tel: 01284 235797 email: jamesblake@jba-landmarc.com
Chairman: James Blake BA (Hons) Dip LA (Hons) CMLI
Company Secretary: Louise Blake BSc PGCE
Directors: Elzbieta Zebrowska MSc Eng LArch MSc EnvSc CMLI ; Kevin Slezacek DipArb MArbor
Associate Directors: Vivienne Jackson ; Marie Lowe CIMA Cert BA

www.jba-landmarc.com

Registration no.08169866 VAT no. 512 4127 91

Tree No.	Tree Species	Life Stage	Stem Ø (mm) at 1.5m	Height (crown height) (m)	Height of (FSB)	Crown Spread				Condition	Comments	Tree Management Recommendations	Est Remaining Contribution (Years)	BS Cat	RPA Radius (m)	RPA area (m2)
						N	E	S	W							
T134	Pinus strobus (Weymouth Pine)	M	800	25(3)	6NE	6	6	6	6	Poor	In terminal decline. Sparse crown.	Section fell to ground level.	<10	U	9.6	290
T141	Ilex aquifolium (Common Holly)	EM	549	7(3.5)	3SW	5	4.5	6.5	5	Fair	Poor pruning wounds. Multi-stemmed from base. Historic crown lift.	Section fell to ground level and grind stump to a maximum depth of 250mm.	10+	C1	6.6	136
T150	Tilia x euchlora (Crimean Lime)	SM	300	11(3)	3NE	5	5	5	5	Good		Section fell to ground level and grind stump to a maximum depth of 250mm.	20+	B2	3.6	41
G169	Acer pseudoplatanus (Sycamore), Platanus x hispanica (London Plane), Fagus sylvatica (Common Beech), Pinus sylvestris (Scots Pine)	EM	300	15(1)	1	3	2	3	3	Good		Crown lift where necessary to achieve a height clearance of 2.5m over proposed path route.	20+	B2	3.6	41
T174	Quercus robur (Common Oak)	EM	780	14(0.5)	5SE	6	7	9	8	Good		Crown lift where necessary to achieve a height clearance of 2.5m over proposed path route.	20+	B2	9.4	275
T175	Fagus sylvatica (Common Beech)	EM	710	17(2)	7	6	7	10	7	Good		Crown lift where necessary to achieve a height clearance of 2.5m over proposed path route.	20+	B2	8.5	228

Over 30 Years of Service, Value and Innovation

34-52 Out Westgate, Bury St Edmunds, Suffolk IP33 3PA
tel: 01284 335797 email: jamesblake@jba-landmarc.com
Chairman: James Blake BA (Hons) Dip LA (Hons) CMLI
Company Secretary: Louise Blake BSc PGCE
Directors: Elzbieta Zebrowska MSc Eng LArch MScEnvSc CMLI : Kevin Slezacek DipArb MAarbor
Associate Directors: Vivienne Jackson : Marie Lowe CIMA Cert BA

www.jba-landmarc.com

Registration no.08169866 VAT no. 512 4127 91

Tree No.	Tree Species	Life Stage	Stem Ø (mm) at 1.5m	Height (crown height) (m)	Height of (FSB)	Crown Spread				Condition	Comments	Tree Management Recommendations	Est Remaining Contribution (Years)	BS Cat	RPA Radius (m)	RPA area (m ²)
						N	E	S	W							
T176	Acer platanoides (Norway Maple)	SM	280	7(1)	1N	3	6	7	5	Fair	Squirrel damage in crown. Suppressed form.	Crown lift where necessary to achieve a height clearance of 2.5m over proposed path route.	10+	C1	3.4	35
T177	Prunus sp. (Japanese Cherry)	M	520	6(1)	1.5	5.5	6	6	6	Fair	Root girdling. Mower damage to surface roots. Fruiting bodies on stem. Ganoderma australe (Southern Bracket).	Remove.	<10	U	6.2	122
T178	Laburnum anagyroides (Common Laburnum)	EM	348	7.5(1)	1.5	4	6.5	5	6.5	Fair	Multi-stemmed from base. Stem wounds. Stem cavity.	Remove.	10+	C1	4.2	55
T179	Malus sp. (Apple)	EM	210	2.5(0.5)	1.5	2	3.5	3	1.5	Fair	Minor dead wood. Stem wounds. Suppressed. Weeping form.	Remove.	10+	C1	2.5	20

Over 30 Years of Service, Value and Innovation

34-52 Out Westgate, Bury St Edmunds, Suffolk IP33 3PA
tel: 01284 335797 email: jamesblake@jba-landmarc.com
Chairman: James Blake BA (Hons) Dip LA (Hons) CMLI
Company Secretary: Louise Blake BSc PGCE
Directors: Elzbieta Zebrowska MSc Eng LArch MScEnvSc CMLI : Kevin Slezacek DipArb MArbor
Associate Directors: Vivienne Jackson : Marie Lowe CIMA Cert BA

www.jba-landmarc.com

Registration no.08169866 VAT no. 512 4127 91

Tree No.	Tree Species	Life Stage	Stem Ø (mm) at 1.5m	Height (crown height) (m)	Height of (FSB)	Crown Spread				Condition	Comments	Tree Management Recommendations	Est Remaining Contribution (Years)	BS Cat	RPA Radius (m)	RPA area (m2)
						N	E	S	W							
T183	Tilia x europaea (Common Lime)	SM	260	8(1)	3	4.5	4.5	4.5	4.5	Good		Crown lift where necessary to achieve a height clearance of 2.5m over proposed path route.	20+	B1	3.1	31
T184	Acer pseudoplatanus (Sycamore)	SM	377	8(1)	3	3	4	4	4	Good	Stem diameter estimated. Self-set. Multi-stemmed from base.	Crown lift where necessary to achieve a height clearance of 2.5m over proposed path route.	10+	C1	4.5	64
T185	Alnus glutinosa (Common Alder)	SM	300	10(2)	2.5	4	4	4	5	Good	Unable to fully inspect - vegetation. Stem diameter estimated.	Crown lift where necessary to achieve a height clearance of 2.5m over proposed path route.	20+	B1	3.6	41
T186	Acer negundo (Ash-leaved Maple)	SM	320	10(2)	2W	5	2	4	7.5	Fair		Crown lift where necessary to achieve a height clearance of 2.5m over proposed path route.	10+	C1	3.8	46
T187	Acer negundo (Ash-leaved Maple)	SM	292	8(1)	2	7	5	3	8	Fair	Multi-stemmed from base. Historic crown lift.	Crown lift where necessary to achieve a height clearance of 2.5m over proposed path route.	10+	C1	3.5	38

Over 30 Years of Service, Value and Innovation

34-52 Out Westgate, Bury St Edmunds, Suffolk IP33 3PA
tel: 01284 335797 email: jamesblake@jba-landmarc.com
Chairman: James Blake BA (Hons) Dip LA (Hons) CMLI
Company Secretary: Louise Blake BSc PGCE
Directors: Elzbieta Zebrowska MSc Eng LArch MSc Env Sc CMLI : Kevin Slezacek DipArb MAarbor
Associate Directors: Vivienne Jackson : Marie Lowe CIMA Cert BA

www.jba-landmarc.com

Registration no. 08169866 VAT no. 512 4127 91