


CONTRACT DRAWING



**Client**  
Mr Brandon Kennedy

**Address**  
Magnolia House  
Edinburgh Drive, Ickenham,  
London

**Drawing**  
Existing Site Plan

<b>Drawn by</b> ACJ	<b>Checked by</b> TD	<b>Date</b> 07/05/23
<b>Drawing No</b> PS 4108 - 101B	<b>Rev</b>	<b>Scale</b> 1 : 125
		<b>Size</b> A3

**COPYRIGHT**  
This Drawing, design proposal and its content are protected by copyright and can only be used under license and with the expressed authority of Steven Docker Associates.



Park House, Parkway, Holmes Chapel, Cheshire, CW4 7BA

01477 544499  
f t i n

info@stevendocker.co.uk  
www.stevendocker.co.uk



Cut back existing lawn garden at rear of property and cart away all debris. Construct new retaining garden wall (shown hatched) using 215mm thick solid brick construction comprising two leaves of 102mm facing bricks to match existing walls, to height 225mm from finished upper lawn garden level. Class B engineering bricks below GL. Wall to be constructed off 600x225mm concrete strip foundations positioned min. 750mm below finished lawn level. Walls to be finished with brick-on-edge to top complete with tiled crease drip course detail. All walls to incorporate preformed vertical weephole slots to mortar joints at 1200mm centres to rear retaining walls serving the rear patio fitted strictly to manufacturers recommendations.

Rear garden partially excavated to accomodate extended patio area with new garden wall, incorporating 1200mm wide concrete ramp up to lower lawn garden from raised patio level. Ramp to be min. gradient 1 in 12 to suit the needs of the disabled client. External paving spec. to match existing.

Supply and install feature ornate aluminium polystyter powder coated balustrade (with glass panels) to top of new rear patio garden retaining walls, as shown dashed thus (described elsewhere) in accordance with Approved Document Part K.

EXTENDED AND REGRADED PATIO AREAS (INCLUDING SIDE PATHS)

Form extended and raised external rear patio area (and side paths) using provisionally Marshalls Saxon paving flags (colour to be agreed) on 100mm wet continuous concrete bed; on suitable weed suppressant geotextile membrane; on prepared sub-base consisting of well consolidated hardcore to suit raised finished paving level (well compacted in layers not exceeding 225mm). Paton to be laid to falls away from building towards new and existing rebuilt garden retaining walls. All paving to be pointed with Geo-fix or equal approved brushed in type dry mix concrete.

Existing paving flags to patio being demolished plus all retained areas (to be regraded throughout) to be carefully removed and stored for re-use.

Remove existing concrete steps adjacent to back door and cart away all debris. Make good to all disturbed surfaces.

Concrete paving flags and edging kerb as described for rear raised and regraded patio area.

Existing gate adapted to suit new finished paving levels.

Remove and reform existing steps to side entrance to suit regraded driveway levels. Cart away all debris.

Remove existing planters, driveway and perimeter paving including part lawn garden where shown to accomodate extended and regraded driveway and paths providing level access into the building using construction/finishes as described elsewhere.

All existing retained manholes, gullies and downpipe (at front and rear) to be adapted or replaced to suit regraded paving levels.

Existing tree to be removed.

Excavate/prepare sub-base and lay new fully permeable resin bound gravel paved driveway to areas shown dotted thus, comprising of 18mm resin bound gravel (to clients choice), hand trowelled to a smooth finish; on 70mm min depth AC14 open surface, 100/150 penetration grade bituminous macadam; on 175mm min depth well compacted Mot Type 3 granular sub base to SHW clause 805 or 4/40mm to EN12620 binded with 2/6.3mm graded crushed concrete aggregate to EN12640; on geo-textile membrane to naturally occurring substrata. Driveway to be laid to falls away from building, incorporating ACO drainage channels at perimeter of building.

MAGNOLIA HOUSE  
FINISHED FLOOR LEVEL 40.595

PROPOSED REAR  
EXTENSION

Client

Mr Brandon Kennedy

Address

Magnolia House  
Edinburgh Drive, Ickenham,  
London

Drawing

Proposed Site Plan

Drawn by	Checked by	Date
ACJ	TD	07/05/23
Drawing No	Rev	Scale
PS 4108 - 102A		1 : 125
		Size
		A3

COPYRIGHT

This Drawing, design proposal and its content are protected by copyright and can only be used under license and with the expressed authority of Steven Docker Associates.



Park House, Parkway, Holmes Chapel, Cheshire, CW4 7BA

01477 544499  
f t i n

info@stevendocker.co.uk  
www.stevendocker.co.uk