




- Notes:
- 1) ALL DIMENSIONS, LEVELS AND CLEARANCES TO BE CHECKED ON SITE PRIOR TO WORKS COMMENCING
  - 2) THIS DRAWING SHOULD BE READ IN CONJUNCTION WITH ALL OTHER PROJECT RELATED DRAWINGS, SPECIFICATIONS AND DOCUMENTS
  - 3) ANY DISCREPANCY BETWEEN THIS DRAWING, OTHER DRAWINGS FORMING PART OF THIS CONTRACT, OR THE SPECIFICATION/BILLS OF QUANTITIES MUST BE CLARIFIED BEFORE COMMENCEMENT OF ANY WORK OR ORDERING OF ANY MATERIALS
  - 4) PLEASE CONSULT THE AUTHOR OR PROJECT MANAGER SHOULD THE READER REQUIRE CLARIFICATION ON ANY PART OF THIS DRAWING
  - 5) THE COPYRIGHT OF THE DRAWING AND DESIGN IS THE PROPERTY OF JSA ARCHITECTS LTD. THIS INFORMATION HAS BEEN ISSUED UNDER SPECIFIC TERMS FOR THIS PROJECT AND MAY ONLY BE USED AND REPRODUCED ACCORDINGLY



**F.H** Fire hydrant

Fire hoses span 45m hence any water source will need to be within 45m of all properties.

The site fire strategy is based on a fire hydrant located towards the rear allowing complete hose coverage.

REV:	DESCRIPTION:	BY:	DATE:
STATUS: PLANNING			

jsa

jsa architects

Middle Shop  
Waltham Road  
Maidenhead SL6 3NH  
01628 828 241-4  
reception@jsaarchitects.com  
www.jsaarchitects.com

SITE:	24 Ducks Hill Road Northwood HA6 2NR
CLIENT:	Zak Yunus

TITLE:				Fire safety Site Plan	
SCALE AT A1: 1:200		DATE: 05/2025	DRAWN: CK	CHECKED: CP	
PROJECT: YDHR		DRAWING NO: PL-153		REVISION:	