

## HEAD OFFICE

71 - 75 SHELTON STREET  
COVENT GARDEN.  
LONDON.  
WC2H 9JQ.



## LOCAL OFFICE

CROWN HOUSE HOME GARDENS  
DARTFORD  
KENT  
DA1 1DZ

### Planning Fire Safety Statement

Re: 93  
Eastcote Road  
Ruislip  
HA4 8BG

#### **1.0 Introduction**

- 1.1 This Fire safety statement has been prepared in support of the planning application for the demolition of existing garage and proposed erection of a single storey side and rear extension.
- 1.2 Lyondale are town planners and architectural designers consultants specialise in residential and commercial planning, particularly in the South East of England. Our recommended contractors have years of experience and competence with building in accordance to Approved Document B – Fire Safety.

#### **2.0 Passive and Active Measures**

- 2.1 Active fire protection measures will include an LD2 system in the property. Detectors will be incorporated in all circulation areas that form part of the escape routes and in all specified rooms or areas that present a high risk of fire (kitchen, principle habitual rooms etc).
- 2.2 This includes fire alarms in hallway, landing and living rooms whilst there will be a smoke alarm in kitchen. Passive fire protection measures will include the use of 60 minute fire rated doors and smoke seals to the kitchen to prevent spread of fire and meet domestic fire door regulations. There is no requirement for this proposal to include a sprinkler system or fire extinguishers.

#### **3.0 Construction and Materials**

- 3.1 There are fire risks during construction stage which will be avoided by following safety measures implemented by the contractors.
- 3.2 The kitchen shall be continue to be sub-divided with fire resistant construction throughout. Roof windows will be non-combustible and therefor comply with fire safety requirements.

## HEAD OFFICE

71 - 75 SHELTON STREET  
COVENT GARDEN.  
LONDON.  
WC2H 9JQ.



## LOCAL OFFICE

CROWN HOUSE HOME GARDENS  
DARTFORD  
KENT  
DA1 1DZ

### 4.0 Means of Escape and Evacuation

- 4.1 The proposal involves the extension of the ground floor therefore means of escape will remain the same with access via the front door. Route to the front doors will not be open to the kitchens and there will not be any open plan area opening into the hallway or landings.
- 4.2 The kitchen will be separated from the landing by a 60 minute fire door, there are multiple exit routes from the rest of the property. On the ground floor this will be the front door to the street or the living room door to the garden. On the first floor, escape routes include stairs to the ground floor and all windows, as they are lower than 4.5 meters from the ground. On the second floor, escape routes include the stairs leading to first and ground floor exits.

### 5.0 Access and Equipment for Firefighters

- 5.1 The property is on a residential road and the streetscape will not be affected by the proposal or the short-term construction work. In the instance that firefighters are called to the property, access and fire brigades' equipment will be accommodated as they were previously.