

Product Certification for the WinMark – Enhanced Security Performance of Windows

Section 1 – Certification Details:

Customer Name:	The Heritage Window Company	Certification Body:	Wintech Engineering Limited
Customer Address:	Units 23 & 24 Bellingham Trading Estate London SE6 3BX	Certification Body Address:	Halesfield 2 Telford Shropshire TF7 4QH
WinMark Scheme:	Enhanced Security Performance of Windows	Licence Number:	C10037
Date of certification commencement:	20 th June 2017	Date of certification expiry:	20 th June 2020
Certificate compiled by:	Mark Swanborough Certification Manager	Certificate approved by:	Michael Wass Technical Director
Signed:		Signed:	

Section 2 - Products covered by this Licence:

System type and configurations:

System	Range of Configurations	Overall Size (HxW)	Leaf size (HxW)
Conservation 39 Conservation 45 Conservation 70	Single leaf outward opening side hung windows and side hung next to fixed leafs windows (See Annex A.1, A.2 and A.3 for further details)	1340 mm x 1200 mm	1320 mm x 588 mm

Extrapolation rules - Assuming identical hardware is fitted as specified in this certificate, the products listed are covered up to the maximum sizes stated above +10% in height and/or width, or the maximum sizes stated above –50% in height and/or width only.

Section 3 - Supporting test documentation

Initial Type Testing:

Product Type	Variant	BS 6375-1:2009		BS 6375-2:2009		BS 6375-3:2009		PAS 24:2012	
Conservation 39, 45 and 70	Single leaf outward opening side hung windows next to fixed leaf	Test	Class	Test	Class	Test	Class	Test	Class
		Weather-tightness	2000	Mechanical Operating forces Cyclic operation	3 1 2	Not required	N/A	Annex C	WK