



Existing Location Plan

Scale: 1:1250



Existing Block Plan


Scale: 1:500






Proposed Location Plan

Scale: 1:1250





Proposed Block Plan

Scale: 1:500



Key:



Drawn By:

DB

Checked By:

RB

Date:

09/2025


Drawing No.

BP/STR/2574 - 01

Revisions:

Rev Revision

Date



Proposed Outbuilding Plan

Scale:1:50

SYMBOL	DESCRIPTION
SD	MAINS OPERATED SMOKE DETECTOR
E	EMERGENCY LIGHT
CU	CONSUMER UNIT
→	FIRE EXIT SIGN
●	EXTRACT FAN
HD	HEAT DETECTOR
○	EXTERNAL LIGHT
F	FIRE PANEL
AP	-assembly point
↔	-fire exit
●	- fire extinguisher

NOTE:- CAT 6 CABLE AND SKY PLUS CABLE TO BE USED

SD Smoke alarm and heat alarms as per BS 5446-2 :2003

HD Smoke alarm and heat alarms as per BS 5446-2 :2003


E Emergency Lights as per BS 5266-1 :2005


FD30 All doors to be half hour fire check door unless otherwise stated.

All steel to have 1Hr.Fire Protection

All windows to have 0.33m<sup>2</sup> min openable area with 450mm in either direction.


1:50






Proposed Outbuilding Front Elevation

Scale:1:50




Proposed Outbuilding Rear Elevation

Scale:1:50



Proposed Outbuilding Side Elevation

Scale:1:50



Proposed Outbuilding Side Elevation

Scale:1:50

