

Existing Location Plan


Scale:1:1250


1:1250 5 20
0 10 50 100 Metre



Existing Block Plan
Scale:1:500


1:500 5 20
0 10 20 50 Metre






Proposed Location Plan

Scale: 1:1250





Proposed Block Plan

Scale: 1:500



Key:





SYMBOL	DESCRIPTION
SD	MAINS OPERATED SMOKE DETECTOR
E	EMERGENCY LIGHT
CU	CONSUMER UNIT
↑	FIRE EXIT SIGN
×	EXTRACT FAN
HD	HEAT DETECTOR
Ω	EXTERNAL LIGHT
F	FIRE PANEL
AP	-assembly point
↔	-fire exit
●	- fire extinguisher

NOTE:- CAT 6 CABLE AND SKY PLUS CABLE TO BE USED

SD Smoke alarm and heat alarms as per BS 5446-2 :2003

HD Smoke alarm and heat alarms as per BS 5446-2 :2003

E Emergency Lights as per BS 5266-1 :2005


FD30 All doors to be half hour fire check door unless otherwise stated.

All steel to have 1Hr.Fire Protection

All windows to have 0.33m² min openable area with 450mm in either direction.


1:50






Proposed Outbuilding Front Elevation

Scale:1:50



Proposed Outbuilding Rear Elevation

Scale:1:50



Proposed Outbuilding Side Elevation

Scale:1:50



Proposed Outbuilding Side Elevation

Scale:1:50

1:50



10 Meter