

DELEGATED DECISION

- Please select each of the categories that enables this application to be determined under delegated powers
 - Criteria 1 to 5 or criteria 7 to 9 must be addressed for all categories of application, except for applications for Certificates of Lawfulness, etc.

APPROVAL RECOMMENDED: GENERAL

Select Option

1. No valid planning application objection in the form of a petition of 20 or more signatures, has been received ☐
2. Application complies with all relevant planning policies and is acceptable on planning grounds ☐
3. There is no Committee resolution for the enforcement action ☐
4. There is no effect on listed buildings or their settings ☐
5. The site is not in the Green Belt (but see 11 below) ☐

REFUSAL RECOMMENDED: GENERAL

6. Application is contrary to relevant planning policies/standards ☐
7. No petition of 20 or more signatures has been received ☐
8. Application has not been supported independently by a person/s ☐
9. The site is not in Green Belt (but see 11 below) ☐

RESIDENTIAL DEVELOPMENT

10. Single dwelling or less than 10 dwelling units and/or a site of less than 0.5 ha ☐
11. Householder application in the Green Belt ☐

COMMERCIAL, INDUSTRIAL AND RETAIL DEVELOPMENT

12. Change of use of retail units on site less than 1 ha or with less than 1000 sq m other than a change involving a loss of A1 uses ☐
13. Refusal of change of use from retail class A1 to any other use ☐
14. Change of use of industrial units on site less than 1 ha or with less than 1000sq.m. of floor space other than to a retail use. ☐

CERTIFICATE OF LAWFULNESS

15. Certificate of Lawfulness (for proposed use or Development) ☐
16. Certificate of Lawfulness (for existing use or Development) ☐
17. Certificate of Appropriate Alternative Development ☐

CERTIFICATE OF LAWFULNESS

18. ADVERTISEMENT CONSENT (excluding Hoardings) ☐
19. PRIOR APPROVAL APPLICATION ☐
20. OUT-OF-BOROUGH OBSERVATIONS ☐
21. CIRCULAR 18/84 APPLICATION ☐
22. CORPSEWOOD COVENANT APPLICATION ☐
23. APPROVAL OF DETAILS ☐
24. ANCILLARY PLANNING AGREEMENT (S.106 or S.278) where Heads of Terms have already received Committee approval ☐
25. WORKS TO TREES ☐
26. OTHER (please specify) ☐

The delegation powers schedule has been checked. Director of Residents Services can determine this application.

Case Officer

Signature:

Date:

A delegated decision is appropriate and the recommendation, conditions/reasons for refusal and informatives are satisfactory.

Team Manager:

Signature:

Date:

The decision notice for this application can be issued.

Director / Member of Senior Management Team:

Signature:

Date:

NONE OF THE ABOVE DATES SHOULD BE USED IN THE PS2 RETURNS TO THE ODPM

Item No. **Report of the Head of Planning, Building Control, Sport & Green Spaces**

Address HILLINGDON HOSPITAL PIELD HEATH ROAD HILLINGDON

Development: Rooftop installation of 3 x 600mm transmission dishes on free standing support poles, 1 equipment cabinet and ancillary development

LBH Ref Nos: **4058/APP/2015/3604**

Drawing Nos: A3_HH_100
 A3_HH_200
 A3_TCS_300
 A3_HH_400

Date Plans received : 28/09/2015

Date(s) of Amendment(s):

Date Application Valid: 28/09/2015

1. **SUMMARY**

This application seeks consent for the installation of 3 x 0.6m diameter telecommunications dishes, 1 equipment cabinet and supporting ancillary equipment. The proposal by reason of its acceptable design, size, scale and siting adjacent to similar apparatus, is not considered to have a detrimental impact on the character and appearance of the surrounding area. Given its location, the proposed apparatus are not considered to have a detrimental impact on the amenities of the surrounding occupiers.

2. **RECOMMENDATION**

APPROVAL subject to the following:

1 COM3 Time Limit

The development hereby permitted shall be begun before the expiration of three years from the date of this permission.

REASON

To comply with Section 91 of the Town and Country Planning Act 1990.

2 COM4 Accordance with Approved Plans

The development hereby permitted shall not be carried out except in complete accordance with the details shown on the submitted plans A3_HH_100, A3_HH_400, A3_TCS_300 and A3_HH_200 and shall thereafter be retained/maintained for as long as the development remains in existence.

REASON

To ensure the development complies with the provisions of the Hillingdon Local Plan: Part Two - Saved UDP Policies (November 2012) and the London Plan (July 2011).

3 NONSC Removal

Any apparatus or structure provided in accordance with this permission shall be removed from the land, as soon as reasonably practicable after it is no longer required for electronic communications purposes and the land shall be restored to its condition before the development took place, or to any other condition as may be agreed in writing with the Local Planning Authority.

REASON

To ensure that the development is removed as soon as it is no longer required in order to protect the character and appearance of the area in accordance with Policies BE13 and BE37 of the Hillingdon Local Plan: Part Two - Saved UDP Policies (November 2012).

INFORMATIVES

1 I52 Compulsory Informative (1)

The decision to GRANT planning permission has been taken having regard to all relevant planning legislation, regulations, guidance, circulars and Council policies, including The Human Rights Act (1998) (HRA 1998) which makes it unlawful for the Council to act incompatibly with Convention rights, specifically Article 6 (right to a fair hearing); Article 8 (right to respect for private and family life); Article 1 of the First Protocol (protection of property) and Article 14 (prohibition of discrimination).

2 I53 Compulsory Informative (2)

The decision to GRANT planning permission has been taken having regard to the policies and proposals in the Hillingdon Unitary Development Plan Saved Policies (September 2007) as incorporated into the Hillingdon Local Plan (2012) set out below, including Supplementary Planning Guidance, and to all relevant material considerations, including the London Plan (July 2011) and national guidance.

AM7	Consideration of traffic generated by proposed developments.
AM14	New development and car parking standards.
BE13	New development must harmonise with the existing street scene.
BE15	Alterations and extensions to existing buildings
BE20	Daylight and sunlight considerations.
BE21	Siting, bulk and proximity of new buildings/extensions.
BE24	Requires new development to ensure adequate levels of privacy to neighbours.
BE37	Telecommunications developments - siting and design
NPPF5	NPPF - Supporting high quality communication infrastructure

3 I59 Councils Local Plan : Part 1 - Strategic Policies

On this decision notice policies from the Councils Local Plan: Part 1 - Strategic Policies appear first, then relevant saved policies (referred to as policies from the Hillingdon Unitary Development Plan - Saved Policies September 2007), then London Plan Policies (2015). On the 8th November 2012 Hillingdon's Full Council agreed the adoption of the Councils Local Plan: Part 1 - Strategic Policies. Appendix 5 of this explains which saved policies from the old Unitary Development (which was subject to a direction from Secretary of State in September 2007 agreeing that the policies were 'saved') still apply for development control decisions.

4 I47 Damage to Verge - For Council Roads:

The Council will recover from the applicant the cost of highway and footway repairs, including damage to grass verges.

Care should be taken during the building works hereby approved to ensure no damage occurs to the verge or footpaths during construction. Vehicles delivering materials to this development shall not override or cause damage to the public footway. Any damage will require to be made good to the satisfaction of the Council and at the applicant's expense.

For further information and advice contact - Highways Maintenance Operations, Central Depot - Block K, Harlington Road Depot, 128 Harlington Road, Hillingdon, Middlesex, UB3 3EU (Tel: 01895 277524).

5 I15 Control of Environmental Nuisance from Construction Work

Nuisance from demolition and construction works is subject to control under The Control of Pollution Act 1974, the Clean Air Acts and other related legislation. In particular, you should ensure that the following are complied with:-

A. Demolition and construction works which are audible at the site boundary shall only be carried out between the hours of 08.00 and 18.00 hours Monday to Friday and between the hours of 08.00 hours and 13.00 hours on Saturday. No works shall be carried out on Sundays, Bank or Public Holidays.

B. All noise generated during such works shall be controlled in compliance with British Standard Code of Practice BS 5228:2009.

C. Dust emissions shall be controlled in compliance with the Mayor of London's Best Practice Guidance 'The Control of dust and emissions from construction and demolition.

D. No bonfires that create dark smoke or nuisance to local residents.

You are advised to consult the Council's Environmental Protection Unit (www.hillingdon.gov.uk/noise Tel. 01895 250155) or to seek prior approval under Section 61 of the Control of Pollution Act if you anticipate any difficulty in carrying out construction other than within the normal working hours set out in (A) above, and by means that would minimise disturbance to adjoining premises.

6 I60 Cranes

Given the nature of the proposed development it is possible that a crane may be required during its construction. The applicant's attention is drawn to the requirement within the British Standard Code of Practice for the safe use of Cranes, for crane operators to consult the aerodrome before erecting a crane in close proximity to an aerodrome. This is explained further in Advice Note 4, 'Cranes and Other Construction Issues' (available at www.aoa.org.uk/publications/safeguarding.asp)

3. CONSIDERATIONS

3.1 Site and Locality

Hillingdon Hospital is located on the southern side of Pield Heath Road. The building currently houses telecommunications equipment from mobile network providers on the rooftop of the building.

3.2 Proposed Scheme

This application seeks consent for the installation of 3 x 0.6m diameter telecommunications dishes, 1 equipment cabinet and supporting ancillary equipment. The apparatus are to be located on the roof of the hospital, adjacent to the existing equipment.

3.3 Relevant Planning History Comment on Planning History

There have been a number of applications for telecommunications equipment at roof level on this building.

4. Advertisement and Site Notice

4.1 Advertisement Expiry Date:- 20th November 2015

4.2 Site Notice Expiry Date:- Not applicable

5. Comments on Public Consult

A site notice was posted at the site that expired on the 30th of October 2015. No comments or objections were received.

HEATHROW

No safeguarding objections to the application.

Would like to make the following observation

Cranes

Given the nature of the proposed development it is possible that a crane may be required during its construction. We would, therefore, draw the applicant's attention to the requirement within the British Standard Code of Practice for the safe use of Cranes, for crane operators to consult the aerodrome before erecting a crane in close proximity to an aerodrome. This is explained further in Advice Note 4, 'Cranes and Other Construction Issues' (available at <http://www.aoa.org.uk/policysafeguarding.htm>)

6. UDP / LDF Designation and London Plan

The following UDP Policies are considered relevant to the application:-

Part 1 Policies:

PT1.BE1 (2012) Built Environment

Part 2 Policies:

AM7 Consideration of traffic generated by proposed developments.

AM14 New development and car parking standards.

BE13 New development must harmonise with the existing street scene.

BE15 Alterations and extensions to existing buildings

BE20 Daylight and sunlight considerations.

BE21 Siting, bulk and proximity of new buildings/extensions.

BE24 Requires new development to ensure adequate levels of privacy to neighbours.

BE37 Telecommunications developments - siting and design

NPPF5 NPPF - Supporting high quality communication infrastructure

In addition: None

7. MAIN PLANNING ISSUES

7.1 Impact on the amenities of the occupiers of neighbouring residential properties

The nearest residential properties are located on the opposite side of Field Heath Road (Morton Close and Crispin Way) and Royal Lane, approximately 100 metres from the application site. Given the height of the building and location of the apparatus, and presence of existing telecommunications equipment, it is not considered that the proposal would have a detrimental impact on the visual amenities of these occupiers.

7.2 Impact on Street Scene

Saved Policy BE37, amongst other criteria, advises of the desirability of operators to share existing facilities. Policy BE13 of the Hillingdon Local Plan: Part 2 - Saved UDP Policies (November 2012) requires developments to harmonise with the existing street scene and other features of the area that are considered desirable to retain or enhance.

Given the number of existing telecommunications equipment on the rooftop and the height and siting of the building where the proposed apparatus will be located, the addition of further telecommunications dishes is not considered to materially alter the external visual amenity of the building, or provide a greater visual impact to the surrounding areas. Given such, the impact on the street scene is considered acceptable.

7.3 Traffic Impact/Pedestrian Safety

The location of the apparatus at roof level is such that they are only accessed by personnel associated with the applicant. The site is therefore located away from any public right of way and will not have a detrimental impact on highway and pedestrian safety. It is therefore considered that the proposed scheme complies with Policy AM7 of the Hillingdon Local Plan: Part Two - Saved UDP Policies (November 2012).

7.4 Carparking & Layout

See section 'Traffic impact/pedestrian safety'

7.5 Urban Design, Access and Security Considerations

See section 'Impact on street scene'

7.6 Other Issues

Health:

In terms of potential health concerns, the applicant has confirmed that the proposed installation complies with the ICNIRP (International Commissions for Non Ionising Radiation Protection) guidelines. Accordingly, in terms of Government policy advice, there is not considered to be any direct health impact. Therefore, further detailed technical information about the proposed installation is not considered relevant to the Council's determination of this application.

8. Reference Documents

Hillingdon Local Plan: Part One - Strategic Policies (November 2012)
Hillingdon Local Plan: Part Two - Saved UDP Policies (November 2012)
National Planning Policy Framework (March 2012) Chapter 5

Contact Officer: Ed Laughton

Telephone No: 01895 250230