


- 1 Existing roof to be retained and refurbished or replaced like for like where repair is not possible, including flashing and gutters.
- 2 Existing round rooflight above 3 storey stairwell to be replaced by a roof access hatch which also provides compliant smoke control and natural light. Access to be via lightweight zip-up scaffold for annual or bi-annual inspection of roofing and flashings.
- 3 All existing guttering to be made good and replaced like for like. Further discussions to be had with MEP Engineer.
- 4 New render finish to replace existing decaying painted brick walls painted to match colour of Georgian stucco finish.
- 5 Existing windows & doors to be repaired or replaced like for like where required.
- 6 Missing RWP to be replaced by a new RWP.
- 7 Existing render and paint finish to be made good to match colour of stucco. (Extent of the work to be confirmed on site at construction stage, and future repairs to the render will be agreed with local authority following further assessment and secured by planning condition)




Proposed Elevation 05



Proposed Elevation 06

- Notes**
- All dimensions to be checked on site
 - Do not scale off this drawing
 - All dimensions are shown in mm unless otherwise stated
 - Refer to drawing issue sheet for purpose of issue
 - If in doubt ask
 - © Llewelyn Davies Weeks

Key Plan



GENERAL

- EXISTING FABRIC
- NEW FABRIC
- EXTENT OF RENDER TO BE CONFIRMED ON SITE

DRAWINGS TO BE READ IN CONJUNCTION WITH SPECIFICATION & FINISHES SCHEDULE/ SCHEDULE OF WORKS/ MEP & STRUCTURAL ENGINEER'S DRAWINGS

REFER TO 000300 SERIES DWGS FOR SECTIONS REFERRED TO ON THIS DRAWING

TO BE READ IN CONJUNCTION WITH STAGE 4 FIRE STRATEGY REPORT

DIMENSIONS ROUNDED UP OR DOWN TO THE NEAREST WHOLE NUMBER. ALL DIMENSIONS TO BE CONFIRMED ON SITE

LEVELS AND EXISTING BUILDING FABRIC ARE BASED ON MURPHY GEOSPATIAL SURVEY MGS40730 REVISION A DATED 24/02/2021

FOR ALL MEP INFORMATION REFER TO CPW DRAWINGS

ALL DIMENSIONS TO BE CHECKED ON SITE.

FOR ALL ROOF REPAIRS, PLEASE REFER TO ROOF SURVEY QT-000-413 - HILLINGDON HOSPITAL BY HYSURV DATE 11-OCT-2021. SUBMIT PROPOSAL FOR ALL REPAIR METHODS INCLUDING MEANS OF SAFE ACCESS AND SEEK FURTHER INSTRUCTION BEFORE PROCEEDING.

SUBMIT PROPOSAL FOR ASSOCIATED WEATHERPROOFING, INCLUDING MEANS OF SAFE ACCESS AND SEEK FURTHER INSTRUCTION BEFORE PROCEEDING.

ALL EXISTING FEATURES ARE TO BE RETAINED UNLESS THEY ARE SPECIFICALLY MARKED FOR AMENDMENT/REMOVAL/DEMOLITION OR REFURBISHMENT.

TYPICAL WINDOW CODE EXAMPLE:

W	-	00	-	08
Window		Floor		Window No.

TYPICAL DOOR CODE EXAMPLE:

ED	-	00	-	HAE	-	08
External Door		Floor		Department		Door No.

Project Status

REV	DESCRIPTION	DATE	BY	CHK
P01	For Tender	03/09/21	FM	LD
P02	For Tender	28/09/21	FM	LD
P03	For Review and Approval	03/12/21	FM	LD
P04	For Planning Amendments	28/03/22	ZAK	LD

Structural Consultant
CAMPBELL REITH

Cost Consultant
RIDGE AND PARTNERS

Project Title
HILLINGDON HOSPITAL - THE FURZE

Client
THE HILLINGDON HOSPITAL NHS FOUNDATION TRUST

Drawing Title
PROPOSED ELEVATIONS 05&06

Project Number
LD20 192.00

Drawing Number
THHFP1-LDW-ZZ-ZZ-DR-A-000212

Revision
- P04

Scale @ A1
1 : 100

Date
28/03/22

Architects
LLEWELYN DAVIES

Architects | Planners | Designers
The Rookery | 3rd Floor | 2 Dyott Street | London | WC1A 1DE
T +44(0)20 7907 7900 | E london@ldavies.com
www.ldavies.com