

**Project Summary**



**1. Front Top Left**  
Quantity: 1  
Supply & Fit - Sash box removal

Each (inc. VAT) Total (inc. VAT)  
£1,503.12 £1,503.12



**2. Front Top Middle**  
Quantity: 1  
Supply & Fit - Sash box removal

£1,503.12 £1,503.12



**3. Front Top Right**  
Quantity: 1  
Supply & Fit - Sash box removal

£1,503.12 £1,503.12



**4. Front Bottom Right**  
Quantity: 1  
Supply & Fit - Sash box removal

£1,576.99 £1,576.99



**5. Rear Left 1st Floor**  
Quantity: 1  
Supply & Fit - Remove & replace

Standard Casement £1,101.65 £1,101.65



**6. Rear centre 1st Floor**  
Quantity: 1  
Supply & Fit - Remove & replace

Standard Casement £1,141.27 £1,141.27

**Quotation for:**

Michelle Norris  
14B High Street  
Harefield  
Uxbridge  
UB9 6BU

**Prepared by:**

Lorna Pulsford enquiries@awcltd.com

**Site Address:**

14B High Street Harefield Uxbridge United Kingdom, UB9 6BU

**Lead time:** TBC **Guarantee:** 10 year transferable, CPA Insurance backed guarantee

**Final Price (inc. VAT):**  
**Of which VAT (20%):**



**Project Summary**



**7. Rear Right 1st Floor**  
Quantity: 1  
Supply & Fit - Remove & replace

Standard Casement

| Each<br>(inc. VAT) | Total<br>(inc. VAT) |
|--------------------|---------------------|
| £1,101.65          | £1,101.65           |



**8. Rear Bottom Left**  
Quantity: 1  
Supply & Fit - Remove & replace

Flush Casement

|           |           |
|-----------|-----------|
| £1,228.66 | £1,228.66 |
|-----------|-----------|



**9. Access Equipment - Subject to...**  
Quantity: 1  
Supply only

Access Equipment -  
Subject to survey

|         |         |
|---------|---------|
| £300.00 | £300.00 |
|---------|---------|



**10. All Windows**  
Quantity: 8  
Supply only

Recycling

|        |         |
|--------|---------|
| £18.00 | £144.00 |
|--------|---------|

**Quotation for:**

Michelle Norris  
14B High Street  
Harefield  
Uxbridge  
UB9 6BU

**Prepared by:**

Lorna Pulsford enquiries@awcltd.com

**Site Address:**

14B High Street Harefield Uxbridge United Kingdom, UB9 6BU

**Lead time:** TBC **Guarantee:** 10 year transferable, CPA Insurance backed guarantee

**Payment terms:**

50% Deposit. 25% on products arriving at depot and install scheduled. 25% on installation completion.

**Payment schedule:**

|                                |           |
|--------------------------------|-----------|
| Upon order confirmation (50%): | £5,551.78 |
| Upon install scheduled (25%):  | £2,775.90 |
| Upon completion (25%):         | £2,775.90 |

**Final Price (inc. VAT):**

**Of which VAT (20%):**

£11,103.58

£1,850.60


Technical detail: 1 - Front Top Left - Supply & Fit - Sash box removal

Quantity: 1

☀ Viewed from outside



💡 Viewed from inside



|                                 |                            |
|---------------------------------|----------------------------|
| <b>Frame:</b>                   | Standard Frame             |
| <b>Sash Bottom Rail:</b>        | Medium Sash                |
| <b>Sash Lower Left:</b>         | Medium Sash                |
| <b>Sash Lower Meeting Rail:</b> | Medium Sash                |
| <b>Sash Lower Right:</b>        | Medium Sash                |
| <b>Sash Top Rail:</b>           | Slim Sash                  |
| <b>Sash Upper Left:</b>         | Slim Sash                  |
| <b>Sash Upper Meeting Rail:</b> | Slim Sash                  |
| <b>Sash Upper Right:</b>        | Slim Sash                  |
| <b>Bead:</b>                    | Ovolo Bead                 |
| <b>Cill:</b>                    | 150mm Cill                 |
| <b>Astragal Bar:</b>            | GB2VS Ovolo Out - Ovolo In |

**Colour:** Out: White Woodgrain - In: White Woodgrain

|                                    |                              |
|------------------------------------|------------------------------|
| <b>Profile Trickle Vent:</b>       | Yale Vent 5000               |
| <b>Vertical Slider Drive Gear:</b> | Sliding Sash                 |
| <b>Vertical Slider Catch:</b>      | Acorn Camlock R Logo - White |
| <b>Sash Ring:</b>                  | Offset Sash Eye - White      |
| <b>Sash Lift:</b>                  | Sash Pull - White            |
| <b>Sash Horn:</b>                  | Run Through Horn             |

|                       |                  |
|-----------------------|------------------|
| <b>Packaging:</b>     | Packaging Charge |
| <b>Welded Charge:</b> | Welded Charge x1 |


**Glass:** 4-20-4 Low Iron Soft Clear Tough Argon - 20mm Swiss Spacer White - back to back spacer - Clear




Technical detail: 2 - Front Top Middle - Supply & Fit - Sash box removal

Quantity: 1

☀ Viewed from outside



💡 Viewed from inside



|                                 |                            |
|---------------------------------|----------------------------|
| <b>Frame:</b>                   | Standard Frame             |
| <b>Sash Bottom Rail:</b>        | Medium Sash                |
| <b>Sash Lower Left:</b>         | Medium Sash                |
| <b>Sash Lower Meeting Rail:</b> | Medium Sash                |
| <b>Sash Lower Right:</b>        | Medium Sash                |
| <b>Sash Top Rail:</b>           | Slim Sash                  |
| <b>Sash Upper Left:</b>         | Slim Sash                  |
| <b>Sash Upper Meeting Rail:</b> | Slim Sash                  |
| <b>Sash Upper Right:</b>        | Slim Sash                  |
| <b>Bead:</b>                    | Ovolo Bead                 |
| <b>Cill:</b>                    | 150mm Cill                 |
| <b>Astragal Bar:</b>            | GB2VS Ovolo Out - Ovolo In |

**Colour:** Out: White Woodgrain - In: White Woodgrain

|                                    |                              |
|------------------------------------|------------------------------|
| <b>Profile Trickle Vent:</b>       | Yale Vent 5000               |
| <b>Vertical Slider Drive Gear:</b> | Sliding Sash                 |
| <b>Vertical Slider Catch:</b>      | Acorn Camlock R Logo - White |
| <b>Sash Ring:</b>                  | Offset Sash Eye - White      |
| <b>Sash Lift:</b>                  | Sash Pull - White            |
| <b>Sash Horn:</b>                  | Run Through Horn             |

|                       |                  |
|-----------------------|------------------|
| <b>Packaging:</b>     | Packaging Charge |
| <b>Welded Charge:</b> | Welded Charge x1 |

**Glass:** 4-20-4 Low Iron Soft Clear Tough Argon - 20mm Swiss Spacer White - back to back spacer - Clear




Technical detail: 3 - Front Top Right - Supply & Fit - Sash box removal

Quantity: 1

☀ Viewed from outside



💡 Viewed from inside



|                                 |                            |
|---------------------------------|----------------------------|
| <b>Frame:</b>                   | Standard Frame             |
| <b>Sash Bottom Rail:</b>        | Medium Sash                |
| <b>Sash Lower Left:</b>         | Medium Sash                |
| <b>Sash Lower Meeting Rail:</b> | Medium Sash                |
| <b>Sash Lower Right:</b>        | Medium Sash                |
| <b>Sash Top Rail:</b>           | Slim Sash                  |
| <b>Sash Upper Left:</b>         | Slim Sash                  |
| <b>Sash Upper Meeting Rail:</b> | Slim Sash                  |
| <b>Sash Upper Right:</b>        | Slim Sash                  |
| <b>Bead:</b>                    | Ovolo Bead                 |
| <b>Cill:</b>                    | 150mm Cill                 |
| <b>Astragal Bar:</b>            | GB2VS Ovolo Out - Ovolo In |

**Colour:** Out: White Woodgrain - In: White Woodgrain

|                                    |                              |
|------------------------------------|------------------------------|
| <b>Profile Trickle Vent:</b>       | Yale Vent 5000               |
| <b>Vertical Slider Drive Gear:</b> | Sliding Sash                 |
| <b>Vertical Slider Catch:</b>      | Acorn Camlock R Logo - White |
| <b>Sash Ring:</b>                  | Offset Sash Eye - White      |
| <b>Sash Lift:</b>                  | Sash Pull - White            |
| <b>Sash Horn:</b>                  | Run Through Horn             |

|                       |                  |
|-----------------------|------------------|
| <b>Packaging:</b>     | Packaging Charge |
| <b>Welded Charge:</b> | Welded Charge x1 |

**Glass:** 4-20-4 Low Iron Soft Clear Tough Argon - 20mm Swiss Spacer White - back to back spacer - Clear



Technical detail: 4 - Front Bottom Right - Supply & Fit - Sash box removal

Quantity: 1

☀ Viewed from outside



💡 Viewed from inside



|                                 |                            |
|---------------------------------|----------------------------|
| <b>Frame:</b>                   | Standard Frame             |
| <b>Sash Bottom Rail:</b>        | Medium Sash                |
| <b>Sash Lower Left:</b>         | Medium Sash                |
| <b>Sash Lower Meeting Rail:</b> | Medium Sash                |
| <b>Sash Lower Right:</b>        | Medium Sash                |
| <b>Sash Top Rail:</b>           | Slim Sash                  |
| <b>Sash Upper Left:</b>         | Slim Sash                  |
| <b>Sash Upper Meeting Rail:</b> | Slim Sash                  |
| <b>Sash Upper Right:</b>        | Slim Sash                  |
| <b>Bead:</b>                    | Ovolo Bead                 |
| <b>Cill:</b>                    | 150mm Cill                 |
| <b>Astragal Bar:</b>            | GB2VS Ovolo Out - Ovolo In |

**Colour:** Out: White Woodgrain - In: White Woodgrain

|                                    |                              |
|------------------------------------|------------------------------|
| <b>Profile Trickle Vent:</b>       | Yale Vent 5000               |
| <b>Vertical Slider Drive Gear:</b> | Sliding Sash                 |
| <b>Vertical Slider Catch:</b>      | Acorn Camlock R Logo - White |
| <b>Sash Ring:</b>                  | Offset Sash Eye - White      |
| <b>Sash Lift:</b>                  | Sash Pull - White            |
| <b>Sash Horn:</b>                  | Run Through Horn             |

|                       |                  |
|-----------------------|------------------|
| <b>Packaging:</b>     | Packaging Charge |
| <b>Welded Charge:</b> | Welded Charge x1 |


**Glass:** 4-20-4 Low Iron Soft Clear Tough Argon - 20mm Swiss Spacer White - back to back spacer - Clear




Technical detail: 5 - Rear Left 1st Floor - Supply & Fit - Remove & replace

Quantity: 1

☀ Viewed from outside



💡 Viewed from inside



### Standard Casement

Frame: Standard Sculptured  
Sash: Standard Sculptured  
Transom: Standard Sculptured  
Bead: Sculptured  
Cill: Standard 150mm  
Frame Joint Type: Welded  
Sash Joint Type: Welded

Colour: Out: White Grain, In: White Grain

Profile Trickle Vent: Large Match Finish  
Window Handle: Maxim Inline White

Hinge Security: Security Claw x2  
Restrictor: 90 Degree Door Restrictor x2


Glass: Double Glazed (Toughened) - Black Spacer - Clear




Technical detail: 6 - Rear centre 1st Floor - Supply & Fit - Remove & replace

Quantity: 1

☀ Viewed from outside



💡 Viewed from inside



### Standard Casement

Frame: Standard Sculptured  
Sash: Standard Sculptured  
Transom: Standard Sculptured  
Bead: Sculptured  
Cill: Standard 150mm  
Frame Joint Type: Welded  
Sash Joint Type: Welded

Colour: Out: White Grain, In: White Grain

Profile Trickle Vent: Large Match Finish  
Window Handle: Maxim Inline White

Hinge Security: Security Claw x2  
Restrictor: 90 Degree Door Restrictor x2


Glass: Double Glazed (Toughened) - Black Spacer - Stippolyte




Technical detail: 7 - Rear Right 1st Floor - Supply & Fit - Remove & replace

Quantity: 1

☀ Viewed from outside



💡 Viewed from inside



### Standard Casement

Frame: Standard Sculptured  
Sash: Standard Sculptured  
Transom: Standard Sculptured  
Bead: Sculptured  
Cill: Standard 150mm  
Frame Joint Type: Welded  
Sash Joint Type: Welded

Colour: Out: White Grain, In: White Grain

Profile Trickle Vent: Large Match Finish  
Window Handle: Maxim Inline White

Hinge Security: Security Claw x2  
Restrictor: 90 Degree Door Restrictor x2

Glass: Double Glazed (Toughened) - Black Spacer - Clear



Technical detail: 8 - Rear Bottom Left - Supply & Fit - Remove & replace

Quantity: 1

☀ Viewed from outside



💡 Viewed from inside



### Flush Casement

Frame: Slim Bevel  
Sash: Flush Bevel  
Mullion: Slim Bevel  
Bead: Ovolo  
Cill: 150mm  
Frame Joint Type: Mechanical  
Sash Joint Type: Mechanical

Colour: Out: White Grain, In: White Grain

Profile Trickle Vent: Small Match Finish  
Window Handle: Maxim Inline White  
Egress: Yes  
Hinge Security: Security Claw x2

Glass: Double Glazed (Toughened) - Black Spacer - Clear



Technical detail: 9 - Access Equipment - Subject to... - Supply only


Quantity: 1



Access Equipment - Subject to survey

Technical detail: 10 - All Windows - Supply only

Quantity: 8



Recycling