

Project Name: Hillingdon Gateway
Project No.: Release 05
Report Title: Average Daylight Analysis - Proposed Scheme (25th September 2019)
Date: 30/09/2019

Floor Ref.	Room Ref.	Room Attribute	Property Type	Room Use.	Window Ref.	Glass Transmittance	Maintenance Factor	Glazed Area	Clear Sky Angle Proposed	Room Surface Area	Average Surface Reflectance	Below Working Plane Factor	ADF Proposed	Req'd Value
Seventh	R9	FloorPlan-DWG	Residential	LD	W20-L	0.81	0.92	0.70	68.70	83.05	0.77	0.15	0.16	1.50
					W20-U	0.81	0.92	1.15	68.78	83.05	0.77	1.00	1.72	
					W21-L	0.81	0.92	0.70	69.08	83.05	0.77	0.15	0.16	
					W21-U	0.81	0.92	1.15	69.11	83.05	0.77	1.00	1.72	
					W22-L	0.81	0.92	0.70	72.78	83.05	0.77	0.15	0.17	
					W22-U	0.81	0.92	1.15	72.25	83.05	0.77	1.00	1.80	
													5.72	
Seventh	R10	FloorPlan-DWG	Residential	Bedroom	W23-L	0.81	0.92	0.70	72.30	65.62	0.77	0.15	0.21	1.00
					W23-U	0.81	0.92	1.15	71.90	65.62	0.77	1.00	2.27	
													2.48	
Seventh	R11	FloorPlan-DWG	Residential	Bedroom	W24-L	0.81	0.92	0.70	71.97	73.21	0.77	0.15	0.19	1.00
					W24-U	0.81	0.92	1.15	71.68	73.21	0.77	1.00	2.03	
					W25-L	0.81	0.92	0.70	71.67	73.21	0.77	0.15	0.18	
					W25-U	0.81	0.92	1.15	71.46	73.21	0.77	1.00	2.02	
													4.42	
Seventh	R12	FloorPlan-DWG	Residential	LD	W26-L	0.81	0.92	0.70	71.40	97.86	0.77	0.15	0.14	1.50
					W26-U	0.81	0.92	1.15	71.28	97.86	0.77	1.00	1.51	
					W27-L	0.81	0.92	0.70	71.20	97.86	0.77	0.15	0.14	
					W27-U	0.81	0.92	1.15	71.14	97.86	0.77	1.00	1.51	
					W28-L	0.81	0.92	0.70	71.10	97.86	0.77	0.15	0.14	
					W28-U	0.81	0.92	1.15	71.06	97.86	0.77	1.00	1.51	
													4.93	
Seventh	R13	FloorPlan-DWG	Residential	LD	W29-L	0.81	0.92	0.70	71.07	80.35	0.77	0.15	0.17	1.50
					W29-U	0.81	0.92	1.15	71.03	80.35	0.77	1.00	1.83	
					W30-L	0.81	0.92	0.70	71.14	80.35	0.77	0.15	0.17	
					W30-U	0.81	0.92	1.15	71.08	80.35	0.77	1.00	1.83	
													4.00	
Seventh	R14	FloorPlan-DWG	Residential	Bedroom	W31-L	0.81	0.92	0.70	71.30	57.47	0.77	0.15	0.23	1.00
					W31-U	0.81	0.92	1.15	71.18	57.47	0.77	1.00	2.57	
					W32-L	0.81	0.92	0.70	71.54	57.47	0.77	0.15	0.24	
					W32-U	0.81	0.92	1.15	71.34	57.47	0.77	1.00	2.57	
													5.61	
Eighth	R1	FloorPlan-DWG	Residential	Bedroom	W1-L	0.81	0.92	0.70	76.61	57.47	0.77	0.15	0.25	

Project Name: Hillingdon Gateway
Project No.: Release 05
Report Title: Average Daylight Analysis - Proposed Scheme (25th September 2019)
Date: 30/09/2019

Floor Ref.	Room Ref.	Room Attribute	Property Type	Room Use.	Window Ref.	Glass Transmittance	Maintenance Factor	Glazed Area	Clear Sky Angle Proposed	Room Surface Area	Average Surface Reflectance	Below Working Plane Factor	ADF Proposed	Req'd Value
					W1-U	0.81	0.92	1.15	74.99	57.47	0.77	1.00	2.70	1.00
					W2-L	0.81	0.92	0.70	76.61	57.47	0.77	0.15	0.25	
					W2-U	0.81	0.92	1.15	74.99	57.47	0.77	1.00	2.70	
													5.91	
Eighth	R2	FloorPlan-DWG	Residential	LD	W3-L	0.81	0.92	0.70	76.61	88.53	0.77	0.15	0.16	1.50
					W3-U	0.81	0.92	1.15	74.99	88.53	0.77	1.00	1.76	
					W4-L	0.81	0.92	0.70	76.61	88.53	0.77	0.15	0.16	
					W4-U	0.81	0.92	1.15	74.99	88.53	0.77	1.00	1.76	
Eighth	R3	FloorPlan-DWG	Residential	Bedroom	W5-L	0.81	0.92	0.70	76.61	63.74	0.77	0.15	0.23	1.00
					W5-U	0.81	0.92	1.15	74.99	63.74	0.77	1.00	2.44	
					W6-L	0.81	0.92	0.70	76.61	63.74	0.77	0.15	0.23	
					W6-U	0.81	0.92	1.15	74.99	63.74	0.77	1.00	2.44	
Eighth	R4	FloorPlan-DWG	Residential	LD	W7-L	0.81	0.92	0.70	76.61	93.96	0.77	0.15	0.15	1.50
					W7-U	0.81	0.92	1.15	74.99	93.96	0.77	1.00	1.65	
					W8-L	0.81	0.92	0.70	76.61	93.96	0.77	0.15	0.15	
					W8-U	0.81	0.92	1.15	74.99	93.96	0.77	1.00	1.65	
Eighth	R5	FloorPlan-DWG	Residential	Bedroom	W9-L	0.81	0.92	0.70	76.61	64.30	0.77	0.15	0.22	1.00
					W9-U	0.81	0.92	1.15	74.99	64.30	0.77	1.00	2.42	
					W10-L	0.81	0.92	0.70	76.61	64.30	0.77	0.15	0.22	
					W10-U	0.81	0.92	1.15	74.99	64.30	0.77	1.00	2.42	
Eighth	R6	FloorPlan-DWG	Residential	Bedroom	W11-L	0.81	0.92	0.70	76.61	55.47	0.77	0.15	0.26	1.00
					W11-U	0.81	0.92	1.15	74.99	55.47	0.77	1.00	2.80	
													3.06	
Eighth	R7	FloorPlan-DWG	Residential	LKD	W12-L	0.81	0.92	0.70	76.61	131.99	0.77	0.15	0.11	
					W12-U	0.81	0.92	1.15	74.99	131.99	0.77	1.00	1.18	
					W13-L	0.81	0.92	0.70	76.61	131.99	0.77	0.15	0.11	
					W13-U	0.81	0.92	1.15	74.99	131.99	0.77	1.00	1.18	
					W14-L	0.81	0.92	0.70	72.82	131.99	0.77	0.15	0.10	
					W14-U	0.81	0.92	1.15	72.79	131.99	0.77	1.00	1.14	

Project Name: Hillingdon Gateway
Project No.: Release 05
Report Title: Average Daylight Analysis - Proposed Scheme (25th September 2019)
Date: 30/09/2019

Floor Ref.	Room Ref.	Room Attribute	Property Type	Room Use.	Window Ref.	Glass Transmittance	Maintenance Factor	Glazed Area	Clear Sky Angle Proposed	Room Surface Area	Average Surface Reflectance	Below Working Plane Factor	ADF Proposed	Req'd Value
					W15-L	0.81	0.92	0.70	72.66	131.99	0.77	0.15	0.10	2.00
					W15-U	0.81	0.92	1.15	72.70	131.99	0.77	1.00	1.14	
					W16-L	0.81	0.92	0.70	72.57	131.99	0.77	0.15	0.10	
					W16-U	0.81	0.92	1.15	72.65	131.99	0.77	1.00	1.14	
					W17-L	0.81	0.92	0.70	72.62	131.99	0.77	0.15	0.10	
					W17-U	0.81	0.92	1.15	72.68	131.99	0.77	1.00	1.14	
Eighth	R8	FloorPlan-DWG	Residential	Bedroom	W18-L	0.81	0.92	0.70	72.83	48.76	0.77	0.15	0.28	1.00
					W18-U	0.81	0.92	1.15	72.82	48.76	0.77	1.00	3.10	
					W19-L	0.81	0.92	0.70	73.05	48.76	0.77	0.15	0.28	
					W19-U	0.81	0.92	1.15	72.95	48.76	0.77	1.00	3.10	
Eighth	R9	FloorPlan-DWG	Residential	LD	W20-L	0.81	0.92	0.70	73.48	83.05	0.77	0.15	0.17	1.50
					W20-U	0.81	0.92	1.15	73.20	83.05	0.77	1.00	1.83	
					W21-L	0.81	0.92	0.70	73.63	83.05	0.77	0.15	0.17	
					W21-U	0.81	0.92	1.15	73.28	83.05	0.77	1.00	1.83	
					W22-L	0.81	0.92	0.70	75.86	83.05	0.77	0.15	0.17	
					W22-U	0.81	0.92	1.15	74.73	83.05	0.77	1.00	1.87	
Eighth	R10	FloorPlan-DWG	Residential	Bedroom	W23-L	0.81	0.92	0.70	75.74	65.62	0.77	0.15	0.22	1.00
					W23-U	0.81	0.92	1.15	74.69	65.62	0.77	1.00	2.36	
Eighth	R11	FloorPlan-DWG	Residential	Bedroom	W24-L	0.81	0.92	0.70	75.67	73.21	0.77	0.15	0.20	1.00
					W24-U	0.81	0.92	1.15	74.68	73.21	0.77	1.00	2.11	
					W25-L	0.81	0.92	0.70	75.60	73.21	0.77	0.15	0.19	
					W25-U	0.81	0.92	1.15	74.67	73.21	0.77	1.00	2.11	
Eighth	R12	FloorPlan-DWG	Residential	LD	W26-L	0.81	0.92	0.70	75.55	97.86	0.77	0.15	0.15	1.58
					W26-U	0.81	0.92	1.15	74.67	97.86	0.77	1.00	1.58	
					W27-L	0.81	0.92	0.70	75.52	97.86	0.77	0.15	0.15	
					W27-U	0.81	0.92	1.15	74.67	97.86	0.77	1.00	1.58	
					W28-L	0.81	0.92	0.70	75.52	97.86	0.77	0.15	0.15	
					W28-U	0.81	0.92	1.15	74.68	97.86	0.77	1.00	1.58	

Project Name: Hillingdon Gateway
Project No.: Release 05
Report Title: Average Daylight Analysis - Proposed Scheme (25th September 2019)
Date: 30/09/2019

Floor Ref.	Room Ref.	Room Attribute	Property Type	Room Use.	Window Ref.	Glass Transmittance	Maintenance Factor	Glazed Area	Clear Sky Angle Proposed	Room Surface Area	Average Surface Reflectance	Below Working Plane Factor	ADF Proposed	Req'd Value
Eighth	R13	FloorPlan-DWG	Residential	LD	W29-L	0.81	0.92	0.70	75.51	80.35	0.77	0.15	0.18	1.50
					W29-U	0.81	0.92	1.15	74.70	80.35	0.77	1.00	1.93	
					W30-L	0.81	0.92	0.70	75.55	80.35	0.77	0.15	0.18	
					W30-U	0.81	0.92	1.15	74.72	80.35	0.77	1.00	1.93	
													4.21	
Eighth	R14	FloorPlan-DWG	Residential	Bedroom	W31-L	0.81	0.92	0.70	75.57	57.47	0.77	0.15	0.25	1.00
					W31-U	0.81	0.92	1.15	74.73	57.47	0.77	1.00	2.70	
					W32-L	0.81	0.92	0.70	75.58	57.47	0.77	0.15	0.25	
					W32-U	0.81	0.92	1.15	74.73	57.47	0.77	1.00	2.70	
													5.89	
Ninth	R1	FloorPlan-DWG	Residential	Bedroom	W1-L	0.81	0.92	0.70	76.61	57.47	0.77	0.15	0.25	1.00
					W1-U	0.81	0.92	1.15	74.99	57.47	0.77	1.00	2.70	
					W2-L	0.81	0.92	0.70	76.61	57.47	0.77	0.15	0.25	
					W2-U	0.81	0.92	1.15	74.99	57.47	0.77	1.00	2.70	
													5.91	
Ninth	R2	FloorPlan-DWG	Residential	LD	W3-L	0.81	0.92	0.70	76.61	88.53	0.77	0.15	0.16	1.50
					W3-U	0.81	0.92	1.15	74.99	88.53	0.77	1.00	1.76	
					W4-L	0.81	0.92	0.70	76.61	88.53	0.77	0.15	0.16	
					W4-U	0.81	0.92	1.15	74.99	88.53	0.77	1.00	1.76	
													3.84	
Ninth	R3	FloorPlan-DWG	Residential	Bedroom	W5-L	0.81	0.92	0.70	76.61	63.74	0.77	0.15	0.23	1.00
					W5-U	0.81	0.92	1.15	74.99	63.74	0.77	1.00	2.44	
					W6-L	0.81	0.92	0.70	76.61	63.74	0.77	0.15	0.23	
					W6-U	0.81	0.92	1.15	74.99	63.74	0.77	1.00	2.44	
													5.33	
Ninth	R4	FloorPlan-DWG	Residential	LD	W7-L	0.81	0.92	0.70	76.61	93.96	0.77	0.15	0.15	1.50
					W7-U	0.81	0.92	1.15	74.99	93.96	0.77	1.00	1.65	
					W8-L	0.81	0.92	0.70	76.61	93.96	0.77	0.15	0.15	
					W8-U	0.81	0.92	1.15	74.99	93.96	0.77	1.00	1.65	
													3.62	
Ninth	R5	FloorPlan-DWG	Residential	Bedroom	W9-L	0.81	0.92	0.70	76.61	64.30	0.77	0.15	0.22	
					W9-U	0.81	0.92	1.15	74.99	64.30	0.77	1.00	2.42	

Project Name: Hillingdon Gateway
Project No.: Release 05
Report Title: Average Daylight Analysis - Proposed Scheme (25th September 2019)
Date: 30/09/2019

Floor Ref.	Room Ref.	Room Attribute	Property Type	Room Use.	Window Ref.	Glass Transmittance	Maintenance Factor	Glazed Area	Clear Sky Angle Proposed	Room Surface Area	Average Surface Reflectance	Below Working Plane Factor	ADF Proposed	Req'd Value
					W10-L	0.81	0.92	0.70	76.61	64.30	0.77	0.15	0.22	
					W10-U	0.81	0.92	1.15	74.99	64.30	0.77	1.00	2.42	
													5.28	1.00
Ninth	R6	FloorPlan-DWG	Residential	Bedroom	W11-L	0.81	0.92	0.70	76.61	55.47	0.77	0.15	0.26	
					W11-U	0.81	0.92	1.15	74.99	55.47	0.77	1.00	2.80	
													3.06	1.00
Ninth	R7	FloorPlan-DWG	Residential	LKD	W12-L	0.81	0.92	0.70	76.61	131.99	0.77	0.15	0.11	
					W12-U	0.81	0.92	1.15	74.99	131.99	0.77	1.00	1.18	
					W13-L	0.81	0.92	0.70	76.61	131.99	0.77	0.15	0.11	
					W13-U	0.81	0.92	1.15	74.99	131.99	0.77	1.00	1.18	
					W14-L	0.81	0.92	0.70	76.54	131.99	0.77	0.15	0.11	
					W14-U	0.81	0.92	1.15	74.99	131.99	0.77	1.00	1.18	
					W15-L	0.81	0.92	0.70	76.54	131.99	0.77	0.15	0.11	
					W15-U	0.81	0.92	1.15	74.99	131.99	0.77	1.00	1.18	
					W16-L	0.81	0.92	0.70	76.54	131.99	0.77	0.15	0.11	
					W16-U	0.81	0.92	1.15	74.99	131.99	0.77	1.00	1.18	
					W17-L	0.81	0.92	0.70	76.54	131.99	0.77	0.15	0.11	
					W17-U	0.81	0.92	1.15	74.99	131.99	0.77	1.00	1.18	
													7.72	2.00
Ninth	R8	FloorPlan-DWG	Residential	Bedroom	W18-L	0.81	0.92	0.70	76.54	48.76	0.77	0.15	0.30	
					W18-U	0.81	0.92	1.15	74.99	48.76	0.77	1.00	3.19	
					W19-L	0.81	0.92	0.70	76.54	48.76	0.77	0.15	0.30	
					W19-U	0.81	0.92	1.15	74.99	48.76	0.77	1.00	3.19	
													6.97	1.00
Ninth	R9	FloorPlan-DWG	Residential	LD	W20-L	0.81	0.92	0.70	76.53	83.05	0.77	0.15	0.17	
					W20-U	0.81	0.92	1.15	74.99	83.05	0.77	1.00	1.87	
					W21-L	0.81	0.92	0.70	76.53	83.05	0.77	0.15	0.17	
					W21-U	0.81	0.92	1.15	74.99	83.05	0.77	1.00	1.87	
					W22-L	0.81	0.92	0.70	76.61	83.05	0.77	0.15	0.17	
					W22-U	0.81	0.92	1.15	74.99	83.05	0.77	1.00	1.87	
													6.14	1.50
Ninth	R10	FloorPlan-DWG	Residential	Bedroom	W23-L	0.81	0.92	0.70	76.61	65.62	0.77	0.15	0.22	
					W23-U	0.81	0.92	1.15	74.99	65.62	0.77	1.00	2.37	

robinsons
Robinsons Surveyors Limited

Floor Ref.	Room Ref.	Room Attribute	Property Type	Room Use.	Window Ref.	Glass Transmittance	Maintenance Factor	Glazed Area	Clear Sky Angle Proposed	Room Surface Area	Average Surface Reflectance	Below Working Plane Factor	ADF Proposed	Req'd Value
													2.59	1.00
Ninth	R11	FloorPlan-DWG	Residential	Bedroom	W24-L	0.81	0.92	0.70	76.61	73.21	0.77	0.15	0.20	1.00
					W24-U	0.81	0.92	1.15	74.99	73.21	0.77	1.00	2.12	
					W25-L	0.81	0.92	0.70	76.61	73.21	0.77	0.15	0.20	
					W25-U	0.81	0.92	1.15	74.99	73.21	0.77	1.00	2.12	
													4.64	1.00
Ninth	R12	FloorPlan-DWG	Residential	LD	W26-L	0.81	0.92	0.70	76.61	97.86	0.77	0.15	0.15	1.50
					W26-U	0.81	0.92	1.15	74.99	97.86	0.77	1.00	1.59	
					W27-L	0.81	0.92	0.70	76.61	97.86	0.77	0.15	0.15	
					W27-U	0.81	0.92	1.15	74.99	97.86	0.77	1.00	1.59	
					W28-L	0.81	0.92	0.70	76.61	97.86	0.77	0.15	0.15	
					W28-U	0.81	0.92	1.15	74.99	97.86	0.77	1.00	1.59	
													5.21	1.50
Ninth	R13	FloorPlan-DWG	Residential	LD	W29-L	0.81	0.92	0.70	76.61	80.35	0.77	0.15	0.18	1.50
					W29-U	0.81	0.92	1.15	74.99	80.35	0.77	1.00	1.93	
					W30-L	0.81	0.92	0.70	76.61	80.35	0.77	0.15	0.18	
					W30-U	0.81	0.92	1.15	74.99	80.35	0.77	1.00	1.93	
													4.23	1.50
Ninth	R14	FloorPlan-DWG	Residential	Bedroom	W31-L	0.81	0.92	0.70	76.61	57.47	0.77	0.15	0.25	1.00
					W31-U	0.81	0.92	1.15	74.99	57.47	0.77	1.00	2.70	
					W32-L	0.81	0.92	0.70	76.61	57.47	0.77	0.15	0.25	
					W32-U	0.81	0.92	1.15	74.99	57.47	0.77	1.00	2.70	
													5.91	1.00
Tenth	R1	FloorPlan-DWG	Residential	Bedroom	W1-L	0.81	0.92	0.70	76.15	57.47	0.77	0.15	0.25	1.00
					W1-U	0.81	0.92	1.15	70.26	57.47	0.77	1.00	2.53	
					W2-L	0.81	0.92	0.70	76.15	57.47	0.77	0.15	0.25	
					W2-U	0.81	0.92	1.15	70.26	57.47	0.77	1.00	2.53	
													5.57	1.00
Tenth	R2	FloorPlan-DWG	Residential	LD	W3-L	0.81	0.92	0.70	76.15	88.53	0.77	0.15	0.16	1.50
					W3-U	0.81	0.92	1.15	70.26	88.53	0.77	1.00	1.65	
					W4-L	0.81	0.92	0.70	76.15	88.53	0.77	0.15	0.16	
					W4-U	0.81	0.92	1.15	70.26	88.53	0.77	1.00	1.65	
													3.61	1.50

Project Name: Hillingdon Gateway
Project No.: Release 05
Report Title: Average Daylight Analysis - Proposed Scheme (25th September 2019)
Date: 30/09/2019

Floor Ref.	Room Ref.	Room Attribute	Property Type	Room Use.	Window Ref.	Glass Transmittance	Maintenance Factor	Glazed Area	Clear Sky Angle Proposed	Room Surface Area	Average Surface Reflectance	Below Working Plane Factor	ADF Proposed	Req'd Value
Tenth	R3	FloorPlan-DWG	Residential	Bedroom	W5-L	0.81	0.92	0.70	76.15	63.74	0.77	0.15	0.23	1.00
					W5-U	0.81	0.92	1.15	70.26	63.74	0.77	1.00	2.29	
					W6-L	0.81	0.92	0.70	76.15	63.74	0.77	0.15	0.23	
					W6-U	0.81	0.92	1.15	70.26	63.74	0.77	1.00	2.29	
													5.02	
Tenth	R4	FloorPlan-DWG	Residential	LD	W7-L	0.81	0.92	0.70	76.15	93.96	0.77	0.15	0.15	1.50
					W7-U	0.81	0.92	1.15	70.26	93.96	0.77	1.00	1.55	
					W8-L	0.81	0.92	0.70	76.15	93.96	0.77	0.15	0.15	
					W8-U	0.81	0.92	1.15	70.26	93.96	0.77	1.00	1.55	
													3.41	
Tenth	R5	FloorPlan-DWG	Residential	Bedroom	W9-L	0.81	0.92	0.70	76.15	64.30	0.77	0.15	0.22	1.00
					W9-U	0.81	0.92	1.15	70.26	64.30	0.77	1.00	2.26	
					W10-L	0.81	0.92	0.70	76.15	64.30	0.77	0.15	0.22	
					W10-U	0.81	0.92	1.15	70.26	64.30	0.77	1.00	2.26	
													4.98	
Tenth	R6	FloorPlan-DWG	Residential	Bedroom	W11-L	0.81	0.92	0.70	76.15	55.47	0.77	0.15	0.26	1.00
					W11-U	0.81	0.92	1.15	70.26	55.47	0.77	1.00	2.63	
													2.88	
Tenth	R7	FloorPlan-DWG	Residential	LKD	W12-L	0.81	0.92	0.70	76.15	131.99	0.77	0.15	0.11	2.00
					W12-U	0.81	0.92	1.15	70.26	131.99	0.77	1.00	1.10	
					W13-L	0.81	0.92	0.70	76.15	131.99	0.77	0.15	0.11	
					W13-U	0.81	0.92	1.15	70.26	131.99	0.77	1.00	1.10	
					W14-L	0.81	0.92	0.70	76.15	131.99	0.77	0.15	0.11	
					W14-U	0.81	0.92	1.15	70.26	131.99	0.77	1.00	1.10	
					W15-L	0.81	0.92	0.70	76.15	131.99	0.77	0.15	0.11	
					W15-U	0.81	0.92	1.15	70.26	131.99	0.77	1.00	1.10	
					W16-L	0.81	0.92	0.70	76.15	131.99	0.77	0.15	0.11	
					W16-U	0.81	0.92	1.15	70.26	131.99	0.77	1.00	1.10	
					W17-L	0.81	0.92	0.70	76.15	131.99	0.77	0.15	0.11	
					W17-U	0.81	0.92	1.15	70.26	131.99	0.77	1.00	1.10	
													7.27	
Tenth	R8	FloorPlan-DWG	Residential	Bedroom	W18-L	0.81	0.92	0.70	76.15	48.76	0.77	0.15	0.29	
					W18-U	0.81	0.92	1.15	70.26	48.76	0.77	1.00	2.99	

Project Name: Hillingdon Gateway
Project No.: Release 05
Report Title: Average Daylight Analysis - Proposed Scheme (25th September 2019)
Date: 30/09/2019

Floor Ref.	Room Ref.	Room Attribute	Property Type	Room Use.	Window Ref.	Glass Transmittance	Maintenance Factor	Glazed Area	Clear Sky Angle Proposed	Room Surface Area	Average Surface Reflectance	Below Working Plane Factor	ADF Proposed	Req'd Value
					W19-L	0.81	0.92	0.70	76.15	48.76	0.77	0.15	0.29	
					W19-U	0.81	0.92	1.15	70.26	48.76	0.77	1.00	2.99	
													6.56	1.00
Tenth	R9	FloorPlan-DWG	Residential	LD	W20-L	0.81	0.92	0.70	76.15	83.05	0.77	0.15	0.17	
					W20-U	0.81	0.92	1.15	70.26	83.05	0.77	1.00	1.75	
					W21-L	0.81	0.92	0.70	76.15	83.05	0.77	0.15	0.17	
					W21-U	0.81	0.92	1.15	70.26	83.05	0.77	1.00	1.75	
					W22-L	0.81	0.92	0.70	76.15	83.05	0.77	0.15	0.17	
					W22-U	0.81	0.92	1.15	70.26	83.05	0.77	1.00	1.75	
													5.78	1.50
Tenth	R10	FloorPlan-DWG	Residential	Bedroom	W23-L	0.81	0.92	0.70	76.15	65.62	0.77	0.15	0.22	
					W23-U	0.81	0.92	1.15	70.26	65.62	0.77	1.00	2.22	
													2.44	1.00
Tenth	R11	FloorPlan-DWG	Residential	Bedroom	W24-L	0.81	0.92	0.70	76.15	73.21	0.77	0.15	0.20	
					W24-U	0.81	0.92	1.15	70.26	73.21	0.77	1.00	1.99	
					W25-L	0.81	0.92	0.70	76.15	73.21	0.77	0.15	0.20	
					W25-U	0.81	0.92	1.15	70.26	73.21	0.77	1.00	1.99	
													4.37	1.00
Tenth	R12	FloorPlan-DWG	Residential	LD	W26-L	0.81	0.92	0.70	76.15	97.86	0.77	0.15	0.15	
					W26-U	0.81	0.92	1.15	70.26	97.86	0.77	1.00	1.49	
					W27-L	0.81	0.92	0.70	76.15	97.86	0.77	0.15	0.15	
					W27-U	0.81	0.92	1.15	70.26	97.86	0.77	1.00	1.49	
					W28-L	0.81	0.92	0.70	76.15	97.86	0.77	0.15	0.15	
					W28-U	0.81	0.92	1.15	70.26	97.86	0.77	1.00	1.49	
													4.91	1.50
Tenth	R13	FloorPlan-DWG	Residential	LD	W29-L	0.81	0.92	0.70	76.15	80.35	0.77	0.15	0.18	
					W29-U	0.81	0.92	1.15	70.26	80.35	0.77	1.00	1.81	
					W30-L	0.81	0.92	0.70	76.15	80.35	0.77	0.15	0.18	
					W30-U	0.81	0.92	1.15	70.26	80.35	0.77	1.00	1.81	
													3.98	1.50
Tenth	R14	FloorPlan-DWG	Residential	Bedroom	W31-L	0.81	0.92	0.70	76.15	57.47	0.77	0.15	0.25	
					W31-U	0.81	0.92	1.15	70.26	57.47	0.77	1.00	2.53	
					W32-L	0.81	0.92	0.70	76.15	57.47	0.77	0.15	0.25	

robinsons
Robinsons Surveyors Limited

Floor Ref.	Room Ref.	Room Attribute	Property Type	Room Use.	Window Ref.	Glass Transmittance	Maintenance Factor	Glazed Area	Clear Sky Angle Proposed	Room Surface Area	Average Surface Reflectance	Below Working Plane Factor	ADF Proposed	Req'd Value
					W32-U	0.81	0.92	1.15	70.26	57.47	0.77	1.00	2.53	1.00
Building 6														
Ground	R1	FloorPlan-DWG	Residential	Bedroom	W1-L	0.81	0.92	0.70	48.52	73.66	0.77	0.15	0.12	1.00
					W1-U	0.81	0.92	1.15	47.92	73.66	0.77	1.00	1.35	
					W2-L	0.81	0.92	0.70	48.97	73.66	0.77	0.15	0.13	
					W2-U	0.81	0.92	1.15	48.39	73.66	0.77	1.00	1.36	
													2.96	
Ground	R2	FloorPlan-DWG	Residential	Bedroom	W3-L	0.81	0.92	0.70	49.05	68.19	0.77	0.15	0.14	1.00
					W3-U	0.81	0.92	1.15	48.48	68.19	0.77	1.00	1.47	
					W4-L	0.81	0.92	0.70	49.47	68.19	0.77	0.15	0.14	
					W4-U	0.81	0.92	1.15	48.91	68.19	0.77	1.00	1.49	
													3.23	
Ground	R3	FloorPlan-DWG	Residential	Bedroom	W5-L	0.81	0.92	0.70	49.71	68.19	0.77	0.15	0.14	1.00
					W5-U	0.81	0.92	1.15	49.11	68.19	0.77	1.00	1.49	
					W6-L	0.81	0.92	0.70	50.00	68.19	0.77	0.15	0.14	
					W6-U	0.81	0.92	1.15	49.38	68.19	0.77	1.00	1.50	
													3.27	
Ground	R4	FloorPlan-DWG	Residential	LD	W7-L	0.81	0.92	0.70	49.74	98.99	0.77	0.15	0.09	1.50
					W7-U	0.81	0.92	1.15	46.96	98.99	0.77	1.00	0.98	
					W8-L	0.81	0.92	0.70	49.25	98.99	0.77	0.15	0.09	
					W8-U	0.81	0.92	1.15	46.45	98.99	0.77	1.00	0.97	
													2.14	
First	R1	FloorPlan-DWG	Residential	LKD	W1-L	0.81	0.92	2.07	42.05	114.04	0.77	0.15	0.21	2.00
					W1-U	0.81	0.92	3.40	41.99	114.04	0.77	1.00	2.26	
					W31-L	0.81	0.92	0.08	80.01	114.04	0.77	0.15	0.02	
					W31-U	0.81	0.92	1.15	78.32	114.04	0.77	1.00	1.42	
													3.91	
First	R2	FloorPlan-DWG	Residential	Bedroom	W2-L	0.81	0.92	0.08	35.70	62.45	0.77	0.15	0.01	1.00
					W2-U	0.81	0.92	1.15	35.45	62.45	0.77	1.00	1.18	
													1.19	

Project Name: Hillingdon Gateway
Project No.: Release 05
Report Title: Average Daylight Analysis - Proposed Scheme (25th September 2019)
Date: 30/09/2019

Floor Ref.	Room Ref.	Room Attribute	Property Type	Room Use.	Window Ref.	Glass Transmittance	Maintenance Factor	Glazed Area	Clear Sky Angle Proposed	Room Surface Area	Average Surface Reflectance	Below Working Plane Factor	ADF Proposed	Req'd Value
First	R3	FloorPlan-DWG	Residential	Bedroom	W3-L	0.81	0.92	0.70	22.07	56.30	0.77	0.15	0.07	1.00
					W3-U	0.81	0.92	1.15	21.27	56.30	0.77	1.00	0.78	
First	R4	FloorPlan-DWG	Residential	LD	W4-L	0.81	0.92	0.70	28.40	71.40	0.77	0.15	0.08	1.50
					W4-U	0.81	0.92	1.15	24.25	71.40	0.77	1.00	0.70	
					W5-L	0.81	0.92	0.70	25.84	71.40	0.77	0.15	0.07	
					W5-U	0.81	0.92	1.15	22.68	71.40	0.77	1.00	0.66	
First	R5	FloorPlan-DWG	Residential	LD	W6-L	0.81	0.92	0.70	31.28	97.81	0.77	0.15	0.06	1.50
					W6-U	0.81	0.92	1.15	27.08	97.81	0.77	1.00	0.57	
					W7-L	0.81	0.92	0.70	29.13	97.81	0.77	0.15	0.06	
					W7-U	0.81	0.92	1.15	25.68	97.81	0.77	1.00	0.54	
					W8-L	0.81	0.92	0.70	31.46	97.81	0.77	0.15	0.06	
					W8-U	0.81	0.92	1.15	30.77	97.81	0.77	1.00	0.65	
First	R6	FloorPlan-DWG	Residential	Bedroom	W9-L	0.81	0.92	0.70	34.02	73.21	0.77	0.15	0.09	1.00
					W9-U	0.81	0.92	1.15	33.38	73.21	0.77	1.00	0.95	
First	R7	FloorPlan-DWG	Residential	Bedroom	W10-L	0.81	0.92	0.70	36.54	65.63	0.77	0.15	0.11	1.00
					W10-U	0.81	0.92	1.15	35.94	65.63	0.77	1.00	1.14	
First	R8	FloorPlan-DWG	Residential	LKD	W11-L	0.81	0.92	0.70	41.70	98.71	0.77	0.15	0.08	2.00
					W11-U	0.81	0.92	1.15	38.71	98.71	0.77	1.00	0.81	
					W12-L	0.81	0.92	0.70	41.15	98.71	0.77	0.15	0.08	
					W12-U	0.81	0.92	1.15	38.87	98.71	0.77	1.00	0.82	
					W13-L	0.81	0.92	0.70	51.14	98.71	0.77	0.15	0.10	
					W13-U	0.81	0.92	1.15	51.02	98.71	0.77	1.00	1.07	
First	R9	FloorPlan-DWG	Residential	Bedroom	W14-L	0.81	0.92	0.70	51.34	48.76	0.77	0.15	0.20	1.00
					W14-U	0.81	0.92	1.15	51.11	48.76	0.77	1.00	2.17	
First	R10	FloorPlan-DWG	Residential	Bedroom	W15-L	0.81	0.92	0.70	53.55	48.76	0.77	0.15	0.21	
					W15-U	0.81	0.92	1.15	53.28	48.76	0.77	1.00	2.26	

Project Name: Hillingdon Gateway
Project No.: Release 05
Report Title: Average Daylight Analysis - Proposed Scheme (25th September 2019)
Date: 30/09/2019

Floor Ref.	Room Ref.	Room Attribute	Property Type	Room Use.	Window Ref.	Glass Transmittance	Maintenance Factor	Glazed Area	Clear Sky Angle Proposed	Room Surface Area	Average Surface Reflectance	Below Working Plane Factor	ADF Proposed	Req'd Value
													2.47	1.00
First	R11	FloorPlan-DWG	Residential	LKD	W16-L	0.81	0.92	0.70	55.76	98.71	0.77	0.15	0.11	
					W16-U	0.81	0.92	1.15	55.40	98.71	0.77	1.00	1.16	
					W17-L	0.81	0.92	0.70	52.41	98.71	0.77	0.15	0.10	
					W17-U	0.81	0.92	1.15	50.02	98.71	0.77	1.00	1.05	
					W18-L	0.81	0.92	0.70	53.04	98.71	0.77	0.15	0.10	
					W18-U	0.81	0.92	1.15	50.48	98.71	0.77	1.00	1.06	
													3.58	2.00
First	R12	FloorPlan-DWG	Residential	Bedroom	W19-L	0.81	0.92	0.70	47.68	65.62	0.77	0.15	0.14	
					W19-U	0.81	0.92	1.15	47.68	65.62	0.77	1.00	1.51	
													1.64	1.00
First	R13	FloorPlan-DWG	Residential	Bedroom	W20-L	0.81	0.92	0.70	45.22	73.21	0.77	0.15	0.12	
					W20-U	0.81	0.92	1.15	45.25	73.21	0.77	1.00	1.28	
													1.40	1.00
First	R14	FloorPlan-DWG	Residential	LD	W21-L	0.81	0.92	0.70	42.32	97.85	0.77	0.15	0.08	
					W21-U	0.81	0.92	1.15	42.36	97.85	0.77	1.00	0.90	
					W22-L	0.81	0.92	0.70	39.28	97.85	0.77	0.15	0.08	
					W22-U	0.81	0.92	1.15	37.18	97.85	0.77	1.00	0.79	
					W23-L	0.81	0.92	0.70	41.25	97.85	0.77	0.15	0.08	
					W23-U	0.81	0.92	1.15	38.43	97.85	0.77	1.00	0.81	
													2.74	1.50
First	R15	FloorPlan-DWG	Residential	LD	W24-L	0.81	0.92	0.70	34.89	71.40	0.77	0.15	0.09	
					W24-U	0.81	0.92	1.15	33.02	71.40	0.77	1.00	0.96	
					W25-L	0.81	0.92	0.70	37.00	71.40	0.77	0.15	0.10	
					W25-U	0.81	0.92	1.15	34.13	71.40	0.77	1.00	0.99	
													2.14	1.50
First	R16	FloorPlan-DWG	Residential	Bedroom	W26-L	0.81	0.92	0.70	28.84	56.30	0.77	0.15	0.10	
					W26-U	0.81	0.92	1.15	28.52	56.30	0.77	1.00	1.05	
													1.15	1.00
First	R17	FloorPlan-DWG	Residential	Bedroom	W27-L	0.81	0.92	0.70	44.24	59.45	0.77	0.15	0.14	
					W27-U	0.81	0.92	1.15	43.95	59.45	0.77	1.00	1.53	
													1.67	1.00
First	R18	FloorPlan-DWG	Residential	Bedroom	W28-L	0.81	0.92	0.08	40.92	59.22	0.77	0.15	0.02	

robinsons
Robinsons Surveyors Limited

[illegible]

Project Name: Hillingdon Gateway
Project No.: Release 05
Report Title: Average Daylight Analysis - Proposed Scheme (25th September 2019)
Date: 30/09/2019

Floor Ref.	Room Ref.	Room Attribute	Property Type	Room Use.	Window Ref.	Glass Transmittance	Maintenance Factor	Glazed Area	Clear Sky Angle Proposed	Room Surface Area	Average Surface Reflectance	Below Working Plane Factor	ADF Proposed	Req'd Value
Second	R7	FloorPlan-DWG	Residential	Bedroom	W10-L	0.81	0.92	0.70	36.46	73.22	0.77	0.15	0.09	1.00
					W10-U	0.81	0.92	1.15	31.39	73.22	0.77	1.00	0.89	
													0.98	
Second	R8	FloorPlan-DWG	Residential	Bedroom	W11-L	0.81	0.92	0.70	38.83	65.63	0.77	0.15	0.11	1.00
					W11-U	0.81	0.92	1.15	33.90	65.63	0.77	1.00	1.07	
													1.18	
Second	R9	FloorPlan-DWG	Residential	LKD	W12-L	0.81	0.92	0.70	44.82	98.71	0.77	0.15	0.09	2.00
					W12-U	0.81	0.92	1.15	41.63	98.71	0.77	1.00	0.87	
					W13-L	0.81	0.92	0.70	45.15	98.71	0.77	0.15	0.09	
					W13-U	0.81	0.92	1.15	42.10	98.71	0.77	1.00	0.88	
					W14-L	0.81	0.92	0.70	54.23	98.71	0.77	0.15	0.10	
					W14-U	0.81	0.92	1.15	50.37	98.71	0.77	1.00	1.06	
													3.09	
Second	R10	FloorPlan-DWG	Residential	Bedroom	W15-L	0.81	0.92	0.70	54.29	48.76	0.77	0.15	0.21	1.00
					W15-U	0.81	0.92	1.15	50.42	48.76	0.77	1.00	2.14	
													2.35	
Second	R11	FloorPlan-DWG	Residential	Bedroom	W16-L	0.81	0.92	0.70	56.36	48.76	0.77	0.15	0.22	1.00
					W16-U	0.81	0.92	1.15	52.43	48.76	0.77	1.00	2.23	
													2.45	
Second	R12	FloorPlan-DWG	Residential	LKD	W17-L	0.81	0.92	0.70	58.31	98.71	0.77	0.15	0.11	2.00
					W17-U	0.81	0.92	1.15	54.27	98.71	0.77	1.00	1.14	
					W18-L	0.81	0.92	0.70	56.74	98.71	0.77	0.15	0.11	
					W18-U	0.81	0.92	1.15	54.34	98.71	0.77	1.00	1.14	
					W19-L	0.81	0.92	0.70	57.05	98.71	0.77	0.15	0.11	
					W19-U	0.81	0.92	1.15	54.55	98.71	0.77	1.00	1.15	
													3.76	
Second	R13	FloorPlan-DWG	Residential	Bedroom	W20-L	0.81	0.92	0.70	51.31	65.62	0.77	0.15	0.15	1.00
					W20-U	0.81	0.92	1.15	47.65	65.62	0.77	1.00	1.50	
													1.65	
Second	R14	FloorPlan-DWG	Residential	Bedroom	W21-L	0.81	0.92	0.70	49.04	73.21	0.77	0.15	0.13	1.00
					W21-U	0.81	0.92	1.15	45.40	73.21	0.77	1.00	1.29	
													1.41	
Second	R15	FloorPlan-DWG	Residential	LD	W22-L	0.81	0.92	0.70	46.22	97.85	0.77	0.15	0.09	

robinsons
Robinsons Surveyors Limited

Floor Ref.	Room Ref.	Room Attribute	Property Type	Room Use.	Window Ref.	Glass Transmittance	Maintenance Factor	Glazed Area	Clear Sky Angle Proposed	Room Surface Area	Average Surface Reflectance	Below Working Plane Factor	ADF Proposed	Req'd Value
					W22-U	0.81	0.92	1.15	42.56	97.85	0.77	1.00	0.90	1.50
					W23-L	0.81	0.92	0.70	44.22	97.85	0.77	0.15	0.09	
					W23-U	0.81	0.92	1.15	42.44	97.85	0.77	1.00	0.90	
					W24-L	0.81	0.92	0.70	45.77	97.85	0.77	0.15	0.09	
					W24-U	0.81	0.92	1.15	43.50	97.85	0.77	1.00	0.92	
Second	R16	FloorPlan-DWG	Residential	LD	W25-L	0.81	0.92	0.70	39.49	71.40	0.77	0.15	0.10	1.50
					W25-U	0.81	0.92	1.15	38.03	71.40	0.77	1.00	1.10	
					W26-L	0.81	0.92	0.70	41.08	71.40	0.77	0.15	0.11	
					W26-U	0.81	0.92	1.15	38.73	71.40	0.77	1.00	1.12	
Second	R17	FloorPlan-DWG	Residential	Bedroom	W27-L	0.81	0.92	0.70	31.35	56.29	0.77	0.15	0.11	1.00
					W27-U	0.81	0.92	1.15	28.19	56.29	0.77	1.00	1.04	
Second	R18	FloorPlan-DWG	Residential	Bedroom	W28-L	0.81	0.92	0.70	45.87	59.45	0.77	0.15	0.15	1.00
					W28-U	0.81	0.92	1.15	45.53	59.45	0.77	1.00	1.59	
Second	R19	FloorPlan-DWG	Residential	Bedroom	W29-L	0.81	0.92	0.08	39.74	59.22	0.77	0.15	0.01	1.00
					W29-U	0.81	0.92	1.15	39.36	59.22	0.77	1.00	1.38	
Second	R20	FloorPlan-DWG	Residential	LKD	W30-L	0.81	0.92	2.07	49.91	117.83	0.77	0.15	0.24	2.00
					W30-U	0.81	0.92	3.40	50.23	117.83	0.77	1.00	2.62	
					W31-L	0.81	0.92	0.08	81.26	117.83	0.77	0.15	0.02	
					W31-U	0.81	0.92	1.15	79.29	117.83	0.77	1.00	1.39	
Third	R1	FloorPlan-DWG	Residential	LKD	W1-L	0.81	0.92	2.07	45.71	117.83	0.77	0.15	0.22	2.00
					W1-U	0.81	0.92	3.40	45.52	117.83	0.77	1.00	2.38	
					W32-L	0.81	0.92	0.08	81.38	117.83	0.77	0.15	0.02	
					W32-U	0.81	0.92	1.15	79.35	117.83	0.77	1.00	1.40	
Third	R2	FloorPlan-DWG	Residential	Bedroom	W2-L	0.81	0.92	0.08	39.28	59.22	0.77	0.15	0.01	1.00
					W2-U	0.81	0.92	1.15	38.86	59.22	0.77	1.00	1.36	

Project Name: Hillingdon Gateway
Project No.: Release 05
Report Title: Average Daylight Analysis - Proposed Scheme (25th September 2019)
Date: 30/09/2019

Floor Ref.	Room Ref.	Room Attribute	Property Type	Room Use.	Window Ref.	Glass Transmittance	Maintenance Factor	Glazed Area	Clear Sky Angle Proposed	Room Surface Area	Average Surface Reflectance	Below Working Plane Factor	ADF Proposed	Req'd Value
Third	R3	FloorPlan-DWG	Residential	Bedroom	W3-L	0.81	0.92	0.70	41.91	59.54	0.77	0.15	0.13	1.00
					W3-U	0.81	0.92	1.15	41.53	59.54	0.77	1.00	1.45	
													1.58	
Third	R4	FloorPlan-DWG	Residential	Bedroom	W4-L	0.81	0.92	0.70	27.74	56.30	0.77	0.15	0.09	1.00
					W4-U	0.81	0.92	1.15	27.32	56.30	0.77	1.00	1.01	
													1.10	
Third	R5	FloorPlan-DWG	Residential	LD	W5-L	0.81	0.92	0.70	36.23	71.40	0.77	0.15	0.10	1.50
					W5-U	0.81	0.92	1.15	33.66	71.40	0.77	1.00	0.98	
					W6-L	0.81	0.92	0.70	34.62	71.40	0.77	0.15	0.09	
					W6-U	0.81	0.92	1.15	32.74	71.40	0.77	1.00	0.95	
													2.12	
Third	R6	FloorPlan-DWG	Residential	LD	W7-L	0.81	0.92	0.70	39.04	97.81	0.77	0.15	0.08	1.50
					W7-U	0.81	0.92	1.15	36.47	97.81	0.77	1.00	0.77	
					W8-L	0.81	0.92	0.70	37.97	97.81	0.77	0.15	0.07	
					W8-U	0.81	0.92	1.15	35.65	97.81	0.77	1.00	0.76	
					W9-L	0.81	0.92	0.70	38.12	97.81	0.77	0.15	0.07	
					W9-U	0.81	0.92	1.15	38.00	97.81	0.77	1.00	0.81	
													2.56	
Third	R7	FloorPlan-DWG	Residential	Bedroom	W10-L	0.81	0.92	0.70	40.02	73.22	0.77	0.15	0.10	1.00
					W10-U	0.81	0.92	1.15	39.72	73.22	0.77	1.00	1.12	
													1.23	
Third	R8	FloorPlan-DWG	Residential	Bedroom	W11-L	0.81	0.92	0.70	42.09	65.63	0.77	0.15	0.12	1.00
					W11-U	0.81	0.92	1.15	41.71	65.63	0.77	1.00	1.32	
													1.44	
Third	R9	FloorPlan-DWG	Residential	LKD	W12-L	0.81	0.92	0.70	47.73	98.71	0.77	0.15	0.09	2.00
					W12-U	0.81	0.92	1.15	44.74	98.71	0.77	1.00	0.94	
					W13-L	0.81	0.92	0.70	48.40	98.71	0.77	0.15	0.09	
					W13-U	0.81	0.92	1.15	45.55	98.71	0.77	1.00	0.96	
					W14-L	0.81	0.92	0.70	58.39	98.71	0.77	0.15	0.11	
					W14-U	0.81	0.92	1.15	58.44	98.71	0.77	1.00	1.23	
													3.42	
Third	R10	FloorPlan-DWG	Residential	Bedroom	W15-L	0.81	0.92	0.70	58.45	48.76	0.77	0.15	0.23	
					W15-U	0.81	0.92	1.15	58.50	48.76	0.77	1.00	2.49	

Project Name: Hillingdon Gateway
Project No.: Release 05
Report Title: Average Daylight Analysis - Proposed Scheme (25th September 2019)
Date: 30/09/2019

Floor Ref.	Room Ref.	Room Attribute	Property Type	Room Use.	Window Ref.	Glass Transmittance	Maintenance Factor	Glazed Area	Clear Sky Angle Proposed	Room Surface Area	Average Surface Reflectance	Below Working Plane Factor	ADF Proposed	Req'd Value
Third	R11	FloorPlan-DWG	Residential	Bedroom	W16-L	0.81	0.92	0.70	60.33	48.76	0.77	0.15	2.71	1.00
					W16-U	0.81	0.92	1.15	60.29	48.76	0.77	1.00	0.23	
													2.56	1.00
Third	R12	FloorPlan-DWG	Residential	LKD	W17-L	0.81	0.92	0.70	61.95	98.71	0.77	0.15	0.12	
					W17-U	0.81	0.92	1.15	61.78	98.71	0.77	1.00	1.30	
					W18-L	0.81	0.92	0.70	61.33	98.71	0.77	0.15	0.12	
					W18-U	0.81	0.92	1.15	58.94	98.71	0.77	1.00	1.24	
					W19-L	0.81	0.92	0.70	61.39	98.71	0.77	0.15	0.12	
					W19-U	0.81	0.92	1.15	58.92	98.71	0.77	1.00	1.24	
Third	R13	FloorPlan-DWG	Residential	Bedroom	W20-L	0.81	0.92	0.70	56.12	65.62	0.77	0.15	4.13	2.00
					W20-U	0.81	0.92	1.15	56.40	65.62	0.77	1.00	0.16	
													1.78	1.00
Third	R14	FloorPlan-DWG	Residential	Bedroom	W21-L	0.81	0.92	0.70	54.07	73.21	0.77	0.15	0.14	
					W21-U	0.81	0.92	1.15	54.47	73.21	0.77	1.00	1.54	
													1.68	1.00
Third	R15	FloorPlan-DWG	Residential	LD	W22-L	0.81	0.92	0.70	51.52	97.85	0.77	0.15	0.10	
					W22-U	0.81	0.92	1.15	52.06	97.85	0.77	1.00	1.10	
					W23-L	0.81	0.92	0.70	50.36	97.85	0.77	0.15	0.10	
					W23-U	0.81	0.92	1.15	48.97	97.85	0.77	1.00	1.04	
					W24-L	0.81	0.92	0.70	51.42	97.85	0.77	0.15	0.10	
					W24-U	0.81	0.92	1.15	49.77	97.85	0.77	1.00	1.05	
Third	R16	FloorPlan-DWG	Residential	LD	W25-L	0.81	0.92	0.70	45.80	71.40	0.77	0.15	3.49	1.50
					W25-U	0.81	0.92	1.15	44.97	71.40	0.77	1.00	0.12	
					W26-L	0.81	0.92	0.70	46.83	71.40	0.77	0.15	1.31	
Third	R17	FloorPlan-DWG	Residential	Bedroom	W27-L	0.81	0.92	0.70	35.83	56.29	0.77	0.15	0.12	
					W27-U	0.81	0.92	1.15	36.69	56.29	0.77	1.00	1.35	
													1.47	1.00
Third	R18	FloorPlan-DWG	Residential	Bedroom	W28-L	0.81	0.92	0.70	47.72	59.45	0.77	0.15	0.15	

Project Name: Hillingdon Gateway
Project No.: Release 05
Report Title: Average Daylight Analysis - Proposed Scheme (25th September 2019)
Date: 30/09/2019

Floor Ref.	Room Ref.	Room Attribute	Property Type	Room Use.	Window Ref.	Glass Transmittance	Maintenance Factor	Glazed Area	Clear Sky Angle Proposed	Room Surface Area	Average Surface Reflectance	Below Working Plane Factor	ADF Proposed	Req'd Value
Third	R19	FloorPlan-DWG	Residential	Bedroom	W28-U	0.81	0.92	1.15	47.34	59.45	0.77	1.00	1.65	1.00
					W29-L	0.81	0.92	0.08	41.18	59.22	0.77	0.15	0.02	
					W29-U	0.81	0.92	1.15	40.70	59.22	0.77	1.00	1.42	
Third	R20	FloorPlan-DWG	Residential	LKD	W30-L	0.81	0.92	2.07	51.48	117.83	0.77	0.15	0.24	2.00
					W30-U	0.81	0.92	3.40	51.34	117.83	0.77	1.00	2.68	
					W31-L	0.81	0.92	0.08	81.38	117.83	0.77	0.15	0.02	
					W31-U	0.81	0.92	1.15	79.35	117.83	0.77	1.00	1.40	
													4.34	
Fourth	R1	FloorPlan-DWG	Residential	LKD	W1-L	0.81	0.92	2.07	41.31	117.83	0.77	0.15	0.20	2.00
					W1-U	0.81	0.92	3.40	33.45	117.83	0.77	1.00	1.75	
					W32-L	0.81	0.92	0.08	81.38	117.83	0.77	0.15	0.02	
					W32-U	0.81	0.92	1.15	79.35	117.83	0.77	1.00	1.40	
Fourth	R2	FloorPlan-DWG	Residential	Bedroom	W2-L	0.81	0.92	0.08	42.59	59.22	0.77	0.15	0.02	1.00
					W2-U	0.81	0.92	1.15	43.49	59.22	0.77	1.00	1.52	
Fourth	R3	FloorPlan-DWG	Residential	Bedroom	W3-L	0.81	0.92	0.70	44.27	59.54	0.77	0.15	0.14	1.00
					W3-U	0.81	0.92	1.15	43.86	59.54	0.77	1.00	1.53	
Fourth	R4	FloorPlan-DWG	Residential	Bedroom	W4-L	0.81	0.92	0.70	31.27	56.30	0.77	0.15	0.10	1.00
					W4-U	0.81	0.92	1.15	32.03	56.30	0.77	1.00	1.18	
Fourth	R5	FloorPlan-DWG	Residential	LD	W5-L	0.81	0.92	0.70	42.74	71.40	0.77	0.15	0.11	1.50
					W5-U	0.81	0.92	1.15	44.19	71.40	0.77	1.00	1.28	
					W6-L	0.81	0.92	0.70	42.06	71.40	0.77	0.15	0.11	
					W6-U	0.81	0.92	1.15	43.78	71.40	0.77	1.00	1.27	
Fourth	R6	FloorPlan-DWG	Residential	LD	W7-L	0.81	0.92	0.70	44.60	97.81	0.77	0.15	0.09	1.00
					W7-U	0.81	0.92	1.15	45.36	97.81	0.77	1.00	0.96	
					W8-L	0.81	0.92	0.70	44.20	97.81	0.77	0.15	0.09	
					W8-U	0.81	0.92	1.15	45.20	97.81	0.77	1.00	0.96	

Project Name: Hillingdon Gateway
Project No.: Release 05
Report Title: Average Daylight Analysis - Proposed Scheme (25th September 2019)
Date: 30/09/2019

Floor Ref.	Room Ref.	Room Attribute	Property Type	Room Use.	Window Ref.	Glass Transmittance	Maintenance Factor	Glazed Area	Clear Sky Angle Proposed	Room Surface Area	Average Surface Reflectance	Below Working Plane Factor	ADF Proposed	Req'd Value
					W9-L	0.81	0.92	0.70	42.02	97.81	0.77	0.15	0.08	
					W9-U	0.81	0.92	1.15	42.02	97.81	0.77	1.00	0.89	
													3.06	1.50
Fourth	R7	FloorPlan-DWG	Residential	Bedroom	W10-L	0.81	0.92	0.70	43.30	73.22	0.77	0.15	0.11	
					W10-U	0.81	0.92	1.15	43.09	73.22	0.77	1.00	1.22	
													1.33	1.00
Fourth	R8	FloorPlan-DWG	Residential	Bedroom	W11-L	0.81	0.92	0.70	45.06	65.63	0.77	0.15	0.13	
					W11-U	0.81	0.92	1.15	44.77	65.63	0.77	1.00	1.41	
													1.54	1.00
Fourth	R9	FloorPlan-DWG	Residential	LKD	W12-L	0.81	0.92	0.70	51.13	98.71	0.77	0.15	0.10	
					W12-U	0.81	0.92	1.15	51.14	98.71	0.77	1.00	1.07	
					W13-L	0.81	0.92	0.70	52.14	98.71	0.77	0.15	0.10	
					W13-U	0.81	0.92	1.15	52.24	98.71	0.77	1.00	1.10	
					W14-L	0.81	0.92	0.70	62.35	98.71	0.77	0.15	0.12	
					W14-U	0.81	0.92	1.15	62.18	98.71	0.77	1.00	1.31	
													3.79	2.00
Fourth	R10	FloorPlan-DWG	Residential	Bedroom	W15-L	0.81	0.92	0.70	62.39	48.76	0.77	0.15	0.24	
					W15-U	0.81	0.92	1.15	62.22	48.76	0.77	1.00	2.64	
													2.89	1.00
Fourth	R11	FloorPlan-DWG	Residential	Bedroom	W16-L	0.81	0.92	0.70	64.04	48.76	0.77	0.15	0.25	
					W16-U	0.81	0.92	1.15	63.75	48.76	0.77	1.00	2.71	
													2.96	1.00
Fourth	R12	FloorPlan-DWG	Residential	LKD	W17-L	0.81	0.92	0.70	65.25	98.71	0.77	0.15	0.12	
					W17-U	0.81	0.92	1.15	64.82	98.71	0.77	1.00	1.36	
					W18-L	0.81	0.92	0.70	66.26	98.71	0.77	0.15	0.13	
					W18-U	0.81	0.92	1.15	66.69	98.71	0.77	1.00	1.40	
					W19-L	0.81	0.92	0.70	66.13	98.71	0.77	0.15	0.13	
					W19-U	0.81	0.92	1.15	66.52	98.71	0.77	1.00	1.40	
													4.54	2.00
Fourth	R13	FloorPlan-DWG	Residential	Bedroom	W20-L	0.81	0.92	0.70	60.67	65.62	0.77	0.15	0.17	
					W20-U	0.81	0.92	1.15	60.91	65.62	0.77	1.00	1.92	
													2.10	1.00
Fourth	R14	FloorPlan-DWG	Residential	Bedroom	W21-L	0.81	0.92	0.70	58.95	73.21	0.77	0.15	0.15	

robinsons
Robinsons Surveyors Limited

[illegible]

Project Name: Hillingdon Gateway
Project No.: Release 05
Report Title: Average Daylight Analysis - Proposed Scheme (25th September 2019)
Date: 30/09/2019

Floor Ref.	Room Ref.	Room Attribute	Property Type	Room Use.	Window Ref.	Glass Transmittance	Maintenance Factor	Glazed Area	Clear Sky Angle Proposed	Room Surface Area	Average Surface Reflectance	Below Working Plane Factor	ADF Proposed	Req'd Value
Fifth	R2	FloorPlan-DWG	Residential	LD	W3-L	0.81	0.92	0.70	46.55	80.36	0.77	0.15	0.11	1.50
					W3-U	0.81	0.92	1.15	49.08	80.36	0.77	1.00	1.27	
					W4-L	0.81	0.92	0.70	47.23	80.36	0.77	0.15	0.11	
					W4-U	0.81	0.92	1.15	48.62	80.36	0.77	1.00	1.25	
													2.74	
Fifth	R3	FloorPlan-DWG	Residential	Bedroom	W5-L	0.81	0.92	0.70	47.06	67.08	0.77	0.15	0.13	1.00
					W5-U	0.81	0.92	1.15	47.68	67.08	0.77	1.00	1.47	
													1.61	
Fifth	R4	FloorPlan-DWG	Residential	Bedroom	W6-L	0.81	0.92	0.70	46.99	65.35	0.77	0.15	0.14	1.00
					W6-U	0.81	0.92	1.15	47.43	65.35	0.77	1.00	1.50	
					W7-L	0.81	0.92	0.70	47.28	65.35	0.77	0.15	0.14	
					W7-U	0.81	0.92	1.15	47.59	65.35	0.77	1.00	1.51	
													3.29	
Fifth	R5	FloorPlan-DWG	Residential	LKD	W8-L	0.81	0.92	0.70	47.66	126.03	0.77	0.15	0.07	2.00
					W8-U	0.81	0.92	1.15	47.88	126.03	0.77	1.00	0.79	
					W9-L	0.81	0.92	0.70	48.26	126.03	0.77	0.15	0.07	
					W9-U	0.81	0.92	1.15	48.40	126.03	0.77	1.00	0.80	
					W10-L	0.81	0.92	0.70	68.35	126.03	0.77	0.15	0.10	
					W10-U	0.81	0.92	1.15	67.89	126.03	0.77	1.00	1.12	
					W11-L	0.81	0.92	0.70	68.52	126.03	0.77	0.15	0.10	
					W11-U	0.81	0.92	1.15	68.05	126.03	0.77	1.00	1.12	
					W12-L	0.81	0.92	0.70	68.75	126.03	0.77	0.15	0.10	
					W12-U	0.81	0.92	1.15	68.28	126.03	0.77	1.00	1.12	
					W13-L	0.81	0.92	0.70	69.05	126.03	0.77	0.15	0.10	
					W13-U	0.81	0.92	1.15	68.55	126.03	0.77	1.00	1.13	
Fifth	R6	FloorPlan-DWG	Residential	LKD									6.62	2.00
					W14-L	0.81	0.92	0.70	69.40	126.03	0.77	0.15	0.10	
					W14-U	0.81	0.92	1.15	68.85	126.03	0.77	1.00	1.13	
					W15-L	0.81	0.92	0.70	69.75	126.03	0.77	0.15	0.10	
					W15-U	0.81	0.92	1.15	69.17	126.03	0.77	1.00	1.14	
					W16-L	0.81	0.92	0.70	70.14	126.03	0.77	0.15	0.11	
					W16-U	0.81	0.92	1.15	69.51	126.03	0.77	1.00	1.14	
					W17-L	0.81	0.92	0.70	70.40	126.03	0.77	0.15	0.11	

Project Name: Hillingdon Gateway
Project No.: Release 05
Report Title: Average Daylight Analysis - Proposed Scheme (25th September 2019)
Date: 30/09/2019

Floor Ref.	Room Ref.	Room Attribute	Property Type	Room Use.	Window Ref.	Glass Transmittance	Maintenance Factor	Glazed Area	Clear Sky Angle Proposed	Room Surface Area	Average Surface Reflectance	Below Working Plane Factor	ADF Proposed	Req'd Value
					W17-U	0.81	0.92	1.15	69.75	126.03	0.77	1.00	1.15	
					W18-L	0.81	0.92	0.70	64.52	126.03	0.77	0.15	0.10	
					W18-U	0.81	0.92	1.15	64.61	126.03	0.77	1.00	1.06	
					W19-L	0.81	0.92	0.70	63.64	126.03	0.77	0.15	0.10	
					W19-U	0.81	0.92	1.15	63.86	126.03	0.77	1.00	1.05	
													7.28	2.00
Fifth	R7	FloorPlan-DWG	Residential	Bedroom	W20-L	0.81	0.92	0.70	63.05	65.35	0.77	0.15	0.18	
					W20-U	0.81	0.92	1.15	63.57	65.35	0.77	1.00	2.02	
					W21-L	0.81	0.92	0.70	62.31	65.35	0.77	0.15	0.18	
					W21-U	0.81	0.92	1.15	63.01	65.35	0.77	1.00	2.00	
													4.38	1.00
Fifth	R8	FloorPlan-DWG	Residential	Bedroom	W22-L	0.81	0.92	0.70	61.51	67.08	0.77	0.15	0.17	
					W22-U	0.81	0.92	1.15	62.31	67.08	0.77	1.00	1.93	
													2.10	1.00
Fifth	R9	FloorPlan-DWG	Residential	LD	W23-L	0.81	0.92	0.70	60.31	80.35	0.77	0.15	0.14	
					W23-U	0.81	0.92	1.15	62.09	80.35	0.77	1.00	1.60	
					W24-L	0.81	0.92	0.70	58.84	80.35	0.77	0.15	0.14	
					W24-U	0.81	0.92	1.15	61.76	80.35	0.77	1.00	1.59	
													3.47	1.50
Fifth	R10	FloorPlan-DWG	Residential	Bedroom	W25-L	0.81	0.92	0.70	55.69	57.46	0.77	0.15	0.18	
					W25-U	0.81	0.92	1.15	60.85	57.46	0.77	1.00	2.19	
					W26-L	0.81	0.92	0.70	53.40	57.46	0.77	0.15	0.18	
					W26-U	0.81	0.92	1.15	60.96	57.46	0.77	1.00	2.20	
													4.75	1.00
Sixth	R1	FloorPlan-DWG	Residential	Bedroom	W1-L	0.81	0.92	0.70	56.04	57.46	0.77	0.15	0.18	
					W1-U	0.81	0.92	1.15	55.78	57.46	0.77	1.00	2.01	
					W2-L	0.81	0.92	0.70	54.78	57.46	0.77	0.15	0.18	
					W2-U	0.81	0.92	1.15	54.59	57.46	0.77	1.00	1.97	
													4.35	1.00
Sixth	R2	FloorPlan-DWG	Residential	LD	W3-L	0.81	0.92	0.70	53.72	80.36	0.77	0.15	0.13	
					W3-U	0.81	0.92	1.15	53.60	80.36	0.77	1.00	1.38	
					W4-L	0.81	0.92	0.70	52.87	80.36	0.77	0.15	0.12	
					W4-U	0.81	0.92	1.15	52.81	80.36	0.77	1.00	1.36	

robinsons
Robinsons Surveyors Limited

Floor Ref.	Room Ref.	Room Attribute	Property Type	Room Use.	Window Ref.	Glass Transmittance	Maintenance Factor	Glazed Area	Clear Sky Angle Proposed	Room Surface Area	Average Surface Reflectance	Below Working Plane Factor	ADF Proposed	Req'd Value
													3.00	1.50
Sixth	R3	FloorPlan-DWG	Residential	Bedroom	W5-L	0.81	0.92	0.70	51.75	67.08	0.77	0.15	0.15	1.00
					W5-U	0.81	0.92	1.15	51.78	67.08	0.77	1.00	1.60	
												1.75		
Sixth	R4	FloorPlan-DWG	Residential	Bedroom	W6-L	0.81	0.92	0.70	51.50	65.35	0.77	0.15	0.15	1.00
					W6-U	0.81	0.92	1.15	51.56	65.35	0.77	1.00	1.64	
					W7-L	0.81	0.92	0.70	51.62	65.35	0.77	0.15	0.15	
					W7-U	0.81	0.92	1.15	51.70	65.35	0.77	1.00	1.64	
													3.57	
Sixth	R5	FloorPlan-DWG	Residential	LKD	W8-L	0.81	0.92	0.70	51.87	126.03	0.77	0.15	0.08	2.00
					W8-U	0.81	0.92	1.15	51.95	126.03	0.77	1.00	0.85	
					W9-L	0.81	0.92	0.70	52.34	126.03	0.77	0.15	0.08	
					W9-U	0.81	0.92	1.15	52.42	126.03	0.77	1.00	0.86	
					W10-L	0.81	0.92	0.70	71.18	126.03	0.77	0.15	0.11	
					W10-U	0.81	0.92	1.15	70.62	126.03	0.77	1.00	1.16	
					W11-L	0.81	0.92	0.70	71.34	126.03	0.77	0.15	0.11	
					W11-U	0.81	0.92	1.15	70.76	126.03	0.77	1.00	1.16	
					W12-L	0.81	0.92	0.70	71.52	126.03	0.77	0.15	0.11	
					W12-U	0.81	0.92	1.15	70.92	126.03	0.77	1.00	1.17	
					W13-L	0.81	0.92	0.70	71.75	126.03	0.77	0.15	0.11	
					W13-U	0.81	0.92	1.15	71.12	126.03	0.77	1.00	1.17	
													6.96	
Sixth	R6	FloorPlan-DWG	Residential	LKD	W14-L	0.81	0.92	0.70	72.01	126.03	0.77	0.15	0.11	2.00
					W14-U	0.81	0.92	1.15	71.32	126.03	0.77	1.00	1.17	
					W15-L	0.81	0.92	0.70	72.26	126.03	0.77	0.15	0.11	
					W15-U	0.81	0.92	1.15	71.53	126.03	0.77	1.00	1.18	
					W16-L	0.81	0.92	0.70	72.52	126.03	0.77	0.15	0.11	
					W16-U	0.81	0.92	1.15	71.73	126.03	0.77	1.00	1.18	
					W17-L	0.81	0.92	0.70	72.70	126.03	0.77	0.15	0.11	
					W17-U	0.81	0.92	1.15	71.88	126.03	0.77	1.00	1.18	
					W18-L	0.81	0.92	0.70	68.63	126.03	0.77	0.15	0.10	
					W18-U	0.81	0.92	1.15	68.52	126.03	0.77	1.00	1.13	
					W19-L	0.81	0.92	0.70	68.03	126.03	0.77	0.15	0.10	

Project Name: Hillingdon Gateway
Project No.: Release 05
Report Title: Average Daylight Analysis - Proposed Scheme (25th September 2019)
Date: 30/09/2019

robinsons
Robinsons Surveyors Limited

[illegible]

Project Name: Hillingdon Gateway
Project No.: Release 05
Report Title: Average Daylight Analysis - Proposed Scheme (25th September 2019)
Date: 30/09/2019

Floor Ref.	Room Ref.	Room Attribute	Property Type	Room Use.	Window Ref.	Glass Transmittance	Maintenance Factor	Glazed Area	Clear Sky Angle Proposed	Room Surface Area	Average Surface Reflectance	Below Working Plane Factor	ADF Proposed	Req'd Value
Seventh	R4	FloorPlan-DWG	Residential	Bedroom	W6-L	0.81	0.92	0.70	55.26	65.35	0.77	0.15	0.16	
					W6-U	0.81	0.92	1.15	51.67	65.35	0.77	1.00	1.64	
					W7-L	0.81	0.92	0.70	55.40	65.35	0.77	0.15	0.16	
					W7-U	0.81	0.92	1.15	51.83	65.35	0.77	1.00	1.64	
													3.60	1.00
Seventh	R5	FloorPlan-DWG	Residential	LKD	W8-L	0.81	0.92	0.70	55.66	126.03	0.77	0.15	0.08	
					W8-U	0.81	0.92	1.15	52.10	126.03	0.77	1.00	0.86	
					W9-L	0.81	0.92	0.70	56.11	126.03	0.77	0.15	0.08	
					W9-U	0.81	0.92	1.15	52.54	126.03	0.77	1.00	0.86	
					W10-L	0.81	0.92	0.70	73.27	126.03	0.77	0.15	0.11	
					W10-U	0.81	0.92	1.15	68.33	126.03	0.77	1.00	1.12	
					W11-L	0.81	0.92	0.70	73.40	126.03	0.77	0.15	0.11	
					W11-U	0.81	0.92	1.15	68.43	126.03	0.77	1.00	1.13	
					W12-L	0.81	0.92	0.70	73.52	126.03	0.77	0.15	0.11	
					W12-U	0.81	0.92	1.15	68.53	126.03	0.77	1.00	1.13	
					W13-L	0.81	0.92	0.70	73.64	126.03	0.77	0.15	0.11	
					W13-U	0.81	0.92	1.15	68.61	126.03	0.77	1.00	1.13	
													6.83	2.00
Seventh	R6	FloorPlan-DWG	Residential	LKD	W14-L	0.81	0.92	0.70	73.77	126.03	0.77	0.15	0.11	
					W14-U	0.81	0.92	1.15	68.70	126.03	0.77	1.00	1.13	
					W15-L	0.81	0.92	0.70	73.90	126.03	0.77	0.15	0.11	
					W15-U	0.81	0.92	1.15	68.80	126.03	0.77	1.00	1.13	
					W16-L	0.81	0.92	0.70	74.04	126.03	0.77	0.15	0.11	
					W16-U	0.81	0.92	1.15	68.89	126.03	0.77	1.00	1.13	
					W17-L	0.81	0.92	0.70	74.15	126.03	0.77	0.15	0.11	
					W17-U	0.81	0.92	1.15	68.97	126.03	0.77	1.00	1.13	
					W18-L	0.81	0.92	0.70	71.99	126.03	0.77	0.15	0.11	
					W18-U	0.81	0.92	1.15	67.60	126.03	0.77	1.00	1.11	
					W19-L	0.81	0.92	0.70	71.66	126.03	0.77	0.15	0.11	
					W19-U	0.81	0.92	1.15	67.38	126.03	0.77	1.00	1.11	
													7.41	2.00
Seventh	R7	FloorPlan-DWG	Residential	Bedroom	W20-L	0.81	0.92	0.70	71.52	65.35	0.77	0.15	0.21	
					W20-U	0.81	0.92	1.15	67.26	65.35	0.77	1.00	2.13	

Project Name: Hillingdon Gateway
Project No.: Release 05
Report Title: Average Daylight Analysis - Proposed Scheme (25th September 2019)
Date: 30/09/2019

Floor Ref.	Room Ref.	Room Attribute	Property Type	Room Use.	Window Ref.	Glass Transmittance	Maintenance Factor	Glazed Area	Clear Sky Angle Proposed	Room Surface Area	Average Surface Reflectance	Below Working Plane Factor	ADF Proposed	Req'd Value
					W21-L	0.81	0.92	0.70	71.29	65.35	0.77	0.15	0.21	
					W21-U	0.81	0.92	1.15	67.09	65.35	0.77	1.00	2.13	
													4.67	1.00
Seventh	R8	FloorPlan-DWG	Residential	Bedroom	W22-L	0.81	0.92	0.70	71.01	67.08	0.77	0.15	0.20	
					W22-U	0.81	0.92	1.15	66.93	67.08	0.77	1.00	2.07	
													2.27	1.00
Seventh	R9	FloorPlan-DWG	Residential	LD	W23-L	0.81	0.92	0.70	71.01	80.35	0.77	0.15	0.17	
					W23-U	0.81	0.92	1.15	66.90	80.35	0.77	1.00	1.73	
					W24-L	0.81	0.92	0.70	71.07	80.35	0.77	0.15	0.17	
					W24-U	0.81	0.92	1.15	66.94	80.35	0.77	1.00	1.73	
													3.79	1.50
Seventh	R10	FloorPlan-DWG	Residential	Bedroom	W25-L	0.81	0.92	0.70	71.19	57.46	0.77	0.15	0.23	
					W25-U	0.81	0.92	1.15	67.01	57.46	0.77	1.00	2.42	
					W26-L	0.81	0.92	0.70	71.40	57.46	0.77	0.15	0.23	
					W26-U	0.81	0.92	1.15	67.14	57.46	0.77	1.00	2.42	
													5.31	1.00
Building 7														
Ground	R1	FloorPlan-DWG	Residential	Bedroom	W1-L	0.81	0.92	0.70	60.06	73.66	0.77	0.15	0.15	
					W1-U	0.81	0.92	1.15	58.99	73.66	0.77	1.00	1.66	
					W2-L	0.81	0.92	0.70	59.87	73.66	0.77	0.15	0.15	
					W2-U	0.81	0.92	1.15	58.81	73.66	0.77	1.00	1.65	
													3.62	1.00
Ground	R2	FloorPlan-DWG	Residential	Bedroom	W3-L	0.81	0.92	0.70	60.47	68.19	0.77	0.15	0.17	
					W3-U	0.81	0.92	1.15	59.41	68.19	0.77	1.00	1.81	
					W4-L	0.81	0.92	0.70	60.25	68.19	0.77	0.15	0.17	
					W4-U	0.81	0.92	1.15	59.19	68.19	0.77	1.00	1.80	
													3.94	1.00
Ground	R3	FloorPlan-DWG	Residential	Bedroom	W5-L	0.81	0.92	0.70	60.60	68.19	0.77	0.15	0.17	
					W5-U	0.81	0.92	1.15	59.55	68.19	0.77	1.00	1.81	
					W6-L	0.81	0.92	0.70	60.35	68.19	0.77	0.15	0.17	
					W6-U	0.81	0.92	1.15	59.30	68.19	0.77	1.00	1.80	

Project Name: Hillingdon Gateway
Project No.: Release 05
Report Title: Average Daylight Analysis - Proposed Scheme (25th September 2019)
Date: 30/09/2019

Floor Ref.	Room Ref.	Room Attribute	Property Type	Room Use.	Window Ref.	Glass Transmittance	Maintenance Factor	Glazed Area	Clear Sky Angle Proposed	Room Surface Area	Average Surface Reflectance	Below Working Plane Factor	ADF Proposed	Req'd Value
Ground	R4	FloorPlan-DWG	Residential	LD	W7-L	0.81	0.92	0.70	59.15	98.99	0.77	0.15	0.11	1.00
					W7-U	0.81	0.92	1.15	58.99	98.99	0.77	1.00	1.24	
					W8-L	0.81	0.92	0.70	58.57	98.99	0.77	0.15	0.11	
					W8-U	0.81	0.92	1.15	58.40	98.99	0.77	1.00	1.22	
													2.68	
First	R1	FloorPlan-DWG	Residential	LKD	W1-L	0.81	0.92	2.07	47.70	114.04	0.77	0.15	0.23	2.00
					W1-U	0.81	0.92	3.40	47.67	114.04	0.77	1.00	2.57	
					W31-L	0.81	0.92	0.08	80.78	114.04	0.77	0.15	0.02	
					W31-U	0.81	0.92	1.15	78.91	114.04	0.77	1.00	1.43	
First	R2	FloorPlan-DWG	Residential	Bedroom	W2-L	0.81	0.92	0.08	38.34	62.45	0.77	0.15	0.01	1.00
					W2-U	0.81	0.92	1.15	37.98	62.45	0.77	1.00	1.26	
First	R3	FloorPlan-DWG	Residential	Bedroom	W3-L	0.81	0.92	0.70	28.62	56.29	0.77	0.15	0.10	1.00
					W3-U	0.81	0.92	1.15	28.32	56.29	0.77	1.00	1.04	
First	R4	FloorPlan-DWG	Residential	LD	W4-L	0.81	0.92	0.70	36.28	71.40	0.77	0.15	0.10	1.50
					W4-U	0.81	0.92	1.15	33.42	71.40	0.77	1.00	0.97	
					W5-L	0.81	0.92	0.70	34.64	71.40	0.77	0.15	0.09	
					W5-U	0.81	0.92	1.15	32.77	71.40	0.77	1.00	0.95	
													2.11	
First	R5	FloorPlan-DWG	Residential	LD	W6-L	0.81	0.92	0.70	40.40	97.85	0.77	0.15	0.08	1.50
					W6-U	0.81	0.92	1.15	37.57	97.85	0.77	1.00	0.80	
					W7-L	0.81	0.92	0.70	38.85	97.85	0.77	0.15	0.07	
					W7-U	0.81	0.92	1.15	36.74	97.85	0.77	1.00	0.78	
					W8-L	0.81	0.92	0.70	41.40	97.85	0.77	0.15	0.08	
					W8-U	0.81	0.92	1.15	41.45	97.85	0.77	1.00	0.88	
First	R6	FloorPlan-DWG	Residential	Bedroom	W9-L	0.81	0.92	0.70	43.78	73.22	0.77	0.15	0.11	1.00
					W9-U	0.81	0.92	1.15	43.85	73.22	0.77	1.00	1.24	
First	R7	FloorPlan-DWG	Residential	Bedroom	W10-L	0.81	0.92	0.70	45.59	65.63	0.77	0.15	0.13	1.00
													1.35	

robinsons
Robinsons Surveyors Limited

Floor Ref.	Room Ref.	Room Attribute	Property Type	Room Use.	Window Ref.	Glass Transmittance	Maintenance Factor	Glazed Area	Clear Sky Angle Proposed	Room Surface Area	Average Surface Reflectance	Below Working Plane Factor	ADF Proposed	Req'd Value
					W10-U	0.81	0.92	1.15	45.62	65.63	0.77	1.00	1.44	1.00
													1.57	
First	R8	FloorPlan-DWG	Residential	LKD	W11-L	0.81	0.92	0.70	51.33	98.71	0.77	0.15	0.10	2.00
					W11-U	0.81	0.92	1.15	50.90	98.71	0.77	1.00	1.07	
					W12-L	0.81	0.92	0.70	50.86	98.71	0.77	0.15	0.10	
					W12-U	0.81	0.92	1.15	50.97	98.71	0.77	1.00	1.07	
					W13-L	0.81	0.92	0.70	59.20	98.71	0.77	0.15	0.11	
					W13-U	0.81	0.92	1.15	58.85	98.71	0.77	1.00	1.24	
													3.68	
First	R9	FloorPlan-DWG	Residential	Bedroom	W14-L	0.81	0.92	0.70	58.25	48.76	0.77	0.15	0.23	1.00
					W14-U	0.81	0.92	1.15	57.95	48.76	0.77	1.00	2.46	
													2.69	
First	R10	FloorPlan-DWG	Residential	Bedroom	W15-L	0.81	0.92	0.70	58.31	48.76	0.77	0.15	0.23	1.00
					W15-U	0.81	0.92	1.15	58.04	48.76	0.77	1.00	2.47	
													2.69	
First	R11	FloorPlan-DWG	Residential	LKD	W16-L	0.81	0.92	0.70	56.42	98.71	0.77	0.15	0.11	2.00
					W16-U	0.81	0.92	1.15	56.22	98.71	0.77	1.00	1.18	
					W17-L	0.81	0.92	0.70	53.10	98.71	0.77	0.15	0.10	
					W17-U	0.81	0.92	1.15	50.75	98.71	0.77	1.00	1.07	
					W18-L	0.81	0.92	0.70	52.21	98.71	0.77	0.15	0.10	
					W18-U	0.81	0.92	1.15	50.03	98.71	0.77	1.00	1.05	
													3.61	
First	R12	FloorPlan-DWG	Residential	Bedroom	W19-L	0.81	0.92	0.70	48.15	65.62	0.77	0.15	0.14	1.00
					W19-U	0.81	0.92	1.15	48.24	65.62	0.77	1.00	1.52	
													1.66	
First	R13	FloorPlan-DWG	Residential	Bedroom	W20-L	0.81	0.92	0.70	45.42	73.21	0.77	0.15	0.12	1.00
					W20-U	0.81	0.92	1.15	45.51	73.21	0.77	1.00	1.29	
													1.41	
First	R14	FloorPlan-DWG	Residential	LD	W21-L	0.81	0.92	0.70	42.60	97.85	0.77	0.15	0.08	1.00
					W21-U	0.81	0.92	1.15	42.67	97.85	0.77	1.00	0.90	
					W22-L	0.81	0.92	0.70	39.48	97.85	0.77	0.15	0.08	
					W22-U	0.81	0.92	1.15	37.42	97.85	0.77	1.00	0.79	
					W23-L	0.81	0.92	0.70	41.14	97.85	0.77	0.15	0.08	

Project Name: Hillingdon Gateway
Project No.: Release 05
Report Title: Average Daylight Analysis - Proposed Scheme (25th September 2019)
Date: 30/09/2019

Floor Ref.	Room Ref.	Room Attribute	Property Type	Room Use.	Window Ref.	Glass Transmittance	Maintenance Factor	Glazed Area	Clear Sky Angle Proposed	Room Surface Area	Average Surface Reflectance	Below Working Plane Factor	ADF Proposed	Req'd Value
					W23-U	0.81	0.92	1.15	38.37	97.85	0.77	1.00	0.81	
													2.75	1.50
First	R15	FloorPlan-DWG	Residential	LD	W24-L	0.81	0.92	0.70	35.10	71.40	0.77	0.15	0.09	
					W24-U	0.81	0.92	1.15	33.26	71.40	0.77	1.00	0.97	
					W25-L	0.81	0.92	0.70	36.97	71.40	0.77	0.15	0.10	
					W25-U	0.81	0.92	1.15	34.15	71.40	0.77	1.00	0.99	
													2.15	1.50
First	R16	FloorPlan-DWG	Residential	Bedroom	W26-L	0.81	0.92	0.70	29.16	56.30	0.77	0.15	0.10	
					W26-U	0.81	0.92	1.15	28.87	56.30	0.77	1.00	1.06	
													1.16	1.00
First	R17	FloorPlan-DWG	Residential	Bedroom	W27-L	0.81	0.92	0.70	41.82	59.54	0.77	0.15	0.13	
					W27-U	0.81	0.92	1.15	41.70	59.54	0.77	1.00	1.45	
													1.58	1.00
First	R18	FloorPlan-DWG	Residential	Bedroom	W28-L	0.81	0.92	0.08	38.51	59.22	0.77	0.15	0.01	
					W28-U	0.81	0.92	1.15	38.27	59.22	0.77	1.00	1.34	
													1.35	1.00
First	R19	FloorPlan-DWG	Residential	LKD	W29-L	0.81	0.92	2.07	46.21	117.83	0.77	0.15	0.22	
					W29-U	0.81	0.92	3.40	46.31	117.83	0.77	1.00	2.42	
					W30-L	0.81	0.92	0.08	81.11	117.83	0.77	0.15	0.02	
					W30-U	0.81	0.92	1.15	79.16	117.83	0.77	1.00	1.39	
													4.04	2.00
Second	R1	FloorPlan-DWG	Residential	LKD	W1-L	0.81	0.92	2.07	49.83	117.83	0.77	0.15	0.24	
					W1-U	0.81	0.92	3.40	50.15	117.83	0.77	1.00	2.62	
					W32-L	0.81	0.92	0.08	81.27	117.83	0.77	0.15	0.02	
					W32-U	0.81	0.92	1.15	79.30	117.83	0.77	1.00	1.39	
													4.26	2.00
Second	R2	FloorPlan-DWG	Residential	Bedroom	W2-L	0.81	0.92	0.08	39.51	59.22	0.77	0.15	0.01	
					W2-U	0.81	0.92	1.15	39.13	59.22	0.77	1.00	1.37	
													1.38	1.00
Second	R3	FloorPlan-DWG	Residential	Bedroom	W3-L	0.81	0.92	0.70	44.98	59.54	0.77	0.15	0.14	
					W3-U	0.81	0.92	1.15	44.69	59.54	0.77	1.00	1.56	
													1.70	1.00
Second	R4	FloorPlan-DWG	Residential	Bedroom	W4-L	0.81	0.92	0.70	31.20	56.29	0.77	0.15	0.10	

Project Name: Hillingdon Gateway
Project No.: Release 05
Report Title: Average Daylight Analysis - Proposed Scheme (25th September 2019)
Date: 30/09/2019

robinsons
Robinsons Surveyors Limited

[illegible]

Project Name: Hillingdon Gateway
Project No.: Release 05
Report Title: Average Daylight Analysis - Proposed Scheme (25th September 2019)
Date: 30/09/2019

Floor Ref.	Room Ref.	Room Attribute	Property Type	Room Use.	Window Ref.	Glass Transmittance	Maintenance Factor	Glazed Area	Clear Sky Angle Proposed	Room Surface Area	Average Surface Reflectance	Below Working Plane Factor	ADF Proposed	Req'd Value
Second	R12	FloorPlan-DWG	Residential	LKD	W17-L	0.81	0.92	0.70	59.45	98.72	0.77	0.15	0.11	2.00
					W17-U	0.81	0.92	1.15	55.58	98.72	0.77	1.00	1.17	
					W18-L	0.81	0.92	0.70	57.55	98.72	0.77	0.15	0.11	
					W18-U	0.81	0.92	1.15	55.19	98.72	0.77	1.00	1.16	
					W19-L	0.81	0.92	0.70	56.79	98.72	0.77	0.15	0.11	
					W19-U	0.81	0.92	1.15	54.42	98.72	0.77	1.00	1.14	
					3.80									
Second	R13	FloorPlan-DWG	Residential	Bedroom	W20-L	0.81	0.92	0.70	51.95	65.62	0.77	0.15	0.15	1.00
					W20-U	0.81	0.92	1.15	48.34	65.62	0.77	1.00	1.53	
					1.68									
Second	R14	FloorPlan-DWG	Residential	Bedroom	W21-L	0.81	0.92	0.70	49.40	73.21	0.77	0.15	0.13	1.00
					W21-U	0.81	0.92	1.15	45.82	73.21	0.77	1.00	1.30	
					1.42									
Second	R15	FloorPlan-DWG	Residential	LD	W22-L	0.81	0.92	0.70	46.60	97.85	0.77	0.15	0.09	1.50
					W22-U	0.81	0.92	1.15	43.00	97.85	0.77	1.00	0.91	
					W23-L	0.81	0.92	0.70	44.51	97.85	0.77	0.15	0.09	
					W23-U	0.81	0.92	1.15	42.77	97.85	0.77	1.00	0.91	
					W24-L	0.81	0.92	0.70	45.82	97.85	0.77	0.15	0.09	
					W24-U	0.81	0.92	1.15	43.62	97.85	0.77	1.00	0.92	
					3.01									
Second	R16	FloorPlan-DWG	Residential	LD	W25-L	0.81	0.92	0.70	39.76	71.40	0.77	0.15	0.11	1.50
					W25-U	0.81	0.92	1.15	38.32	71.40	0.77	1.00	1.11	
					W26-L	0.81	0.92	0.70	41.19	71.40	0.77	0.15	0.11	
					W26-U	0.81	0.92	1.15	38.89	71.40	0.77	1.00	1.13	
2.46														
Second	R17	FloorPlan-DWG	Residential	Bedroom	W27-L	0.81	0.92	0.70	31.71	56.29	0.77	0.15	0.11	1.00
					W27-U	0.81	0.92	1.15	28.61	56.29	0.77	1.00	1.05	
					1.16									
Second	R18	FloorPlan-DWG	Residential	Bedroom	W28-L	0.81	0.92	0.70	44.01	59.54	0.77	0.15	0.14	1.00
					W28-U	0.81	0.92	1.15	43.87	59.54	0.77	1.00	1.53	
					1.67									
Second	R19	FloorPlan-DWG	Residential	Bedroom	W29-L	0.81	0.92	0.08	37.69	59.22	0.77	0.15	0.01	
					W29-U	0.81	0.92	1.15	37.41	59.22	0.77	1.00	1.31	

Project Name: Hillingdon Gateway
Project No.: Release 05
Report Title: Average Daylight Analysis - Proposed Scheme (25th September 2019)
Date: 30/09/2019

Floor Ref.	Room Ref.	Room Attribute	Property Type	Room Use.	Window Ref.	Glass Transmittance	Maintenance Factor	Glazed Area	Clear Sky Angle Proposed	Room Surface Area	Average Surface Reflectance	Below Working Plane Factor	ADF Proposed	Req'd Value
Second	R20	FloorPlan-DWG	Residential	LKD	W30-L	0.81	0.92	2.07	48.75	117.83	0.77	0.15	1.32	1.00
					W30-U	0.81	0.92	3.40	49.23	117.83	0.77	1.00	0.23	2.00
					W31-L	0.81	0.92	0.08	81.33	117.83	0.77	0.15	2.57	
					W31-U	0.81	0.92	1.15	79.33	117.83	0.77	1.00	0.02	
													1.40	
Third	R1	FloorPlan-DWG	Residential	LKD	W1-L	0.81	0.92	2.07	51.40	117.83	0.77	0.15	4.21	2.00
					W1-U	0.81	0.92	3.40	51.30	117.83	0.77	1.00	0.24	2.00
					W32-L	0.81	0.92	0.08	81.38	117.83	0.77	0.15	2.68	
					W32-U	0.81	0.92	1.15	79.35	117.83	0.77	1.00	0.02	
													1.40	
Third	R2	FloorPlan-DWG	Residential	Bedroom	W2-L	0.81	0.92	0.08	40.99	59.22	0.77	0.15	4.33	2.00
					W2-U	0.81	0.92	1.15	40.54	59.22	0.77	1.00	0.02	1.00
Third	R3	FloorPlan-DWG	Residential	Bedroom	W3-L	0.81	0.92	0.70	46.96	59.54	0.77	0.15	1.42	
					W3-U	0.81	0.92	1.15	46.56	59.54	0.77	1.00	1.62	1.00
Third	R4	FloorPlan-DWG	Residential	Bedroom	W4-L	0.81	0.92	0.70	35.72	56.29	0.77	0.15	1.77	
					W4-U	0.81	0.92	1.15	36.49	56.29	0.77	1.00	1.34	1.00
Third	R5	FloorPlan-DWG	Residential	LD	W5-L	0.81	0.92	0.70	46.27	71.40	0.77	0.15	1.46	1.00
					W5-U	0.81	0.92	1.15	44.79	71.40	0.77	1.00	0.12	1.50
					W6-L	0.81	0.92	0.70	45.54	71.40	0.77	0.15	1.30	
					W6-U	0.81	0.92	1.15	44.53	71.40	0.77	1.00	0.12	
													1.29	
Third	R6	FloorPlan-DWG	Residential	LD	W7-L	0.81	0.92	0.70	50.72	97.85	0.77	0.15	2.84	1.50
					W7-U	0.81	0.92	1.15	48.91	97.85	0.77	1.00	0.10	1.50
					W8-L	0.81	0.92	0.70	49.95	97.85	0.77	0.15	1.04	
					W8-U	0.81	0.92	1.15	48.40	97.85	0.77	1.00	0.10	
					W9-L	0.81	0.92	0.70	48.18	97.85	0.77	0.15	1.03	
					W9-U	0.81	0.92	1.15	47.29	97.85	0.77	1.00	0.09	
													1.00	
Third	R7	FloorPlan-DWG	Residential	Bedroom	W10-L	0.81	0.92	0.70	52.59	73.21	0.77	0.15	3.35	1.50

Project Name: Hillingdon Gateway
Project No.: Release 05
Report Title: Average Daylight Analysis - Proposed Scheme (25th September 2019)
Date: 30/09/2019

Floor Ref.	Room Ref.	Room Attribute	Property Type	Room Use.	Window Ref.	Glass Transmittance	Maintenance Factor	Glazed Area	Clear Sky Angle Proposed	Room Surface Area	Average Surface Reflectance	Below Working Plane Factor	ADF Proposed	Req'd Value
Third	R8	FloorPlan-DWG	Residential	Bedroom	W10-U	0.81	0.92	1.15	52.89	73.21	0.77	1.00	1.50	1.00
					W11-L	0.81	0.92	0.70	53.70	65.63	0.77	0.15	0.15	
					W11-U	0.81	0.92	1.15	53.91	65.63	0.77	1.00	1.70	
Third	R9	FloorPlan-DWG	Residential	LKD	W12-L	0.81	0.92	0.70	58.23	98.71	0.77	0.15	0.11	2.00
					W12-U	0.81	0.92	1.15	55.74	98.71	0.77	1.00	1.17	
					W13-L	0.81	0.92	0.70	58.43	98.71	0.77	0.15	0.11	
					W13-U	0.81	0.92	1.15	56.00	98.71	0.77	1.00	1.18	
					W14-L	0.81	0.92	0.70	65.30	98.71	0.77	0.15	0.12	
					W14-U	0.81	0.92	1.15	64.99	98.71	0.77	1.00	1.36	
													4.06	
Third	R10	FloorPlan-DWG	Residential	Bedroom	W15-L	0.81	0.92	0.70	64.68	48.76	0.77	0.15	0.25	1.00
					W15-U	0.81	0.92	1.15	64.48	48.76	0.77	1.00	2.74	
													2.99	
Third	R11	FloorPlan-DWG	Residential	Bedroom	W16-L	0.81	0.92	0.70	64.98	48.76	0.77	0.15	0.25	1.00
					W16-U	0.81	0.92	1.15	64.83	48.76	0.77	1.00	2.76	
													3.01	
Third	R12	FloorPlan-DWG	Residential	LKD	W17-L	0.81	0.92	0.70	63.62	98.72	0.77	0.15	0.12	2.00
					W17-U	0.81	0.92	1.15	63.62	98.72	0.77	1.00	1.34	
					W18-L	0.81	0.92	0.70	62.26	98.72	0.77	0.15	0.12	
					W18-U	0.81	0.92	1.15	59.95	98.72	0.77	1.00	1.26	
					W19-L	0.81	0.92	0.70	61.48	98.72	0.77	0.15	0.12	
					W19-U	0.81	0.92	1.15	59.17	98.72	0.77	1.00	1.24	
													4.20	
Third	R13	FloorPlan-DWG	Residential	Bedroom	W20-L	0.81	0.92	0.70	56.87	65.62	0.77	0.15	0.16	1.00
					W20-U	0.81	0.92	1.15	57.22	65.62	0.77	1.00	1.81	
													1.97	
Third	R14	FloorPlan-DWG	Residential	Bedroom	W21-L	0.81	0.92	0.70	54.58	73.21	0.77	0.15	0.14	1.00
					W21-U	0.81	0.92	1.15	55.04	73.21	0.77	1.00	1.56	
													1.70	
Third	R15	FloorPlan-DWG	Residential	LD	W22-L	0.81	0.92	0.70	52.02	97.85	0.77	0.15	0.10	
					W22-U	0.81	0.92	1.15	52.59	97.85	0.77	1.00	1.11	

Project Name: Hillingdon Gateway
Project No.: Release 05
Report Title: Average Daylight Analysis - Proposed Scheme (25th September 2019)
Date: 30/09/2019

Floor Ref.	Room Ref.	Room Attribute	Property Type	Room Use.	Window Ref.	Glass Transmittance	Maintenance Factor	Glazed Area	Clear Sky Angle Proposed	Room Surface Area	Average Surface Reflectance	Below Working Plane Factor	ADF Proposed	Req'd Value
					W23-L	0.81	0.92	0.70	50.73	97.85	0.77	0.15	0.10	
					W23-U	0.81	0.92	1.15	49.38	97.85	0.77	1.00	1.05	
					W24-L	0.81	0.92	0.70	51.64	97.85	0.77	0.15	0.10	
					W24-U	0.81	0.92	1.15	50.04	97.85	0.77	1.00	1.06	
													3.52	1.50
Third	R16	FloorPlan-DWG	Residential	LD	W25-L	0.81	0.92	0.70	46.11	71.40	0.77	0.15	0.12	
					W25-U	0.81	0.92	1.15	45.30	71.40	0.77	1.00	1.32	
					W26-L	0.81	0.92	0.70	47.06	71.40	0.77	0.15	0.12	
					W26-U	0.81	0.92	1.15	45.76	71.40	0.77	1.00	1.33	
													2.89	1.50
Third	R17	FloorPlan-DWG	Residential	Bedroom	W27-L	0.81	0.92	0.70	36.22	56.29	0.77	0.15	0.12	
					W27-U	0.81	0.92	1.15	37.10	56.29	0.77	1.00	1.37	
													1.49	1.00
Third	R18	FloorPlan-DWG	Residential	Bedroom	W28-L	0.81	0.92	0.70	46.43	59.54	0.77	0.15	0.15	
					W28-U	0.81	0.92	1.15	46.26	59.54	0.77	1.00	1.61	
													1.76	1.00
Third	R19	FloorPlan-DWG	Residential	Bedroom	W29-L	0.81	0.92	0.08	39.69	59.22	0.77	0.15	0.01	
					W29-U	0.81	0.92	1.15	39.34	59.22	0.77	1.00	1.38	
													1.39	1.00
Third	R20	FloorPlan-DWG	Residential	LKD	W30-L	0.81	0.92	2.07	50.78	117.83	0.77	0.15	0.24	
					W30-U	0.81	0.92	3.40	50.85	117.83	0.77	1.00	2.65	
					W31-L	0.81	0.92	0.08	81.38	117.83	0.77	0.15	0.02	
					W31-U	0.81	0.92	1.15	79.35	117.83	0.77	1.00	1.40	
													4.31	2.00
Fourth	R1	FloorPlan-DWG	Residential	LKD	W1-L	0.81	0.92	2.07	46.95	117.83	0.77	0.15	0.22	
					W1-U	0.81	0.92	3.40	38.03	117.83	0.77	1.00	1.98	
					W32-L	0.81	0.92	0.08	81.38	117.83	0.77	0.15	0.02	
					W32-U	0.81	0.92	1.15	79.35	117.83	0.77	1.00	1.40	
													3.62	2.00
Fourth	R2	FloorPlan-DWG	Residential	Bedroom	W2-L	0.81	0.92	0.08	44.11	59.22	0.77	0.15	0.02	
					W2-U	0.81	0.92	1.15	44.93	59.22	0.77	1.00	1.57	
													1.59	1.00
Fourth	R3	FloorPlan-DWG	Residential	Bedroom	W3-L	0.81	0.92	0.70	49.43	59.54	0.77	0.15	0.16	

Project Name: Hillingdon Gateway
Project No.: Release 05
Report Title: Average Daylight Analysis - Proposed Scheme (25th September 2019)
Date: 30/09/2019

Floor Ref.	Room Ref.	Room Attribute	Property Type	Room Use.	Window Ref.	Glass Transmittance	Maintenance Factor	Glazed Area	Clear Sky Angle Proposed	Room Surface Area	Average Surface Reflectance	Below Working Plane Factor	ADF Proposed	Req'd Value
Fourth	R4	FloorPlan-DWG	Residential	Bedroom	W3-U	0.81	0.92	1.15	49.37	59.54	0.77	1.00	1.72	1.00
					W4-L	0.81	0.92	0.70	41.46	56.29	0.77	0.15	0.14	
					W4-U	0.81	0.92	1.15	42.65	56.29	0.77	1.00	1.57	
Fourth	R5	FloorPlan-DWG	Residential	LD	W5-L	0.81	0.92	0.70	54.22	71.40	0.77	0.15	0.14	1.50
					W5-U	0.81	0.92	1.15	56.05	71.40	0.77	1.00	1.63	
					W6-L	0.81	0.92	0.70	53.88	71.40	0.77	0.15	0.14	
					W6-U	0.81	0.92	1.15	55.96	71.40	0.77	1.00	1.62	
													3.54	
Fourth	R6	FloorPlan-DWG	Residential	LD	W7-L	0.81	0.92	0.70	57.17	97.85	0.77	0.15	0.11	1.50
					W7-U	0.81	0.92	1.15	58.34	97.85	0.77	1.00	1.24	
					W8-L	0.81	0.92	0.70	57.00	97.85	0.77	0.15	0.11	
					W8-U	0.81	0.92	1.15	58.37	97.85	0.77	1.00	1.24	
					W9-L	0.81	0.92	0.70	55.66	97.85	0.77	0.15	0.11	
					W9-U	0.81	0.92	1.15	56.08	97.85	0.77	1.00	1.19	
Fourth	R7	FloorPlan-DWG	Residential	Bedroom	W10-L	0.81	0.92	0.70	57.08	73.21	0.77	0.15	0.15	1.00
					W10-U	0.81	0.92	1.15	57.31	73.21	0.77	1.00	1.62	
													1.77	
Fourth	R8	FloorPlan-DWG	Residential	Bedroom	W11-L	0.81	0.92	0.70	57.95	65.63	0.77	0.15	0.17	1.00
					W11-U	0.81	0.92	1.15	58.07	65.63	0.77	1.00	1.83	
													2.00	
Fourth	R9	FloorPlan-DWG	Residential	LKD	W12-L	0.81	0.92	0.70	62.76	98.71	0.77	0.15	0.12	2.00
					W12-U	0.81	0.92	1.15	63.09	98.71	0.77	1.00	1.32	
					W13-L	0.81	0.92	0.70	63.11	98.71	0.77	0.15	0.12	
					W13-U	0.81	0.92	1.15	63.47	98.71	0.77	1.00	1.33	
					W14-L	0.81	0.92	0.70	68.10	98.71	0.77	0.15	0.13	
					W14-U	0.81	0.92	1.15	67.52	98.71	0.77	1.00	1.42	
Fourth	R10	FloorPlan-DWG	Residential	Bedroom	W15-L	0.81	0.92	0.70	67.64	48.76	0.77	0.15	0.26	1.00
					W15-U	0.81	0.92	1.15	67.11	48.76	0.77	1.00	2.85	
													3.11	

Project Name: Hillingdon Gateway
Project No.: Release 05
Report Title: Average Daylight Analysis - Proposed Scheme (25th September 2019)
Date: 30/09/2019

Floor Ref.	Room Ref.	Room Attribute	Property Type	Room Use.	Window Ref.	Glass Transmittance	Maintenance Factor	Glazed Area	Clear Sky Angle Proposed	Room Surface Area	Average Surface Reflectance	Below Working Plane Factor	ADF Proposed	Req'd Value
Fourth	R11	FloorPlan-DWG	Residential	Bedroom	W16-L	0.81	0.92	0.70	68.08	48.76	0.77	0.15	0.26	1.00
					W16-U	0.81	0.92	1.15	67.58	48.76	0.77	1.00	2.87	
													3.14	
Fourth	R12	FloorPlan-DWG	Residential	LKD	W17-L	0.81	0.92	0.70	67.08	98.72	0.77	0.15	0.13	2.00
					W17-U	0.81	0.92	1.15	66.73	98.72	0.77	1.00	1.40	
					W18-L	0.81	0.92	0.70	67.51	98.72	0.77	0.15	0.13	
					W18-U	0.81	0.92	1.15	68.03	98.72	0.77	1.00	1.43	
					W19-L	0.81	0.92	0.70	66.72	98.72	0.77	0.15	0.13	
					W19-U	0.81	0.92	1.15	67.26	98.72	0.77	1.00	1.41	
Fourth	R13	FloorPlan-DWG	Residential	Bedroom	W20-L	0.81	0.92	0.70	61.58	65.62	0.77	0.15	0.18	1.00
					W20-U	0.81	0.92	1.15	61.85	65.62	0.77	1.00	1.95	
													2.13	
Fourth	R14	FloorPlan-DWG	Residential	Bedroom	W21-L	0.81	0.92	0.70	59.61	73.21	0.77	0.15	0.15	1.00
					W21-U	0.81	0.92	1.15	60.03	73.21	0.77	1.00	1.70	
													1.85	
Fourth	R15	FloorPlan-DWG	Residential	LD	W22-L	0.81	0.92	0.70	57.45	97.85	0.77	0.15	0.11	1.50
					W22-U	0.81	0.92	1.15	58.07	97.85	0.77	1.00	1.23	
					W23-L	0.81	0.92	0.70	58.37	97.85	0.77	0.15	0.11	
					W23-U	0.81	0.92	1.15	59.96	97.85	0.77	1.00	1.27	
					W24-L	0.81	0.92	0.70	58.70	97.85	0.77	0.15	0.11	
					W24-U	0.81	0.92	1.15	60.06	97.85	0.77	1.00	1.27	
Fourth	R16	FloorPlan-DWG	Residential	LD	W25-L	0.81	0.92	0.70	54.94	71.40	0.77	0.15	0.15	1.50
					W25-U	0.81	0.92	1.15	57.16	71.40	0.77	1.00	1.66	
					W26-L	0.81	0.92	0.70	55.44	71.40	0.77	0.15	0.15	
					W26-U	0.81	0.92	1.15	57.39	71.40	0.77	1.00	1.67	
Fourth	R17	FloorPlan-DWG	Residential	Bedroom	W27-L	0.81	0.92	0.70	42.15	56.29	0.77	0.15	0.14	1.00
					W27-U	0.81	0.92	1.15	43.34	56.29	0.77	1.00	1.60	
													1.74	
Fourth	R18	FloorPlan-DWG	Residential	Bedroom	W28-L	0.81	0.92	0.70	49.53	59.54	0.77	0.15	0.16	
					W28-U	0.81	0.92	1.15	49.65	59.54	0.77	1.00	1.73	

Project Name: Hillingdon Gateway
Project No.: Release 05
Report Title: Average Daylight Analysis - Proposed Scheme (25th September 2019)
Date: 30/09/2019

Floor Ref.	Room Ref.	Room Attribute	Property Type	Room Use.	Window Ref.	Glass Transmittance	Maintenance Factor	Glazed Area	Clear Sky Angle Proposed	Room Surface Area	Average Surface Reflectance	Below Working Plane Factor	ADF Proposed	Req'd Value
													1.89	1.00
Fourth	R19	FloorPlan-DWG	Residential	Bedroom	W29-L	0.81	0.92	0.08	43.32	59.22	0.77	0.15	0.02	
					W29-U	0.81	0.92	1.15	44.28	59.22	0.77	1.00	1.55	
													1.57	1.00
Fourth	R20	FloorPlan-DWG	Residential	LKD	W30-L	0.81	0.92	2.07	47.06	117.83	0.77	0.15	0.22	
					W30-U	0.81	0.92	3.40	38.54	117.83	0.77	1.00	2.01	
					W31-L	0.81	0.92	0.08	81.38	117.83	0.77	0.15	0.02	
					W31-U	0.81	0.92	1.15	79.35	117.83	0.77	1.00	1.40	
													3.65	2.00
Fifth	R1	FloorPlan-DWG	Residential	Bedroom	W1-L	0.81	0.92	0.70	53.27	57.46	0.77	0.15	0.17	
					W1-U	0.81	0.92	1.15	60.64	57.46	0.77	1.00	2.19	
					W2-L	0.81	0.92	0.70	55.29	57.46	0.77	0.15	0.18	
					W2-U	0.81	0.92	1.15	60.41	57.46	0.77	1.00	2.18	
													4.72	1.00
Fifth	R2	FloorPlan-DWG	Residential	LD	W3-L	0.81	0.92	0.70	58.22	80.35	0.77	0.15	0.14	
					W3-U	0.81	0.92	1.15	61.14	80.35	0.77	1.00	1.58	
					W4-L	0.81	0.92	0.70	59.49	80.35	0.77	0.15	0.14	
					W4-U	0.81	0.92	1.15	61.29	80.35	0.77	1.00	1.58	
													3.43	1.50
Fifth	R3	FloorPlan-DWG	Residential	Bedroom	W5-L	0.81	0.92	0.70	60.46	67.08	0.77	0.15	0.17	
					W5-U	0.81	0.92	1.15	61.43	67.08	0.77	1.00	1.90	
													2.07	1.00
Fifth	R4	FloorPlan-DWG	Residential	Bedroom	W6-L	0.81	0.92	0.70	61.02	65.35	0.77	0.15	0.18	
					W6-U	0.81	0.92	1.15	61.76	65.35	0.77	1.00	1.96	
					W7-L	0.81	0.92	0.70	61.72	65.35	0.77	0.15	0.18	
					W7-U	0.81	0.92	1.15	62.27	65.35	0.77	1.00	1.98	
													4.29	1.00
Fifth	R5	FloorPlan-DWG	Residential	LKD	W8-L	0.81	0.92	0.70	62.18	126.03	0.77	0.15	0.09	
					W8-U	0.81	0.92	1.15	62.59	126.03	0.77	1.00	1.03	
					W9-L	0.81	0.92	0.70	62.51	126.03	0.77	0.15	0.09	
					W9-U	0.81	0.92	1.15	62.78	126.03	0.77	1.00	1.03	
					W10-L	0.81	0.92	0.70	71.96	126.03	0.77	0.15	0.11	
					W10-U	0.81	0.92	1.15	71.19	126.03	0.77	1.00	1.17	

robinsons
Robinsons Surveyors Limited

Floor Ref.	Room Ref.	Room Attribute	Property Type	Room Use.	Window Ref.	Glass Transmittance	Maintenance Factor	Glazed Area	Clear Sky Angle Proposed	Room Surface Area	Average Surface Reflectance	Below Working Plane Factor	ADF Proposed	Req'd Value
					W11-L	0.81	0.92	0.70	72.04	126.03	0.77	0.15	0.11	
					W11-U	0.81	0.92	1.15	71.28	126.03	0.77	1.00	1.17	
					W12-L	0.81	0.92	0.70	72.12	126.03	0.77	0.15	0.11	
					W12-U	0.81	0.92	1.15	71.36	126.03	0.77	1.00	1.17	
					W13-L	0.81	0.92	0.70	72.21	126.03	0.77	0.15	0.11	
					W13-U	0.81	0.92	1.15	71.45	126.03	0.77	1.00	1.18	
													7.37	2.00
Fifth	R6	FloorPlan-DWG	Residential	LKD	W14-L	0.81	0.92	0.70	72.30	126.03	0.77	0.15	0.11	
					W14-U	0.81	0.92	1.15	71.54	126.03	0.77	1.00	1.18	
					W15-L	0.81	0.92	0.70	72.39	126.03	0.77	0.15	0.11	
					W15-U	0.81	0.92	1.15	71.64	126.03	0.77	1.00	1.18	
					W16-L	0.81	0.92	0.70	72.41	126.03	0.77	0.15	0.11	
					W16-U	0.81	0.92	1.15	71.67	126.03	0.77	1.00	1.18	
					W17-L	0.81	0.92	0.70	72.40	126.03	0.77	0.15	0.11	
					W17-U	0.81	0.92	1.15	71.69	126.03	0.77	1.00	1.18	
					W18-L	0.81	0.92	0.70	65.37	126.03	0.77	0.15	0.10	
					W18-U	0.81	0.92	1.15	65.38	126.03	0.77	1.00	1.08	
					W19-L	0.81	0.92	0.70	64.42	126.03	0.77	0.15	0.10	
W19-U	0.81	0.92	1.15	64.56	126.03	0.77	1.00	1.06						
													7.48	2.00
Fifth	R7	FloorPlan-DWG	Residential	Bedroom	W20-L	0.81	0.92	0.70	63.51	65.35	0.77	0.15	0.18	
					W20-U	0.81	0.92	1.15	63.98	65.35	0.77	1.00	2.03	
					W21-L	0.81	0.92	0.70	62.70	65.35	0.77	0.15	0.18	
					W21-U	0.81	0.92	1.15	63.36	65.35	0.77	1.00	2.01	
													4.40	1.00
Fifth	R8	FloorPlan-DWG	Residential	Bedroom	W22-L	0.81	0.92	0.70	62.09	67.08	0.77	0.15	0.17	
					W22-U	0.81	0.92	1.15	62.85	67.08	0.77	1.00	1.94	
													2.12	1.00
Fifth	R9	FloorPlan-DWG	Residential	LD	W23-L	0.81	0.92	0.70	60.50	80.35	0.77	0.15	0.14	
					W23-U	0.81	0.92	1.15	62.28	80.35	0.77	1.00	1.61	
					W24-L	0.81	0.92	0.70	58.99	80.35	0.77	0.15	0.14	
					W24-U	0.81	0.92	1.15	61.92	80.35	0.77	1.00	1.60	
													3.48	1.50

Project Name: Hillingdon Gateway
Project No.: Release 05
Report Title: Average Daylight Analysis - Proposed Scheme (25th September 2019)
Date: 30/09/2019

Floor Ref.	Room Ref.	Room Attribute	Property Type	Room Use.	Window Ref.	Glass Transmittance	Maintenance Factor	Glazed Area	Clear Sky Angle Proposed	Room Surface Area	Average Surface Reflectance	Below Working Plane Factor	ADF Proposed	Req'd Value
Fifth	R10	FloorPlan-DWG	Residential	Bedroom	W25-L	0.81	0.92	0.70	55.80	57.46	0.77	0.15	0.18	1.00
					W25-U	0.81	0.92	1.15	60.97	57.46	0.77	1.00	2.20	
					W26-L	0.81	0.92	0.70	53.52	57.46	0.77	0.15	0.18	
					W26-U	0.81	0.92	1.15	61.05	57.46	0.77	1.00	2.20	
													4.76	
Sixth	R1	FloorPlan-DWG	Residential	Bedroom	W1-L	0.81	0.92	0.70	67.45	57.46	0.77	0.15	0.22	1.00
					W1-U	0.81	0.92	1.15	67.43	57.46	0.77	1.00	2.43	
					W2-L	0.81	0.92	0.70	66.95	57.46	0.77	0.15	0.22	
					W2-U	0.81	0.92	1.15	67.01	57.46	0.77	1.00	2.42	
													5.29	
Sixth	R2	FloorPlan-DWG	Residential	LD	W3-L	0.81	0.92	0.70	66.57	80.35	0.77	0.15	0.16	1.50
					W3-U	0.81	0.92	1.15	66.69	80.35	0.77	1.00	1.72	
					W4-L	0.81	0.92	0.70	66.29	80.35	0.77	0.15	0.16	
					W4-U	0.81	0.92	1.15	66.45	80.35	0.77	1.00	1.71	
													3.75	
Sixth	R3	FloorPlan-DWG	Residential	Bedroom	W5-L	0.81	0.92	0.70	66.12	67.08	0.77	0.15	0.19	1.00
					W5-U	0.81	0.92	1.15	66.30	67.08	0.77	1.00	2.05	
													2.23	
Sixth	R4	FloorPlan-DWG	Residential	Bedroom	W6-L	0.81	0.92	0.70	66.32	65.35	0.77	0.15	0.19	1.00
					W6-U	0.81	0.92	1.15	66.47	65.35	0.77	1.00	2.11	
					W7-L	0.81	0.92	0.70	66.68	65.35	0.77	0.15	0.19	
					W7-U	0.81	0.92	1.15	66.78	65.35	0.77	1.00	2.12	
													4.61	
Sixth	R5	FloorPlan-DWG	Residential	LKD	W8-L	0.81	0.92	0.70	66.86	126.03	0.77	0.15	0.10	1.00
					W8-U	0.81	0.92	1.15	66.90	126.03	0.77	1.00	1.10	
					W9-L	0.81	0.92	0.70	66.95	126.03	0.77	0.15	0.10	
					W9-U	0.81	0.92	1.15	66.93	126.03	0.77	1.00	1.10	
					W10-L	0.81	0.92	0.70	73.96	126.03	0.77	0.15	0.11	
					W10-U	0.81	0.92	1.15	72.98	126.03	0.77	1.00	1.20	
					W11-L	0.81	0.92	0.70	74.05	126.03	0.77	0.15	0.11	
					W11-U	0.81	0.92	1.15	73.06	126.03	0.77	1.00	1.20	
					W12-L	0.81	0.92	0.70	74.13	126.03	0.77	0.15	0.11	
					W12-U	0.81	0.92	1.15	73.13	126.03	0.77	1.00	1.20	

Project Name: Hillingdon Gateway
Project No.: Release 05
Report Title: Average Daylight Analysis - Proposed Scheme (25th September 2019)
Date: 30/09/2019

Floor Ref.	Room Ref.	Room Attribute	Property Type	Room Use.	Window Ref.	Glass Transmittance	Maintenance Factor	Glazed Area	Clear Sky Angle Proposed	Room Surface Area	Average Surface Reflectance	Below Working Plane Factor	ADF Proposed	Req'd Value
					W13-L	0.81	0.92	0.70	74.20	126.03	0.77	0.15	0.11	
					W13-U	0.81	0.92	1.15	73.20	126.03	0.77	1.00	1.20	
													7.65	2.00
Sixth	R6	FloorPlan-DWG	Residential	LKD	W14-L	0.81	0.92	0.70	74.29	126.03	0.77	0.15	0.11	
					W14-U	0.81	0.92	1.15	73.27	126.03	0.77	1.00	1.20	
					W15-L	0.81	0.92	0.70	74.37	126.03	0.77	0.15	0.11	
					W15-U	0.81	0.92	1.15	73.33	126.03	0.77	1.00	1.21	
					W16-L	0.81	0.92	0.70	74.42	126.03	0.77	0.15	0.11	
					W16-U	0.81	0.92	1.15	73.37	126.03	0.77	1.00	1.21	
					W17-L	0.81	0.92	0.70	74.46	126.03	0.77	0.15	0.11	
					W17-U	0.81	0.92	1.15	73.40	126.03	0.77	1.00	1.21	
					W18-L	0.81	0.92	0.70	69.15	126.03	0.77	0.15	0.10	
					W18-U	0.81	0.92	1.15	68.89	126.03	0.77	1.00	1.13	
					W19-L	0.81	0.92	0.70	68.51	126.03	0.77	0.15	0.10	
					W19-U	0.81	0.92	1.15	68.36	126.03	0.77	1.00	1.12	
													7.73	2.00
Sixth	R7	FloorPlan-DWG	Residential	Bedroom	W20-L	0.81	0.92	0.70	68.14	65.35	0.77	0.15	0.20	
					W20-U	0.81	0.92	1.15	68.05	65.35	0.77	1.00	2.16	
					W21-L	0.81	0.92	0.70	67.69	65.35	0.77	0.15	0.20	
					W21-U	0.81	0.92	1.15	67.68	65.35	0.77	1.00	2.15	
													4.70	1.00
Sixth	R8	FloorPlan-DWG	Residential	Bedroom	W22-L	0.81	0.92	0.70	67.30	67.08	0.77	0.15	0.19	
					W22-U	0.81	0.92	1.15	67.35	67.08	0.77	1.00	2.08	
													2.27	1.00
Sixth	R9	FloorPlan-DWG	Residential	LD	W23-L	0.81	0.92	0.70	67.16	80.35	0.77	0.15	0.16	
					W23-U	0.81	0.92	1.15	67.23	80.35	0.77	1.00	1.73	
					W24-L	0.81	0.92	0.70	67.26	80.35	0.77	0.15	0.16	
					W24-U	0.81	0.92	1.15	67.31	80.35	0.77	1.00	1.74	
													3.79	1.50
Sixth	R10	FloorPlan-DWG	Residential	Bedroom	W25-L	0.81	0.92	0.70	67.49	57.46	0.77	0.15	0.22	
					W25-U	0.81	0.92	1.15	67.49	57.46	0.77	1.00	2.43	
					W26-L	0.81	0.92	0.70	67.87	57.46	0.77	0.15	0.22	
					W26-U	0.81	0.92	1.15	67.81	57.46	0.77	1.00	2.45	

Project Name: Hillingdon Gateway
Project No.: Release 05
Report Title: Average Daylight Analysis - Proposed Scheme (25th September 2019)
Date: 30/09/2019

Floor Ref.	Room Ref.	Room Attribute	Property Type	Room Use.	Window Ref.	Glass Transmittance	Maintenance Factor	Glazed Area	Clear Sky Angle Proposed	Room Surface Area	Average Surface Reflectance	Below Working Plane Factor	ADF Proposed	Req'd Value
Seventh	R1	FloorPlan-DWG	Residential	Bedroom	W1-L	0.81	0.92	0.70	70.61	57.46	0.77	0.15	5.32	1.00
					W1-U	0.81	0.92	1.15	65.96	57.46	0.77	1.00	0.23	
					W2-L	0.81	0.92	0.70	70.22	57.46	0.77	0.15	2.38	
					W2-U	0.81	0.92	1.15	65.67	57.46	0.77	1.00	0.23	
													2.37	1.00
Seventh	R2	FloorPlan-DWG	Residential	LD	W3-L	0.81	0.92	0.70	69.91	80.35	0.77	0.15	5.21	1.00
					W3-U	0.81	0.92	1.15	65.42	80.35	0.77	1.00	0.16	
					W4-L	0.81	0.92	0.70	69.66	80.35	0.77	0.15	1.69	
					W4-U	0.81	0.92	1.15	65.22	80.35	0.77	1.00	0.16	
													1.68	1.50
Seventh	R3	FloorPlan-DWG	Residential	Bedroom	W5-L	0.81	0.92	0.70	69.43	67.08	0.77	0.15	3.70	1.50
					W5-U	0.81	0.92	1.15	65.00	67.08	0.77	1.00	0.20	
													2.01	1.00
Seventh	R4	FloorPlan-DWG	Residential	Bedroom	W6-L	0.81	0.92	0.70	69.54	65.35	0.77	0.15	2.20	1.00
					W6-U	0.81	0.92	1.15	65.07	65.35	0.77	1.00	0.20	
					W7-L	0.81	0.92	0.70	69.75	65.35	0.77	0.15	2.06	
					W7-U	0.81	0.92	1.15	65.19	65.35	0.77	1.00	0.20	
													2.07	1.00
Seventh	R5	FloorPlan-DWG	Residential	LKD	W8-L	0.81	0.92	0.70	69.83	126.03	0.77	0.15	4.53	1.00
					W8-U	0.81	0.92	1.15	65.26	126.03	0.77	1.00	0.10	
					W9-L	0.81	0.92	0.70	69.85	126.03	0.77	0.15	1.07	
					W9-U	0.81	0.92	1.15	65.28	126.03	0.77	1.00	0.10	
					W10-L	0.81	0.92	0.70	75.02	126.03	0.77	0.15	1.07	
					W10-U	0.81	0.92	1.15	69.64	126.03	0.77	1.00	0.11	
					W11-L	0.81	0.92	0.70	75.08	126.03	0.77	0.15	1.15	
					W11-U	0.81	0.92	1.15	69.68	126.03	0.77	1.00	0.11	
					W12-L	0.81	0.92	0.70	75.13	126.03	0.77	0.15	1.15	
					W12-U	0.81	0.92	1.15	69.73	126.03	0.77	1.00	0.11	
					W13-L	0.81	0.92	0.70	75.18	126.03	0.77	0.15	1.15	
					W13-U	0.81	0.92	1.15	69.77	126.03	0.77	1.00	0.11	
													1.15	2.00
Seventh	R6	FloorPlan-DWG	Residential	LKD	W14-L	0.81	0.92	0.70	75.22	126.03	0.77	0.15	7.39	2.00

Project Name: Hillingdon Gateway
Project No.: Release 05
Report Title: Average Daylight Analysis - Proposed Scheme (25th September 2019)
Date: 30/09/2019

Floor Ref.	Room Ref.	Room Attribute	Property Type	Room Use.	Window Ref.	Glass Transmittance	Maintenance Factor	Glazed Area	Clear Sky Angle Proposed	Room Surface Area	Average Surface Reflectance	Below Working Plane Factor	ADF Proposed	Req'd Value
					W14-U	0.81	0.92	1.15	69.80	126.03	0.77	1.00	1.15	
					W15-L	0.81	0.92	0.70	75.27	126.03	0.77	0.15	0.11	
					W15-U	0.81	0.92	1.15	69.84	126.03	0.77	1.00	1.15	
					W16-L	0.81	0.92	0.70	75.32	126.03	0.77	0.15	0.11	
					W16-U	0.81	0.92	1.15	69.87	126.03	0.77	1.00	1.15	
					W17-L	0.81	0.92	0.70	75.35	126.03	0.77	0.15	0.11	
					W17-U	0.81	0.92	1.15	69.89	126.03	0.77	1.00	1.15	
					W18-L	0.81	0.92	0.70	72.15	126.03	0.77	0.15	0.11	
					W18-U	0.81	0.92	1.15	67.65	126.03	0.77	1.00	1.11	
					W19-L	0.81	0.92	0.70	71.80	126.03	0.77	0.15	0.11	
					W19-U	0.81	0.92	1.15	67.41	126.03	0.77	1.00	1.11	
Seventh	R7	FloorPlan-DWG	Residential	Bedroom	W20-L	0.81	0.92	0.70	71.60	65.35	0.77	0.15	0.21	
					W20-U	0.81	0.92	1.15	67.27	65.35	0.77	1.00	2.13	
					W21-L	0.81	0.92	0.70	71.35	65.35	0.77	0.15	0.21	
					W21-U	0.81	0.92	1.15	67.11	65.35	0.77	1.00	2.13	
													4.68	1.00
Seventh	R8	FloorPlan-DWG	Residential	Bedroom	W22-L	0.81	0.92	0.70	71.12	67.08	0.77	0.15	0.20	
					W22-U	0.81	0.92	1.15	66.96	67.08	0.77	1.00	2.07	
													2.27	1.00
Seventh	R9	FloorPlan-DWG	Residential	LD	W23-L	0.81	0.92	0.70	71.04	80.35	0.77	0.15	0.17	
					W23-U	0.81	0.92	1.15	66.90	80.35	0.77	1.00	1.73	
					W24-L	0.81	0.92	0.70	71.09	80.35	0.77	0.15	0.17	
					W24-U	0.81	0.92	1.15	66.94	80.35	0.77	1.00	1.73	
													3.79	1.50
Seventh	R10	FloorPlan-DWG	Residential	Bedroom	W25-L	0.81	0.92	0.70	71.20	57.46	0.77	0.15	0.23	
					W25-U	0.81	0.92	1.15	67.01	57.46	0.77	1.00	2.42	
					W26-L	0.81	0.92	0.70	71.40	57.46	0.77	0.15	0.23	
					W26-U	0.81	0.92	1.15	67.13	57.46	0.77	1.00	2.42	
													5.31	1.00

Building 8

Project Name: Hillingdon Gateway
Project No.: Release 05
Report Title: Average Daylight Analysis - Proposed Scheme (25th September 2019)
Date: 30/09/2019

Floor Ref.	Room Ref.	Room Attribute	Property Type	Room Use.	Window Ref.	Glass Transmittance	Maintenance Factor	Glazed Area	Clear Sky Angle Proposed	Room Surface Area	Average Surface Reflectance	Below Working Plane Factor	ADF Proposed	Req'd Value
Ground	R1	FloorPlan-DWG	Residential	Bedroom	W1-L	0.81	0.92	0.70	55.91	73.66	0.77	0.15	0.14	1.00
					W1-U	0.81	0.92	1.15	54.97	73.66	0.77	1.00	1.55	
					W2-L	0.81	0.92	0.70	55.74	73.66	0.77	0.15	0.14	
					W2-U	0.81	0.92	1.15	54.82	73.66	0.77	1.00	1.54	
													3.38	
Ground	R2	FloorPlan-DWG	Residential	Bedroom	W3-L	0.81	0.92	0.70	56.18	68.19	0.77	0.15	0.16	1.00
					W3-U	0.81	0.92	1.15	55.26	68.19	0.77	1.00	1.68	
					W4-L	0.81	0.92	0.70	55.52	68.19	0.77	0.15	0.15	
					W4-U	0.81	0.92	1.15	54.63	68.19	0.77	1.00	1.66	
													3.65	
Ground	R3	FloorPlan-DWG	Residential	Bedroom	W5-L	0.81	0.92	0.70	55.53	68.19	0.77	0.15	0.15	1.00
					W5-U	0.81	0.92	1.15	54.78	68.19	0.77	1.00	1.66	
					W6-L	0.81	0.92	0.70	55.05	68.19	0.77	0.15	0.15	
					W6-U	0.81	0.92	1.15	54.20	68.19	0.77	1.00	1.65	
													3.62	
Ground	R4	FloorPlan-DWG	Residential	LD	W7-L	0.81	0.92	0.70	52.15	99.00	0.77	0.15	0.10	1.50
					W7-U	0.81	0.92	1.15	52.39	99.00	0.77	1.00	1.10	
					W8-L	0.81	0.92	0.70	51.18	99.00	0.77	0.15	0.10	
					W8-U	0.81	0.92	1.15	51.44	99.00	0.77	1.00	1.08	
													2.37	
Ground	R5	FloorPlan-DWG	Residential	LD	W9-L	0.81	0.92	0.70	42.78	118.31	0.77	0.15	0.07	1.50
					W9-U	0.81	0.92	1.15	42.99	118.31	0.77	1.00	0.75	
					W10-L	0.81	0.92	0.70	45.44	118.31	0.77	0.15	0.07	
					W10-U	0.81	0.92	1.15	42.97	118.31	0.77	1.00	0.75	
					W11-L	0.81	0.92	0.70	43.98	118.31	0.77	0.15	0.07	
					W11-U	0.81	0.92	1.15	41.53	118.31	0.77	1.00	0.73	
					W12-L	0.81	0.92	0.70	63.20	118.31	0.77	0.15	0.10	
					W12-U	0.81	0.92	1.15	61.96	118.31	0.77	1.00	1.09	
					W13-L	0.81	0.92	0.70	62.30	118.31	0.77	0.15	0.10	
					W13-U	0.81	0.92	1.15	61.11	118.31	0.77	1.00	1.07	
													4.80	
Ground	R6	FloorPlan-DWG	Residential	Bedroom	W14-L	0.81	0.92	0.70	58.56	60.93	0.77	0.15	0.18	1.92
					W14-U	0.81	0.92	1.15	56.45	60.93	0.77	1.00	1.92	

robinsons
Robinsons Surveyors Limited

Floor Ref.	Room Ref.	Room Attribute	Property Type	Room Use.	Window Ref.	Glass Transmittance	Maintenance Factor	Glazed Area	Clear Sky Angle Proposed	Room Surface Area	Average Surface Reflectance	Below Working Plane Factor	ADF Proposed	Req'd Value
													2.10	1.00
Ground	R7	FloorPlan-DWG	Residential	Bedroom	W15-L	0.81	0.92	0.70	55.45	58.05	0.77	0.15	0.18	1.00
					W15-U	0.81	0.92	1.15	53.32	58.05	0.77	1.00	1.90	
													2.08	1.00
Ground	R8	FloorPlan-DWG	Residential	Bedroom	W16-L	0.81	0.92	0.70	51.43	67.76	0.77	0.15	0.14	1.00
					W16-U	0.81	0.92	1.15	49.23	67.76	0.77	1.00	1.51	
													1.65	1.00
First	R1	FloorPlan-DWG	Residential	LKD	W1-L	0.81	0.92	2.07	46.71	114.04	0.77	0.15	0.23	2.00
					W1-U	0.81	0.92	3.40	46.73	114.04	0.77	1.00	2.52	
					W33-L	0.81	0.92	0.08	81.14	114.04	0.77	0.15	0.02	
					W33-U	0.81	0.92	1.15	79.17	114.04	0.77	1.00	1.44	
													4.20	2.00
First	R2	FloorPlan-DWG	Residential	Bedroom	W2-L	0.81	0.92	0.08	34.18	57.53	0.77	0.15	0.01	1.00
					W2-U	0.81	0.92	1.15	33.89	57.53	0.77	1.00	1.22	
													1.23	1.00
First	R3	FloorPlan-DWG	Residential	Bedroom	W3-L	0.81	0.92	0.70	29.40	56.29	0.77	0.15	0.10	1.00
					W3-U	0.81	0.92	1.15	29.06	56.29	0.77	1.00	1.07	
													1.17	1.00
First	R4	FloorPlan-DWG	Residential	LD	W4-L	0.81	0.92	0.70	36.71	71.25	0.77	0.15	0.10	1.50
					W4-U	0.81	0.92	1.15	33.85	71.25	0.77	1.00	0.98	
					W5-L	0.81	0.92	0.70	35.41	71.25	0.77	0.15	0.09	
					W5-U	0.81	0.92	1.15	33.51	71.25	0.77	1.00	0.97	
													2.15	1.50
First	R5	FloorPlan-DWG	Residential	LD	W6-L	0.81	0.92	0.70	40.80	82.56	0.77	0.15	0.09	1.50
					W6-U	0.81	0.92	1.15	37.97	82.56	0.77	1.00	0.95	
					W7-L	0.81	0.92	0.70	39.67	82.56	0.77	0.15	0.09	
					W7-U	0.81	0.92	1.15	37.54	82.56	0.77	1.00	0.94	
													2.08	1.50
First	R6	FloorPlan-DWG	Residential	Bedroom	W8-L	0.81	0.92	0.70	41.71	63.74	0.77	0.15	0.12	1.00
					W8-U	0.81	0.92	1.15	41.78	63.74	0.77	1.00	1.36	
													1.48	1.00
First	R7	FloorPlan-DWG	Residential	Bedroom	W9-L	0.81	0.92	0.70	44.69	67.08	0.77	0.15	0.13	1.00
					W9-U	0.81	0.92	1.15	44.77	67.08	0.77	1.00	1.38	

robinsons
Robinsons Surveyors Limited

Floor Ref.	Room Ref.	Room Attribute	Property Type	Room Use.	Window Ref.	Glass Transmittance	Maintenance Factor	Glazed Area	Clear Sky Angle Proposed	Room Surface Area	Average Surface Reflectance	Below Working Plane Factor	ADF Proposed	Req'd Value
													1.51	1.00
First	R8	FloorPlan-DWG	Residential	Bedroom	W10-L	0.81	0.92	0.70	47.24	65.35	0.77	0.15	0.14	
					W10-U	0.81	0.92	1.15	47.25	65.35	0.77	1.00	1.50	
													1.64	1.00
First	R9	FloorPlan-DWG	Residential	LKD	W11-L	0.81	0.92	0.70	50.62	126.03	0.77	0.15	0.08	
					W11-U	0.81	0.92	1.15	48.03	126.03	0.77	1.00	0.79	
					W12-L	0.81	0.92	0.70	50.53	126.03	0.77	0.15	0.08	
					W12-U	0.81	0.92	1.15	48.91	126.03	0.77	1.00	0.80	
					W13-L	0.81	0.92	0.70	56.19	126.03	0.77	0.15	0.08	
					W13-U	0.81	0.92	1.15	53.85	126.03	0.77	1.00	0.89	
					W14-L	0.81	0.92	0.70	55.29	126.03	0.77	0.15	0.08	
					W14-U	0.81	0.92	1.15	52.97	126.03	0.77	1.00	0.87	
					W15-L	0.81	0.92	0.70	50.81	126.03	0.77	0.15	0.08	
					W15-U	0.81	0.92	1.15	51.14	126.03	0.77	1.00	0.84	
													4.59	2.00
First	R10	FloorPlan-DWG	Residential	LKD	W16-L	0.81	0.92	0.70	49.14	126.03	0.77	0.15	0.07	
					W16-U	0.81	0.92	1.15	49.62	126.03	0.77	1.00	0.82	
					W17-L	0.81	0.92	0.70	50.43	126.03	0.77	0.15	0.08	
					W17-U	0.81	0.92	1.15	48.41	126.03	0.77	1.00	0.80	
					W18-L	0.81	0.92	0.70	49.20	126.03	0.77	0.15	0.07	
					W18-U	0.81	0.92	1.15	47.24	126.03	0.77	1.00	0.78	
					W19-L	0.81	0.92	0.70	65.13	126.03	0.77	0.15	0.10	
					W19-U	0.81	0.92	1.15	62.16	126.03	0.77	1.00	1.02	
					W20-L	0.81	0.92	0.70	64.10	126.03	0.77	0.15	0.10	
					W20-U	0.81	0.92	1.15	61.23	126.03	0.77	1.00	1.01	
													4.83	2.00
First	R11	FloorPlan-DWG	Residential	Bedroom	W21-L	0.81	0.92	0.70	60.92	65.35	0.77	0.15	0.18	
					W21-U	0.81	0.92	1.15	60.54	65.35	0.77	1.00	1.92	
													2.10	1.00
First	R12	FloorPlan-DWG	Residential	Bedroom	W22-L	0.81	0.92	0.70	57.37	67.08	0.77	0.15	0.16	
					W22-U	0.81	0.92	1.15	57.05	67.08	0.77	1.00	1.76	
													1.92	1.00
First	R13	FloorPlan-DWG	Residential	Bedroom	W23-L	0.81	0.92	0.70	52.97	63.73	0.77	0.15	0.16	

Project Name: Hillingdon Gateway
Project No.: Release 05
Report Title: Average Daylight Analysis - Proposed Scheme (25th September 2019)
Date: 30/09/2019

Floor Ref.	Room Ref.	Room Attribute	Property Type	Room Use.	Window Ref.	Glass Transmittance	Maintenance Factor	Glazed Area	Clear Sky Angle Proposed	Room Surface Area	Average Surface Reflectance	Below Working Plane Factor	ADF Proposed	Req'd Value
First	R14	FloorPlan-DWG	Residential	LD	W23-U	0.81	0.92	1.15	52.68	63.73	0.77	1.00	1.71	1.00
					W24-L	0.81	0.92	0.70	46.02	82.55	0.77	0.15	0.11	
					W24-U	0.81	0.92	1.15	43.92	82.55	0.77	1.00	1.10	
					W25-L	0.81	0.92	0.70	45.10	82.55	0.77	0.15	0.10	
First	R15	FloorPlan-DWG	Residential	LD	W25-U	0.81	0.92	1.15	42.43	82.55	0.77	1.00	1.07	1.50
													2.38	
					W26-L	0.81	0.92	0.70	37.30	71.26	0.77	0.15	0.10	
					W26-U	0.81	0.92	1.15	35.61	71.26	0.77	1.00	1.04	
First	R16	FloorPlan-DWG	Residential	Bedroom	W27-L	0.81	0.92	0.70	37.50	71.26	0.77	0.15	0.10	1.50
					W27-U	0.81	0.92	1.15	34.93	71.26	0.77	1.00	1.02	
													2.25	
First	R17	FloorPlan-DWG	Residential	Bedroom	W28-L	0.81	0.92	0.70	29.04	56.29	0.77	0.15	0.10	1.00
					W28-U	0.81	0.92	1.15	29.09	56.29	0.77	1.00	1.07	
													1.17	
First	R18	FloorPlan-DWG	Residential	Bedroom	W29-L	0.81	0.92	0.70	38.66	59.54	0.77	0.15	0.12	1.00
					W29-U	0.81	0.92	1.15	38.53	59.54	0.77	1.00	1.34	
													1.46	
First	R19	FloorPlan-DWG	Residential	LKD	W30-L	0.81	0.92	0.08	38.12	59.22	0.77	0.15	0.01	1.00
					W30-U	0.81	0.92	1.15	37.70	59.22	0.77	1.00	1.32	
													1.33	
First	R19	FloorPlan-DWG	Residential	LKD	W31-L	0.81	0.92	2.07	33.31	117.83	0.77	0.15	0.16	2.00
					W31-U	0.81	0.92	3.40	33.14	117.83	0.77	1.00	1.73	
					W32-L	0.81	0.92	0.08	81.28	117.83	0.77	0.15	0.02	
					W32-U	0.81	0.92	1.15	79.28	117.83	0.77	1.00	1.39	
Second	R1	FloorPlan-DWG	Residential	LKD									3.30	2.00
					W1-L	0.81	0.92	2.07	49.13	117.83	0.77	0.15	0.23	
					W1-U	0.81	0.92	3.40	49.53	117.83	0.77	1.00	2.59	
					W34-L	0.81	0.92	0.08	81.34	117.83	0.77	0.15	0.02	
Second	R2	FloorPlan-DWG	Residential	Bedroom	W34-U	0.81	0.92	1.15	79.33	117.83	0.77	1.00	1.40	2.00
													4.23	
					W2-L	0.81	0.92	0.08	35.66	59.22	0.77	0.15	0.01	
					W2-U	0.81	0.92	1.15	35.35	59.22	0.77	1.00	1.24	

Project Name: Hillingdon Gateway
Project No.: Release 05
Report Title: Average Daylight Analysis - Proposed Scheme (25th September 2019)
Date: 30/09/2019

Floor Ref.	Room Ref.	Room Attribute	Property Type	Room Use.	Window Ref.	Glass Transmittance	Maintenance Factor	Glazed Area	Clear Sky Angle Proposed	Room Surface Area	Average Surface Reflectance	Below Working Plane Factor	ADF Proposed	Req'd Value
													1.25	1.00
Second	R3	FloorPlan-DWG	Residential	Bedroom	W3-L	0.81	0.92	0.70	44.69	59.54	0.77	0.15	0.14	
					W3-U	0.81	0.92	1.15	44.44	59.54	0.77	1.00	1.55	
													1.69	1.00
Second	R4	FloorPlan-DWG	Residential	Bedroom	W4-L	0.81	0.92	0.70	31.80	56.29	0.77	0.15	0.11	
					W4-U	0.81	0.92	1.15	28.66	56.29	0.77	1.00	1.06	
													1.16	1.00
Second	R5	FloorPlan-DWG	Residential	LD	W5-L	0.81	0.92	0.70	40.82	71.25	0.77	0.15	0.11	
					W5-U	0.81	0.92	1.15	38.48	71.25	0.77	1.00	1.12	
					W6-L	0.81	0.92	0.70	39.85	71.25	0.77	0.15	0.11	
					W6-U	0.81	0.92	1.15	38.36	71.25	0.77	1.00	1.12	
													2.45	1.50
Second	R6	FloorPlan-DWG	Residential	LD	W7-L	0.81	0.92	0.70	45.36	82.55	0.77	0.15	0.10	
					W7-U	0.81	0.92	1.15	43.10	82.55	0.77	1.00	1.08	
					W8-L	0.81	0.92	0.70	44.47	82.55	0.77	0.15	0.10	
					W8-U	0.81	0.92	1.15	42.66	82.55	0.77	1.00	1.07	
													2.36	1.50
Second	R7	FloorPlan-DWG	Residential	Bedroom	W9-L	0.81	0.92	0.70	45.80	63.73	0.77	0.15	0.14	
					W9-U	0.81	0.92	1.15	42.23	63.73	0.77	1.00	1.37	
													1.51	1.00
Second	R8	FloorPlan-DWG	Residential	Bedroom	W10-L	0.81	0.92	0.70	48.66	67.08	0.77	0.15	0.14	
					W10-U	0.81	0.92	1.15	45.08	67.08	0.77	1.00	1.39	
													1.53	1.00
Second	R9	FloorPlan-DWG	Residential	Bedroom	W11-L	0.81	0.92	0.70	50.94	65.35	0.77	0.15	0.15	
					W11-U	0.81	0.92	1.15	47.30	65.35	0.77	1.00	1.50	
													1.65	1.00
Second	R10	FloorPlan-DWG	Residential	LKD	W12-L	0.81	0.92	0.70	54.81	126.03	0.77	0.15	0.08	
					W12-U	0.81	0.92	1.15	52.42	126.03	0.77	1.00	0.86	
					W13-L	0.81	0.92	0.70	55.68	126.03	0.77	0.15	0.08	
					W13-U	0.81	0.92	1.15	53.30	126.03	0.77	1.00	0.88	
					W14-L	0.81	0.92	0.70	61.04	126.03	0.77	0.15	0.09	
					W14-U	0.81	0.92	1.15	58.84	126.03	0.77	1.00	0.97	
					W15-L	0.81	0.92	0.70	60.23	126.03	0.77	0.15	0.09	

Project Name: Hillingdon Gateway
Project No.: Release 05
Report Title: Average Daylight Analysis - Proposed Scheme (25th September 2019)
Date: 30/09/2019

Floor Ref.	Room Ref.	Room Attribute	Property Type	Room Use.	Window Ref.	Glass Transmittance	Maintenance Factor	Glazed Area	Clear Sky Angle Proposed	Room Surface Area	Average Surface Reflectance	Below Working Plane Factor	ADF Proposed	Req'd Value
					W15-U	0.81	0.92	1.15	58.06	126.03	0.77	1.00	0.95	
					W16-L	0.81	0.92	0.70	55.82	126.03	0.77	0.15	0.08	
					W16-U	0.81	0.92	1.15	56.35	126.03	0.77	1.00	0.93	
													5.02	2.00
Second	R11	FloorPlan-DWG	Residential	LKD	W17-L	0.81	0.92	0.70	54.59	126.03	0.77	0.15	0.08	
					W17-U	0.81	0.92	1.15	55.28	126.03	0.77	1.00	0.91	
					W18-L	0.81	0.92	0.70	56.38	126.03	0.77	0.15	0.08	
					W18-U	0.81	0.92	1.15	54.66	126.03	0.77	1.00	0.90	
					W19-L	0.81	0.92	0.70	55.38	126.03	0.77	0.15	0.08	
					W19-U	0.81	0.92	1.15	53.76	126.03	0.77	1.00	0.88	
					W20-L	0.81	0.92	0.70	68.59	126.03	0.77	0.15	0.10	
					W20-U	0.81	0.92	1.15	65.69	126.03	0.77	1.00	1.08	
					W21-L	0.81	0.92	0.70	67.60	126.03	0.77	0.15	0.10	
					W21-U	0.81	0.92	1.15	64.78	126.03	0.77	1.00	1.07	
Second	R12	FloorPlan-DWG	Residential	Bedroom	W22-L	0.81	0.92	0.70	63.99	65.35	0.77	0.15	0.18	
					W22-U	0.81	0.92	1.15	63.85	65.35	0.77	1.00	2.03	
													2.21	1.00
Second	R13	FloorPlan-DWG	Residential	Bedroom	W23-L	0.81	0.92	0.70	60.24	67.08	0.77	0.15	0.17	
					W23-U	0.81	0.92	1.15	56.48	67.08	0.77	1.00	1.75	
													1.91	1.00
Second	R14	FloorPlan-DWG	Residential	Bedroom	W24-L	0.81	0.92	0.70	56.06	63.73	0.77	0.15	0.17	
					W24-U	0.81	0.92	1.15	52.51	63.73	0.77	1.00	1.71	
													1.87	1.00
Second	R15	FloorPlan-DWG	Residential	LD	W25-L	0.81	0.92	0.70	50.61	82.56	0.77	0.15	0.12	
					W25-U	0.81	0.92	1.15	49.16	82.56	0.77	1.00	1.23	
					W26-L	0.81	0.92	0.70	49.94	82.56	0.77	0.15	0.11	
					W26-U	0.81	0.92	1.15	48.20	82.56	0.77	1.00	1.21	
													2.67	1.50
Second	R16	FloorPlan-DWG	Residential	LD	W27-L	0.81	0.92	0.70	42.42	71.26	0.77	0.15	0.11	
					W27-U	0.81	0.92	1.15	41.58	71.26	0.77	1.00	1.21	
					W28-L	0.81	0.92	0.70	42.64	71.26	0.77	0.15	0.11	
					W28-U	0.81	0.92	1.15	41.04	71.26	0.77	1.00	1.19	

Project Name: Hillingdon Gateway
Project No.: Release 05
Report Title: Average Daylight Analysis - Proposed Scheme (25th September 2019)
Date: 30/09/2019

Floor Ref.	Room Ref.	Room Attribute	Property Type	Room Use.	Window Ref.	Glass Transmittance	Maintenance Factor	Glazed Area	Clear Sky Angle Proposed	Room Surface Area	Average Surface Reflectance	Below Working Plane Factor	ADF Proposed	Req'd Value
													2.63	1.50
Second	R17	FloorPlan-DWG	Residential	Bedroom	W29-L	0.81	0.92	0.70	33.16	56.29	0.77	0.15	0.11	
					W29-U	0.81	0.92	1.15	33.87	56.29	0.77	1.00	1.25	
													1.36	1.00
Second	R18	FloorPlan-DWG	Residential	Bedroom	W30-L	0.81	0.92	0.70	41.73	59.54	0.77	0.15	0.13	
					W30-U	0.81	0.92	1.15	41.86	59.54	0.77	1.00	1.46	
													1.59	1.00
Second	R19	FloorPlan-DWG	Residential	Bedroom	W31-L	0.81	0.92	0.08	41.83	59.22	0.77	0.15	0.02	
					W31-U	0.81	0.92	1.15	41.59	59.22	0.77	1.00	1.46	
													1.47	1.00
Second	R20	FloorPlan-DWG	Residential	LKD	W32-L	0.81	0.92	2.07	36.65	117.83	0.77	0.15	0.17	
					W32-U	0.81	0.92	3.40	36.61	117.83	0.77	1.00	1.91	
					W33-L	0.81	0.92	0.08	81.37	117.83	0.77	0.15	0.02	
					W33-U	0.81	0.92	1.15	79.34	117.83	0.77	1.00	1.40	
													3.50	2.00
Third	R1	FloorPlan-DWG	Residential	LKD	W1-L	0.81	0.92	2.07	50.94	117.83	0.77	0.15	0.24	
					W1-U	0.81	0.92	3.40	50.95	117.83	0.77	1.00	2.66	
					W34-L	0.81	0.92	0.08	81.38	117.83	0.77	0.15	0.02	
					W34-U	0.81	0.92	1.15	79.35	117.83	0.77	1.00	1.40	
													4.31	2.00
Third	R2	FloorPlan-DWG	Residential	Bedroom	W2-L	0.81	0.92	0.08	37.46	59.22	0.77	0.15	0.01	
					W2-U	0.81	0.92	1.15	37.09	59.22	0.77	1.00	1.30	
													1.31	1.00
Third	R3	FloorPlan-DWG	Residential	Bedroom	W3-L	0.81	0.92	0.70	46.81	59.54	0.77	0.15	0.15	
					W3-U	0.81	0.92	1.15	46.53	59.54	0.77	1.00	1.62	
													1.77	1.00
Third	R4	FloorPlan-DWG	Residential	Bedroom	W4-L	0.81	0.92	0.70	36.18	56.29	0.77	0.15	0.12	
					W4-U	0.81	0.92	1.15	37.01	56.29	0.77	1.00	1.36	
													1.48	1.00
Third	R5	FloorPlan-DWG	Residential	LD	W5-L	0.81	0.92	0.70	46.61	71.25	0.77	0.15	0.12	
					W5-U	0.81	0.92	1.15	45.27	71.25	0.77	1.00	1.32	
					W6-L	0.81	0.92	0.70	46.02	71.25	0.77	0.15	0.12	
					W6-U	0.81	0.92	1.15	45.15	71.25	0.77	1.00	1.31	

robinsons
Robinsons Surveyors Limited

Floor Ref.	Room Ref.	Room Attribute	Property Type	Room Use.	Window Ref.	Glass Transmittance	Maintenance Factor	Glazed Area	Clear Sky Angle Proposed	Room Surface Area	Average Surface Reflectance	Below Working Plane Factor	ADF Proposed	Req'd Value
													2.88	1.50
Third	R6	FloorPlan-DWG	Residential	LD	W7-L	0.81	0.92	0.70	51.07	82.55	0.77	0.15	0.12	
					W7-U	0.81	0.92	1.15	49.43	82.55	0.77	1.00	1.24	
					W8-L	0.81	0.92	0.70	50.51	82.55	0.77	0.15	0.12	
					W8-U	0.81	0.92	1.15	49.08	82.55	0.77	1.00	1.23	
													2.71	1.50
Third	R7	FloorPlan-DWG	Residential	Bedroom	W9-L	0.81	0.92	0.70	51.42	63.73	0.77	0.15	0.15	
					W9-U	0.81	0.92	1.15	52.10	63.73	0.77	1.00	1.69	
													1.85	1.00
Third	R8	FloorPlan-DWG	Residential	Bedroom	W10-L	0.81	0.92	0.70	53.93	67.08	0.77	0.15	0.15	
					W10-U	0.81	0.92	1.15	54.39	67.08	0.77	1.00	1.68	
													1.83	1.00
Third	R9	FloorPlan-DWG	Residential	Bedroom	W11-L	0.81	0.92	0.70	55.85	65.35	0.77	0.15	0.16	
					W11-U	0.81	0.92	1.15	56.08	65.35	0.77	1.00	1.78	
													1.94	1.00
Third	R10	FloorPlan-DWG	Residential	LKD	W12-L	0.81	0.92	0.70	59.44	126.03	0.77	0.15	0.09	
					W12-U	0.81	0.92	1.15	57.00	126.03	0.77	1.00	0.94	
					W13-L	0.81	0.92	0.70	60.33	126.03	0.77	0.15	0.09	
					W13-U	0.81	0.92	1.15	57.88	126.03	0.77	1.00	0.95	
					W14-L	0.81	0.92	0.70	66.36	126.03	0.77	0.15	0.10	
					W14-U	0.81	0.92	1.15	64.13	126.03	0.77	1.00	1.05	
					W15-L	0.81	0.92	0.70	65.63	126.03	0.77	0.15	0.10	
					W15-U	0.81	0.92	1.15	63.45	126.03	0.77	1.00	1.04	
					W16-L	0.81	0.92	0.70	61.29	126.03	0.77	0.15	0.09	
					W16-U	0.81	0.92	1.15	61.93	126.03	0.77	1.00	1.02	
													5.47	2.00
Third	R11	FloorPlan-DWG	Residential	LKD	W17-L	0.81	0.92	0.70	60.56	126.03	0.77	0.15	0.09	
					W17-U	0.81	0.92	1.15	61.40	126.03	0.77	1.00	1.01	
					W18-L	0.81	0.92	0.70	63.03	126.03	0.77	0.15	0.09	
					W18-U	0.81	0.92	1.15	61.45	126.03	0.77	1.00	1.01	
					W19-L	0.81	0.92	0.70	62.25	126.03	0.77	0.15	0.09	
					W19-U	0.81	0.92	1.15	60.78	126.03	0.77	1.00	1.00	
					W20-L	0.81	0.92	0.70	72.62	126.03	0.77	0.15	0.11	

Project Name: Hillingdon Gateway
Project No.: Release 05
Report Title: Average Daylight Analysis - Proposed Scheme (25th September 2019)
Date: 30/09/2019

Floor Ref.	Room Ref.	Room Attribute	Property Type	Room Use.	Window Ref.	Glass Transmittance	Maintenance Factor	Glazed Area	Clear Sky Angle Proposed	Room Surface Area	Average Surface Reflectance	Below Working Plane Factor	ADF Proposed	Req'd Value
					W20-U	0.81	0.92	1.15	69.69	126.03	0.77	1.00	1.15	
					W21-L	0.81	0.92	0.70	71.77	126.03	0.77	0.15	0.11	
					W21-U	0.81	0.92	1.15	68.95	126.03	0.77	1.00	1.13	
													5.79	2.00
Third	R12	FloorPlan-DWG	Residential	Bedroom	W22-L	0.81	0.92	0.70	67.81	65.35	0.77	0.15	0.20	
					W22-U	0.81	0.92	1.15	67.84	65.35	0.77	1.00	2.15	
													2.35	1.00
Third	R13	FloorPlan-DWG	Residential	Bedroom	W23-L	0.81	0.92	0.70	65.04	67.08	0.77	0.15	0.18	
					W23-U	0.81	0.92	1.15	65.45	67.08	0.77	1.00	2.02	
													2.21	1.00
Third	R14	FloorPlan-DWG	Residential	Bedroom	W24-L	0.81	0.92	0.70	61.54	63.73	0.77	0.15	0.18	
					W24-U	0.81	0.92	1.15	62.40	63.73	0.77	1.00	2.03	
													2.21	1.00
Third	R15	FloorPlan-DWG	Residential	LD	W25-L	0.81	0.92	0.70	57.75	82.56	0.77	0.15	0.13	
					W25-U	0.81	0.92	1.15	57.09	82.56	0.77	1.00	1.43	
					W26-L	0.81	0.92	0.70	57.31	82.56	0.77	0.15	0.13	
					W26-U	0.81	0.92	1.15	56.67	82.56	0.77	1.00	1.42	
													3.12	1.50
Third	R16	FloorPlan-DWG	Residential	LD	W27-L	0.81	0.92	0.70	50.54	71.26	0.77	0.15	0.13	
					W27-U	0.81	0.92	1.15	50.78	71.26	0.77	1.00	1.48	
					W28-L	0.81	0.92	0.70	50.58	71.26	0.77	0.15	0.13	
					W28-U	0.81	0.92	1.15	50.35	71.26	0.77	1.00	1.46	
													3.21	1.50
Third	R17	FloorPlan-DWG	Residential	Bedroom	W29-L	0.81	0.92	0.70	39.08	56.29	0.77	0.15	0.13	
					W29-U	0.81	0.92	1.15	40.54	56.29	0.77	1.00	1.49	
													1.62	1.00
Third	R18	FloorPlan-DWG	Residential	Bedroom	W30-L	0.81	0.92	0.70	45.58	59.54	0.77	0.15	0.14	
					W30-U	0.81	0.92	1.15	46.03	59.54	0.77	1.00	1.60	
													1.75	1.00
Third	R19	FloorPlan-DWG	Residential	Bedroom	W31-L	0.81	0.92	0.08	46.79	59.22	0.77	0.15	0.02	
					W31-U	0.81	0.92	1.15	46.93	59.22	0.77	1.00	1.64	
													1.66	1.00
Third	R20	FloorPlan-DWG	Residential	LKD	W32-L	0.81	0.92	2.07	40.85	117.83	0.77	0.15	0.19	

Project Name: Hillingdon Gateway
Project No.: Release 05
Report Title: Average Daylight Analysis - Proposed Scheme (25th September 2019)
Date: 30/09/2019

Floor Ref.	Room Ref.	Room Attribute	Property Type	Room Use.	Window Ref.	Glass Transmittance	Maintenance Factor	Glazed Area	Clear Sky Angle Proposed	Room Surface Area	Average Surface Reflectance	Below Working Plane Factor	ADF Proposed	Req'd Value
					W32-U	0.81	0.92	3.40	41.25	117.83	0.77	1.00	2.15	
					W33-L	0.81	0.92	0.08	81.38	117.83	0.77	0.15	0.02	
					W33-U	0.81	0.92	1.15	79.35	117.83	0.77	1.00	1.40	
													3.76	2.00
Fourth	R1	FloorPlan-DWG	Residential	LKD	W1-L	0.81	0.92	2.07	47.22	117.83	0.77	0.15	0.22	
					W1-U	0.81	0.92	3.40	38.75	117.83	0.77	1.00	2.02	
					W34-L	0.81	0.92	0.08	81.38	117.83	0.77	0.15	0.02	
					W34-U	0.81	0.92	1.15	79.35	117.83	0.77	1.00	1.40	
													3.66	2.00
Fourth	R2	FloorPlan-DWG	Residential	Bedroom	W2-L	0.81	0.92	0.08	40.70	59.22	0.77	0.15	0.02	
					W2-U	0.81	0.92	1.15	41.54	59.22	0.77	1.00	1.45	
													1.47	1.00
Fourth	R3	FloorPlan-DWG	Residential	Bedroom	W3-L	0.81	0.92	0.70	49.51	59.54	0.77	0.15	0.16	
					W3-U	0.81	0.92	1.15	49.49	59.54	0.77	1.00	1.72	
													1.88	1.00
Fourth	R4	FloorPlan-DWG	Residential	Bedroom	W4-L	0.81	0.92	0.70	41.83	56.29	0.77	0.15	0.14	
					W4-U	0.81	0.92	1.15	42.93	56.29	0.77	1.00	1.58	
													1.72	1.00
Fourth	R5	FloorPlan-DWG	Residential	LD	W5-L	0.81	0.92	0.70	54.74	71.25	0.77	0.15	0.15	
					W5-U	0.81	0.92	1.15	56.56	71.25	0.77	1.00	1.65	
					W6-L	0.81	0.92	0.70	54.53	71.25	0.77	0.15	0.14	
					W6-U	0.81	0.92	1.15	56.57	71.25	0.77	1.00	1.65	
													3.58	1.50
Fourth	R6	FloorPlan-DWG	Residential	LD	W7-L	0.81	0.92	0.70	57.86	82.55	0.77	0.15	0.13	
					W7-U	0.81	0.92	1.15	59.00	82.55	0.77	1.00	1.48	
					W8-L	0.81	0.92	0.70	57.80	82.55	0.77	0.15	0.13	
					W8-U	0.81	0.92	1.15	59.12	82.55	0.77	1.00	1.48	
													3.23	1.50
Fourth	R7	FloorPlan-DWG	Residential	Bedroom	W9-L	0.81	0.92	0.70	56.88	63.73	0.77	0.15	0.17	
					W9-U	0.81	0.92	1.15	57.27	63.73	0.77	1.00	1.86	
													2.03	1.00
Fourth	R8	FloorPlan-DWG	Residential	Bedroom	W10-L	0.81	0.92	0.70	58.84	67.08	0.77	0.15	0.17	
					W10-U	0.81	0.92	1.15	59.06	67.08	0.77	1.00	1.83	

Project Name: Hillingdon Gateway
Project No.: Release 05
Report Title: Average Daylight Analysis - Proposed Scheme (25th September 2019)
Date: 30/09/2019

Floor Ref.	Room Ref.	Room Attribute	Property Type	Room Use.	Window Ref.	Glass Transmittance	Maintenance Factor	Glazed Area	Clear Sky Angle Proposed	Room Surface Area	Average Surface Reflectance	Below Working Plane Factor	ADF Proposed	Req'd Value
													1.99	1.00
Fourth	R9	FloorPlan-DWG	Residential	Bedroom	W11-L	0.81	0.92	0.70	60.14	65.35	0.77	0.15	0.17	
					W11-U	0.81	0.92	1.15	60.20	65.35	0.77	1.00	1.91	
													2.08	1.00
Fourth	R10	FloorPlan-DWG	Residential	LKD	W12-L	0.81	0.92	0.70	64.08	126.03	0.77	0.15	0.10	
					W12-U	0.81	0.92	1.15	64.43	126.03	0.77	1.00	1.06	
					W13-L	0.81	0.92	0.70	64.94	126.03	0.77	0.15	0.10	
					W13-U	0.81	0.92	1.15	65.26	126.03	0.77	1.00	1.07	
					W14-L	0.81	0.92	0.70	72.02	126.03	0.77	0.15	0.11	
					W14-U	0.81	0.92	1.15	72.53	126.03	0.77	1.00	1.19	
					W15-L	0.81	0.92	0.70	71.42	126.03	0.77	0.15	0.11	
					W15-U	0.81	0.92	1.15	72.01	126.03	0.77	1.00	1.18	
					W16-L	0.81	0.92	0.70	66.77	126.03	0.77	0.15	0.10	
					W16-U	0.81	0.92	1.15	67.19	126.03	0.77	1.00	1.11	
													6.12	2.00
Fourth	R11	FloorPlan-DWG	Residential	LKD	W17-L	0.81	0.92	0.70	66.62	126.03	0.77	0.15	0.10	
					W17-U	0.81	0.92	1.15	67.23	126.03	0.77	1.00	1.11	
					W18-L	0.81	0.92	0.70	70.48	126.03	0.77	0.15	0.11	
					W18-U	0.81	0.92	1.15	71.65	126.03	0.77	1.00	1.18	
					W19-L	0.81	0.92	0.70	69.94	126.03	0.77	0.15	0.10	
					W19-U	0.81	0.92	1.15	71.17	126.03	0.77	1.00	1.17	
					W20-L	0.81	0.92	0.70	77.26	126.03	0.77	0.15	0.12	
					W20-U	0.81	0.92	1.15	77.21	126.03	0.77	1.00	1.27	
					W21-L	0.81	0.92	0.70	76.67	126.03	0.77	0.15	0.11	
					W21-U	0.81	0.92	1.15	76.76	126.03	0.77	1.00	1.26	
													6.53	2.00
Fourth	R12	FloorPlan-DWG	Residential	Bedroom	W22-L	0.81	0.92	0.70	71.94	65.35	0.77	0.15	0.21	
					W22-U	0.81	0.92	1.15	71.75	65.35	0.77	1.00	2.28	
													2.48	1.00
Fourth	R13	FloorPlan-DWG	Residential	Bedroom	W23-L	0.81	0.92	0.70	70.28	67.08	0.77	0.15	0.20	
					W23-U	0.81	0.92	1.15	70.62	67.08	0.77	1.00	2.18	
													2.38	1.00
Fourth	R14	FloorPlan-DWG	Residential	Bedroom	W24-L	0.81	0.92	0.70	68.12	63.73	0.77	0.15	0.20	

Project Name: Hillingdon Gateway
Project No.: Release 05
Report Title: Average Daylight Analysis - Proposed Scheme (25th September 2019)
Date: 30/09/2019

Floor Ref.	Room Ref.	Room Attribute	Property Type	Room Use.	Window Ref.	Glass Transmittance	Maintenance Factor	Glazed Area	Clear Sky Angle Proposed	Room Surface Area	Average Surface Reflectance	Below Working Plane Factor	ADF Proposed	Req'd Value
					W24-U	0.81	0.92	1.15	69.12	63.73	0.77	1.00	2.25	
													2.45	1.00
Fourth	R15	FloorPlan-DWG	Residential	LD	W25-L	0.81	0.92	0.70	68.03	82.56	0.77	0.15	0.16	
					W25-U	0.81	0.92	1.15	70.77	82.56	0.77	1.00	1.78	
					W26-L	0.81	0.92	0.70	67.83	82.56	0.77	0.15	0.16	
					W26-U	0.81	0.92	1.15	70.63	82.56	0.77	1.00	1.77	
													3.86	1.50
Fourth	R16	FloorPlan-DWG	Residential	LD	W27-L	0.81	0.92	0.70	62.85	71.26	0.77	0.15	0.17	
					W27-U	0.81	0.92	1.15	66.78	71.26	0.77	1.00	1.94	
					W28-L	0.81	0.92	0.70	62.56	71.26	0.77	0.15	0.17	
					W28-U	0.81	0.92	1.15	66.40	71.26	0.77	1.00	1.93	
													4.21	1.50
Fourth	R17	FloorPlan-DWG	Residential	Bedroom	W29-L	0.81	0.92	0.70	47.14	56.29	0.77	0.15	0.16	
					W29-U	0.81	0.92	1.15	49.79	56.29	0.77	1.00	1.83	
													1.99	1.00
Fourth	R18	FloorPlan-DWG	Residential	Bedroom	W30-L	0.81	0.92	0.70	50.34	59.54	0.77	0.15	0.16	
					W30-U	0.81	0.92	1.15	50.91	59.54	0.77	1.00	1.77	
													1.93	1.00
Fourth	R19	FloorPlan-DWG	Residential	Bedroom	W31-L	0.81	0.92	0.08	53.60	59.22	0.77	0.15	0.02	
					W31-U	0.81	0.92	1.15	54.03	59.22	0.77	1.00	1.89	
													1.91	1.00
Fourth	R20	FloorPlan-DWG	Residential	LKD	W32-L	0.81	0.92	2.07	48.11	117.83	0.77	0.15	0.23	
					W32-U	0.81	0.92	3.40	50.61	117.83	0.77	1.00	2.64	
					W33-L	0.81	0.92	0.08	81.38	117.83	0.77	0.15	0.02	
					W33-U	0.81	0.92	1.15	79.35	117.83	0.77	1.00	1.40	
													4.28	2.00
Fifth	R1	FloorPlan-DWG	Residential	Bedroom	W1-L	0.81	0.92	0.70	53.41	57.46	0.77	0.15	0.18	
					W1-U	0.81	0.92	1.15	60.77	57.46	0.77	1.00	2.19	
					W2-L	0.81	0.92	0.70	55.48	57.46	0.77	0.15	0.18	
					W2-U	0.81	0.92	1.15	60.60	57.46	0.77	1.00	2.19	
													4.74	1.00
Fifth	R2	FloorPlan-DWG	Residential	LD	W3-L	0.81	0.92	0.70	58.49	80.35	0.77	0.15	0.14	
					W3-U	0.81	0.92	1.15	61.40	80.35	0.77	1.00	1.58	

Project Name: Hillingdon Gateway
Project No.: Release 05
Report Title: Average Daylight Analysis - Proposed Scheme (25th September 2019)
Date: 30/09/2019

Floor Ref.	Room Ref.	Room Attribute	Property Type	Room Use.	Window Ref.	Glass Transmittance	Maintenance Factor	Glazed Area	Clear Sky Angle Proposed	Room Surface Area	Average Surface Reflectance	Below Working Plane Factor	ADF Proposed	Req'd Value
					W4-L	0.81	0.92	0.70	59.85	80.35	0.77	0.15	0.14	
					W4-U	0.81	0.92	1.15	61.63	80.35	0.77	1.00	1.59	
													3.45	1.50
Fifth	R3	FloorPlan-DWG	Residential	Bedroom	W5-L	0.81	0.92	0.70	60.99	67.08	0.77	0.15	0.17	
					W5-U	0.81	0.92	1.15	61.92	67.08	0.77	1.00	1.91	
													2.09	1.00
Fifth	R4	FloorPlan-DWG	Residential	Bedroom	W6-L	0.81	0.92	0.70	61.52	65.35	0.77	0.15	0.18	
					W6-U	0.81	0.92	1.15	62.21	65.35	0.77	1.00	1.97	
					W7-L	0.81	0.92	0.70	62.13	65.35	0.77	0.15	0.18	
					W7-U	0.81	0.92	1.15	62.65	65.35	0.77	1.00	1.99	
													4.32	1.00
Fifth	R5	FloorPlan-DWG	Residential	LKD	W8-L	0.81	0.92	0.70	62.96	126.03	0.77	0.15	0.09	
					W8-U	0.81	0.92	1.15	63.31	126.03	0.77	1.00	1.04	
					W9-L	0.81	0.92	0.70	63.69	126.03	0.77	0.15	0.10	
					W9-U	0.81	0.92	1.15	63.89	126.03	0.77	1.00	1.05	
					W10-L	0.81	0.92	0.70	73.21	126.03	0.77	0.15	0.11	
					W10-U	0.81	0.92	1.15	72.54	126.03	0.77	1.00	1.19	
					W11-L	0.81	0.92	0.70	73.28	126.03	0.77	0.15	0.11	
					W11-U	0.81	0.92	1.15	72.61	126.03	0.77	1.00	1.19	
					W12-L	0.81	0.92	0.70	73.35	126.03	0.77	0.15	0.11	
					W12-U	0.81	0.92	1.15	72.69	126.03	0.77	1.00	1.20	
					W13-L	0.81	0.92	0.70	73.40	126.03	0.77	0.15	0.11	
					W13-U	0.81	0.92	1.15	72.76	126.03	0.77	1.00	1.20	
													7.50	2.00
Fifth	R6	FloorPlan-DWG	Residential	LKD	W14-L	0.81	0.92	0.70	73.46	126.03	0.77	0.15	0.11	
					W14-U	0.81	0.92	1.15	72.84	126.03	0.77	1.00	1.20	
					W15-L	0.81	0.92	0.70	73.52	126.03	0.77	0.15	0.11	
					W15-U	0.81	0.92	1.15	72.93	126.03	0.77	1.00	1.20	
					W16-L	0.81	0.92	0.70	73.59	126.03	0.77	0.15	0.11	
					W16-U	0.81	0.92	1.15	73.02	126.03	0.77	1.00	1.20	
					W17-L	0.81	0.92	0.70	73.67	126.03	0.77	0.15	0.11	
					W17-U	0.81	0.92	1.15	73.09	126.03	0.77	1.00	1.20	
					W18-L	0.81	0.92	0.70	75.44	126.03	0.77	0.15	0.11	

Project Name: Hillingdon Gateway
Project No.: Release 05
Report Title: Average Daylight Analysis - Proposed Scheme (25th September 2019)
Date: 30/09/2019

Floor Ref.	Room Ref.	Room Attribute	Property Type	Room Use.	Window Ref.	Glass Transmittance	Maintenance Factor	Glazed Area	Clear Sky Angle Proposed	Room Surface Area	Average Surface Reflectance	Below Working Plane Factor	ADF Proposed	Req'd Value
					W18-U	0.81	0.92	1.15	74.66	126.03	0.77	1.00	1.23	
					W19-L	0.81	0.92	0.70	75.29	126.03	0.77	0.15	0.11	
					W19-U	0.81	0.92	1.15	74.64	126.03	0.77	1.00	1.23	
													7.92	2.00
Fifth	R7	FloorPlan-DWG	Residential	Bedroom	W20-L	0.81	0.92	0.70	74.89	65.35	0.77	0.15	0.22	
					W20-U	0.81	0.92	1.15	74.53	65.35	0.77	1.00	2.36	
					W21-L	0.81	0.92	0.70	74.48	65.35	0.77	0.15	0.22	
					W21-U	0.81	0.92	1.15	74.44	65.35	0.77	1.00	2.36	
													5.16	1.00
Fifth	R8	FloorPlan-DWG	Residential	Bedroom	W22-L	0.81	0.92	0.70	74.25	67.08	0.77	0.15	0.21	
					W22-U	0.81	0.92	1.15	74.41	67.08	0.77	1.00	2.30	
													2.51	1.00
Fifth	R9	FloorPlan-DWG	Residential	LD	W23-L	0.81	0.92	0.70	72.06	80.36	0.77	0.15	0.17	
					W23-U	0.81	0.92	1.15	73.74	80.36	0.77	1.00	1.90	
					W24-L	0.81	0.92	0.70	69.79	80.36	0.77	0.15	0.16	
					W24-U	0.81	0.92	1.15	72.98	80.36	0.77	1.00	1.88	
													4.12	1.50
Fifth	R10	FloorPlan-DWG	Residential	Bedroom	W25-L	0.81	0.92	0.70	65.11	57.46	0.77	0.15	0.21	
					W25-U	0.81	0.92	1.15	71.36	57.46	0.77	1.00	2.57	
					W26-L	0.81	0.92	0.70	54.52	57.46	0.77	0.15	0.18	
					W26-U	0.81	0.92	1.15	68.32	57.46	0.77	1.00	2.46	
													5.43	1.00
Sixth	R1	FloorPlan-DWG	Residential	Bedroom	W1-L	0.81	0.92	0.70	67.59	57.46	0.77	0.15	0.22	
					W1-U	0.81	0.92	1.15	67.57	57.46	0.77	1.00	2.44	
					W2-L	0.81	0.92	0.70	67.13	57.46	0.77	0.15	0.22	
					W2-U	0.81	0.92	1.15	67.20	57.46	0.77	1.00	2.42	
													5.30	1.00
Sixth	R2	FloorPlan-DWG	Residential	LD	W3-L	0.81	0.92	0.70	66.81	80.35	0.77	0.15	0.16	
					W3-U	0.81	0.92	1.15	66.93	80.35	0.77	1.00	1.73	
					W4-L	0.81	0.92	0.70	66.60	80.35	0.77	0.15	0.16	
					W4-U	0.81	0.92	1.15	66.75	80.35	0.77	1.00	1.72	
													3.76	1.50
Sixth	R3	FloorPlan-DWG	Residential	Bedroom	W5-L	0.81	0.92	0.70	66.54	67.08	0.77	0.15	0.19	

robinsons
Robinsons Surveyors Limited

Floor Ref.	Room Ref.	Room Attribute	Property Type	Room Use.	Window Ref.	Glass Transmittance	Maintenance Factor	Glazed Area	Clear Sky Angle Proposed	Room Surface Area	Average Surface Reflectance	Below Working Plane Factor	ADF Proposed	Req'd Value
					W5-U	0.81	0.92	1.15	66.69	67.08	0.77	1.00	2.06 2.25	1.00
Sixth	R4	FloorPlan-DWG	Residential	Bedroom	W6-L	0.81	0.92	0.70	66.71	65.35	0.77	0.15	0.19	
					W6-U	0.81	0.92	1.15	66.83	65.35	0.77	1.00	2.12	
					W7-L	0.81	0.92	0.70	67.01	65.35	0.77	0.15	0.19	
					W7-U	0.81	0.92	1.15	67.08	65.35	0.77	1.00	2.13 4.63	1.00
Sixth	R5	FloorPlan-DWG	Residential	LKD	W8-L	0.81	0.92	0.70	67.50	126.03	0.77	0.15	0.10	
					W8-U	0.81	0.92	1.15	67.50	126.03	0.77	1.00	1.11	
					W9-L	0.81	0.92	0.70	67.93	126.03	0.77	0.15	0.10	
					W9-U	0.81	0.92	1.15	67.84	126.03	0.77	1.00	1.12	
					W10-L	0.81	0.92	0.70	75.11	126.03	0.77	0.15	0.11	
					W10-U	0.81	0.92	1.15	73.88	126.03	0.77	1.00	1.22	
					W11-L	0.81	0.92	0.70	75.16	126.03	0.77	0.15	0.11	
					W11-U	0.81	0.92	1.15	73.92	126.03	0.77	1.00	1.22	
					W12-L	0.81	0.92	0.70	75.22	126.03	0.77	0.15	0.11	
					W12-U	0.81	0.92	1.15	73.96	126.03	0.77	1.00	1.22	
					W13-L	0.81	0.92	0.70	75.29	126.03	0.77	0.15	0.11	
					W13-U	0.81	0.92	1.15	74.01	126.03	0.77	1.00	1.22 7.74	2.00
Sixth	R6	FloorPlan-DWG	Residential	LKD	W14-L	0.81	0.92	0.70	75.36	126.03	0.77	0.15	0.11	
					W14-U	0.81	0.92	1.15	74.05	126.03	0.77	1.00	1.22	
					W15-L	0.81	0.92	0.70	75.43	126.03	0.77	0.15	0.11	
					W15-U	0.81	0.92	1.15	74.11	126.03	0.77	1.00	1.22	
					W16-L	0.81	0.92	0.70	75.50	126.03	0.77	0.15	0.11	
					W16-U	0.81	0.92	1.15	74.18	126.03	0.77	1.00	1.22	
					W17-L	0.81	0.92	0.70	75.57	126.03	0.77	0.15	0.11	
					W17-U	0.81	0.92	1.15	74.22	126.03	0.77	1.00	1.22	
					W18-L	0.81	0.92	0.70	76.27	126.03	0.77	0.15	0.11	
					W18-U	0.81	0.92	1.15	74.04	126.03	0.77	1.00	1.22	
					W19-L	0.81	0.92	0.70	76.24	126.03	0.77	0.15	0.11	
					W19-U	0.81	0.92	1.15	74.03	126.03	0.77	1.00	1.22 7.99	2.00

Project Name: Hillingdon Gateway
Project No.: Release 05
Report Title: Average Daylight Analysis - Proposed Scheme (25th September 2019)
Date: 30/09/2019

Floor Ref.	Room Ref.	Room Attribute	Property Type	Room Use.	Window Ref.	Glass Transmittance	Maintenance Factor	Glazed Area	Clear Sky Angle Proposed	Room Surface Area	Average Surface Reflectance	Below Working Plane Factor	ADF Proposed	Req'd Value
Sixth	R7	FloorPlan-DWG	Residential	Bedroom	W20-L	0.81	0.92	0.70	76.61	65.35	0.77	0.15	0.22	1.00
					W20-U	0.81	0.92	1.15	74.99	65.35	0.77	1.00	2.38	
					W21-L	0.81	0.92	0.70	76.61	65.35	0.77	0.15	0.22	
					W21-U	0.81	0.92	1.15	74.99	65.35	0.77	1.00	2.38	
													5.20	
Sixth	R8	FloorPlan-DWG	Residential	Bedroom	W22-L	0.81	0.92	0.70	76.61	67.08	0.77	0.15	0.22	1.00
					W22-U	0.81	0.92	1.15	74.99	67.08	0.77	1.00	2.32	
													2.53	
Sixth	R9	FloorPlan-DWG	Residential	LD	W23-L	0.81	0.92	0.70	76.61	80.35	0.77	0.15	0.18	1.50
					W23-U	0.81	0.92	1.15	74.99	80.35	0.77	1.00	1.93	
					W24-L	0.81	0.92	0.70	76.61	80.35	0.77	0.15	0.18	
					W24-U	0.81	0.92	1.15	74.99	80.35	0.77	1.00	1.93	
													4.23	
Sixth	R10	FloorPlan-DWG	Residential	Bedroom	W25-L	0.81	0.92	0.70	76.61	57.46	0.77	0.15	0.25	1.00
					W25-U	0.81	0.92	1.15	74.99	57.46	0.77	1.00	2.70	
					W26-L	0.81	0.92	0.70	76.61	57.46	0.77	0.15	0.25	
					W26-U	0.81	0.92	1.15	74.99	57.46	0.77	1.00	2.70	
													5.91	
Seventh	R1	FloorPlan-DWG	Residential	Bedroom	W1-L	0.81	0.92	0.70	71.24	57.46	0.77	0.15	0.23	1.00
					W1-U	0.81	0.92	1.15	67.00	57.46	0.77	1.00	2.42	
					W2-L	0.81	0.92	0.70	71.00	57.46	0.77	0.15	0.23	
					W2-U	0.81	0.92	1.15	66.81	57.46	0.77	1.00	2.41	
													5.29	
Seventh	R2	FloorPlan-DWG	Residential	LD	W3-L	0.81	0.92	0.70	70.82	80.35	0.77	0.15	0.17	1.50
					W3-U	0.81	0.92	1.15	66.66	80.35	0.77	1.00	1.72	
					W4-L	0.81	0.92	0.70	70.69	80.35	0.77	0.15	0.17	
					W4-U	0.81	0.92	1.15	66.54	80.35	0.77	1.00	1.72	
													3.77	
Seventh	R3	FloorPlan-DWG	Residential	Bedroom	W5-L	0.81	0.92	0.70	70.64	67.08	0.77	0.15	0.20	1.00
					W5-U	0.81	0.92	1.15	66.49	67.08	0.77	1.00	2.05	
													2.25	
Seventh	R4	FloorPlan-DWG	Residential	Bedroom	W6-L	0.81	0.92	0.70	70.72	65.35	0.77	0.15	0.20	
					W6-U	0.81	0.92	1.15	66.54	65.35	0.77	1.00	2.11	

Project Name: Hillingdon Gateway
Project No.: Release 05
Report Title: Average Daylight Analysis - Proposed Scheme (25th September 2019)
Date: 30/09/2019

Floor Ref.	Room Ref.	Room Attribute	Property Type	Room Use.	Window Ref.	Glass Transmittance	Maintenance Factor	Glazed Area	Clear Sky Angle Proposed	Room Surface Area	Average Surface Reflectance	Below Working Plane Factor	ADF Proposed	Req'd Value
Seventh	R5	FloorPlan-DWG	Residential	LKD	W7-L	0.81	0.92	0.70	70.89	65.35	0.77	0.15	0.20	1.00
					W7-U	0.81	0.92	1.15	66.64	65.35	0.77	1.00	2.11	
													4.63	
					W8-L	0.81	0.92	0.70	71.16	126.03	0.77	0.15	0.11	
					W8-U	0.81	0.92	1.15	66.82	126.03	0.77	1.00	1.10	
					W9-L	0.81	0.92	0.70	71.36	126.03	0.77	0.15	0.11	
					W9-U	0.81	0.92	1.15	66.93	126.03	0.77	1.00	1.10	
					W10-L	0.81	0.92	0.70	75.63	126.03	0.77	0.15	0.11	
					W10-U	0.81	0.92	1.15	70.07	126.03	0.77	1.00	1.15	
					W11-L	0.81	0.92	0.70	75.64	126.03	0.77	0.15	0.11	
					W11-U	0.81	0.92	1.15	70.07	126.03	0.77	1.00	1.15	
					W12-L	0.81	0.92	0.70	75.67	126.03	0.77	0.15	0.11	
					W12-U	0.81	0.92	1.15	70.08	126.03	0.77	1.00	1.15	
Seventh	R6	FloorPlan-DWG	Residential	LKD	W13-L	0.81	0.92	0.70	75.69	126.03	0.77	0.15	0.11	2.00
					W13-U	0.81	0.92	1.15	70.09	126.03	0.77	1.00	1.15	
													7.48	
					W14-L	0.81	0.92	0.70	75.71	126.03	0.77	0.15	0.11	
					W14-U	0.81	0.92	1.15	70.09	126.03	0.77	1.00	1.15	
					W15-L	0.81	0.92	0.70	75.74	126.03	0.77	0.15	0.11	
					W15-U	0.81	0.92	1.15	70.10	126.03	0.77	1.00	1.15	
					W16-L	0.81	0.92	0.70	75.77	126.03	0.77	0.15	0.11	
					W16-U	0.81	0.92	1.15	70.15	126.03	0.77	1.00	1.15	
					W17-L	0.81	0.92	0.70	76.20	126.03	0.77	0.15	0.11	
					W17-U	0.81	0.92	1.15	74.83	126.03	0.77	1.00	1.23	
					W18-L	0.81	0.92	0.70	65.70	126.03	0.77	0.15	0.10	
					W18-U	0.81	0.92	1.15	70.26	126.03	0.77	1.00	1.16	
Seventh	R7	FloorPlan-DWG	Residential	Bedroom	W19-L	0.81	0.92	0.70	73.08	126.03	0.77	0.15	0.11	2.00
					W19-U	0.81	0.92	1.15	70.26	126.03	0.77	1.00	1.16	
													7.66	
					W20-L	0.81	0.92	0.70	76.15	65.35	0.77	0.15	0.22	
					W20-U	0.81	0.92	1.15	70.26	65.35	0.77	1.00	2.23	
					W21-L	0.81	0.92	0.70	76.15	65.35	0.77	0.15	0.22	
					W21-U	0.81	0.92	1.15	70.26	65.35	0.77	1.00	2.23	

Project Name: Hillingdon Gateway
Project No.: Release 05
Report Title: Average Daylight Analysis - Proposed Scheme (25th September 2019)
Date: 30/09/2019

Floor Ref.	Room Ref.	Room Attribute	Property Type	Room Use.	Window Ref.	Glass Transmittance	Maintenance Factor	Glazed Area	Clear Sky Angle Proposed	Room Surface Area	Average Surface Reflectance	Below Working Plane Factor	ADF Proposed	Req'd Value
													4.90	1.00
Seventh	R8	FloorPlan-DWG	Residential	Bedroom	W22-L	0.81	0.92	0.70	76.15	67.08	0.77	0.15	0.21	
					W22-U	0.81	0.92	1.15	70.26	67.08	0.77	1.00	2.17	
													2.39	1.00
Seventh	R9	FloorPlan-DWG	Residential	LD	W23-L	0.81	0.92	0.70	76.15	80.35	0.77	0.15	0.18	
					W23-U	0.81	0.92	1.15	70.26	80.35	0.77	1.00	1.81	
					W24-L	0.81	0.92	0.70	76.15	80.35	0.77	0.15	0.18	
					W24-U	0.81	0.92	1.15	70.26	80.35	0.77	1.00	1.81	
													3.98	1.50
Seventh	R10	FloorPlan-DWG	Residential	Bedroom	W25-L	0.81	0.92	0.70	76.15	57.46	0.77	0.15	0.25	
					W25-U	0.81	0.92	1.15	70.26	57.46	0.77	1.00	2.53	
					W26-L	0.81	0.92	0.70	76.15	57.46	0.77	0.15	0.25	
					W26-U	0.81	0.92	1.15	70.26	57.46	0.77	1.00	2.53	
													5.57	1.00
Building 9														
Ground	R1	FloorPlan-DWG	Residential	LKD	W1-L	0.81	0.92	0.70	60.15	97.88	0.77	0.15	0.12	
					W1-U	0.81	0.92	1.15	60.18	97.88	0.77	1.00	1.27	
					W2-L	0.81	0.92	0.70	57.74	97.88	0.77	0.15	0.11	
					W2-U	0.81	0.92	1.15	58.07	97.88	0.77	1.00	1.23	
					W3-L	0.81	0.92	0.70	59.74	97.88	0.77	0.15	0.12	
					W3-U	0.81	0.92	1.15	59.36	97.88	0.77	1.00	1.26	
													4.10	2.00
Ground	R2	FloorPlan-DWG	Residential	Bedroom	W4-L	0.81	0.92	0.70	61.57	73.21	0.77	0.15	0.16	
					W4-U	0.81	0.92	1.15	61.10	73.21	0.77	1.00	1.73	
													1.89	1.00
Ground	R3	FloorPlan-DWG	Residential	LKD	W5-L	0.81	0.92	0.70	63.02	113.11	0.77	0.15	0.11	
					W5-U	0.81	0.92	1.15	62.46	113.11	0.77	1.00	1.14	
					W6-L	0.81	0.92	0.70	68.52	113.11	0.77	0.15	0.11	
					W6-U	0.81	0.92	1.15	68.15	113.11	0.77	1.00	1.25	
					W7-L	0.81	0.92	0.70	67.11	113.11	0.77	0.15	0.11	
					W7-U	0.81	0.92	1.15	66.87	113.11	0.77	1.00	1.23	

Project Name: Hillingdon Gateway
Project No.: Release 05
Report Title: Average Daylight Analysis - Proposed Scheme (25th September 2019)
Date: 30/09/2019

Floor Ref.	Room Ref.	Room Attribute	Property Type	Room Use.	Window Ref.	Glass Transmittance	Maintenance Factor	Glazed Area	Clear Sky Angle Proposed	Room Surface Area	Average Surface Reflectance	Below Working Plane Factor	ADF Proposed	Req'd Value
					W8-L	0.81	0.92	1.84	86.27	113.11	0.77	0.15	0.38	
					W8-U	0.81	0.92	3.02	84.43	113.11	0.77	1.00	4.08	
													8.41	2.00
Ground	R4	FloorPlan-DWG	Residential	Bedroom	W9-L	0.81	0.92	0.70	76.16	47.17	0.77	0.15	0.30	
					W9-U	0.81	0.92	1.15	74.60	47.17	0.77	1.00	3.28	
													3.58	1.00
Ground	R5	FloorPlan-DWG	Residential	Bedroom	W10-L	0.81	0.92	0.70	76.16	59.52	0.77	0.15	0.24	
					W10-U	0.81	0.92	1.15	74.60	59.52	0.77	1.00	2.60	
													2.84	1.00
Ground	R6	FloorPlan-DWG	Residential	LD	W11-L	0.81	0.92	0.70	76.16	111.41	0.77	0.15	0.13	
					W11-U	0.81	0.92	1.15	74.60	111.41	0.77	1.00	1.39	
					W12-L	0.81	0.92	1.84	86.27	111.41	0.77	0.15	0.39	
					W12-U	0.81	0.92	3.02	84.43	111.41	0.77	1.00	4.14	
					W13-L	0.81	0.92	0.70	75.47	111.41	0.77	0.15	0.13	
					W13-U	0.81	0.92	1.15	74.23	111.41	0.77	1.00	1.38	
													7.55	1.50
Ground	R7	FloorPlan-DWG	Residential	Bedroom	W14-L	0.81	0.92	0.70	75.46	47.36	0.77	0.15	0.30	
					W14-U	0.81	0.92	1.15	74.22	47.36	0.77	1.00	3.25	
													3.55	1.00
Ground	R8	FloorPlan-DWG	Residential	Bedroom	W15-L	0.81	0.92	0.70	75.45	58.05	0.77	0.15	0.25	
					W15-U	0.81	0.92	1.15	74.21	58.05	0.77	1.00	2.65	
													2.90	1.00
Ground	R9	FloorPlan-DWG	Residential	Bedroom	W16-L	0.81	0.92	0.70	75.43	67.76	0.77	0.15	0.21	
					W16-U	0.81	0.92	1.15	74.20	67.76	0.77	1.00	2.27	
													2.48	1.00
First	R1	FloorPlan-DWG	Residential	LD	W1-L	0.81	0.92	0.70	20.97	97.88	0.77	0.15	0.04	
					W1-U	0.81	0.92	1.15	19.99	97.88	0.77	1.00	0.42	
					W2-L	0.81	0.92	0.70	63.59	97.88	0.77	0.15	0.12	
					W2-U	0.81	0.92	1.15	60.85	97.88	0.77	1.00	1.29	
					W3-L	0.81	0.92	0.70	61.32	97.88	0.77	0.15	0.12	
					W3-U	0.81	0.92	1.15	59.27	97.88	0.77	1.00	1.26	
					W4-L	0.81	0.92	0.70	63.05	97.88	0.77	0.15	0.12	
					W4-U	0.81	0.92	1.15	62.77	97.88	0.77	1.00	1.33	

Project Name: Hillingdon Gateway
Project No.: Release 05
Report Title: Average Daylight Analysis - Proposed Scheme (25th September 2019)
Date: 30/09/2019

Floor Ref.	Room Ref.	Room Attribute	Property Type	Room Use.	Window Ref.	Glass Transmittance	Maintenance Factor	Glazed Area	Clear Sky Angle Proposed	Room Surface Area	Average Surface Reflectance	Below Working Plane Factor	ADF Proposed	Req'd Value
First	R2	FloorPlan-DWG	Residential	Bedroom	W5-L	0.81	0.92	0.70	64.66	73.21	0.77	0.15	4.70	1.50
					W5-U	0.81	0.92	1.15	64.25	73.21	0.77	1.00	1.82	
													1.99	1.00
First	R3	FloorPlan-DWG	Residential	Bedroom	W6-L	0.81	0.92	0.70	65.88	113.10	0.77	0.15	0.11	
					W6-U	0.81	0.92	1.15	65.37	113.10	0.77	1.00	1.20	
					W7-L	0.81	0.92	0.70	70.93	113.10	0.77	0.15	0.12	
					W7-U	0.81	0.92	1.15	67.47	113.10	0.77	1.00	1.24	
					W8-L	0.81	0.92	0.70	69.76	113.10	0.77	0.15	0.12	
					W8-U	0.81	0.92	1.15	66.52	113.10	0.77	1.00	1.22	
					W9-L	0.81	0.92	1.84	86.32	113.10	0.77	0.15	0.38	
					W9-U	0.81	0.92	3.02	79.86	113.10	0.77	1.00	3.86	
First	R4	FloorPlan-DWG	Residential	Bedroom	W10-L	0.81	0.92	0.70	76.61	47.17	0.77	0.15	0.31	
					W10-U	0.81	0.92	1.15	74.99	47.17	0.77	1.00	3.29	
													3.60	1.00
First	R5	FloorPlan-DWG	Residential	Bedroom	W11-L	0.81	0.92	0.70	76.61	59.52	0.77	0.15	0.24	
					W11-U	0.81	0.92	1.15	74.99	59.52	0.77	1.00	2.61	
													2.85	1.00
First	R6	FloorPlan-DWG	Residential	LD	W12-L	0.81	0.92	0.70	76.61	111.41	0.77	0.15	0.13	
					W12-U	0.81	0.92	1.15	74.99	111.41	0.77	1.00	1.40	
					W13-L	0.81	0.92	1.84	86.32	111.41	0.77	0.15	0.39	
					W13-U	0.81	0.92	3.02	79.86	111.41	0.77	1.00	3.92	
					W14-L	0.81	0.92	0.70	76.55	111.41	0.77	0.15	0.13	
					W14-U	0.81	0.92	1.15	74.95	111.41	0.77	1.00	1.39	
First	R7	FloorPlan-DWG	Residential	Bedroom	W15-L	0.81	0.92	0.70	76.54	47.36	0.77	0.15	0.31	
					W15-U	0.81	0.92	1.15	74.94	47.36	0.77	1.00	3.28	
													3.59	1.00
First	R8	FloorPlan-DWG	Residential	Bedroom	W16-L	0.81	0.92	0.70	76.53	58.05	0.77	0.15	0.25	
					W16-U	0.81	0.92	1.15	74.94	58.05	0.77	1.00	2.68	
													2.92	1.00
First	R9	FloorPlan-DWG	Residential	Bedroom	W17-L	0.81	0.92	0.70	76.53	67.76	0.77	0.15	0.21	

Project Name: Hillingdon Gateway
Project No.: Release 05
Report Title: Average Daylight Analysis - Proposed Scheme (25th September 2019)
Date: 30/09/2019

Floor Ref.	Room Ref.	Room Attribute	Property Type	Room Use.	Window Ref.	Glass Transmittance	Maintenance Factor	Glazed Area	Clear Sky Angle Proposed	Room Surface Area	Average Surface Reflectance	Below Working Plane Factor	ADF Proposed	Req'd Value
					W17-U	0.81	0.92	1.15	74.93	67.76	0.77	1.00	2.29	
													2.51	1.00
Second	R1	FloorPlan-DWG	Residential	LD	W1-L	0.81	0.92	0.70	24.59	97.88	0.77	0.15	0.05	
					W1-U	0.81	0.92	1.15	17.74	97.88	0.77	1.00	0.38	
					W2-L	0.81	0.92	0.70	67.58	97.88	0.77	0.15	0.13	
					W2-U	0.81	0.92	1.15	64.85	97.88	0.77	1.00	1.37	
					W3-L	0.81	0.92	0.70	65.41	97.88	0.77	0.15	0.13	
					W3-U	0.81	0.92	1.15	63.33	97.88	0.77	1.00	1.34	
					W4-L	0.81	0.92	0.70	65.84	97.88	0.77	0.15	0.13	
					W4-U	0.81	0.92	1.15	61.65	97.88	0.77	1.00	1.31	
													4.83	1.50
Second	R2	FloorPlan-DWG	Residential	Bedroom	W5-L	0.81	0.92	0.70	67.11	73.21	0.77	0.15	0.17	
					W5-U	0.81	0.92	1.15	62.73	73.21	0.77	1.00	1.78	
													1.95	1.00
Second	R3	FloorPlan-DWG	Residential	LKD	W6-L	0.81	0.92	0.70	68.07	113.11	0.77	0.15	0.11	
					W6-U	0.81	0.92	1.15	63.55	113.11	0.77	1.00	1.16	
					W7-L	0.81	0.92	0.70	73.46	113.11	0.77	0.15	0.12	
					W7-U	0.81	0.92	1.15	69.87	113.11	0.77	1.00	1.28	
					W8-L	0.81	0.92	0.70	72.55	113.11	0.77	0.15	0.12	
					W8-U	0.81	0.92	1.15	69.15	113.11	0.77	1.00	1.27	
					W9-L	0.81	0.92	1.84	86.32	113.11	0.77	0.15	0.38	
					W9-U	0.81	0.92	3.02	79.86	113.11	0.77	1.00	3.86	
													8.31	2.00
Second	R4	FloorPlan-DWG	Residential	Bedroom	W10-L	0.81	0.92	0.70	76.15	47.18	0.77	0.15	0.30	
					W10-U	0.81	0.92	1.15	70.26	47.18	0.77	1.00	3.09	
													3.39	1.00
Second	R5	FloorPlan-DWG	Residential	Bedroom	W11-L	0.81	0.92	0.70	76.15	59.52	0.77	0.15	0.24	
					W11-U	0.81	0.92	1.15	70.26	59.52	0.77	1.00	2.45	
													2.69	1.00
Second	R6	FloorPlan-DWG	Residential	LD	W12-L	0.81	0.92	0.70	76.15	111.41	0.77	0.15	0.13	
					W12-U	0.81	0.92	1.15	70.26	111.41	0.77	1.00	1.31	
					W13-L	0.81	0.92	1.84	86.32	111.41	0.77	0.15	0.39	
					W13-U	0.81	0.92	3.02	79.86	111.41	0.77	1.00	3.92	

robinsons
Robinsons Surveyors Limited

[illegible]

Project Name: Hillingdon Gateway
Project No.: Release 05
Report Title: Average Daylight Analysis - Proposed Scheme (25th September 2019)
Date: 30/09/2019

Floor Ref.	Room Ref.	Room Attribute	Property Type	Room Use.	Window Ref.	Glass Transmittance	Maintenance Factor	Glazed Area	Clear Sky Angle Proposed	Room Surface Area	Average Surface Reflectance	Below Working Plane Factor	ADF Proposed	Req'd Value
Third	R4	FloorPlan-DWG	Residential	Bedroom	W10-L	0.81	0.92	0.70	76.61	47.18	0.77	0.15	0.31	
					W10-U	0.81	0.92	1.15	74.99	47.18	0.77	1.00	3.29	
													3.60	1.00
Third	R5	FloorPlan-DWG	Residential	Bedroom	W11-L	0.81	0.92	0.70	76.61	59.52	0.77	0.15	0.24	
					W11-U	0.81	0.92	1.15	74.99	59.52	0.77	1.00	2.61	
													2.85	1.00
Third	R6	FloorPlan-DWG	Residential	LD	W12-L	0.81	0.92	0.70	76.61	111.41	0.77	0.15	0.13	
					W12-U	0.81	0.92	1.15	74.99	111.41	0.77	1.00	1.40	
					W13-L	0.81	0.92	1.84	86.32	111.41	0.77	0.15	0.39	
					W13-U	0.81	0.92	3.02	79.86	111.41	0.77	1.00	3.92	
					W14-L	0.81	0.92	0.70	76.61	111.41	0.77	0.15	0.13	
					W14-U	0.81	0.92	1.15	74.99	111.41	0.77	1.00	1.40	
													7.35	1.50
Third	R7	FloorPlan-DWG	Residential	Bedroom	W15-L	0.81	0.92	0.70	76.61	47.36	0.77	0.15	0.31	
					W15-U	0.81	0.92	1.15	74.99	47.36	0.77	1.00	3.28	
													3.59	1.00
Third	R8	FloorPlan-DWG	Residential	Bedroom	W16-L	0.81	0.92	0.70	76.61	58.05	0.77	0.15	0.25	
					W16-U	0.81	0.92	1.15	74.99	58.05	0.77	1.00	2.68	
													2.93	1.00
Third	R9	FloorPlan-DWG	Residential	Bedroom	W17-L	0.81	0.92	0.70	76.61	67.76	0.77	0.15	0.21	
					W17-U	0.81	0.92	1.15	74.99	67.76	0.77	1.00	2.29	
													2.51	1.00
Fourth	R1	FloorPlan-DWG	Residential	LD	W1-L	0.81	0.92	0.70	36.73	97.88	0.77	0.15	0.07	
					W1-U	0.81	0.92	1.15	37.47	97.88	0.77	1.00	0.79	
					W2-L	0.81	0.92	0.70	76.31	97.88	0.77	0.15	0.15	
					W2-U	0.81	0.92	1.15	72.84	97.88	0.77	1.00	1.54	
					W3-L	0.81	0.92	0.70	74.45	97.88	0.77	0.15	0.14	
					W3-U	0.81	0.92	1.15	71.47	97.88	0.77	1.00	1.51	
					W4-L	0.81	0.92	0.70	72.40	97.88	0.77	0.15	0.14	
					W4-U	0.81	0.92	1.15	71.59	97.88	0.77	1.00	1.52	
													5.87	1.50
Fourth	R2	FloorPlan-DWG	Residential	Bedroom	W5-L	0.81	0.92	0.70	72.87	73.21	0.77	0.15	0.19	
					W5-U	0.81	0.92	1.15	71.94	73.21	0.77	1.00	2.04	

robinsons
Robinsons Surveyors Limited

Floor Ref.	Room Ref.	Room Attribute	Property Type	Room Use.	Window Ref.	Glass Transmittance	Maintenance Factor	Glazed Area	Clear Sky Angle Proposed	Room Surface Area	Average Surface Reflectance	Below Working Plane Factor	ADF Proposed	Req'd Value
													2.22	1.00
Fourth	R3	FloorPlan-DWG	Residential	LKD	W6-L	0.81	0.92	0.70	73.23	113.11	0.77	0.15	0.12	
					W6-U	0.81	0.92	1.15	72.23	113.11	0.77	1.00	1.32	
					W7-L	0.81	0.92	0.70	78.55	113.11	0.77	0.15	0.13	
					W7-U	0.81	0.92	1.15	77.73	113.11	0.77	1.00	1.42	
					W8-L	0.81	0.92	0.70	78.18	113.11	0.77	0.15	0.13	
					W8-U	0.81	0.92	1.15	77.38	113.11	0.77	1.00	1.42	
					W9-L	0.81	0.92	1.84	86.70	113.11	0.77	0.15	0.38	
					W9-U	0.81	0.92	3.02	84.58	113.11	0.77	1.00	4.09	
													9.02	2.00
Fourth	R4	FloorPlan-DWG	Residential	Bedroom	W10-L	0.81	0.92	0.70	76.42	47.18	0.77	0.15	0.31	
					W10-U	0.81	0.92	1.15	74.68	47.18	0.77	1.00	3.28	
													3.59	1.00
Fourth	R5	FloorPlan-DWG	Residential	Bedroom	W11-L	0.81	0.92	0.70	76.42	59.52	0.77	0.15	0.24	
					W11-U	0.81	0.92	1.15	74.68	59.52	0.77	1.00	2.60	
													2.84	1.00
Fourth	R6	FloorPlan-DWG	Residential	LD	W12-L	0.81	0.92	0.70	76.42	111.41	0.77	0.15	0.13	
					W12-U	0.81	0.92	1.15	74.68	111.41	0.77	1.00	1.39	
					W13-L	0.81	0.92	1.84	86.70	111.41	0.77	0.15	0.39	
					W13-U	0.81	0.92	3.02	84.58	111.41	0.77	1.00	4.15	
					W14-L	0.81	0.92	0.70	76.42	111.41	0.77	0.15	0.13	
					W14-U	0.81	0.92	1.15	74.68	111.41	0.77	1.00	1.39	
													7.58	1.50
Fourth	R7	FloorPlan-DWG	Residential	Bedroom	W15-L	0.81	0.92	0.70	76.42	47.36	0.77	0.15	0.30	
					W15-U	0.81	0.92	1.15	74.68	47.36	0.77	1.00	3.27	
													3.57	1.00
Fourth	R8	FloorPlan-DWG	Residential	Bedroom	W16-L	0.81	0.92	0.70	76.42	58.05	0.77	0.15	0.25	
					W16-U	0.81	0.92	1.15	74.68	58.05	0.77	1.00	2.67	
													2.91	1.00
Fourth	R9	FloorPlan-DWG	Residential	Bedroom	W17-L	0.81	0.92	0.70	76.42	67.76	0.77	0.15	0.21	
					W17-U	0.81	0.92	1.15	74.68	67.76	0.77	1.00	2.28	
													2.50	1.00

Project Name: Hillingdon Gateway
Project No.: Release 05
Report Title: Average Daylight Analysis - Proposed Scheme (25th September 2019)
Date: 30/09/2019

Floor Ref.	Room Ref.	Room Attribute	Property Type	Room Use.	Window Ref.	Glass Transmittance	Maintenance Factor	Glazed Area	Clear Sky Angle Proposed	Room Surface Area	Average Surface Reflectance	Below Working Plane Factor	ADF Proposed	Req'd Value
Building 10														
Ground	R1	FloorPlan-DWG	Residential	LKD	W1-L	0.81	0.92	1.23	81.92	126.72	0.77	0.15	0.22	2.00
					W1-U	0.81	0.92	2.03	79.20	126.72	0.77	1.00	2.29	
					W2-L	0.81	0.92	0.62	77.79	126.72	0.77	0.15	0.10	
					W2-U	0.81	0.92	1.02	76.17	126.72	0.77	1.00	1.11	
					W28-L	0.81	0.92	1.23	64.37	126.72	0.77	0.15	0.17	
					W28-U	0.81	0.92	2.03	62.71	126.72	0.77	1.00	1.81	
													5.70	
Ground	R2	FloorPlan-DWG	Residential	LKD	W3-L	0.81	0.92	0.62	77.90	126.72	0.77	0.15	0.10	2.00
					W3-U	0.81	0.92	1.02	76.29	126.72	0.77	1.00	1.11	
					W4-L	0.81	0.92	1.23	80.84	126.72	0.77	0.15	0.21	
					W4-U	0.81	0.92	2.03	78.23	126.72	0.77	1.00	2.26	
					W5-L	0.81	0.92	1.23	55.03	126.72	0.77	0.15	0.14	
					W5-U	0.81	0.92	2.03	53.93	126.72	0.77	1.00	1.56	
													5.39	
Ground	R3	FloorPlan-DWG	Residential	Bedroom	W6-L	0.81	0.92	0.62	52.87	55.70	0.77	0.15	0.16	1.00
					W6-U	0.81	0.92	1.02	52.54	55.70	0.77	1.00	1.74	
													1.90	
Ground	R4	FloorPlan-DWG	Residential	Bedroom	W7-L	0.81	0.92	0.62	53.58	62.95	0.77	0.15	0.14	1.00
					W7-U	0.81	0.92	1.02	53.26	62.95	0.77	1.00	1.56	
													1.70	
Ground	R5	FloorPlan-DWG	Residential	Bedroom	W8-L	0.81	0.92	1.23	57.74	66.07	0.77	0.15	0.29	1.00
					W8-U	0.81	0.92	2.03	56.65	66.07	0.77	1.00	3.14	
													3.43	
Ground	R6	FloorPlan-DWG	Residential	Bedroom	W9-L	0.81	0.92	1.23	54.38	66.07	0.77	0.15	0.27	1.00
					W9-U	0.81	0.92	2.03	53.32	66.07	0.77	1.00	2.96	
													3.23	
Ground	R7	FloorPlan-DWG	Residential	Bedroom	W10-L	0.81	0.92	0.62	49.00	62.95	0.77	0.15	0.13	1.00
					W10-U	0.81	0.92	1.02	48.78	62.95	0.77	1.00	1.43	
													1.56	
Ground	R8	FloorPlan-DWG	Residential	Bedroom	W11-L	0.81	0.92	0.62	47.94	55.69	0.77	0.15	0.14	1.00
					W11-U	0.81	0.92	1.02	47.73	55.69	0.77	1.00	1.58	

robinsons
Robinsons Surveyors Limited

Floor Ref.	Room Ref.	Room Attribute	Property Type	Room Use.	Window Ref.	Glass Transmittance	Maintenance Factor	Glazed Area	Clear Sky Angle Proposed	Room Surface Area	Average Surface Reflectance	Below Working Plane Factor	ADF Proposed	Req'd Value
													1.72	1.00
Ground	R9	FloorPlan-DWG	Residential	LKD	W12-L	0.81	0.92	1.23	50.20	126.72	0.77	0.15	0.13	2.00
					W12-U	0.81	0.92	2.03	49.24	126.72	0.77	1.00	1.42	
					W13-L	0.81	0.92	1.23	55.00	126.72	0.77	0.15	0.14	
					W13-U	0.81	0.92	2.03	53.80	126.72	0.77	1.00	1.56	
					W14-L	0.81	0.92	0.62	51.49	126.72	0.77	0.15	0.07	
					W14-U	0.81	0.92	1.02	51.06	126.72	0.77	1.00	0.74	
													4.07	
Ground	R10	FloorPlan-DWG	Residential	LKD	W15-L	0.81	0.92	0.62	51.20	126.72	0.77	0.15	0.07	2.00
					W15-U	0.81	0.92	1.02	50.77	126.72	0.77	1.00	0.74	
					W16-L	0.81	0.92	1.23	53.68	126.72	0.77	0.15	0.14	
					W16-U	0.81	0.92	2.03	52.46	126.72	0.77	1.00	1.52	
					W17-L	0.81	0.92	1.23	58.93	126.72	0.77	0.15	0.16	
					W17-U	0.81	0.92	2.03	57.51	126.72	0.77	1.00	1.66	
													4.28	
Ground	R11	FloorPlan-DWG	Residential	Bedroom	W18-L	0.81	0.92	0.62	56.15	55.69	0.77	0.15	0.17	1.00
					W18-U	0.81	0.92	1.02	55.48	55.69	0.77	1.00	1.84	
													2.00	
Ground	R12	FloorPlan-DWG	Residential	Bedroom	W19-L	0.81	0.92	0.62	55.95	62.95	0.77	0.15	0.15	1.00
					W19-U	0.81	0.92	1.02	55.28	62.95	0.77	1.00	1.62	
													1.77	
Ground	R13	FloorPlan-DWG	Residential	Bedroom	W20-L	0.81	0.92	1.23	58.24	66.07	0.77	0.15	0.29	1.00
					W20-U	0.81	0.92	2.03	56.95	66.07	0.77	1.00	3.16	
													3.45	
Ground	R14	FloorPlan-DWG	Residential	Bedroom	W21-L	0.81	0.92	1.23	56.74	62.28	0.77	0.15	0.30	1.00
					W21-U	0.81	0.92	2.03	55.93	62.28	0.77	1.00	3.29	
													3.60	
Ground	R15	FloorPlan-DWG	Residential	LD	W22-L	0.81	0.92	1.23	48.72	83.26	0.77	0.15	0.20	1.50
					W22-U	0.81	0.92	2.03	50.33	83.26	0.77	1.00	2.22	
													2.41	
Ground	R16	FloorPlan-DWG	Residential	LD	W23-L	0.81	0.92	1.23	51.79	83.25	0.77	0.15	0.21	1.50
					W23-U	0.81	0.92	2.03	53.89	83.25	0.77	1.00	2.37	
													2.58	

Project Name: Hillingdon Gateway
Project No.: Release 05
Report Title: Average Daylight Analysis - Proposed Scheme (25th September 2019)
Date: 30/09/2019

Floor Ref.	Room Ref.	Room Attribute	Property Type	Room Use.	Window Ref.	Glass Transmittance	Maintenance Factor	Glazed Area	Clear Sky Angle Proposed	Room Surface Area	Average Surface Reflectance	Below Working Plane Factor	ADF Proposed	Req'd Value
Ground	R17	FloorPlan-DWG	Residential	Bedroom	W24-L	0.81	0.92	1.23	59.64	62.28	0.77	0.15	0.32	
					W24-U	0.81	0.92	2.03	58.95	62.28	0.77	1.00	3.47	
													3.79	1.00
Ground	R18	FloorPlan-DWG	Residential	Bedroom	W25-L	0.81	0.92	1.23	61.36	66.07	0.77	0.15	0.31	
					W25-U	0.81	0.92	2.03	59.96	66.07	0.77	1.00	3.33	
													3.64	1.00
Ground	R19	FloorPlan-DWG	Residential	Bedroom	W26-L	0.81	0.92	0.62	59.08	62.95	0.77	0.15	0.16	
					W26-U	0.81	0.92	1.02	58.31	62.95	0.77	1.00	1.71	
													1.86	1.00
Ground	R20	FloorPlan-DWG	Residential	Bedroom	W27-L	0.81	0.92	0.62	59.95	55.69	0.77	0.15	0.18	
					W27-U	0.81	0.92	1.02	59.15	55.69	0.77	1.00	1.96	
													2.14	1.00
First	R1	FloorPlan-DWG	Residential	LKD	W1-L	0.81	0.92	1.23	83.30	126.72	0.77	0.15	0.22	
					W1-U	0.81	0.92	2.03	80.42	126.72	0.77	1.00	2.33	
					W2-L	0.81	0.92	0.62	78.93	126.72	0.77	0.15	0.10	
					W2-U	0.81	0.92	1.02	77.21	126.72	0.77	1.00	1.12	
					W36-L	0.81	0.92	1.23	67.02	126.72	0.77	0.15	0.18	
					W36-U	0.81	0.92	2.03	65.37	126.72	0.77	1.00	1.89	
													5.84	2.00
First	R2	FloorPlan-DWG	Residential	LKD	W3-L	0.81	0.92	0.62	79.04	126.72	0.77	0.15	0.10	
					W3-U	0.81	0.92	1.02	77.31	126.72	0.77	1.00	1.12	
					W4-L	0.81	0.92	1.23	82.37	126.72	0.77	0.15	0.22	
					W4-U	0.81	0.92	2.03	79.61	126.72	0.77	1.00	2.30	
					W5-L	0.81	0.92	1.23	59.18	126.72	0.77	0.15	0.16	
					W5-U	0.81	0.92	2.03	58.36	126.72	0.77	1.00	1.69	
													5.59	2.00
First	R3	FloorPlan-DWG	Residential	Bedroom	W6-L	0.81	0.92	0.62	56.84	55.70	0.77	0.15	0.17	
					W6-U	0.81	0.92	1.02	56.75	55.70	0.77	1.00	1.88	
													2.05	1.00
First	R4	FloorPlan-DWG	Residential	Bedroom	W7-L	0.81	0.92	0.62	57.58	62.95	0.77	0.15	0.15	
					W7-U	0.81	0.92	1.02	57.50	62.95	0.77	1.00	1.68	
													1.84	1.00
First	R5	FloorPlan-DWG	Residential	Bedroom	W8-L	0.81	0.92	1.23	61.92	66.07	0.77	0.15	0.31	

Project Name: Hillingdon Gateway
Project No.: Release 05
Report Title: Average Daylight Analysis - Proposed Scheme (25th September 2019)
Date: 30/09/2019

Floor Ref.	Room Ref.	Room Attribute	Property Type	Room Use.	Window Ref.	Glass Transmittance	Maintenance Factor	Glazed Area	Clear Sky Angle Proposed	Room Surface Area	Average Surface Reflectance	Below Working Plane Factor	ADF Proposed	Req'd Value
First	R6	FloorPlan-DWG	Residential	Bedroom	W8-U	0.81	0.92	2.03	61.05	66.07	0.77	1.00	3.39	1.00
					W9-L	0.81	0.92	1.23	62.98	70.52	0.77	0.15	0.30	
					W9-U	0.81	0.92	2.03	62.08	70.52	0.77	1.00	3.23	
First	R7	FloorPlan-DWG	Residential	Bedroom	W10-L	0.81	0.92	0.62	60.25	53.79	0.77	0.15	0.19	1.00
					W10-U	0.81	0.92	1.02	60.14	53.79	0.77	1.00	2.06	
													2.25	
First	R8	FloorPlan-DWG	Residential	LD	W11-L	0.81	0.92	0.62	60.54	100.85	0.77	0.15	0.10	1.50
					W11-U	0.81	0.92	1.02	60.42	100.85	0.77	1.00	1.10	
					W12-L	0.81	0.92	1.23	63.98	100.85	0.77	0.15	0.21	
					W12-U	0.81	0.92	2.03	63.06	100.85	0.77	1.00	2.29	
													3.71	
First	R9	FloorPlan-DWG	Residential	LD	W13-L	0.81	0.92	1.23	63.66	100.85	0.77	0.15	0.21	1.50
					W13-U	0.81	0.92	2.03	62.74	100.85	0.77	1.00	2.28	
					W14-L	0.81	0.92	0.62	59.84	100.85	0.77	0.15	0.10	
					W14-U	0.81	0.92	1.02	59.73	100.85	0.77	1.00	1.09	
													3.68	
First	R10	FloorPlan-DWG	Residential	Bedroom	W15-L	0.81	0.92	0.62	59.30	53.79	0.77	0.15	0.18	1.00
					W15-U	0.81	0.92	1.02	59.20	53.79	0.77	1.00	2.03	
													2.21	
First	R11	FloorPlan-DWG	Residential	Bedroom	W16-L	0.81	0.92	1.23	61.25	70.52	0.77	0.15	0.29	1.00
					W16-U	0.81	0.92	2.03	60.37	70.52	0.77	1.00	3.14	
													3.43	
First	R12	FloorPlan-DWG	Residential	Bedroom	W17-L	0.81	0.92	1.23	58.66	66.07	0.77	0.15	0.30	1.00
					W17-U	0.81	0.92	2.03	57.90	66.07	0.77	1.00	3.21	
													3.51	
First	R13	FloorPlan-DWG	Residential	Bedroom	W18-L	0.81	0.92	0.62	53.39	62.95	0.77	0.15	0.14	1.00
					W18-U	0.81	0.92	1.02	53.50	62.95	0.77	1.00	1.57	
													1.71	
First	R14	FloorPlan-DWG	Residential	Bedroom	W19-L	0.81	0.92	0.62	52.41	55.69	0.77	0.15	0.16	1.00
					W19-U	0.81	0.92	1.02	52.56	55.69	0.77	1.00	1.74	
													1.90	

Project Name: Hillingdon Gateway
Project No.: Release 05
Report Title: Average Daylight Analysis - Proposed Scheme (25th September 2019)
Date: 30/09/2019

Floor Ref.	Room Ref.	Room Attribute	Property Type	Room Use.	Window Ref.	Glass Transmittance	Maintenance Factor	Glazed Area	Clear Sky Angle Proposed	Room Surface Area	Average Surface Reflectance	Below Working Plane Factor	ADF Proposed	Req'd Value
First	R15	FloorPlan-DWG	Residential	LKD	W20-L	0.81	0.92	1.23	54.82	126.72	0.77	0.15	0.14	2.00
					W20-U	0.81	0.92	2.03	54.23	126.72	0.77	1.00	1.57	
					W21-L	0.81	0.92	1.23	58.68	126.72	0.77	0.15	0.15	
					W21-U	0.81	0.92	2.03	57.53	126.72	0.77	1.00	1.66	
					W22-L	0.81	0.92	0.62	55.06	126.72	0.77	0.15	0.07	
					W22-U	0.81	0.92	1.02	54.73	126.72	0.77	1.00	0.80	
													4.40	
First	R16	FloorPlan-DWG	Residential	LKD	W23-L	0.81	0.92	0.62	54.77	126.72	0.77	0.15	0.07	2.00
					W23-U	0.81	0.92	1.02	54.43	126.72	0.77	1.00	0.79	
					W24-L	0.81	0.92	1.23	57.32	126.72	0.77	0.15	0.15	
					W24-U	0.81	0.92	2.03	56.20	126.72	0.77	1.00	1.63	
					W25-L	0.81	0.92	1.23	62.01	126.72	0.77	0.15	0.16	
					W25-U	0.81	0.92	2.03	60.62	126.72	0.77	1.00	1.75	
													4.56	
First	R17	FloorPlan-DWG	Residential	Bedroom	W26-L	0.81	0.92	0.62	59.00	55.69	0.77	0.15	0.18	1.00
					W26-U	0.81	0.92	1.02	58.38	55.69	0.77	1.00	1.93	
													2.11	
First	R18	FloorPlan-DWG	Residential	Bedroom	W27-L	0.81	0.92	0.62	58.81	62.95	0.77	0.15	0.16	1.00
					W27-U	0.81	0.92	1.02	58.19	62.95	0.77	1.00	1.70	
													1.86	
First	R19	FloorPlan-DWG	Residential	Bedroom	W28-L	0.81	0.92	1.23	61.64	66.07	0.77	0.15	0.31	1.00
					W28-U	0.81	0.92	2.03	60.26	66.07	0.77	1.00	3.34	
													3.65	
First	R20	FloorPlan-DWG	Residential	Bedroom	W29-L	0.81	0.92	1.23	61.35	62.28	0.77	0.15	0.33	1.00
					W29-U	0.81	0.92	2.03	59.97	62.28	0.77	1.00	3.53	
													3.86	
First	R21	FloorPlan-DWG	Residential	LD	W30-L	0.81	0.92	1.23	61.45	83.26	0.77	0.15	0.25	1.50
					W30-U	0.81	0.92	2.03	60.07	83.26	0.77	1.00	2.64	
													2.89	
First	R22	FloorPlan-DWG	Residential	LD	W31-L	0.81	0.92	1.23	62.87	83.25	0.77	0.15	0.25	1.50
					W31-U	0.81	0.92	2.03	61.42	83.25	0.77	1.00	2.70	
													2.96	
First	R23	FloorPlan-DWG	Residential	Bedroom	W32-L	0.81	0.92	1.23	63.52	63.74	0.77	0.15	0.33	

Project Name: Hillingdon Gateway
Project No.: Release 05
Report Title: Average Daylight Analysis - Proposed Scheme (25th September 2019)
Date: 30/09/2019

Floor Ref.	Room Ref.	Room Attribute	Property Type	Room Use.	Window Ref.	Glass Transmittance	Maintenance Factor	Glazed Area	Clear Sky Angle Proposed	Room Surface Area	Average Surface Reflectance	Below Working Plane Factor	ADF Proposed	Req'd Value
First	R24	FloorPlan-DWG	Residential	Bedroom	W32-U	0.81	0.92	2.03	62.04	63.74	0.77	1.00	3.57	1.00
					W33-L	0.81	0.92	1.23	64.35	66.07	0.77	0.15	0.33	
					W33-U	0.81	0.92	2.03	62.83	66.07	0.77	1.00	3.48	
First	R25	FloorPlan-DWG	Residential	Bedroom	W34-L	0.81	0.92	0.62	61.70	62.95	0.77	0.15	0.16	1.00
					W34-U	0.81	0.92	1.02	60.96	62.95	0.77	1.00	1.78	
													1.95	
First	R26	FloorPlan-DWG	Residential	Bedroom	W35-L	0.81	0.92	0.62	62.50	55.69	0.77	0.15	0.19	1.00
					W35-U	0.81	0.92	1.02	61.73	55.69	0.77	1.00	2.04	
													2.23	
Second	R1	FloorPlan-DWG	Residential	LKD	W1-L	0.81	0.92	1.23	84.49	126.72	0.77	0.15	0.22	2.00
					W1-U	0.81	0.92	2.03	81.49	126.72	0.77	1.00	2.36	
					W2-L	0.81	0.92	0.62	79.89	126.72	0.77	0.15	0.11	
					W2-U	0.81	0.92	1.02	78.09	126.72	0.77	1.00	1.14	
					W36-L	0.81	0.92	1.23	69.82	126.72	0.77	0.15	0.18	
					W36-U	0.81	0.92	2.03	68.12	126.72	0.77	1.00	1.97	
													5.97	
Second	R2	FloorPlan-DWG	Residential	LKD	W3-L	0.81	0.92	0.62	79.98	126.72	0.77	0.15	0.11	2.00
					W3-U	0.81	0.92	1.02	78.17	126.72	0.77	1.00	1.14	
					W4-L	0.81	0.92	1.23	83.76	126.72	0.77	0.15	0.22	
					W4-U	0.81	0.92	2.03	80.89	126.72	0.77	1.00	2.34	
					W5-L	0.81	0.92	1.23	64.32	126.72	0.77	0.15	0.17	
					W5-U	0.81	0.92	2.03	63.86	126.72	0.77	1.00	1.85	
Second	R3	FloorPlan-DWG	Residential	Bedroom	W6-L	0.81	0.92	0.62	61.63	55.70	0.77	0.15	0.19	1.00
					W6-U	0.81	0.92	1.02	61.89	55.70	0.77	1.00	2.05	
													2.23	
Second	R4	FloorPlan-DWG	Residential	Bedroom	W7-L	0.81	0.92	0.62	62.36	62.95	0.77	0.15	0.17	1.00
					W7-U	0.81	0.92	1.02	62.58	62.95	0.77	1.00	1.83	
													2.00	
Second	R5	FloorPlan-DWG	Residential	Bedroom	W8-L	0.81	0.92	1.23	66.91	66.07	0.77	0.15	0.34	1.00
					W8-U	0.81	0.92	2.03	66.25	66.07	0.77	1.00	3.67	

Project Name: Hillingdon Gateway
Project No.: Release 05
Report Title: Average Daylight Analysis - Proposed Scheme (25th September 2019)
Date: 30/09/2019

Floor Ref.	Room Ref.	Room Attribute	Property Type	Room Use.	Window Ref.	Glass Transmittance	Maintenance Factor	Glazed Area	Clear Sky Angle Proposed	Room Surface Area	Average Surface Reflectance	Below Working Plane Factor	ADF Proposed	Req'd Value
													4.01	1.00
Second	R6	FloorPlan-DWG	Residential	Bedroom	W9-L	0.81	0.92	1.23	67.92	70.52	0.77	0.15	0.32	
					W9-U	0.81	0.92	2.03	67.18	70.52	0.77	1.00	3.49	
													3.81	1.00
Second	R7	FloorPlan-DWG	Residential	Bedroom	W10-L	0.81	0.92	0.62	64.90	53.79	0.77	0.15	0.20	
					W10-U	0.81	0.92	1.02	64.94	53.79	0.77	1.00	2.22	
													2.43	1.00
Second	R8	FloorPlan-DWG	Residential	LD	W11-L	0.81	0.92	0.62	65.16	100.85	0.77	0.15	0.11	
					W11-U	0.81	0.92	1.02	65.18	100.85	0.77	1.00	1.19	
					W12-L	0.81	0.92	1.23	68.84	100.85	0.77	0.15	0.23	
					W12-U	0.81	0.92	2.03	68.01	100.85	0.77	1.00	2.47	
													4.00	1.50
Second	R9	FloorPlan-DWG	Residential	LD	W13-L	0.81	0.92	1.23	68.53	100.85	0.77	0.15	0.23	
					W13-U	0.81	0.92	2.03	67.72	100.85	0.77	1.00	2.46	
					W14-L	0.81	0.92	0.62	64.48	100.85	0.77	0.15	0.11	
					W14-U	0.81	0.92	1.02	64.52	100.85	0.77	1.00	1.18	
													3.97	1.50
Second	R10	FloorPlan-DWG	Residential	Bedroom	W15-L	0.81	0.92	0.62	63.94	53.79	0.77	0.15	0.20	
					W15-U	0.81	0.92	1.02	64.02	53.79	0.77	1.00	2.19	
													2.39	1.00
Second	R11	FloorPlan-DWG	Residential	Bedroom	W16-L	0.81	0.92	1.23	66.19	70.52	0.77	0.15	0.31	
					W16-U	0.81	0.92	2.03	65.54	70.52	0.77	1.00	3.41	
													3.72	1.00
Second	R12	FloorPlan-DWG	Residential	Bedroom	W17-L	0.81	0.92	1.23	63.90	66.07	0.77	0.15	0.32	
					W17-U	0.81	0.92	2.03	63.43	66.07	0.77	1.00	3.52	
													3.84	1.00
Second	R13	FloorPlan-DWG	Residential	Bedroom	W18-L	0.81	0.92	0.62	58.76	62.95	0.77	0.15	0.16	
					W18-U	0.81	0.92	1.02	59.25	62.95	0.77	1.00	1.73	
													1.89	1.00
Second	R14	FloorPlan-DWG	Residential	Bedroom	W19-L	0.81	0.92	0.62	57.90	55.69	0.77	0.15	0.17	
					W19-U	0.81	0.92	1.02	58.46	55.69	0.77	1.00	1.93	
													2.11	1.00
Second	R15	FloorPlan-DWG	Residential	LKD	W20-L	0.81	0.92	1.23	60.54	126.72	0.77	0.15	0.16	

Project Name: Hillingdon Gateway
Project No.: Release 05
Report Title: Average Daylight Analysis - Proposed Scheme (25th September 2019)
Date: 30/09/2019

Floor Ref.	Room Ref.	Room Attribute	Property Type	Room Use.	Window Ref.	Glass Transmittance	Maintenance Factor	Glazed Area	Clear Sky Angle Proposed	Room Surface Area	Average Surface Reflectance	Below Working Plane Factor	ADF Proposed	Req'd Value	
					W20-U	0.81	0.92	2.03	60.35	126.72	0.77	1.00	1.75		
					W21-L	0.81	0.92	1.23	62.54	126.72	0.77	0.15	0.16		
					W21-U	0.81	0.92	2.03	61.41	126.72	0.77	1.00	1.78		
					W22-L	0.81	0.92	0.62	58.84	126.72	0.77	0.15	0.08		
					W22-U	0.81	0.92	1.02	58.53	126.72	0.77	1.00	0.85		
													4.77	2.00	
Second	R16	FloorPlan-DWG	Residential	LKD	W23-L	0.81	0.92	0.62	58.57	126.72	0.77	0.15	0.08		
					W23-U	0.81	0.92	1.02	58.28	126.72	0.77	1.00	0.85		
					W24-L	0.81	0.92	1.23	61.25	126.72	0.77	0.15	0.16		
					W24-U	0.81	0.92	2.03	60.20	126.72	0.77	1.00	1.74		
					W25-L	0.81	0.92	1.23	65.30	126.72	0.77	0.15	0.17		
													1.85		
												4.85			
Second	R17	FloorPlan-DWG	Residential	Bedroom	W26-L	0.81	0.92	0.62	62.03	55.69	0.77	0.15	0.19		
					W26-U	0.81	0.92	1.02	61.43	55.69	0.77	1.00	2.03		
													2.22		1.00
Second	R18	FloorPlan-DWG	Residential	Bedroom	W27-L	0.81	0.92	0.62	61.84	62.95	0.77	0.15	0.16		
					W27-U	0.81	0.92	1.02	61.26	62.95	0.77	1.00	1.79		
													1.96	1.00	
Second	R19	FloorPlan-DWG	Residential	Bedroom	W28-L	0.81	0.92	1.23	64.94	66.07	0.77	0.15	0.33		
					W28-U	0.81	0.92	2.03	63.56	66.07	0.77	1.00	3.53		
													3.85	1.00	
Second	R20	FloorPlan-DWG	Residential	Bedroom	W29-L	0.81	0.92	1.23	64.66	62.28	0.77	0.15	0.35		
					W29-U	0.81	0.92	2.03	63.30	62.28	0.77	1.00	3.72		
													4.07	1.00	
Second	R21	FloorPlan-DWG	Residential	LD	W30-L	0.81	0.92	1.23	64.75	83.26	0.77	0.15	0.26		
					W30-U	0.81	0.92	2.03	63.38	83.26	0.77	1.00	2.79		
													3.05	1.50	
Second	R22	FloorPlan-DWG	Residential	LD	W31-L	0.81	0.92	1.23	66.06	83.25	0.77	0.15	0.26		
					W31-U	0.81	0.92	2.03	64.62	83.25	0.77	1.00	2.84		
													3.11	1.50	
Second	R23	FloorPlan-DWG	Residential	Bedroom	W32-L	0.81	0.92	1.23	66.66	63.74	0.77	0.15	0.35		
					W32-U	0.81	0.92	2.03	65.18	63.74	0.77	1.00	3.75		

robinsons
Robinsons Surveyors Limited

Floor Ref.	Room Ref.	Room Attribute	Property Type	Room Use.	Window Ref.	Glass Transmittance	Maintenance Factor	Glazed Area	Clear Sky Angle Proposed	Room Surface Area	Average Surface Reflectance	Below Working Plane Factor	ADF Proposed	Req'd Value
													4.10	1.00
Second	R24	FloorPlan-DWG	Residential	Bedroom	W33-L	0.81	0.92	1.23	67.41	66.07	0.77	0.15	0.34	1.00
					W33-U	0.81	0.92	2.03	65.88	66.07	0.77	1.00	3.65	
												3.99		
Second	R25	FloorPlan-DWG	Residential	Bedroom	W34-L	0.81	0.92	0.62	64.48	62.95	0.77	0.15	0.17	1.00
					W34-U	0.81	0.92	1.02	63.75	62.95	0.77	1.00	1.87	
												2.04		
Second	R26	FloorPlan-DWG	Residential	Bedroom	W35-L	0.81	0.92	0.62	65.20	55.69	0.77	0.15	0.20	1.00
					W35-U	0.81	0.92	1.02	64.43	55.69	0.77	1.00	2.13	
												2.33		
Third	R1	FloorPlan-DWG	Residential	LKD	W1-L	0.81	0.92	1.23	85.51	126.72	0.77	0.15	0.23	2.00
					W1-U	0.81	0.92	2.03	82.33	126.72	0.77	1.00	2.38	
					W2-L	0.81	0.92	0.62	80.70	126.72	0.77	0.15	0.11	
					W2-U	0.81	0.92	1.02	78.75	126.72	0.77	1.00	1.15	
					W36-L	0.81	0.92	1.23	72.68	126.72	0.77	0.15	0.19	
					W36-U	0.81	0.92	2.03	70.92	126.72	0.77	1.00	2.05	
												6.10		
Third	R2	FloorPlan-DWG	Residential	LKD	W3-L	0.81	0.92	0.62	80.78	126.72	0.77	0.15	0.11	2.00
					W3-U	0.81	0.92	1.02	78.82	126.72	0.77	1.00	1.15	
					W4-L	0.81	0.92	1.23	85.06	126.72	0.77	0.15	0.22	
					W4-U	0.81	0.92	2.03	82.02	126.72	0.77	1.00	2.37	
					W5-L	0.81	0.92	1.23	70.76	126.72	0.77	0.15	0.19	
					W5-U	0.81	0.92	2.03	70.56	126.72	0.77	1.00	2.04	
							6.08							
Third	R3	FloorPlan-DWG	Residential	Bedroom	W6-L	0.81	0.92	0.62	67.52	55.70	0.77	0.15	0.20	1.00
					W6-U	0.81	0.92	1.02	68.04	55.70	0.77	1.00	2.25	
												2.45		
Third	R4	FloorPlan-DWG	Residential	Bedroom	W7-L	0.81	0.92	0.62	68.11	62.95	0.77	0.15	0.18	1.00
					W7-U	0.81	0.92	1.02	68.54	62.95	0.77	1.00	2.01	
												2.19		
Third	R5	FloorPlan-DWG	Residential	Bedroom	W8-L	0.81	0.92	1.23	72.79	66.07	0.77	0.15	0.37	1.00
					W8-U	0.81	0.92	2.03	72.22	66.07	0.77	1.00	4.01	
												4.37		

Project Name: Hillingdon Gateway
Project No.: Release 05
Report Title: Average Daylight Analysis - Proposed Scheme (25th September 2019)
Date: 30/09/2019

Floor Ref.	Room Ref.	Room Attribute	Property Type	Room Use.	Window Ref.	Glass Transmittance	Maintenance Factor	Glazed Area	Clear Sky Angle Proposed	Room Surface Area	Average Surface Reflectance	Below Working Plane Factor	ADF Proposed	Req'd Value
Third	R6	FloorPlan-DWG	Residential	Bedroom	W9-L	0.81	0.92	1.23	73.58	70.52	0.77	0.15	0.35	1.00
					W9-U	0.81	0.92	2.03	72.85	70.52	0.77	1.00	3.79	
													4.13	
Third	R7	FloorPlan-DWG	Residential	Bedroom	W10-L	0.81	0.92	0.62	70.08	53.79	0.77	0.15	0.22	1.00
					W10-U	0.81	0.92	1.02	70.15	53.79	0.77	1.00	2.40	
													2.62	
Third	R8	FloorPlan-DWG	Residential	LD	W11-L	0.81	0.92	0.62	70.27	100.85	0.77	0.15	0.12	1.50
					W11-U	0.81	0.92	1.02	70.30	100.85	0.77	1.00	1.28	
					W12-L	0.81	0.92	1.23	74.24	100.85	0.77	0.15	0.25	
					W12-U	0.81	0.92	2.03	73.35	100.85	0.77	1.00	2.67	
													4.31	
Third	R9	FloorPlan-DWG	Residential	LD	W13-L	0.81	0.92	1.23	73.97	100.85	0.77	0.15	0.24	1.50
					W13-U	0.81	0.92	2.03	73.11	100.85	0.77	1.00	2.66	
					W14-L	0.81	0.92	0.62	69.66	100.85	0.77	0.15	0.12	
					W14-U	0.81	0.92	1.02	69.76	100.85	0.77	1.00	1.27	
													4.29	
Third	R10	FloorPlan-DWG	Residential	Bedroom	W15-L	0.81	0.92	0.62	69.23	53.79	0.77	0.15	0.22	1.00
					W15-U	0.81	0.92	1.02	69.39	53.79	0.77	1.00	2.38	
													2.59	
Third	R11	FloorPlan-DWG	Residential	Bedroom	W16-L	0.81	0.92	1.23	72.02	70.52	0.77	0.15	0.34	1.00
					W16-U	0.81	0.92	2.03	71.47	70.52	0.77	1.00	3.71	
													4.05	
Third	R12	FloorPlan-DWG	Residential	Bedroom	W17-L	0.81	0.92	1.23	70.21	66.07	0.77	0.15	0.35	1.00
					W17-U	0.81	0.92	2.03	69.94	66.07	0.77	1.00	3.88	
													4.23	
Third	R13	FloorPlan-DWG	Residential	Bedroom	W18-L	0.81	0.92	0.62	65.21	62.95	0.77	0.15	0.17	1.00
					W18-U	0.81	0.92	1.02	65.98	62.95	0.77	1.00	1.93	
													2.10	
Third	R14	FloorPlan-DWG	Residential	Bedroom	W19-L	0.81	0.92	0.62	64.54	55.69	0.77	0.15	0.19	1.00
					W19-U	0.81	0.92	1.02	65.39	55.69	0.77	1.00	2.16	
													2.36	
Third	R15	FloorPlan-DWG	Residential	LKD	W20-L	0.81	0.92	1.23	67.51	126.72	0.77	0.15	0.18	
					W20-U	0.81	0.92	2.03	67.60	126.72	0.77	1.00	1.95	

robinsons
Robinsons Surveyors Limited

[illegible]

Project Name: Hillingdon Gateway
Project No.: Release 05
Report Title: Average Daylight Analysis - Proposed Scheme (25th September 2019)
Date: 30/09/2019

Floor Ref.	Room Ref.	Room Attribute	Property Type	Room Use.	Window Ref.	Glass Transmittance	Maintenance Factor	Glazed Area	Clear Sky Angle Proposed	Room Surface Area	Average Surface Reflectance	Below Working Plane Factor	ADF Proposed	Req'd Value
Third	R24	FloorPlan-DWG	Residential	Bedroom	W33-L	0.81	0.92	1.23	70.56	66.07	0.77	0.15	0.36	1.00
					W33-U	0.81	0.92	2.03	68.99	66.07	0.77	1.00	3.83	
													4.18	
Third	R25	FloorPlan-DWG	Residential	Bedroom	W34-L	0.81	0.92	0.62	67.32	62.95	0.77	0.15	0.18	1.00
					W34-U	0.81	0.92	1.02	66.57	62.95	0.77	1.00	1.95	
													2.13	
Third	R26	FloorPlan-DWG	Residential	Bedroom	W35-L	0.81	0.92	0.62	67.95	55.69	0.77	0.15	0.20	1.00
					W35-U	0.81	0.92	1.02	67.16	55.69	0.77	1.00	2.22	
													2.43	
Fourth	R1	FloorPlan-DWG	Residential	LKD	W1-L	0.81	0.92	1.23	86.03	126.72	0.77	0.15	0.23	2.00
					W1-U	0.81	0.92	2.03	82.69	126.72	0.77	1.00	2.39	
					W2-L	0.81	0.92	0.62	81.05	126.72	0.77	0.15	0.11	
					W2-U	0.81	0.92	1.02	78.97	126.72	0.77	1.00	1.15	
					W36-L	0.81	0.92	1.23	75.61	126.72	0.77	0.15	0.20	
					W36-U	0.81	0.92	2.03	73.74	126.72	0.77	1.00	2.13	
													6.21	
Fourth	R2	FloorPlan-DWG	Residential	LKD	W3-L	0.81	0.92	0.62	81.11	126.72	0.77	0.15	0.11	2.00
					W3-U	0.81	0.92	1.02	79.02	126.72	0.77	1.00	1.15	
					W4-L	0.81	0.92	1.23	85.90	126.72	0.77	0.15	0.23	
					W4-U	0.81	0.92	2.03	82.67	126.72	0.77	1.00	2.39	
					W5-L	0.81	0.92	1.23	78.30	126.72	0.77	0.15	0.21	
					W5-U	0.81	0.92	2.03	77.92	126.72	0.77	1.00	2.25	
													6.33	
Fourth	R3	FloorPlan-DWG	Residential	Bedroom	W6-L	0.81	0.92	0.62	74.21	55.70	0.77	0.15	0.22	1.00
					W6-U	0.81	0.92	1.02	74.63	55.70	0.77	1.00	2.47	
													2.69	
Fourth	R4	FloorPlan-DWG	Residential	Bedroom	W7-L	0.81	0.92	0.62	74.55	62.95	0.77	0.15	0.20	1.00
					W7-U	0.81	0.92	1.02	74.84	62.95	0.77	1.00	2.19	
													2.39	
Fourth	R5	FloorPlan-DWG	Residential	Bedroom	W8-L	0.81	0.92	1.23	79.39	66.07	0.77	0.15	0.40	1.00
					W8-U	0.81	0.92	2.03	78.53	66.07	0.77	1.00	4.36	
													4.76	
Fourth	R6	FloorPlan-DWG	Residential	Bedroom	W9-L	0.81	0.92	1.23	79.74	70.52	0.77	0.15	0.38	

Project Name: Hillingdon Gateway
Project No.: Release 05
Report Title: Average Daylight Analysis - Proposed Scheme (25th September 2019)
Date: 30/09/2019

Floor Ref.	Room Ref.	Room Attribute	Property Type	Room Use.	Window Ref.	Glass Transmittance	Maintenance Factor	Glazed Area	Clear Sky Angle Proposed	Room Surface Area	Average Surface Reflectance	Below Working Plane Factor	ADF Proposed	Req'd Value
					W9-U	0.81	0.92	2.03	78.70	70.52	0.77	1.00	4.09	
													4.47	1.00
Fourth	R7	FloorPlan-DWG	Residential	Bedroom	W10-L	0.81	0.92	0.62	75.48	53.79	0.77	0.15	0.24	
					W10-U	0.81	0.92	1.02	75.34	53.79	0.77	1.00	2.58	
													2.82	1.00
Fourth	R8	FloorPlan-DWG	Residential	LD	W11-L	0.81	0.92	0.62	75.54	100.85	0.77	0.15	0.13	
					W11-U	0.81	0.92	1.02	75.37	100.85	0.77	1.00	1.38	
					W12-L	0.81	0.92	1.23	79.96	100.85	0.77	0.15	0.26	
					W12-U	0.81	0.92	2.03	78.77	100.85	0.77	1.00	2.86	
													4.63	1.50
Fourth	R9	FloorPlan-DWG	Residential	LD	W13-L	0.81	0.92	1.23	79.78	100.85	0.77	0.15	0.26	
					W13-U	0.81	0.92	2.03	78.63	100.85	0.77	1.00	2.86	
					W14-L	0.81	0.92	0.62	75.15	100.85	0.77	0.15	0.13	
					W14-U	0.81	0.92	1.02	75.09	100.85	0.77	1.00	1.37	
													4.62	1.50
Fourth	R10	FloorPlan-DWG	Residential	Bedroom	W15-L	0.81	0.92	0.62	74.90	53.79	0.77	0.15	0.23	
					W15-U	0.81	0.92	1.02	74.92	53.79	0.77	1.00	2.57	
													2.80	1.00
Fourth	R11	FloorPlan-DWG	Residential	Bedroom	W16-L	0.81	0.92	1.23	78.56	70.52	0.77	0.15	0.37	
					W16-U	0.81	0.92	2.03	77.78	70.52	0.77	1.00	4.04	
													4.41	1.00
Fourth	R12	FloorPlan-DWG	Residential	Bedroom	W17-L	0.81	0.92	1.23	77.45	66.07	0.77	0.15	0.39	
					W17-U	0.81	0.92	2.03	77.00	66.07	0.77	1.00	4.27	
													4.66	1.00
Fourth	R13	FloorPlan-DWG	Residential	Bedroom	W18-L	0.81	0.92	0.62	72.53	62.95	0.77	0.15	0.19	
					W18-U	0.81	0.92	1.02	73.23	62.95	0.77	1.00	2.14	
													2.34	1.00
Fourth	R14	FloorPlan-DWG	Residential	Bedroom	W19-L	0.81	0.92	0.62	72.08	55.69	0.77	0.15	0.22	
					W19-U	0.81	0.92	1.02	72.88	55.69	0.77	1.00	2.41	
													2.63	1.00
Fourth	R15	FloorPlan-DWG	Residential	LKD	W20-L	0.81	0.92	1.23	75.59	126.72	0.77	0.15	0.20	
					W20-U	0.81	0.92	2.03	75.54	126.72	0.77	1.00	2.18	
					W21-L	0.81	0.92	1.23	70.85	126.72	0.77	0.15	0.19	

Project Name: Hillingdon Gateway
Project No.: Release 05
Report Title: Average Daylight Analysis - Proposed Scheme (25th September 2019)
Date: 30/09/2019

Floor Ref.	Room Ref.	Room Attribute	Property Type	Room Use.	Window Ref.	Glass Transmittance	Maintenance Factor	Glazed Area	Clear Sky Angle Proposed	Room Surface Area	Average Surface Reflectance	Below Working Plane Factor	ADF Proposed	Req'd Value
					W21-U	0.81	0.92	2.03	69.62	126.72	0.77	1.00	2.01	
					W22-L	0.81	0.92	0.62	66.79	126.72	0.77	0.15	0.09	
					W22-U	0.81	0.92	1.02	66.46	126.72	0.77	1.00	0.97	
													5.64	2.00
Fourth	R16	FloorPlan-DWG	Residential	LKD	W23-L	0.81	0.92	0.62	66.61	126.72	0.77	0.15	0.09	
					W23-U	0.81	0.92	1.02	66.29	126.72	0.77	1.00	0.96	
					W24-L	0.81	0.92	1.23	69.93	126.72	0.77	0.15	0.18	
					W24-U	0.81	0.92	2.03	68.80	126.72	0.77	1.00	1.99	
					W25-L	0.81	0.92	1.23	72.28	126.72	0.77	0.15	0.19	
					W25-U	0.81	0.92	2.03	70.75	126.72	0.77	1.00	2.05	
													5.46	2.00
Fourth	R17	FloorPlan-DWG	Residential	Bedroom	W26-L	0.81	0.92	0.62	68.41	55.69	0.77	0.15	0.21	
					W26-U	0.81	0.92	1.02	67.76	55.69	0.77	1.00	2.24	
													2.45	1.00
Fourth	R18	FloorPlan-DWG	Residential	Bedroom	W27-L	0.81	0.92	0.62	68.27	62.95	0.77	0.15	0.18	
					W27-U	0.81	0.92	1.02	67.64	62.95	0.77	1.00	1.98	
													2.16	1.00
Fourth	R19	FloorPlan-DWG	Residential	Bedroom	W28-L	0.81	0.92	1.23	72.02	66.07	0.77	0.15	0.36	
					W28-U	0.81	0.92	2.03	70.53	66.07	0.77	1.00	3.91	
													4.28	1.00
Fourth	R20	FloorPlan-DWG	Residential	Bedroom	W29-L	0.81	0.92	1.23	71.82	62.28	0.77	0.15	0.38	
					W29-U	0.81	0.92	2.03	70.36	62.28	0.77	1.00	4.14	
													4.53	1.00
Fourth	R21	FloorPlan-DWG	Residential	LD	W30-L	0.81	0.92	1.23	71.90	83.26	0.77	0.15	0.29	
					W30-U	0.81	0.92	2.03	70.43	83.26	0.77	1.00	3.10	
													3.39	1.50
Fourth	R22	FloorPlan-DWG	Residential	LD	W31-L	0.81	0.92	1.23	72.80	83.25	0.77	0.15	0.29	
					W31-U	0.81	0.92	2.03	71.22	83.25	0.77	1.00	3.13	
													3.43	1.50
Fourth	R23	FloorPlan-DWG	Residential	Bedroom	W32-L	0.81	0.92	1.23	73.24	63.74	0.77	0.15	0.38	
					W32-U	0.81	0.92	2.03	71.62	63.74	0.77	1.00	4.12	
													4.51	1.00
Fourth	R24	FloorPlan-DWG	Residential	Bedroom	W33-L	0.81	0.92	1.23	73.82	66.07	0.77	0.15	0.37	

Project Name: Hillingdon Gateway
Project No.: Release 05
Report Title: Average Daylight Analysis - Proposed Scheme (25th September 2019)
Date: 30/09/2019

Floor Ref.	Room Ref.	Room Attribute	Property Type	Room Use.	Window Ref.	Glass Transmittance	Maintenance Factor	Glazed Area	Clear Sky Angle Proposed	Room Surface Area	Average Surface Reflectance	Below Working Plane Factor	ADF Proposed	Req'd Value
					W33-U	0.81	0.92	2.03	72.14	66.07	0.77	1.00	4.00	
													4.37	1.00
Fourth	R25	FloorPlan-DWG	Residential	Bedroom	W34-L	0.81	0.92	0.62	70.23	62.95	0.77	0.15	0.19	
					W34-U	0.81	0.92	1.02	69.43	62.95	0.77	1.00	2.03	
													2.22	1.00
Fourth	R26	FloorPlan-DWG	Residential	Bedroom	W35-L	0.81	0.92	0.62	70.75	55.69	0.77	0.15	0.21	
					W35-U	0.81	0.92	1.02	69.91	55.69	0.77	1.00	2.31	
													2.53	1.00
Fifth	R1	FloorPlan-DWG	Residential	LKD	W1-L	0.81	0.92	1.23	86.33	126.72	0.77	0.15	0.23	
					W1-U	0.81	0.92	2.03	82.92	126.72	0.77	1.00	2.40	
					W2-L	0.81	0.92	0.62	81.19	126.72	0.77	0.15	0.11	
					W2-U	0.81	0.92	1.02	79.08	126.72	0.77	1.00	1.15	
					W36-L	0.81	0.92	1.23	78.51	126.72	0.77	0.15	0.21	
					W36-U	0.81	0.92	2.03	76.33	126.72	0.77	1.00	2.21	
													6.30	2.00
Fifth	R2	FloorPlan-DWG	Residential	LKD	W3-L	0.81	0.92	0.62	81.24	126.72	0.77	0.15	0.11	
					W3-U	0.81	0.92	1.02	79.12	126.72	0.77	1.00	1.15	
					W4-L	0.81	0.92	1.23	86.49	126.72	0.77	0.15	0.23	
					W4-U	0.81	0.92	2.03	83.07	126.72	0.77	1.00	2.40	
					W5-L	0.81	0.92	1.23	85.59	126.72	0.77	0.15	0.23	
					W5-U	0.81	0.92	2.03	83.05	126.72	0.77	1.00	2.40	
													6.52	2.00
Fifth	R3	FloorPlan-DWG	Residential	Bedroom	W6-L	0.81	0.92	0.62	80.43	55.70	0.77	0.15	0.24	
					W6-U	0.81	0.92	1.02	79.09	55.70	0.77	1.00	2.62	
													2.86	1.00
Fifth	R4	FloorPlan-DWG	Residential	Bedroom	W7-L	0.81	0.92	0.62	80.43	62.95	0.77	0.15	0.21	
					W7-U	0.81	0.92	1.02	79.08	62.95	0.77	1.00	2.31	
													2.53	1.00
Fifth	R5	FloorPlan-DWG	Residential	Bedroom	W8-L	0.81	0.92	1.23	85.45	66.07	0.77	0.15	0.43	
					W8-U	0.81	0.92	2.03	82.95	66.07	0.77	1.00	4.60	
													5.03	1.00
Fifth	R6	FloorPlan-DWG	Residential	Bedroom	W9-L	0.81	0.92	1.23	85.36	70.52	0.77	0.15	0.40	
					W9-U	0.81	0.92	2.03	82.87	70.52	0.77	1.00	4.31	

Project Name: Hillingdon Gateway
Project No.: Release 05
Report Title: Average Daylight Analysis - Proposed Scheme (25th September 2019)
Date: 30/09/2019

Floor Ref.	Room Ref.	Room Attribute	Property Type	Room Use.	Window Ref.	Glass Transmittance	Maintenance Factor	Glazed Area	Clear Sky Angle Proposed	Room Surface Area	Average Surface Reflectance	Below Working Plane Factor	ADF Proposed	Req'd Value
													4.71	1.00
Fifth	R7	FloorPlan-DWG	Residential	Bedroom	W10-L	0.81	0.92	0.62	80.37	53.79	0.77	0.15	0.25	
					W10-U	0.81	0.92	1.02	79.01	53.79	0.77	1.00	2.71	
													2.96	1.00
Fifth	R8	FloorPlan-DWG	Residential	LD	W11-L	0.81	0.92	0.62	80.34	100.85	0.77	0.15	0.13	
					W11-U	0.81	0.92	1.02	78.97	100.85	0.77	1.00	1.44	
					W12-L	0.81	0.92	1.23	85.16	100.85	0.77	0.15	0.28	
					W12-U	0.81	0.92	2.03	82.69	100.85	0.77	1.00	3.00	
													4.86	1.50
Fifth	R9	FloorPlan-DWG	Residential	LD	W13-L	0.81	0.92	1.23	85.05	100.85	0.77	0.15	0.28	
					W13-U	0.81	0.92	2.03	82.61	100.85	0.77	1.00	3.00	
					W14-L	0.81	0.92	0.62	80.13	100.85	0.77	0.15	0.13	
					W14-U	0.81	0.92	1.02	78.80	100.85	0.77	1.00	1.44	
													4.86	1.50
Fifth	R10	FloorPlan-DWG	Residential	Bedroom	W15-L	0.81	0.92	0.62	80.05	53.79	0.77	0.15	0.25	
					W15-U	0.81	0.92	1.02	78.75	53.79	0.77	1.00	2.70	
													2.95	1.00
Fifth	R11	FloorPlan-DWG	Residential	Bedroom	W16-L	0.81	0.92	1.23	84.64	70.52	0.77	0.15	0.40	
					W16-U	0.81	0.92	2.03	82.31	70.52	0.77	1.00	4.28	
													4.68	1.00
Fifth	R12	FloorPlan-DWG	Residential	Bedroom	W17-L	0.81	0.92	1.23	84.34	66.07	0.77	0.15	0.43	
					W17-U	0.81	0.92	2.03	82.13	66.07	0.77	1.00	4.56	
													4.98	1.00
Fifth	R13	FloorPlan-DWG	Residential	Bedroom	W18-L	0.81	0.92	0.62	79.43	62.95	0.77	0.15	0.21	
					W18-U	0.81	0.92	1.02	78.35	62.95	0.77	1.00	2.29	
													2.50	1.00
Fifth	R14	FloorPlan-DWG	Residential	Bedroom	W19-L	0.81	0.92	0.62	79.22	55.69	0.77	0.15	0.24	
					W19-U	0.81	0.92	1.02	78.18	55.69	0.77	1.00	2.59	
													2.82	1.00
Fifth	R15	FloorPlan-DWG	Residential	LKD	W20-L	0.81	0.92	1.23	83.49	126.72	0.77	0.15	0.22	
					W20-U	0.81	0.92	2.03	81.40	126.72	0.77	1.00	2.35	
					W21-L	0.81	0.92	1.23	75.13	126.72	0.77	0.15	0.20	
					W21-U	0.81	0.92	2.03	73.67	126.72	0.77	1.00	2.13	

Project Name: Hillingdon Gateway
Project No.: Release 05
Report Title: Average Daylight Analysis - Proposed Scheme (25th September 2019)
Date: 30/09/2019

Floor Ref.	Room Ref.	Room Attribute	Property Type	Room Use.	Window Ref.	Glass Transmittance	Maintenance Factor	Glazed Area	Clear Sky Angle Proposed	Room Surface Area	Average Surface Reflectance	Below Working Plane Factor	ADF Proposed	Req'd Value
					W22-L	0.81	0.92	0.62	70.82	126.72	0.77	0.15	0.09	
					W22-U	0.81	0.92	1.02	70.33	126.72	0.77	1.00	1.02	
													6.02	2.00
Fifth	R16	FloorPlan-DWG	Residential	LKD	W23-L	0.81	0.92	0.62	70.66	126.72	0.77	0.15	0.09	
					W23-U	0.81	0.92	1.02	70.19	126.72	0.77	1.00	1.02	
					W24-L	0.81	0.92	1.23	74.31	126.72	0.77	0.15	0.20	
					W24-U	0.81	0.92	2.03	72.96	126.72	0.77	1.00	2.11	
					W25-L	0.81	0.92	1.23	75.73	126.72	0.77	0.15	0.20	
					W25-U	0.81	0.92	2.03	73.94	126.72	0.77	1.00	2.14	
													5.76	2.00
Fifth	R17	FloorPlan-DWG	Residential	Bedroom	W26-L	0.81	0.92	0.62	71.56	55.69	0.77	0.15	0.22	
					W26-U	0.81	0.92	1.02	70.74	55.69	0.77	1.00	2.34	
													2.56	1.00
Fifth	R18	FloorPlan-DWG	Residential	Bedroom	W27-L	0.81	0.92	0.62	71.49	62.95	0.77	0.15	0.19	
					W27-U	0.81	0.92	1.02	70.71	62.95	0.77	1.00	2.07	
													2.26	1.00
Fifth	R19	FloorPlan-DWG	Residential	Bedroom	W28-L	0.81	0.92	1.23	75.58	66.07	0.77	0.15	0.38	
					W28-U	0.81	0.92	2.03	73.94	66.07	0.77	1.00	4.10	
													4.48	1.00
Fifth	R20	FloorPlan-DWG	Residential	Bedroom	W29-L	0.81	0.92	1.23	75.47	62.28	0.77	0.15	0.40	
					W29-U	0.81	0.92	2.03	73.88	62.28	0.77	1.00	4.35	
													4.75	1.00
Fifth	R21	FloorPlan-DWG	Residential	LD	W30-L	0.81	0.92	1.23	75.54	83.26	0.77	0.15	0.30	
					W30-U	0.81	0.92	2.03	73.96	83.26	0.77	1.00	3.26	
													3.56	1.50
Fifth	R22	FloorPlan-DWG	Residential	LD	W31-L	0.81	0.92	1.23	76.21	83.25	0.77	0.15	0.31	
					W31-U	0.81	0.92	2.03	74.53	83.25	0.77	1.00	3.28	
													3.59	1.50
Fifth	R23	FloorPlan-DWG	Residential	Bedroom	W32-L	0.81	0.92	1.23	76.57	63.74	0.77	0.15	0.40	
					W32-U	0.81	0.92	2.03	74.81	63.74	0.77	1.00	4.31	
													4.71	1.00
Fifth	R24	FloorPlan-DWG	Residential	Bedroom	W33-L	0.81	0.92	1.23	77.05	66.07	0.77	0.15	0.39	
					W33-U	0.81	0.92	2.03	75.21	66.07	0.77	1.00	4.17	

robinsons
Robinsons Surveyors Limited

Floor Ref.	Room Ref.	Room Attribute	Property Type	Room Use.	Window Ref.	Glass Transmittance	Maintenance Factor	Glazed Area	Clear Sky Angle Proposed	Room Surface Area	Average Surface Reflectance	Below Working Plane Factor	ADF Proposed	Req'd Value
													4.56	1.00
Fifth	R25	FloorPlan-DWG	Residential	Bedroom	W34-L	0.81	0.92	0.62	73.10	62.95	0.77	0.15	0.19	1.00
					W34-U	0.81	0.92	1.02	72.13	62.95	0.77	1.00	2.11	
Fifth	R26	FloorPlan-DWG	Residential	Bedroom	W35-L	0.81	0.92	0.62	73.51	55.69	0.77	0.15	0.22	1.00
					W35-U	0.81	0.92	1.02	72.46	55.69	0.77	1.00	2.40	
Sixth	R1	FloorPlan-DWG	Residential	LKD	W1-L	0.81	0.92	1.23	79.64	116.45	0.77	0.15	0.23	2.00
					W1-U	0.81	0.92	2.03	77.07	116.45	0.77	1.00	2.43	
					W2-L	0.81	0.92	0.62	71.69	116.45	0.77	0.15	0.10	
					W2-U	0.81	0.92	1.22	81.62	116.45	0.77	1.00	1.55	
					W24-L	0.81	0.92	1.23	77.41	116.45	0.77	0.15	0.22	
					W24-U	0.81	0.92	2.03	72.50	116.45	0.77	1.00	2.28	
Sixth	R2	FloorPlan-DWG	Residential	LD	W3-L	0.81	0.92	0.62	71.69	132.93	0.77	0.15	0.09	1.50
					W3-U	0.81	0.92	1.22	81.66	132.93	0.77	1.00	1.36	
					W4-L	0.81	0.92	1.23	79.47	132.93	0.77	0.15	0.20	
					W4-U	0.81	0.92	2.03	77.17	132.93	0.77	1.00	2.13	
					W5-L	0.81	0.92	1.23	83.80	132.93	0.77	0.15	0.21	
					W5-U	0.81	0.92	2.03	77.37	132.93	0.77	1.00	2.13	
Sixth	R3	FloorPlan-DWG	Residential	Bedroom	W6-L	0.81	0.92	1.23	83.77	60.94	0.77	0.15	0.46	1.00
					W6-U	0.81	0.92	2.03	77.35	60.94	0.77	1.00	4.65	
Sixth	R4	FloorPlan-DWG	Residential	Bedroom	W7-L	0.81	0.92	0.62	73.59	58.05	0.77	0.15	0.21	1.00
					W7-U	0.81	0.92	1.22	81.75	58.05	0.77	1.00	3.11	
					W8-L	0.81	0.92	0.62	73.59	58.05	0.77	0.15	0.21	
					W8-U	0.81	0.92	1.22	81.75	58.05	0.77	1.00	3.11	
Sixth	R5	FloorPlan-DWG	Residential	Bedroom	W9-L	0.81	0.92	1.23	83.68	67.76	0.77	0.15	0.41	1.00
					W9-U	0.81	0.92	2.03	77.28	67.76	0.77	1.00	4.18	
Sixth	R6	FloorPlan-DWG	Residential	Bedroom	W10-L	0.81	0.92	1.23	83.63	67.75	0.77	0.15	0.41	

Project Name: Hillingdon Gateway
Project No.: Release 05
Report Title: Average Daylight Analysis - Proposed Scheme (25th September 2019)
Date: 30/09/2019

[illegible]

Project Name: Hillingdon Gateway
Project No.: Release 05
Report Title: Average Daylight Analysis - Proposed Scheme (25th September 2019)
Date: 30/09/2019

Floor Ref.	Room Ref.	Room Attribute	Property Type	Room Use.	Window Ref.	Glass Transmittance	Maintenance Factor	Glazed Area	Clear Sky Angle Proposed	Room Surface Area	Average Surface Reflectance	Below Working Plane Factor	ADF Proposed	Req'd Value
Sixth	R14	FloorPlan-DWG	Residential	Bedroom	W23-L	0.81	0.92	1.23	77.12	65.67	0.77	0.15	0.39	
					W23-U	0.81	0.92	2.03	72.29	65.67	0.77	1.00	4.03	
													4.43	1.00
Building 11														
Ground	R1	FloorPlan-DWG	Residential	Bedroom	W1-L	0.81	0.92	1.42	56.95	63.73	0.77	0.15	0.34	
					W1-U	0.81	0.92	2.33	56.00	63.73	0.77	1.00	3.70	
													4.05	1.00
Ground	R2	FloorPlan-DWG	Residential	LD	W2-L	0.81	0.92	2.75	58.25	83.55	0.77	0.15	0.52	
					W2-U	0.81	0.92	4.54	56.93	83.55	0.77	1.00	5.59	
													6.11	1.50
Ground	R3	FloorPlan-DWG	Residential	LD	W3-L	0.81	0.92	2.75	59.54	83.56	0.77	0.15	0.53	
					W3-U	0.81	0.92	4.54	58.16	83.56	0.77	1.00	5.71	
													6.24	1.50
Ground	R4	FloorPlan-DWG	Residential	Bedroom	W4-L	0.81	0.92	1.42	60.61	63.73	0.77	0.15	0.36	
					W4-U	0.81	0.92	2.33	59.58	63.73	0.77	1.00	3.94	
													4.30	1.00
Ground	R5	FloorPlan-DWG	Residential	Bedroom	W5-L	0.81	0.92	0.86	60.64	67.08	0.77	0.15	0.21	
					W5-U	0.81	0.92	1.42	60.08	67.08	0.77	1.00	2.30	
													2.51	1.00
Ground	R6	FloorPlan-DWG	Residential	Bedroom	W6-L	0.81	0.92	0.41	63.02	65.35	0.77	0.15	0.11	
					W6-U	0.81	0.92	1.42	62.16	65.35	0.77	1.00	2.44	
													2.54	1.00
Ground	R7	FloorPlan-DWG	Residential	LD	W7-L	0.81	0.92	1.42	86.55	126.03	0.77	0.15	0.26	
					W7-U	0.81	0.92	2.33	83.29	126.03	0.77	1.00	2.78	
					W8-L	0.81	0.92	1.42	86.56	126.03	0.77	0.15	0.26	
					W8-U	0.81	0.92	2.33	83.29	126.03	0.77	1.00	2.78	
													6.10	1.50
Ground	R8	FloorPlan-DWG	Residential	LD	W9-L	0.81	0.92	0.86	83.51	126.03	0.77	0.15	0.15	
					W9-U	0.81	0.92	1.42	81.13	126.03	0.77	1.00	1.65	
					W10-L	0.81	0.92	2.75	88.02	126.03	0.77	0.15	0.52	
					W10-U	0.81	0.92	4.54	84.03	126.03	0.77	1.00	5.47	

Project Name: Hillingdon Gateway
Project No.: Release 05
Report Title: Average Daylight Analysis - Proposed Scheme (25th September 2019)
Date: 30/09/2019

Floor Ref.	Room Ref.	Room Attribute	Property Type	Room Use.	Window Ref.	Glass Transmittance	Maintenance Factor	Glazed Area	Clear Sky Angle Proposed	Room Surface Area	Average Surface Reflectance	Below Working Plane Factor	ADF Proposed	Req'd Value
					W11-L	0.81	0.92	0.65	66.12	126.03	0.77	0.15	0.09	1.50
					W11-U	0.81	0.92	2.27	64.60	126.03	0.77	1.00	2.10	
Ground	R9	FloorPlan-DWG	Residential	Bedroom	W12-L	0.81	0.92	0.41	62.08	65.35	0.77	0.15	0.10	1.00
					W12-U	0.81	0.92	1.42	61.16	65.35	0.77	1.00	2.40	
Ground	R10	FloorPlan-DWG	Residential	Bedroom	W13-L	0.81	0.92	0.65	56.59	67.08	0.77	0.15	0.15	1.00
					W13-U	0.81	0.92	2.27	55.80	67.08	0.77	1.00	3.41	
Ground	R11	FloorPlan-DWG	Residential	LD	W14-L	0.81	0.92	0.70	51.66	73.92	0.77	0.15	0.13	1.50
					W14-U	0.81	0.92	1.15	50.87	73.92	0.77	1.00	1.43	
					W15-L	0.81	0.92	2.07	54.62	73.92	0.77	0.15	0.41	1.50
					W15-U	0.81	0.92	3.40	53.87	73.92	0.77	1.00	4.48	
Ground	R12	FloorPlan-DWG	Residential	Bedroom	W16-L	0.81	0.92	0.70	54.21	63.42	0.77	0.15	0.16	1.00
					W16-U	0.81	0.92	1.15	53.44	63.42	0.77	1.00	1.75	
					W17-L	0.81	0.92	0.41	55.32	63.42	0.77	0.15	0.10	1.00
					W17-U	0.81	0.92	1.42	54.48	63.42	0.77	1.00	2.20	
First	R1	FloorPlan-DWG	Residential	LD	W1-L	0.81	0.92	2.41	60.52	93.73	0.77	0.15	0.42	1.50
					W1-U	0.81	0.92	3.98	59.32	93.73	0.77	1.00	4.55	
					W30-L	0.81	0.92	0.65	44.85	93.73	0.77	0.15	0.08	1.00
					W30-U	0.81	0.92	2.27	43.57	93.73	0.77	1.00	1.91	
					W31-L	0.81	0.92	1.07	42.35	93.73	0.77	0.15	0.13	1.00
					W31-U	0.81	0.92	1.77	41.21	93.73	0.77	1.00	1.41	
First	R2	FloorPlan-DWG	Residential	Bedroom	W2-L	0.81	0.92	0.86	59.25	65.35	0.77	0.15	0.21	1.00
					W2-U	0.81	0.92	1.42	58.86	65.35	0.77	1.00	2.31	
First	R3	FloorPlan-DWG	Residential	Bedroom	W3-L	0.81	0.92	0.65	61.27	67.08	0.77	0.15	0.16	1.00
					W3-U	0.81	0.92	2.27	60.17	67.08	0.77	1.00	3.68	
First	R4	FloorPlan-DWG	Residential	Bedroom	W4-L	0.81	0.92	1.42	61.42	63.73	0.77	0.15	0.37	

Project Name: Hillingdon Gateway
Project No.: Release 05
Report Title: Average Daylight Analysis - Proposed Scheme (25th September 2019)
Date: 30/09/2019

robinsons
Robinsons Surveyors Limited

Floor Ref.	Room Ref.	Room Attribute	Property Type	Room Use.	Window Ref.	Glass Transmittance	Maintenance Factor	Glazed Area	Clear Sky Angle Proposed	Room Surface Area	Average Surface Reflectance	Below Working Plane Factor	ADF Proposed	Req'd Value
					W4-U	0.81	0.92	2.33	60.56	63.73	0.77	1.00	4.00	1.00
													4.37	
First	R5	FloorPlan-DWG	Residential	LD	W5-L	0.81	0.92	2.29	62.69	82.55	0.77	0.15	0.47	
					W5-U	0.81	0.92	3.78	61.48	82.55	0.77	1.00	5.09	
													5.56	1.50
													3.18	
First	R6	FloorPlan-DWG	Residential	LD	W6-L	0.81	0.92	1.42	63.26	82.55	0.77	0.15	0.29	
					W6-U	0.81	0.92	2.33	62.35	82.55	0.77	1.00	3.18	
													3.48	1.50
													0.51	
First	R7	FloorPlan-DWG	Residential	Bedroom	W7-L	0.81	0.92	1.84	65.37	63.73	0.77	0.15	0.51	
					W7-U	0.81	0.92	3.02	64.12	63.73	0.77	1.00	5.50	
													6.01	1.00
													0.18	
First	R8	FloorPlan-DWG	Residential	Bedroom	W8-L	0.81	0.92	0.65	66.92	67.08	0.77	0.15	0.18	
					W8-U	0.81	0.92	2.27	65.58	67.08	0.77	1.00	4.01	
													4.18	1.00
													0.11	
First	R9	FloorPlan-DWG	Residential	Bedroom	W9-L	0.81	0.92	0.41	66.85	65.35	0.77	0.15	0.11	
					W9-U	0.81	0.92	1.42	65.94	65.35	0.77	1.00	2.59	
													2.70	1.00
													0.21	
First	R10	FloorPlan-DWG	Residential	LD	W10-L	0.81	0.92	1.03	72.02	93.73	0.77	0.15	0.21	
					W10-U	0.81	0.92	1.69	70.50	93.73	0.77	1.00	2.30	
					W11-L	0.81	0.92	1.05	87.33	93.73	0.77	0.15	0.27	
					W11-U	0.81	0.92	1.73	83.77	93.73	0.77	1.00	2.80	
					W12-L	0.81	0.92	2.29	88.31	93.73	0.77	0.15	0.59	
					W12-U	0.81	0.92	3.78	84.14	93.73	0.77	1.00	6.13	
					W13-L	0.81	0.92	0.86	83.88	93.73	0.77	0.15	0.21	
					W13-U	0.81	0.92	1.42	81.27	93.73	0.77	1.00	2.22	
												14.74	1.50	
												0.21		
First	R11	FloorPlan-DWG	Residential	LD	W14-L	0.81	0.92	0.86	83.88	93.73	0.77	0.15	0.21	
					W14-U	0.81	0.92	1.42	81.27	93.73	0.77	1.00	2.22	
					W15-L	0.81	0.92	2.75	88.50	93.73	0.77	0.15	0.71	
					W15-U	0.81	0.92	4.54	84.21	93.73	0.77	1.00	7.37	
					W16-L	0.81	0.92	0.65	69.09	93.73	0.77	0.15	0.13	
					W16-U	0.81	0.92	2.27	67.41	93.73	0.77	1.00	2.95	
												13.58	1.50	
												0.21		

Project Name: Hillingdon Gateway
Project No.: Release 05
Report Title: Average Daylight Analysis - Proposed Scheme (25th September 2019)
Date: 30/09/2019

Floor Ref.	Room Ref.	Room Attribute	Property Type	Room Use.	Window Ref.	Glass Transmittance	Maintenance Factor	Glazed Area	Clear Sky Angle Proposed	Room Surface Area	Average Surface Reflectance	Below Working Plane Factor	ADF Proposed	Req'd Value
First	R12	FloorPlan-DWG	Residential	Bedroom	W17-L	0.81	0.92	0.41	65.11	65.35	0.77	0.15	0.11	1.00
					W17-U	0.81	0.92	1.42	64.10	65.35	0.77	1.00	2.51	
													2.62	
First	R13	FloorPlan-DWG	Residential	Bedroom	W18-L	0.81	0.92	0.65	59.04	67.08	0.77	0.15	0.15	1.00
					W18-U	0.81	0.92	2.27	58.22	67.08	0.77	1.00	3.56	
													3.71	
First	R14	FloorPlan-DWG	Residential	LD	W19-L	0.81	0.92	0.70	51.14	73.92	0.77	0.15	0.13	1.50
					W19-U	0.81	0.92	1.15	50.31	73.92	0.77	1.00	1.41	
					W20-L	0.81	0.92	2.07	57.39	73.92	0.77	0.15	0.43	
					W20-U	0.81	0.92	3.40	56.65	73.92	0.77	1.00	4.71	
													6.69	
First	R15	FloorPlan-DWG	Residential	Bedroom	W21-L	0.81	0.92	0.70	54.59	63.42	0.77	0.15	0.16	1.00
					W21-U	0.81	0.92	1.15	53.74	63.42	0.77	1.00	1.76	
					W22-L	0.81	0.92	0.41	59.02	63.42	0.77	0.15	0.10	
					W22-U	0.81	0.92	1.42	58.23	63.42	0.77	1.00	2.35	
													4.37	
First	R16	FloorPlan-DWG	Residential	Bedroom	W23-L	0.81	0.92	0.41	57.18	63.42	0.77	0.15	0.10	1.00
					W23-U	0.81	0.92	1.42	56.43	63.42	0.77	1.00	2.28	
					W24-L	0.81	0.92	0.70	43.18	63.42	0.77	0.15	0.13	
					W24-U	0.81	0.92	0.78	41.18	63.42	0.77	1.00	0.91	
													3.42	
First	R17	FloorPlan-DWG	Residential	LD	W25-L	0.81	0.92	2.07	48.07	73.93	0.77	0.15	0.36	1.50
					W25-U	0.81	0.92	3.40	47.69	73.93	0.77	1.00	3.97	
													4.33	
First	R18	FloorPlan-DWG	Residential	Bedroom	W26-L	0.81	0.92	1.38	46.84	67.08	0.77	0.15	0.26	1.00
					W26-U	0.81	0.92	2.28	46.57	67.08	0.77	1.00	2.86	
													3.12	
First	R19	FloorPlan-DWG	Residential	Bedroom	W27-L	0.81	0.92	0.86	53.79	65.35	0.77	0.15	0.19	1.00
					W27-U	0.81	0.92	1.42	53.35	65.35	0.77	1.00	2.09	
													2.28	
First	R20	FloorPlan-DWG	Residential	LD	W28-L	0.81	0.92	2.30	55.48	93.73	0.77	0.15	0.37	1.00
					W28-U	0.81	0.92	3.78	54.33	93.73	0.77	1.00	3.96	
					W29-L	0.81	0.92	0.65	52.65	93.73	0.77	0.15	0.10	

robinsons
Robinsons Surveyors Limited

[illegible]

Project Name: Hillingdon Gateway
Project No.: Release 05
Report Title: Average Daylight Analysis - Proposed Scheme (25th September 2019)
Date: 30/09/2019

Floor Ref.	Room Ref.	Room Attribute	Property Type	Room Use.	Window Ref.	Glass Transmittance	Maintenance Factor	Glazed Area	Clear Sky Angle Proposed	Room Surface Area	Average Surface Reflectance	Below Working Plane Factor	ADF Proposed	Req'd Value
Second	R10	FloorPlan-DWG	Residential	LD	W10-L	0.81	0.92	1.03	75.52	93.73	0.77	0.15	0.22	1.50
					W10-U	0.81	0.92	1.69	73.92	93.73	0.77	1.00	2.42	
					W11-L	0.81	0.92	1.05	87.36	93.73	0.77	0.15	0.27	
					W11-U	0.81	0.92	1.73	83.79	93.73	0.77	1.00	2.80	
					W12-L	0.81	0.92	2.29	88.33	93.73	0.77	0.15	0.59	
					W12-U	0.81	0.92	3.78	84.15	93.73	0.77	1.00	6.13	
					W13-L	0.81	0.92	0.86	83.88	93.73	0.77	0.15	0.21	
					W13-U	0.81	0.92	1.42	81.27	93.73	0.77	1.00	2.22	
													14.86	
Second	R11	FloorPlan-DWG	Residential	LD	W14-L	0.81	0.92	0.86	83.88	93.73	0.77	0.15	0.21	1.50
					W14-U	0.81	0.92	1.42	81.27	93.73	0.77	1.00	2.22	
					W15-L	0.81	0.92	2.75	88.52	93.73	0.77	0.15	0.71	
					W15-U	0.81	0.92	4.54	84.22	93.73	0.77	1.00	7.37	
					W16-L	0.81	0.92	0.65	72.14	93.73	0.77	0.15	0.14	
					W16-U	0.81	0.92	2.27	70.41	93.73	0.77	1.00	3.08	
													13.72	
Second	R12	FloorPlan-DWG	Residential	Bedroom	W17-L	0.81	0.92	0.41	68.23	65.35	0.77	0.15	0.11	1.00
					W17-U	0.81	0.92	1.42	67.21	65.35	0.77	1.00	2.64	
													2.75	
Second	R13	FloorPlan-DWG	Residential	Bedroom	W18-L	0.81	0.92	0.65	61.53	67.08	0.77	0.15	0.16	1.00
					W18-U	0.81	0.92	2.27	60.72	67.08	0.77	1.00	3.71	
													3.87	
Second	R14	FloorPlan-DWG	Residential	LD	W19-L	0.81	0.92	0.70	51.42	73.92	0.77	0.15	0.13	1.50
					W19-U	0.81	0.92	1.15	50.69	73.92	0.77	1.00	1.42	
					W20-L	0.81	0.92	2.07	60.32	73.92	0.77	0.15	0.46	
					W20-U	0.81	0.92	3.40	59.62	73.92	0.77	1.00	4.96	
													6.97	
Second	R15	FloorPlan-DWG	Residential	Bedroom	W21-L	0.81	0.92	0.70	54.86	63.42	0.77	0.15	0.16	1.00
					W21-U	0.81	0.92	1.15	53.99	63.42	0.77	1.00	1.76	
					W22-L	0.81	0.92	0.41	63.01	63.42	0.77	0.15	0.11	
					W22-U	0.81	0.92	1.42	62.27	63.42	0.77	1.00	2.52	
													4.55	
Second	R16	FloorPlan-DWG	Residential	Bedroom	W23-L	0.81	0.92	0.41	61.30	63.42	0.77	0.15	0.11	

Project Name: Hillingdon Gateway
Project No.: Release 05
Report Title: Average Daylight Analysis - Proposed Scheme (25th September 2019)
Date: 30/09/2019

Floor Ref.	Room Ref.	Room Attribute	Property Type	Room Use.	Window Ref.	Glass Transmittance	Maintenance Factor	Glazed Area	Clear Sky Angle Proposed	Room Surface Area	Average Surface Reflectance	Below Working Plane Factor	ADF Proposed	Req'd Value
					W23-U	0.81	0.92	1.42	60.61	63.42	0.77	1.00	2.45	
					W24-L	0.81	0.92	0.70	45.16	63.42	0.77	0.15	0.13	
					W24-U	0.81	0.92	0.78	43.17	63.42	0.77	1.00	0.96	
													3.65	1.00
Second	R17	FloorPlan-DWG	Residential	LD	W25-L	0.81	0.92	2.07	52.08	73.93	0.77	0.15	0.39	
					W25-U	0.81	0.92	3.40	51.78	73.93	0.77	1.00	4.31	
													4.70	1.50
Second	R18	FloorPlan-DWG	Residential	Bedroom	W26-L	0.81	0.92	1.38	50.65	67.08	0.77	0.15	0.28	
					W26-U	0.81	0.92	2.28	50.49	67.08	0.77	1.00	3.10	
													3.39	1.00
Second	R19	FloorPlan-DWG	Residential	Bedroom	W27-L	0.81	0.92	0.86	57.88	65.35	0.77	0.15	0.21	
					W27-U	0.81	0.92	1.42	57.57	65.35	0.77	1.00	2.26	
													2.46	1.00
Second	R20	FloorPlan-DWG	Residential	LD	W28-L	0.81	0.92	2.30	59.76	93.73	0.77	0.15	0.40	
					W28-U	0.81	0.92	3.78	58.69	93.73	0.77	1.00	4.28	
					W29-L	0.81	0.92	0.65	55.44	93.73	0.77	0.15	0.10	
					W29-U	0.81	0.92	2.27	54.35	93.73	0.77	1.00	2.38	
													7.16	1.50
Third	R1	FloorPlan-DWG	Residential	LD	W1-L	0.81	0.92	2.41	70.01	93.73	0.77	0.15	0.49	
					W1-U	0.81	0.92	3.98	68.74	93.73	0.77	1.00	5.27	
					W30-L	0.81	0.92	0.65	55.00	93.73	0.77	0.15	0.10	
					W30-U	0.81	0.92	2.27	54.41	93.73	0.77	1.00	2.38	
					W31-L	0.81	0.92	1.07	52.48	93.73	0.77	0.15	0.16	
					W31-U	0.81	0.92	1.77	52.26	93.73	0.77	1.00	1.78	
													10.19	1.50
Third	R2	FloorPlan-DWG	Residential	Bedroom	W2-L	0.81	0.92	0.86	68.81	65.35	0.77	0.15	0.25	
					W2-U	0.81	0.92	1.42	68.55	65.35	0.77	1.00	2.69	
													2.93	1.00
Third	R3	FloorPlan-DWG	Residential	Bedroom	W3-L	0.81	0.92	0.65	71.53	67.08	0.77	0.15	0.19	
					W3-U	0.81	0.92	2.27	70.45	67.08	0.77	1.00	4.31	
													4.49	1.00
Third	R4	FloorPlan-DWG	Residential	Bedroom	W4-L	0.81	0.92	1.42	71.80	63.73	0.77	0.15	0.43	
					W4-U	0.81	0.92	2.33	71.02	63.73	0.77	1.00	4.70	

robinsons
Robinsons Surveyors Limited

Floor Ref.	Room Ref.	Room Attribute	Property Type	Room Use.	Window Ref.	Glass Transmittance	Maintenance Factor	Glazed Area	Clear Sky Angle Proposed	Room Surface Area	Average Surface Reflectance	Below Working Plane Factor	ADF Proposed	Req'd Value
													5.13	1.00
Third	R5	FloorPlan-DWG	Residential	LD	W5-L	0.81	0.92	2.29	73.22	82.55	0.77	0.15	0.55	
					W5-U	0.81	0.92	3.78	72.00	82.55	0.77	1.00	5.96	
													6.51	1.50
Third	R6	FloorPlan-DWG	Residential	LD	W6-L	0.81	0.92	2.30	74.04	82.55	0.77	0.15	0.56	
					W6-U	0.81	0.92	3.78	72.75	82.55	0.77	1.00	6.02	
													6.58	1.50
Third	R7	FloorPlan-DWG	Residential	Bedroom	W7-L	0.81	0.92	1.42	74.53	63.73	0.77	0.15	0.45	
					W7-U	0.81	0.92	2.33	73.50	63.73	0.77	1.00	4.86	
													5.31	1.00
Third	R8	FloorPlan-DWG	Residential	Bedroom	W8-L	0.81	0.92	0.65	76.06	67.08	0.77	0.15	0.20	
					W8-U	0.81	0.92	2.27	74.61	67.08	0.77	1.00	4.56	
													4.76	1.00
Third	R9	FloorPlan-DWG	Residential	Bedroom	W9-L	0.81	0.92	0.41	74.97	65.35	0.77	0.15	0.13	
					W9-U	0.81	0.92	1.42	73.98	65.35	0.77	1.00	2.90	
													3.03	1.00
Third	R10	FloorPlan-DWG	Residential	LD	W10-L	0.81	0.92	1.03	79.20	93.73	0.77	0.15	0.24	
					W10-U	0.81	0.92	1.69	77.45	93.73	0.77	1.00	2.53	
					W11-L	0.81	0.92	1.05	87.39	93.73	0.77	0.15	0.27	
					W11-U	0.81	0.92	1.73	83.81	93.73	0.77	1.00	2.80	
					W12-L	0.81	0.92	2.29	88.33	93.73	0.77	0.15	0.59	
					W12-U	0.81	0.92	3.78	84.15	93.73	0.77	1.00	6.14	
					W13-L	0.81	0.92	0.86	83.88	93.73	0.77	0.15	0.21	
					W13-U	0.81	0.92	1.42	81.27	93.73	0.77	1.00	2.22	
													14.99	1.50
Third	R11	FloorPlan-DWG	Residential	LD	W14-L	0.81	0.92	0.86	83.88	93.73	0.77	0.15	0.21	
					W14-U	0.81	0.92	1.42	81.27	93.73	0.77	1.00	2.22	
					W15-L	0.81	0.92	2.75	88.53	93.73	0.77	0.15	0.71	
					W15-U	0.81	0.92	4.54	84.23	93.73	0.77	1.00	7.37	
					W16-L	0.81	0.92	0.65	75.43	93.73	0.77	0.15	0.14	
					W16-U	0.81	0.92	2.27	73.56	93.73	0.77	1.00	3.22	
													13.86	1.50
Third	R12	FloorPlan-DWG	Residential	Bedroom	W17-L	0.81	0.92	0.41	71.57	65.35	0.77	0.15	0.12	

Project Name: Hillingdon Gateway
Project No.: Release 05
Report Title: Average Daylight Analysis - Proposed Scheme (25th September 2019)
Date: 30/09/2019

Floor Ref.	Room Ref.	Room Attribute	Property Type	Room Use.	Window Ref.	Glass Transmittance	Maintenance Factor	Glazed Area	Clear Sky Angle Proposed	Room Surface Area	Average Surface Reflectance	Below Working Plane Factor	ADF Proposed	Req'd Value
Third	R13	FloorPlan-DWG	Residential	Bedroom	W17-U	0.81	0.92	1.42	70.45	65.35	0.77	1.00	2.76	1.00
					W18-L	0.81	0.92	0.65	64.19	67.08	0.77	0.15	0.17	
					W18-U	0.81	0.92	2.27	63.24	67.08	0.77	1.00	3.87	
Third	R14	FloorPlan-DWG	Residential	LD	W19-L	0.81	0.92	0.70	52.23	73.92	0.77	0.15	0.13	1.50
					W19-U	0.81	0.92	1.15	51.83	73.92	0.77	1.00	1.45	
					W20-L	0.81	0.92	2.07	63.49	73.92	0.77	0.15	0.48	
Third	R15	FloorPlan-DWG	Residential	Bedroom	W20-U	0.81	0.92	3.40	62.67	73.92	0.77	1.00	5.21	1.00
					W21-L	0.81	0.92	0.70	55.24	63.42	0.77	0.15	0.16	
					W21-U	0.81	0.92	1.15	54.40	63.42	0.77	1.00	1.78	
Third	R16	FloorPlan-DWG	Residential	Bedroom	W22-L	0.81	0.92	0.41	67.24	63.42	0.77	0.15	0.12	1.00
					W22-U	0.81	0.92	1.42	66.46	63.42	0.77	1.00	2.69	
					W23-L	0.81	0.92	0.41	65.64	63.42	0.77	0.15	0.11	
Third	R17	FloorPlan-DWG	Residential	LD	W23-U	0.81	0.92	1.42	64.92	63.42	0.77	1.00	2.62	1.50
					W24-L	0.81	0.92	0.70	47.12	63.42	0.77	0.15	0.14	
					W24-U	0.81	0.92	0.78	45.03	63.42	0.77	1.00	1.00	
Third	R18	FloorPlan-DWG	Residential	Bedroom	W25-L	0.81	0.92	2.07	56.28	73.93	0.77	0.15	0.43	1.00
					W25-U	0.81	0.92	3.40	55.89	73.93	0.77	1.00	4.65	
					W26-L	0.81	0.92	1.38	54.72	67.08	0.77	0.15	0.31	
Third	R19	FloorPlan-DWG	Residential	Bedroom	W26-U	0.81	0.92	2.28	54.51	67.08	0.77	1.00	3.35	1.00
					W27-L	0.81	0.92	0.86	62.44	65.35	0.77	0.15	0.22	
					W27-U	0.81	0.92	1.42	62.18	65.35	0.77	1.00	2.44	
Third	R20	FloorPlan-DWG	Residential	LD	W28-L	0.81	0.92	2.30	64.61	93.73	0.77	0.15	0.43	1.00
					W28-U	0.81	0.92	3.78	63.53	93.73	0.77	1.00	4.63	
					W29-L	0.81	0.92	0.65	60.33	93.73	0.77	0.15	0.11	
Third	R20	FloorPlan-DWG	Residential	LD	W29-U	0.81	0.92	2.27	59.46	93.73	0.77	1.00	2.60	1.00
					W20-L	0.81	0.92	2.07	63.49	73.92	0.77	0.15	0.48	
					W20-U	0.81	0.92	3.40	62.67	73.92	0.77	1.00	5.21	

Project Name: Hillingdon Gateway
Project No.: Release 05
Report Title: Average Daylight Analysis - Proposed Scheme (25th September 2019)
Date: 30/09/2019

Floor Ref.	Room Ref.	Room Attribute	Property Type	Room Use.	Window Ref.	Glass Transmittance	Maintenance Factor	Glazed Area	Clear Sky Angle Proposed	Room Surface Area	Average Surface Reflectance	Below Working Plane Factor	ADF Proposed	Req'd Value
													7.77	1.50
Fourth	R1	FloorPlan-DWG	Residential	LD	W1-L	0.81	0.92	2.41	75.45	93.73	0.77	0.15	0.53	1.50
					W1-U	0.81	0.92	3.98	73.92	93.73	0.77	1.00	5.67	
					W23-L	0.81	0.92	0.65	61.14	93.73	0.77	0.15	0.11	
					W23-U	0.81	0.92	2.27	60.87	93.73	0.77	1.00	2.66	
					W24-L	0.81	0.92	1.07	59.28	93.73	0.77	0.15	0.18	
					W24-U	0.81	0.92	1.77	59.48	93.73	0.77	1.00	2.03	
													11.19	1.50
Fourth	R2	FloorPlan-DWG	Residential	Bedroom	W2-L	0.81	0.92	0.86	74.07	65.35	0.77	0.15	0.26	1.00
					W2-U	0.81	0.92	1.42	73.64	65.35	0.77	1.00	2.89	
													3.15	1.00
Fourth	R3	FloorPlan-DWG	Residential	Bedroom	W3-L	0.81	0.92	0.65	76.97	67.08	0.77	0.15	0.20	1.00
					W3-U	0.81	0.92	2.27	75.64	67.08	0.77	1.00	4.62	
													4.82	1.00
Fourth	R4	FloorPlan-DWG	Residential	Bedroom	W4-L	0.81	0.92	1.84	78.11	63.74	0.77	0.15	0.61	1.00
					W4-U	0.81	0.92	3.02	76.73	63.74	0.77	1.00	6.58	
													7.19	1.00
Fourth	R5	FloorPlan-DWG	Residential	LD	W5-L	0.81	0.92	1.42	78.14	82.55	0.77	0.15	0.36	1.50
					W5-U	0.81	0.92	2.33	76.97	82.55	0.77	1.00	3.93	
													4.29	1.50
Fourth	R6	FloorPlan-DWG	Residential	Bedroom	W6-L	0.81	0.92	2.30	79.79	67.76	0.77	0.15	0.73	1.00
					W6-U	0.81	0.92	3.78	78.01	67.76	0.77	1.00	7.87	
													8.60	1.00
Fourth	R7	FloorPlan-DWG	Residential	Bedroom	W7-L	0.81	0.92	1.42	79.86	59.32	0.77	0.15	0.52	1.00
					W7-U	0.81	0.92	2.33	78.32	59.32	0.77	1.00	5.56	
													6.08	1.00
Fourth	R8	FloorPlan-DWG	Residential	LKD	W8-L	0.81	0.92	0.65	80.96	118.98	0.77	0.15	0.12	2.00
					W8-U	0.81	0.92	2.27	79.00	118.98	0.77	1.00	2.72	
					W9-L	0.81	0.92	2.07	88.09	118.98	0.77	0.15	0.41	
					W9-U	0.81	0.92	3.40	84.04	118.98	0.77	1.00	4.34	
													7.60	2.00
Fourth	R9	FloorPlan-DWG	Residential	LD	W10-L	0.81	0.92	2.07	88.01	85.24	0.77	0.15	0.58	
					W10-U	0.81	0.92	3.40	83.99	85.24	0.77	1.00	6.06	

Project Name: Hillingdon Gateway
Project No.: Release 05
Report Title: Average Daylight Analysis - Proposed Scheme (25th September 2019)
Date: 30/09/2019

[illegible]

Project Name: Hillingdon Gateway
Project No.: Release 05
Report Title: Average Daylight Analysis - Proposed Scheme (25th September 2019)
Date: 30/09/2019

Floor Ref.	Room Ref.	Room Attribute	Property Type	Room Use.	Window Ref.	Glass Transmittance	Maintenance Factor	Glazed Area	Clear Sky Angle Proposed	Room Surface Area	Average Surface Reflectance	Below Working Plane Factor	ADF Proposed	Req'd Value
Building 12														
Ground	R1	FloorPlan-DWG	Residential	Bedroom	W1-L	0.81	0.92	1.42	83.06	63.73	0.77	0.15	0.50	1.00
					W1-U	0.81	0.92	2.33	80.48	63.73	0.77	1.00	5.32	
													5.82	
Ground	R2	FloorPlan-DWG	Residential	LD	W2-L	0.81	0.92	2.75	84.29	83.55	0.77	0.15	0.75	1.50
					W2-U	0.81	0.92	4.54	81.13	83.55	0.77	1.00	7.96	
													8.72	
Ground	R3	FloorPlan-DWG	Residential	LD	W3-L	0.81	0.92	2.75	84.30	83.56	0.77	0.15	0.75	1.50
					W3-U	0.81	0.92	4.54	81.19	83.56	0.77	1.00	7.97	
													8.72	
Ground	R4	FloorPlan-DWG	Residential	Bedroom	W4-L	0.81	0.92	1.42	83.08	63.73	0.77	0.15	0.50	1.00
					W4-U	0.81	0.92	2.33	80.64	63.73	0.77	1.00	5.33	
													5.83	
Ground	R5	FloorPlan-DWG	Residential	Bedroom	W5-L	0.81	0.92	0.86	80.40	67.08	0.77	0.15	0.28	1.00
					W5-U	0.81	0.92	1.42	78.78	67.08	0.77	1.00	3.01	
													3.29	
Ground	R6	FloorPlan-DWG	Residential	Bedroom	W6-L	0.81	0.92	0.41	80.52	65.35	0.77	0.15	0.14	1.00
					W6-U	0.81	0.92	1.42	78.82	65.35	0.77	1.00	3.09	
													3.23	
Ground	R7	FloorPlan-DWG	Residential	LD	W7-L	0.81	0.92	1.42	86.19	126.03	0.77	0.15	0.26	1.50
					W7-U	0.81	0.92	2.33	83.15	126.03	0.77	1.00	2.78	
					W8-L	0.81	0.92	1.42	86.29	126.03	0.77	0.15	0.26	
					W8-U	0.81	0.92	2.33	83.17	126.03	0.77	1.00	2.78	
													6.09	
Ground	R8	FloorPlan-DWG	Residential	LD	W9-L	0.81	0.92	0.86	83.34	126.03	0.77	0.15	0.15	1.50
					W9-U	0.81	0.92	1.42	81.04	126.03	0.77	1.00	1.65	
					W10-L	0.81	0.92	2.75	87.84	126.03	0.77	0.15	0.52	
					W10-U	0.81	0.92	4.54	83.92	126.03	0.77	1.00	5.46	
					W11-L	0.81	0.92	0.65	67.80	126.03	0.77	0.15	0.09	
					W11-U	0.81	0.92	2.27	66.36	126.03	0.77	1.00	2.16	
													10.04	
Ground	R9	FloorPlan-DWG	Residential	Bedroom	W12-L	0.81	0.92	0.41	63.35	65.35	0.77	0.15	0.11	

Project Name: Hillingdon Gateway
Project No.: Release 05
Report Title: Average Daylight Analysis - Proposed Scheme (25th September 2019)
Date: 30/09/2019

Floor Ref.	Room Ref.	Room Attribute	Property Type	Room Use.	Window Ref.	Glass Transmittance	Maintenance Factor	Glazed Area	Clear Sky Angle Proposed	Room Surface Area	Average Surface Reflectance	Below Working Plane Factor	ADF Proposed	Req'd Value
Ground	R10	FloorPlan-DWG	Residential	Bedroom	W12-U	0.81	0.92	1.42	62.56	65.35	0.77	1.00	2.45	1.00
					W13-L	0.81	0.92	0.65	56.13	67.08	0.77	0.15	0.15	
					W13-U	0.81	0.92	2.27	55.50	67.08	0.77	1.00	3.39	
Ground	R11	FloorPlan-DWG	Residential	LD	W14-L	0.81	0.92	0.70	51.71	73.92	0.77	0.15	0.13	1.50
					W14-U	0.81	0.92	1.15	50.88	73.92	0.77	1.00	1.43	
					W15-L	0.81	0.92	2.07	53.60	73.92	0.77	0.15	0.41	
					W15-U	0.81	0.92	3.40	53.14	73.92	0.77	1.00	4.42	
													6.39	
Ground	R12	FloorPlan-DWG	Residential	Bedroom	W16-L	0.81	0.92	0.70	54.03	63.42	0.77	0.15	0.16	1.00
					W16-U	0.81	0.92	1.15	53.26	63.42	0.77	1.00	1.74	
					W17-L	0.81	0.92	0.41	54.87	63.42	0.77	0.15	0.10	
					W17-U	0.81	0.92	1.42	54.29	63.42	0.77	1.00	2.19	
													4.19	
First	R1	FloorPlan-DWG	Residential	LD	W1-L	0.81	0.92	2.41	85.92	93.73	0.77	0.15	0.60	1.50
					W1-U	0.81	0.92	3.98	82.17	93.73	0.77	1.00	6.30	
					W30-L	0.81	0.92	0.65	61.15	93.73	0.77	0.15	0.11	
					W30-U	0.81	0.92	2.27	59.54	93.73	0.77	1.00	2.60	
					W31-L	0.81	0.92	1.07	64.97	93.73	0.77	0.15	0.20	
					W31-U	0.81	0.92	1.77	63.39	93.73	0.77	1.00	2.16	
													11.99	
First	R2	FloorPlan-DWG	Residential	Bedroom	W2-L	0.81	0.92	0.86	81.79	65.35	0.77	0.15	0.29	1.00
					W2-U	0.81	0.92	1.42	79.61	65.35	0.77	1.00	3.12	
First	R3	FloorPlan-DWG	Residential	Bedroom	W3-L	0.81	0.92	0.65	84.55	67.08	0.77	0.15	0.22	1.00
					W3-U	0.81	0.92	2.27	81.61	67.08	0.77	1.00	4.99	
First	R4	FloorPlan-DWG	Residential	Bedroom	W4-L	0.81	0.92	1.42	84.68	63.73	0.77	0.15	0.51	1.00
					W4-U	0.81	0.92	2.33	81.66	63.73	0.77	1.00	5.40	
First	R5	FloorPlan-DWG	Residential	LD	W5-L	0.81	0.92	2.29	85.88	82.55	0.77	0.15	0.65	1.00
					W5-U	0.81	0.92	3.78	82.28	82.55	0.77	1.00	6.81	

Project Name: Hillingdon Gateway
Project No.: Release 05
Report Title: Average Daylight Analysis - Proposed Scheme (25th September 2019)
Date: 30/09/2019

Floor Ref.	Room Ref.	Room Attribute	Property Type	Room Use.	Window Ref.	Glass Transmittance	Maintenance Factor	Glazed Area	Clear Sky Angle Proposed	Room Surface Area	Average Surface Reflectance	Below Working Plane Factor	ADF Proposed	Req'd Value
First	R6	FloorPlan-DWG	Residential	LD	W6-L	0.81	0.92	1.42	84.82	82.55	0.77	0.15	7.46	1.50
					W6-U	0.81	0.92	2.33	81.77	82.55	0.77	1.00	4.17	
First	R7	FloorPlan-DWG	Residential	Bedroom	W7-L	0.81	0.92	1.84	85.68	63.73	0.77	0.15	4.57	1.50
					W7-U	0.81	0.92	3.02	82.26	63.73	0.77	1.00	7.06	
First	R8	FloorPlan-DWG	Residential	Bedroom	W8-L	0.81	0.92	0.65	84.87	67.08	0.77	0.15	7.72	1.00
					W8-U	0.81	0.92	2.27	81.89	67.08	0.77	1.00	5.01	
First	R9	FloorPlan-DWG	Residential	Bedroom	W9-L	0.81	0.92	0.41	82.15	65.35	0.77	0.15	5.23	1.00
					W9-U	0.81	0.92	1.42	79.95	65.35	0.77	1.00	3.14	
First	R10	FloorPlan-DWG	Residential	LD	W10-L	0.81	0.92	1.03	85.31	93.73	0.77	0.15	3.27	1.00
					W10-U	0.81	0.92	1.69	82.27	93.73	0.77	1.00	2.69	
First	R11	FloorPlan-DWG	Residential	LD	W11-L	0.81	0.92	1.05	87.33	93.73	0.77	0.15	15.16	1.50
					W11-U	0.81	0.92	1.73	83.77	93.73	0.77	1.00	2.80	
First	R12	FloorPlan-DWG	Residential	Bedroom	W12-L	0.81	0.92	2.30	88.28	93.73	0.77	0.15	13.69	1.50
					W12-U	0.81	0.92	3.78	84.12	93.73	0.77	1.00	6.13	
First	R13	FloorPlan-DWG	Residential	Bedroom	W13-L	0.81	0.92	0.86	83.88	93.73	0.77	0.15	2.71	1.00
					W13-U	0.81	0.92	1.42	81.27	93.73	0.77	1.00	2.22	
First	R14	FloorPlan-DWG	Residential	LD	W14-L	0.81	0.92	0.86	83.87	93.73	0.77	0.15	13.69	1.50
					W14-U	0.81	0.92	1.42	81.27	93.73	0.77	1.00	2.22	
First	R15	FloorPlan-DWG	Residential	LD	W15-L	0.81	0.92	2.75	88.48	93.73	0.77	0.15	0.70	
					W15-U	0.81	0.92	4.54	84.20	93.73	0.77	1.00	7.37	
First	R16	FloorPlan-DWG	Residential	LD	W16-L	0.81	0.92	0.65	71.28	93.73	0.77	0.15	0.13	
					W16-U	0.81	0.92	2.27	69.71	93.73	0.77	1.00	3.05	
First	R17	FloorPlan-DWG	Residential	Bedroom	W17-L	0.81	0.92	0.41	67.00	65.35	0.77	0.15	0.11	
					W17-U	0.81	0.92	1.42	66.19	65.35	0.77	1.00	2.60	
First	R18	FloorPlan-DWG	Residential	Bedroom	W18-L	0.81	0.92	0.65	59.23	67.08	0.77	0.15	0.16	
					W18-U	0.81	0.92	1.42	58.42	67.08	0.77	1.00	2.60	

Project Name: Hillingdon Gateway
Project No.: Release 05
Report Title: Average Daylight Analysis - Proposed Scheme (25th September 2019)
Date: 30/09/2019

Floor Ref.	Room Ref.	Room Attribute	Property Type	Room Use.	Window Ref.	Glass Transmittance	Maintenance Factor	Glazed Area	Clear Sky Angle Proposed	Room Surface Area	Average Surface Reflectance	Below Working Plane Factor	ADF Proposed	Req'd Value
First	R14	FloorPlan-DWG	Residential	LD	W18-U	0.81	0.92	2.27	58.64	67.08	0.77	1.00	3.58	1.00
					W19-L	0.81	0.92	0.70	51.14	73.92	0.77	0.15	0.13	
					W19-U	0.81	0.92	1.15	50.31	73.92	0.77	1.00	1.41	
					W20-L	0.81	0.92	2.07	57.29	73.92	0.77	0.15	0.43	
					W20-U	0.81	0.92	3.40	56.94	73.92	0.77	1.00	4.74	
First	R15	FloorPlan-DWG	Residential	Bedroom	W21-L	0.81	0.92	0.70	54.47	63.42	0.77	0.15	0.16	1.00
					W21-U	0.81	0.92	1.15	53.66	63.42	0.77	1.00	1.75	
					W22-L	0.81	0.92	0.41	59.64	63.42	0.77	0.15	0.10	
					W22-U	0.81	0.92	1.42	59.22	63.42	0.77	1.00	2.39	
													4.41	
First	R16	FloorPlan-DWG	Residential	Bedroom	W23-L	0.81	0.92	0.41	58.04	63.42	0.77	0.15	0.10	1.00
					W23-U	0.81	0.92	1.42	57.68	63.42	0.77	1.00	2.33	
					W24-L	0.81	0.92	0.70	37.41	63.42	0.77	0.15	0.11	
					W24-U	0.81	0.92	0.78	35.48	63.42	0.77	1.00	0.79	
													3.33	
First	R17	FloorPlan-DWG	Residential	LD	W25-L	0.81	0.92	2.07	49.48	73.92	0.77	0.15	0.37	1.50
					W25-U	0.81	0.92	3.40	49.50	73.92	0.77	1.00	4.12	
													4.49	
First	R18	FloorPlan-DWG	Residential	Bedroom	W26-L	0.81	0.92	1.38	49.36	67.08	0.77	0.15	0.28	1.00
					W26-U	0.81	0.92	2.28	49.37	67.08	0.77	1.00	3.03	
													3.31	
First	R19	FloorPlan-DWG	Residential	Bedroom	W27-L	0.81	0.92	0.86	57.34	65.35	0.77	0.15	0.20	1.00
					W27-U	0.81	0.92	1.42	57.15	65.35	0.77	1.00	2.24	
													2.45	
First	R20	FloorPlan-DWG	Residential	LD	W28-L	0.81	0.92	2.30	58.22	93.73	0.77	0.15	0.39	1.50
					W28-U	0.81	0.92	3.78	57.41	93.73	0.77	1.00	4.19	
					W29-L	0.81	0.92	0.65	51.74	93.73	0.77	0.15	0.10	
					W29-U	0.81	0.92	2.27	50.32	93.73	0.77	1.00	2.20	
													6.87	
Second	R1	FloorPlan-DWG	Residential	LD	W1-L	0.81	0.92	2.41	86.99	93.73	0.77	0.15	0.61	
					W1-U	0.81	0.92	3.98	83.11	93.73	0.77	1.00	6.37	

Project Name: Hillingdon Gateway
Project No.: Release 05
Report Title: Average Daylight Analysis - Proposed Scheme (25th September 2019)
Date: 30/09/2019

Floor Ref.	Room Ref.	Room Attribute	Property Type	Room Use.	Window Ref.	Glass Transmittance	Maintenance Factor	Glazed Area	Clear Sky Angle Proposed	Room Surface Area	Average Surface Reflectance	Below Working Plane Factor	ADF Proposed	Req'd Value
					W30-L	0.81	0.92	0.65	65.21	93.73	0.77	0.15	0.12	
					W30-U	0.81	0.92	2.27	63.73	93.73	0.77	1.00	2.79	
					W31-L	0.81	0.92	1.07	67.97	93.73	0.77	0.15	0.21	
					W31-U	0.81	0.92	1.77	66.49	93.73	0.77	1.00	2.27	
													12.37	1.50
Second	R2	FloorPlan-DWG	Residential	Bedroom	W2-L	0.81	0.92	0.86	82.69	65.35	0.77	0.15	0.30	
					W2-U	0.81	0.92	1.42	80.45	65.35	0.77	1.00	3.15	
													3.45	1.00
Second	R3	FloorPlan-DWG	Residential	Bedroom	W3-L	0.81	0.92	0.65	85.53	67.08	0.77	0.15	0.22	
					W3-U	0.81	0.92	2.27	82.47	67.08	0.77	1.00	5.04	
													5.27	1.00
Second	R4	FloorPlan-DWG	Residential	Bedroom	W4-L	0.81	0.92	1.84	86.44	63.73	0.77	0.15	0.68	
					W4-U	0.81	0.92	3.02	82.94	63.73	0.77	1.00	7.11	
													7.79	1.00
Second	R5	FloorPlan-DWG	Residential	LD	W5-L	0.81	0.92	1.42	85.68	82.55	0.77	0.15	0.40	
					W5-U	0.81	0.92	2.33	82.55	82.55	0.77	1.00	4.21	
													4.61	1.50
Second	R6	FloorPlan-DWG	Residential	LD	W6-L	0.81	0.92	2.30	86.91	82.55	0.77	0.15	0.66	
					W6-U	0.81	0.92	3.78	83.19	82.55	0.77	1.00	6.89	
													7.54	1.50
Second	R7	FloorPlan-DWG	Residential	Bedroom	W7-L	0.81	0.92	1.42	85.79	63.73	0.77	0.15	0.52	
					W7-U	0.81	0.92	2.33	82.64	63.73	0.77	1.00	5.46	
													5.98	1.00
Second	R8	FloorPlan-DWG	Residential	Bedroom	W8-L	0.81	0.92	0.65	85.78	67.08	0.77	0.15	0.22	
					W8-U	0.81	0.92	2.27	82.66	67.08	0.77	1.00	5.05	
													5.28	1.00
Second	R9	FloorPlan-DWG	Residential	Bedroom	W9-L	0.81	0.92	0.41	82.96	65.35	0.77	0.15	0.14	
					W9-U	0.81	0.92	1.42	80.66	65.35	0.77	1.00	3.16	
													3.30	1.00
Second	R10	FloorPlan-DWG	Residential	LD	W10-L	0.81	0.92	1.03	86.13	93.73	0.77	0.15	0.26	
					W10-U	0.81	0.92	1.69	82.99	93.73	0.77	1.00	2.71	
					W11-L	0.81	0.92	1.05	87.37	93.73	0.77	0.15	0.27	
					W11-U	0.81	0.92	1.73	83.80	93.73	0.77	1.00	2.80	

robinsons
Robinsons Surveyors Limited

Floor Ref.	Room Ref.	Room Attribute	Property Type	Room Use.	Window Ref.	Glass Transmittance	Maintenance Factor	Glazed Area	Clear Sky Angle Proposed	Room Surface Area	Average Surface Reflectance	Below Working Plane Factor	ADF Proposed	Req'd Value
					W12-L	0.81	0.92	2.30	88.31	93.73	0.77	0.15	0.59	
					W12-U	0.81	0.92	3.78	84.14	93.73	0.77	1.00	6.13	
					W13-L	0.81	0.92	0.86	83.88	93.73	0.77	0.15	0.21	
					W13-U	0.81	0.92	1.42	81.27	93.73	0.77	1.00	2.22	
													15.19	1.50
Second	R11	FloorPlan-DWG	Residential	LD	W14-L	0.81	0.92	0.86	83.88	93.73	0.77	0.15	0.21	
					W14-U	0.81	0.92	1.42	81.27	93.73	0.77	1.00	2.22	
					W15-L	0.81	0.92	2.75	88.51	93.73	0.77	0.15	0.71	
					W15-U	0.81	0.92	4.54	84.22	93.73	0.77	1.00	7.37	
					W16-L	0.81	0.92	0.65	75.00	93.73	0.77	0.15	0.14	
					W16-U	0.81	0.92	2.27	73.34	93.73	0.77	1.00	3.21	
													13.85	1.50
Second	R12	FloorPlan-DWG	Residential	Bedroom	W17-L	0.81	0.92	0.41	70.96	65.35	0.77	0.15	0.12	
					W17-U	0.81	0.92	1.42	70.12	65.35	0.77	1.00	2.75	
													2.87	1.00
Second	R13	FloorPlan-DWG	Residential	Bedroom	W18-L	0.81	0.92	0.65	62.56	67.08	0.77	0.15	0.16	
					W18-U	0.81	0.92	2.27	61.97	67.08	0.77	1.00	3.79	
													3.95	1.00
Second	R14	FloorPlan-DWG	Residential	LD	W19-L	0.81	0.92	0.70	51.42	73.92	0.77	0.15	0.13	
					W19-U	0.81	0.92	1.15	50.69	73.92	0.77	1.00	1.42	
					W20-L	0.81	0.92	2.07	61.36	73.92	0.77	0.15	0.46	
					W20-U	0.81	0.92	3.40	61.07	73.92	0.77	1.00	5.08	
													7.10	1.50
Second	R15	FloorPlan-DWG	Residential	Bedroom	W21-L	0.81	0.92	0.70	54.84	63.42	0.77	0.15	0.16	
					W21-U	0.81	0.92	1.15	54.02	63.42	0.77	1.00	1.77	
					W22-L	0.81	0.92	0.41	65.08	63.42	0.77	0.15	0.11	
					W22-U	0.81	0.92	1.42	64.78	63.42	0.77	1.00	2.62	
													4.66	1.00
Second	R16	FloorPlan-DWG	Residential	Bedroom	W23-L	0.81	0.92	0.41	63.65	63.42	0.77	0.15	0.11	
					W23-U	0.81	0.92	1.42	63.41	63.42	0.77	1.00	2.56	
					W24-L	0.81	0.92	0.70	40.42	63.42	0.77	0.15	0.12	
					W24-U	0.81	0.92	0.78	38.63	63.42	0.77	1.00	0.86	
													3.65	1.00

robinsons
Robinsons Surveyors Limited

Floor Ref.	Room Ref.	Room Attribute	Property Type	Room Use.	Window Ref.	Glass Transmittance	Maintenance Factor	Glazed Area	Clear Sky Angle Proposed	Room Surface Area	Average Surface Reflectance	Below Working Plane Factor	ADF Proposed	Req'd Value
Second	R17	FloorPlan-DWG	Residential	LD	W25-L	0.81	0.92	2.07	54.55	73.92	0.77	0.15	0.41	1.50
					W25-U	0.81	0.92	3.40	54.67	73.92	0.77	1.00	4.55	
Second	R18	FloorPlan-DWG	Residential	Bedroom	W26-L	0.81	0.92	1.38	53.89	67.08	0.77	0.15	0.30	1.00
					W26-U	0.81	0.92	2.28	53.98	67.08	0.77	1.00	3.32	
Second	R19	FloorPlan-DWG	Residential	Bedroom	W27-L	0.81	0.92	0.86	62.16	65.35	0.77	0.15	0.22	1.00
					W27-U	0.81	0.92	1.42	62.06	65.35	0.77	1.00	2.43	
Second	R20	FloorPlan-DWG	Residential	LD	W28-L	0.81	0.92	2.30	63.08	93.73	0.77	0.15	0.42	1.50
					W28-U	0.81	0.92	3.78	62.26	93.73	0.77	1.00	4.54	
					W29-L	0.81	0.92	0.65	56.81	93.73	0.77	0.15	0.11	
					W29-U	0.81	0.92	2.27	55.62	93.73	0.77	1.00	2.43	
Third	R1	FloorPlan-DWG	Residential	LD	W1-L	0.81	0.92	2.41	87.94	93.73	0.77	0.15	0.61	1.50
					W1-U	0.81	0.92	3.98	83.81	93.73	0.77	1.00	6.43	
					W30-L	0.81	0.92	0.65	68.11	93.73	0.77	0.15	0.13	
					W30-U	0.81	0.92	2.27	66.76	93.73	0.77	1.00	2.92	
					W31-L	0.81	0.92	1.07	71.48	93.73	0.77	0.15	0.22	
					W31-U	0.81	0.92	1.77	70.05	93.73	0.77	1.00	2.39	
Third	R2	FloorPlan-DWG	Residential	Bedroom	W2-L	0.81	0.92	0.86	83.47	65.35	0.77	0.15	0.30	1.00
					W2-U	0.81	0.92	1.42	81.04	65.35	0.77	1.00	3.18	
Third	R3	FloorPlan-DWG	Residential	Bedroom	W3-L	0.81	0.92	0.65	86.35	67.08	0.77	0.15	0.23	1.00
					W3-U	0.81	0.92	2.27	83.11	67.08	0.77	1.00	5.08	
Third	R4	FloorPlan-DWG	Residential	Bedroom	W4-L	0.81	0.92	1.42	86.48	63.73	0.77	0.15	0.52	1.00
					W4-U	0.81	0.92	2.33	83.14	63.73	0.77	1.00	5.50	
Third	R5	FloorPlan-DWG	Residential	LD	W5-L	0.81	0.92	2.29	87.73	82.55	0.77	0.15	0.66	1.50
					W5-U	0.81	0.92	3.78	83.78	82.55	0.77	1.00	6.93	

Project Name: Hillingdon Gateway
Project No.: Release 05
Report Title: Average Daylight Analysis - Proposed Scheme (25th September 2019)
Date: 30/09/2019

Floor Ref.	Room Ref.	Room Attribute	Property Type	Room Use.	Window Ref.	Glass Transmittance	Maintenance Factor	Glazed Area	Clear Sky Angle Proposed	Room Surface Area	Average Surface Reflectance	Below Working Plane Factor	ADF Proposed	Req'd Value
Third	R6	FloorPlan-DWG	Residential	LD	W6-L	0.81	0.92	2.30	87.75	82.55	0.77	0.15	0.66	1.50
					W6-U	0.81	0.92	3.78	83.80	82.55	0.77	1.00	6.94	
													7.60	
Third	R7	FloorPlan-DWG	Residential	Bedroom	W7-L	0.81	0.92	1.42	86.56	63.73	0.77	0.15	0.52	1.00
					W7-U	0.81	0.92	2.33	83.21	63.73	0.77	1.00	5.50	
													6.02	
Third	R8	FloorPlan-DWG	Residential	Bedroom	W8-L	0.81	0.92	0.65	86.49	67.08	0.77	0.15	0.23	1.00
					W8-U	0.81	0.92	2.27	83.22	67.08	0.77	1.00	5.09	
													5.31	
Third	R9	FloorPlan-DWG	Residential	Bedroom	W9-L	0.81	0.92	0.41	83.58	65.35	0.77	0.15	0.14	1.00
					W9-U	0.81	0.92	1.42	81.16	65.35	0.77	1.00	3.18	
													3.32	
Third	R10	FloorPlan-DWG	Residential	LD	W10-L	0.81	0.92	1.03	86.84	93.73	0.77	0.15	0.26	1.50
					W10-U	0.81	0.92	1.69	83.52	93.73	0.77	1.00	2.73	
					W11-L	0.81	0.92	1.05	87.40	93.73	0.77	0.15	0.27	
					W11-U	0.81	0.92	1.73	83.82	93.73	0.77	1.00	2.80	
					W12-L	0.81	0.92	2.30	88.33	93.73	0.77	0.15	0.59	
					W12-U	0.81	0.92	3.78	84.15	93.73	0.77	1.00	6.14	
					W13-L	0.81	0.92	0.86	83.88	93.73	0.77	0.15	0.21	
					W13-U	0.81	0.92	1.42	81.27	93.73	0.77	1.00	2.22	
													15.21	
Third	R11	FloorPlan-DWG	Residential	LD	W14-L	0.81	0.92	0.86	83.88	93.73	0.77	0.15	0.21	1.50
					W14-U	0.81	0.92	1.42	81.27	93.73	0.77	1.00	2.22	
					W15-L	0.81	0.92	2.75	88.52	93.73	0.77	0.15	0.71	
					W15-U	0.81	0.92	4.54	84.23	93.73	0.77	1.00	7.37	
					W16-L	0.81	0.92	0.65	79.02	93.73	0.77	0.15	0.15	
					W16-U	0.81	0.92	2.27	77.12	93.73	0.77	1.00	3.37	
													14.03	
Third	R12	FloorPlan-DWG	Residential	Bedroom	W17-L	0.81	0.92	0.41	75.20	65.35	0.77	0.15	0.13	1.00
					W17-U	0.81	0.92	1.42	74.18	65.35	0.77	1.00	2.91	
													3.04	
Third	R13	FloorPlan-DWG	Residential	Bedroom	W18-L	0.81	0.92	0.65	66.07	67.08	0.77	0.15	0.17	
					W18-U	0.81	0.92	2.27	65.33	67.08	0.77	1.00	3.99	

Project Name: Hillingdon Gateway
Project No.: Release 05
Report Title: Average Daylight Analysis - Proposed Scheme (25th September 2019)
Date: 30/09/2019

Floor Ref.	Room Ref.	Room Attribute	Property Type	Room Use.	Window Ref.	Glass Transmittance	Maintenance Factor	Glazed Area	Clear Sky Angle Proposed	Room Surface Area	Average Surface Reflectance	Below Working Plane Factor	ADF Proposed	Req'd Value
Third	R14	FloorPlan-DWG	Residential	LD	W19-L	0.81	0.92	0.70	52.23	73.92	0.77	0.15	4.17	1.00
					W19-U	0.81	0.92	1.15	51.83	73.92	0.77	1.00	1.45	
					W20-L	0.81	0.92	2.07	65.78	73.92	0.77	0.15	0.50	
					W20-U	0.81	0.92	3.40	65.38	73.92	0.77	1.00	5.44	
													7.52	1.50
Third	R15	FloorPlan-DWG	Residential	Bedroom	W21-L	0.81	0.92	0.70	55.33	63.42	0.77	0.15	0.16	
					W21-U	0.81	0.92	1.15	54.51	63.42	0.77	1.00	1.78	
					W22-L	0.81	0.92	0.41	71.09	63.42	0.77	0.15	0.12	
					W22-U	0.81	0.92	1.42	70.77	63.42	0.77	1.00	2.86	
Third	R16	FloorPlan-DWG	Residential	Bedroom									4.93	1.00
					W23-L	0.81	0.92	0.41	69.84	63.42	0.77	0.15	0.12	
					W23-U	0.81	0.92	1.42	69.61	63.42	0.77	1.00	2.81	
					W24-L	0.81	0.92	0.70	43.67	63.42	0.77	0.15	0.13	
Third	R17	FloorPlan-DWG	Residential	LD	W25-L	0.81	0.92	2.07	60.00	73.92	0.77	0.15	0.45	
					W25-U	0.81	0.92	3.40	60.06	73.92	0.77	1.00	5.00	
													5.45	1.50
													3.94	1.00
Third	R18	FloorPlan-DWG	Residential	Bedroom	W26-L	0.81	0.92	1.38	58.69	67.08	0.77	0.15	0.33	
					W26-U	0.81	0.92	2.28	58.72	67.08	0.77	1.00	3.61	
Third	R19	FloorPlan-DWG	Residential	Bedroom	W27-L	0.81	0.92	0.86	67.43	65.35	0.77	0.15	0.24	
					W27-U	0.81	0.92	1.42	67.30	65.35	0.77	1.00	2.64	
Third	R20	FloorPlan-DWG	Residential	LD									2.88	1.00
					W28-L	0.81	0.92	2.30	68.54	93.73	0.77	0.15	0.46	
					W28-U	0.81	0.92	3.78	67.59	93.73	0.77	1.00	4.93	
					W29-L	0.81	0.92	0.65	61.43	93.73	0.77	0.15	0.12	
Fourth	R1	FloorPlan-DWG	Residential	LD	W29-U	0.81	0.92	2.27	60.51	93.73	0.77	1.00	2.65	
													8.14	1.50
					W1-L	0.81	0.92	2.41	88.30	93.73	0.77	0.15	0.62	
					W1-U	0.81	0.92	3.98	84.00	93.73	0.77	1.00	6.44	
Fourth	R1	FloorPlan-DWG	Residential	LD	W23-L	0.81	0.92	0.65	73.29	93.73	0.77	0.15	0.14	

Project Name: Hillingdon Gateway
Project No.: Release 05
Report Title: Average Daylight Analysis - Proposed Scheme (25th September 2019)
Date: 30/09/2019

Floor Ref.	Room Ref.	Room Attribute	Property Type	Room Use.	Window Ref.	Glass Transmittance	Maintenance Factor	Glazed Area	Clear Sky Angle Proposed	Room Surface Area	Average Surface Reflectance	Below Working Plane Factor	ADF Proposed	Req'd Value
					W23-U	0.81	0.92	2.27	71.87	93.73	0.77	1.00	3.14	1.50
					W24-L	0.81	0.92	1.07	75.34	93.73	0.77	0.15	0.23	
					W24-U	0.81	0.92	1.77	73.83	93.73	0.77	1.00	2.52	
Fourth	R2	FloorPlan-DWG	Residential	Bedroom	W2-L	0.81	0.92	0.86	83.73	65.35	0.77	0.15	0.30	1.00
					W2-U	0.81	0.92	1.42	81.17	65.35	0.77	1.00	3.18	
													3.48	
Fourth	R3	FloorPlan-DWG	Residential	Bedroom	W3-L	0.81	0.92	0.65	86.62	67.08	0.77	0.15	0.23	1.00
					W3-U	0.81	0.92	2.27	83.27	67.08	0.77	1.00	5.09	
													5.32	
Fourth	R4	FloorPlan-DWG	Residential	Bedroom	W4-L	0.81	0.92	1.84	87.61	63.74	0.77	0.15	0.68	1.00
					W4-U	0.81	0.92	3.02	83.74	63.74	0.77	1.00	7.18	
													7.87	
Fourth	R5	FloorPlan-DWG	Residential	LD	W5-L	0.81	0.92	1.42	86.78	82.55	0.77	0.15	0.40	1.50
					W5-U	0.81	0.92	2.33	83.30	82.55	0.77	1.00	4.25	
													4.66	
Fourth	R6	FloorPlan-DWG	Residential	Bedroom	W6-L	0.81	0.92	2.30	88.05	67.76	0.77	0.15	0.81	1.00
					W6-U	0.81	0.92	3.78	83.95	67.76	0.77	1.00	8.47	
													9.28	
Fourth	R7	FloorPlan-DWG	Residential	Bedroom	W7-L	0.81	0.92	1.42	86.83	59.32	0.77	0.15	0.56	1.00
					W7-U	0.81	0.92	2.33	83.34	59.32	0.77	1.00	5.92	
													6.48	
Fourth	R8	FloorPlan-DWG	Residential	LKD	W8-L	0.81	0.92	0.65	86.72	118.98	0.77	0.15	0.13	2.00
					W8-U	0.81	0.92	2.27	83.35	118.98	0.77	1.00	2.87	
					W9-L	0.81	0.92	2.07	88.13	118.98	0.77	0.15	0.41	
					W9-U	0.81	0.92	3.40	84.06	118.98	0.77	1.00	4.35	
													7.76	
Fourth	R9	FloorPlan-DWG	Residential	LD	W10-L	0.81	0.92	2.07	88.13	85.24	0.77	0.15	0.58	1.50
					W10-U	0.81	0.92	3.40	84.06	85.24	0.77	1.00	6.06	
					W11-L	0.81	0.92	0.65	69.46	85.24	0.77	0.15	0.14	
					W11-U	0.81	0.92	2.27	68.60	85.24	0.77	1.00	3.30	
													10.09	
Fourth	R10	FloorPlan-DWG	Residential	Bedroom	W12-L	0.81	0.92	0.70	54.15	61.20	0.77	0.15	0.17	

robinsons
Robinsons Surveyors Limited

[illegible]

Project Name: Hillingdon Gateway
Project No.: Release 05
Report Title: Daylight & Sunlight Analysis - Proposed Scheme (25th September 2019)
Date of Analysis: 30/09/2019

Floor Ref.	Room Ref.	Room Attribute	Property Type	Room Use.	Window Ref.	Window Orientation	Annual	Winter	Total Suns per Room Annual	Total Suns per Room Winter
Building 1										
First	R1	FloorPlan-DWG	Residential	LD	W1	236°	46	14		
					W2	236°	54	18		
					W38	292°N			54	18
	R2	FloorPlan-DWG	Residential	Bedroom	W3	236°	54	18	54	18
	R3	FloorPlan-DWG	Residential	Bedroom	W4	202°	30	15	30	15
	R4	FloorPlan-DWG	Residential	LD	W5	292°N				
					W6	202°	70	26	70	26
	R5	FloorPlan-DWG	Residential	Bedroom	W7	202°	48	20	48	20
	R6	FloorPlan-DWG	Residential	Bedroom	W8	202°	48	20		
					W9	112°	14	8	62	28
	R7	FloorPlan-DWG	Residential	LD	W10	202°	28	18		
					W11	112°	41	10		
					W12	112°	33	6	63	25
	R8	FloorPlan-DWG	Residential	LD	W13	112°	41	10		
					W14	112°	33	6		
					W15	22°N			41	10
	R9	FloorPlan-DWG	Residential	Bedroom	W16	112°	7	2	7	2
	R10	FloorPlan-DWG	Residential	Bedroom	W18	22°N				
									North	*North*
	R11	FloorPlan-DWG	Residential	LD	W19	112°	18	2	18	2
	R12	FloorPlan-DWG	Residential	Bedroom	W20	202°	0	0		
					W21	112°	31	5	31	5
	R13	FloorPlan-DWG	Residential	Bedroom	W22	112°	37	7	37	7
	R14	FloorPlan-DWG	Residential	Bedroom	W23	112°	38	9		
					W24	22°N			38	9
	R15	FloorPlan-DWG	Residential	LD	W25	112°	22	5		
					W26	22°N				
					W27	22°N			22	5
	R16	FloorPlan-DWG	Residential	LD	W28	22°N				
					W29	22°N				
					W30	22°N				
					W31	292°N			*North*	*North*
	R17	FloorPlan-DWG	Residential	Bedroom	W32	292°N			*North*	*North*
	R18	FloorPlan-DWG	Residential	Bedroom	W33	292°N			*North*	*North*
	R19	FloorPlan-DWG	Residential	Bedroom	W34	292°N			*North*	*North*
	R20	FloorPlan-DWG	Residential	LD	W35	292°N			*North*	*North*
	R21	FloorPlan-DWG	Residential	LD	W36	292°N				
									North	*North*

Project Name: Hillingdon Gateway
Project No.: Release 05
Report Title: Daylight & Sunlight Analysis - Proposed Scheme (25th September 2019)
Date of Analysis: 30/09/2019

Floor Ref.	Room Ref.	Room Attribute	Property Type	Room Use.	Window Ref.	Window Orientation	Annual	Winter	Total Suns per Room Annual	Total Suns per Room Winter
	R22	FloorPlan-DWG	Residential	Bedroom	W37	292°N			*North*	*North*
Second	R1	FloorPlan-DWG	Residential	LD	W1	236°	47	15		
					W2	236°	55	19		
					W38	292°N			55	19
	R2	FloorPlan-DWG	Residential	Bedroom	W3	236°	55	19	55	19
	R3	FloorPlan-DWG	Residential	Bedroom	W4	202°	14	12	14	12
	R4	FloorPlan-DWG	Residential	LD	W5	292°N				
					W6	202°	70	26	70	26
	R5	FloorPlan-DWG	Residential	Bedroom	W7	202°	48	20	48	20
	R6	FloorPlan-DWG	Residential	Bedroom	W8	202°	48	20		
					W9	112°	6	6	54	26
	R7	FloorPlan-DWG	Residential	LD	W10	202°	12	12		
					W11	112°	41	10		
					W12	112°	33	6	50	19
	R8	FloorPlan-DWG	Residential	LD	W13	112°	41	10		
					W14	112°	33	6		
					W15	22°N			41	10
	R9	FloorPlan-DWG	Residential	Bedroom	W16	112°	5	1		
					W17	22°N			5	1
	R10	FloorPlan-DWG	Residential	Bedroom	W18	22°N			*North*	*North*
	R11	FloorPlan-DWG	Residential	LD	W19	112°	11	2	11	2
	R12	FloorPlan-DWG	Residential	Bedroom	W20	202°	0	0		
					W21	112°	31	5	31	5
	R13	FloorPlan-DWG	Residential	Bedroom	W22	112°	36	6	36	6
	R14	FloorPlan-DWG	Residential	Bedroom	W23	112°	39	9		
					W24	22°N			39	9
	R15	FloorPlan-DWG	Residential	LD	W25	112°	9	5		
					W26	22°N				
					W27	22°N			9	5
	R16	FloorPlan-DWG	Residential	LD	W28	22°N				
					W29	22°N				
					W30	22°N				
					W31	292°N			*North*	*North*
	R17	FloorPlan-DWG	Residential	Bedroom	W32	292°N			*North*	*North*
	R18	FloorPlan-DWG	Residential	Bedroom	W33	292°N			*North*	*North*
	R19	FloorPlan-DWG	Residential	Bedroom	W34	292°N			*North*	*North*
	R20	FloorPlan-DWG	Residential	LD	W35	292°N			*North*	*North*
	R21	FloorPlan-DWG	Residential	LD	W36	292°N			*North*	*North*
	R22	FloorPlan-DWG	Residential	Bedroom	W37	292°N			*North*	*North*

Project Name: Hillingdon Gateway

Project No.: Release 05

Report Title: Daylight & Sunlight Analysis - Proposed Scheme (25th September 2019)

Date of Analysis: 30/09/2019

Floor Ref.	Room Ref.	Room Attribute	Property Type	Room Use.	Window Ref.	Window Orientation	Annual	Winter	Total Suns per Room Annual	Total Suns per Room Winter
									North	*North*
Third	R1	FloorPlan-DWG	Residential	LD	W1	236°	47	15		
					W2	236°	55	19		
					W38	292°N			55	19
	R2	FloorPlan-DWG	Residential	Bedroom	W3	236°	55	19	55	19
	R3	FloorPlan-DWG	Residential	Bedroom	W4	202°	31	16	31	16
	R4	FloorPlan-DWG	Residential	LD	W5	292°N				
					W6	202°	70	26	70	26
	R5	FloorPlan-DWG	Residential	Bedroom	W7	202°	48	20	48	20
	R6	FloorPlan-DWG	Residential	Bedroom	W8	202°	48	20		
					W9	112°	14	8	62	28
	R7	FloorPlan-DWG	Residential	LD	W10	202°	28	18		
					W11	112°	41	10		
					W12	112°	33	6	63	25
	R8	FloorPlan-DWG	Residential	LD	W13	112°	41	10		
					W14	112°	33	6		
					W15	22°N			41	10
	R9	FloorPlan-DWG	Residential	Bedroom	W16	112°	7	2		
					W17	22°N			7	2
	R10	FloorPlan-DWG	Residential	Bedroom	W18	22°N			*North*	*North*
	R11	FloorPlan-DWG	Residential	LD	W19	112°	18	2	18	2
	R12	FloorPlan-DWG	Residential	Bedroom	W20	202°	0	0		
					W21	112°	34	5	34	5
	R13	FloorPlan-DWG	Residential	Bedroom	W22	112°	37	7	37	7
	R14	FloorPlan-DWG	Residential	Bedroom	W23	112°	40	9		
					W24	22°N			40	9
	R15	FloorPlan-DWG	Residential	LD	W25	112°	24	5		
					W26	22°N				
					W27	22°N			24	5
	R16	FloorPlan-DWG	Residential	LD	W28	22°N				
					W29	22°N				
					W30	22°N				
					W31	292°N			*North*	*North*
	R17	FloorPlan-DWG	Residential	Bedroom	W32	292°N			*North*	*North*
	R18	FloorPlan-DWG	Residential	Bedroom	W33	292°N			*North*	*North*
	R19	FloorPlan-DWG	Residential	Bedroom	W34	292°N			*North*	*North*
	R20	FloorPlan-DWG	Residential	LD	W35	292°N			*North*	*North*
	R21	FloorPlan-DWG	Residential	LD	W36	292°N			*North*	*North*
	R22	FloorPlan-DWG	Residential	Bedroom	W37	292°N			*North*	*North*
									North	*North*

Project Name: Hillingdon Gateway

Project No.: Release 05

Report Title: Daylight & Sunlight Analysis - Proposed Scheme (25th September 2019)

Date of Analysis: 30/09/2019

Floor Ref.	Room Ref.	Room Attribute	Property Type	Room Use.	Window Ref.	Window Orientation	Annual	Winter	Total Suns per Room Annual	Total Suns per Room Winter
Fourth	R1	FloorPlan-DWG	Residential	LD	W1	236°	47	15		
					W2	236°	55	19		
					W38	292°N			55	19
	R2	FloorPlan-DWG	Residential	Bedroom	W3	236°	55	19	55	19
	R3	FloorPlan-DWG	Residential	Bedroom	W4	202°	14	12	14	12
	R4	FloorPlan-DWG	Residential	LD	W5	292°N				
					W6	202°	70	26	70	26
	R5	FloorPlan-DWG	Residential	Bedroom	W7	202°	48	20	48	20
	R6	FloorPlan-DWG	Residential	Bedroom	W8	202°	48	20		
					W9	112°	6	6	54	26
	R7	FloorPlan-DWG	Residential	LD	W10	202°	12	12		
					W11	112°	41	10		
					W12	112°	33	6	50	19
	R8	FloorPlan-DWG	Residential	LD	W13	112°	41	10		
					W14	112°	33	6		
					W15	22°N			41	10
	R9	FloorPlan-DWG	Residential	Bedroom	W16	112°	5	1	5	1
					W17	22°N				
	R10	FloorPlan-DWG	Residential	Bedroom	W18	22°N			*North*	*North*
	R11	FloorPlan-DWG	Residential	LD	W19	112°	11	2	11	2
	R12	FloorPlan-DWG	Residential	Bedroom	W20	202°	0	0		
					W21	112°	35	5	35	5
	R13	FloorPlan-DWG	Residential	Bedroom	W22	112°	38	7	38	7
	R14	FloorPlan-DWG	Residential	Bedroom	W23	112°	40	9		
	R15	FloorPlan-DWG	Residential	LD					40	9
					W25	112°	10	5		
					W26	22°N			10	5
	R16	FloorPlan-DWG	Residential	LD	W27	22°N				
					W28	22°N				
					W29	22°N				
					W30	22°N				
	R17	FloorPlan-DWG	Residential	Bedroom	W31	292°N				
									North	*North*
					W32	292°N			*North*	*North*
	R18	FloorPlan-DWG	Residential	Bedroom	W33	292°N			*North*	*North*
	R19	FloorPlan-DWG	Residential	Bedroom	W34	292°N			*North*	*North*
	R20	FloorPlan-DWG	Residential	LD	W35	292°N			*North*	*North*
	R21	FloorPlan-DWG	Residential	LD	W36	292°N			*North*	*North*
	R22	FloorPlan-DWG	Residential	Bedroom					*North*	*North*
					W37	292°N			*North*	*North*
Fifth	R1	FloorPlan-DWG	Residential	LD	W1	236°	47	15		

Project Name: Hillingdon Gateway
Project No.: Release 05
Report Title: Daylight & Sunlight Analysis - Proposed Scheme (25th September 2019)
Date of Analysis: 30/09/2019

Floor Ref.	Room Ref.	Room Attribute	Property Type	Room Use.	Window Ref.	Window Orientation	Annual	Winter	Total Suns per Room Annual	Total Suns per Room Winter
					W2	236°	55	19		
					W38	292°N			55	19
	R2	FloorPlan-DWG	Residential	Bedroom	W3	236°	55	19	55	19
	R3	FloorPlan-DWG	Residential	Bedroom	W4	202°	31	16	31	16
	R4	FloorPlan-DWG	Residential	LD	W5	292°N			70	26
					W6	202°	70	26	70	26
	R5	FloorPlan-DWG	Residential	Bedroom	W7	202°	48	20	48	20
	R6	FloorPlan-DWG	Residential	Bedroom	W8	202°	48	20	48	20
					W9	112°	14	8	62	28
	R7	FloorPlan-DWG	Residential	LD	W10	202°	28	18		
					W11	112°	41	10		
					W12	112°	33	6	63	25
	R8	FloorPlan-DWG	Residential	LD	W13	112°	41	10		
					W14	112°	33	6		
					W15	22°N			41	10
	R9	FloorPlan-DWG	Residential	Bedroom	W16	112°	7	2	7	2
					W17	22°N				
	R10	FloorPlan-DWG	Residential	Bedroom	W18	22°N			*North*	*North*
	R11	FloorPlan-DWG	Residential	LD	W19	112°	20	2	20	2
	R12	FloorPlan-DWG	Residential	Bedroom	W20	202°	3	0		
					W21	112°	37	6	38	6
	R13	FloorPlan-DWG	Residential	Bedroom	W22	112°	39	8	39	8
	R14	FloorPlan-DWG	Residential	Bedroom	W23	112°	40	9		
					W24	22°N			40	9
	R15	FloorPlan-DWG	Residential	LD	W25	112°	24	5		
					W26	22°N			24	5
					W27	22°N				
	R16	FloorPlan-DWG	Residential	LD	W28	22°N				
					W29	22°N				
					W30	22°N				
					W31	292°N			*North*	*North*
	R17	FloorPlan-DWG	Residential	Bedroom	W32	292°N			*North*	*North*
	R18	FloorPlan-DWG	Residential	Bedroom	W33	292°N			*North*	*North*
	R19	FloorPlan-DWG	Residential	Bedroom	W34	292°N			*North*	*North*
	R20	FloorPlan-DWG	Residential	LD	W35	292°N			*North*	*North*
	R21	FloorPlan-DWG	Residential	LD	W36	292°N			*North*	*North*
	R22	FloorPlan-DWG	Residential	Bedroom	W37	292°N			*North*	*North*
									North	*North*
Sixth	R1	FloorPlan-DWG	Residential	LD	W1	236°	47	15		
					W2	236°	55	19		

Project Name: Hillingdon Gateway
Project No.: Release 05
Report Title: Daylight & Sunlight Analysis - Proposed Scheme (25th September 2019)
Date of Analysis: 30/09/2019

Floor Ref.	Room Ref.	Room Attribute	Property Type	Room Use.	Window Ref.	Window Orientation	Annual	Winter	Total Suns per Room Annual	Total Suns per Room Winter
					W38	292°N			55	19
	R2	FloorPlan-DWG	Residential	Bedroom	W3	236°	55	19	55	19
	R3	FloorPlan-DWG	Residential	Bedroom	W4	202°	14	12	14	12
	R4	FloorPlan-DWG	Residential	LD	W5 W6	292°N 202°	70	26	70	26
	R5	FloorPlan-DWG	Residential	Bedroom	W7	202°	48	20	48	20
	R6	FloorPlan-DWG	Residential	Bedroom	W8 W9	202° 112°	48 6	20 6	54	26
	R7	FloorPlan-DWG	Residential	LD	W10 W11 W12	202° 112° 112°	12 41 33	12 10 6	50	19
	R8	FloorPlan-DWG	Residential	LD	W13 W14 W15	112° 112° 22°N	41 33	10 6	41	10
	R9	FloorPlan-DWG	Residential	Bedroom	W16 W17	112° 22°N	5	1	6	1
	R10	FloorPlan-DWG	Residential	Bedroom	W18	22°N			*North*	*North*
	R11	FloorPlan-DWG	Residential	LD	W19	112°	12	2	12	2
	R12	FloorPlan-DWG	Residential	Bedroom	W20 W21	202° 112°	2 40	0 9	40	9
	R13	FloorPlan-DWG	Residential	Bedroom	W22	112°	41	10	41	10
	R14	FloorPlan-DWG	Residential	Bedroom	W23 W24	112° 22°N	41	10	42	10
	R15	FloorPlan-DWG	Residential	LD	W25 W26 W27	112° 22°N 22°N	10	5	10	5
	R16	FloorPlan-DWG	Residential	LD	W28 W29 W30 W31	22°N 22°N 22°N 292°N			*North*	*North*
	R17	FloorPlan-DWG	Residential	Bedroom	W32	292°N			*North*	*North*
	R18	FloorPlan-DWG	Residential	Bedroom	W33	292°N			*North*	*North*
	R19	FloorPlan-DWG	Residential	Bedroom	W34	292°N			*North*	*North*
	R20	FloorPlan-DWG	Residential	LD	W35	292°N			*North*	*North*
	R21	FloorPlan-DWG	Residential	LD	W36	292°N			*North*	*North*
	R22	FloorPlan-DWG	Residential	Bedroom	W37	292°N			*North*	*North*
Seventh	R1	FloorPlan-DWG	Residential	Bedroom	W1 W30	236° 326°N	47	15	48	15

Date of Analysis: 30/09/2019

robinsons
Robinsons Surveyors Limited

Floor Ref.	Room Ref.	Room Attribute	Property Type	Room Use.	Window Ref.	Window Orientation	Annual	Winter	Total Suns per Room Annual	Total Suns per Room Winter
Building 1	R2	FloorPlan-DWG	Residential	Bedroom	W2	236°	55	19	55	19
	R3	FloorPlan-DWG	Residential	LD	W3	236°	55	19		
	R4	FloorPlan-DWG	Residential	Bedroom	W4	236°	47	15	86	30
					W5	146°	46	20		
	R5	FloorPlan-DWG	Residential	Bedroom	W6	202°	47	20	48	20
					W7	202°	48	20		
	R6	FloorPlan-DWG	Residential	Bedroom	W8	202°	48	20	48	20
	R7	FloorPlan-DWG	Residential	LD	W9	202°	48	20	89	30
					W10	112°	41	10		
	R8	FloorPlan-DWG	Residential	LD	W11	112°	51	16	51	16
					W12	22°N				
	R9	FloorPlan-DWG	Residential	Bedroom	W13	22°N			41	7
					W14	112°				
	R10	FloorPlan-DWG	Residential	Bedroom	W15	112°	33	6	33	6
					W16	112°	33	6		
	R11	FloorPlan-DWG	Residential	Bedroom	W17	112°	33	6	33	6
	R12	FloorPlan-DWG	Residential	LD	W18	112°	46	12	46	12
					W19	22°N				
	R13	FloorPlan-DWG	Residential	LD	W20	22°N			*North*	*North*
					W21	22°N				
R14	FloorPlan-DWG	Residential	Bedroom	W22	292°N			*North*	*North*	
R15	FloorPlan-DWG	Residential	Bedroom	W23	292°N			*North*	*North*	
				W24	292°N					
R16	FloorPlan-DWG	Residential	Bedroom	W25	292°N			*North*	*North*	
R17	FloorPlan-DWG	Residential	LD	W26	292°N			*North*	*North*	
R18	FloorPlan-DWG	Residential	LD	W27	292°N			*North*	*North*	
R19	FloorPlan-DWG	Residential	LD	W28	292°N			*North*	*North*	
R20	FloorPlan-DWG	Residential	LD	W29	292°N			*North*	*North*	
Building 2										
First	R1	FloorPlan-DWG	Residential	LD	W4	292°N	*North*			
	R2	FloorPlan-DWG	Residential	Bedroom	W5	292°N	*North*			
	R3	FloorPlan-DWG	Residential	Bedroom	W6	292°N	*North*			
	R4	FloorPlan-DWG	Residential	Bedroom	W7	292°N	*North*			
	R5	FloorPlan-DWG	Residential	Bedroom	W8	292°N	*North*			
	R6	FloorPlan-DWG	Residential	Bedroom	W9	292°N	*North*			
	R7	FloorPlan-DWG	Residential	Bedroom	W10	292°N	*North*			
	R8	FloorPlan-DWG	Residential	Bedroom	W11	292°N	*North*			

Project Name: Hillingdon Gateway
Project No.: Release 05
Report Title: Daylight & Sunlight Analysis - Proposed Scheme (25th September 2019)
Date of Analysis: 30/09/2019

Floor Ref.	Room Ref.	Room Attribute	Property Type	Room Use.	Window Ref.	Window Orientation	Annual	Winter	Total Suns per Room Annual	Total Suns per Room Winter
	R8	FloorPlan-DWG	Residential	LKD	W1	202°	37	14		
					W2	202°	23	10		
					W3	202°	27	11		
					W11	292°N			55	16
Second	R1	FloorPlan-DWG	Residential	LKD	W1	202°	43	15		
					W2	202°	27	10		
					W3	202°	33	14		
					W22	292°N			62	19
	R2	FloorPlan-DWG	Residential	LKD	W4	202°	34	14		
					W5	202°	48	18		
					W6	112°	42	15	68	22
	R3	FloorPlan-DWG	Residential	Bedroom	W7	112°	41	15	41	15
	R4	FloorPlan-DWG	Residential	Bedroom	W8	112°	37	12	37	12
	R5	FloorPlan-DWG	Residential	LD	W9	112°	37	12	37	12
	R6	FloorPlan-DWG	Residential	LD	W10	112°	36	12	36	12
	R7	FloorPlan-DWG	Residential	Bedroom	W11	112°	34	11	34	11
	R8	FloorPlan-DWG	Residential	Bedroom	W12	112°	31	10	31	10
	R9	FloorPlan-DWG	Residential	LD	W13	112°	30	9	30	9
	R10	FloorPlan-DWG	Residential	LD	W14	22°N				
					W15	292°N				
	R11	FloorPlan-DWG	Residential	Bedroom	W16	292°N			*North*	*North*
	R12	FloorPlan-DWG	Residential	Bedroom	W17	292°N			*North*	*North*
	R13	FloorPlan-DWG	Residential	Bedroom	W18	292°N			*North*	*North*
	R14	FloorPlan-DWG	Residential	Bedroom	W19	292°N			*North*	*North*
	R15	FloorPlan-DWG	Residential	Bedroom	W20	292°N			*North*	*North*
	R16	FloorPlan-DWG	Residential	Bedroom	W21	292°N			*North*	*North*
Third	R1	FloorPlan-DWG	Residential	LKD	W1	202°	46	15		
					W2	202°	33	11		
					W3	202°	36	14		
					W22	292°N			63	19
	R2	FloorPlan-DWG	Residential	LKD	W4	202°	37	14		
					W5	202°	53	19		
					W6	112°	44	15	75	23
	R3	FloorPlan-DWG	Residential	Bedroom	W7	112°	42	15	42	15
	R4	FloorPlan-DWG	Residential	Bedroom	W8	112°	40	13	40	13
	R5	FloorPlan-DWG	Residential	LKD	W9	112°	39	13	39	13
	R6	FloorPlan-DWG	Residential	LKD	W10	112°	38	12	38	12
	R7	FloorPlan-DWG	Residential	Bedroom	W11	112°	39	12		

Project Name: Hillingdon Gateway
Project No.: Release 05
Report Title: Daylight & Sunlight Analysis - Proposed Scheme (25th September 2019)
Date of Analysis: 30/09/2019

Floor Ref.	Room Ref.	Room Attribute	Property Type	Room Use.	Window Ref.	Window Orientation	Annual	Winter	Total Suns per Room Annual	Total Suns per Room Winter
	R8	FloorPlan-DWG	Residential	Bedroom	W12	112°	38	12	39	12
	R9	FloorPlan-DWG	Residential	LKD	W13	112°	38	12	38	12
	R10	FloorPlan-DWG	Residential	LKD	W14 W15	22°N 292°N			38	12
	R11	FloorPlan-DWG	Residential	Bedroom	W16	292°N			*North*	*North*
	R12	FloorPlan-DWG	Residential	Bedroom	W17	292°N			*North*	*North*
	R13	FloorPlan-DWG	Residential	Bedroom	W18	292°N			*North*	*North*
	R14	FloorPlan-DWG	Residential	Bedroom	W19	292°N			*North*	*North*
	R15	FloorPlan-DWG	Residential	Bedroom	W20	292°N			*North*	*North*
	R16	FloorPlan-DWG	Residential	Bedroom	W21	292°N			*North*	*North*
Fourth	R1	FloorPlan-DWG	Residential	LKD	W1 W2 W3 W22	202° 202° 202° 292°N	53 38 41	16 13 16		
	R2	FloorPlan-DWG	Residential	LKD	W4 W5 W6	202° 202° 112°	42 55 46	16 19 15	68	21
	R3	FloorPlan-DWG	Residential	Bedroom	W7	112°	45	15	79	23
	R4	FloorPlan-DWG	Residential	Bedroom	W8	112°	44	14	45	15
	R5	FloorPlan-DWG	Residential	LD	W9	112°	43	14	44	14
	R6	FloorPlan-DWG	Residential	LD	W10	112°	40	12	43	14
	R7	FloorPlan-DWG	Residential	Bedroom	W11	112°	42	12	40	12
	R8	FloorPlan-DWG	Residential	Bedroom	W12	112°	41	12	42	12
	R9	FloorPlan-DWG	Residential	LD	W13	112°	39	12	41	12
	R10	FloorPlan-DWG	Residential	LD	W14 W15	22°N 292°N			39	12
	R11	FloorPlan-DWG	Residential	Bedroom	W16	292°N			*North*	*North*
	R12	FloorPlan-DWG	Residential	Bedroom	W17	292°N			*North*	*North*
	R13	FloorPlan-DWG	Residential	Bedroom	W18	292°N			*North*	*North*
	R14	FloorPlan-DWG	Residential	Bedroom	W19	292°N			*North*	*North*
	R15	FloorPlan-DWG	Residential	Bedroom	W20	292°N			*North*	*North*
	R16	FloorPlan-DWG	Residential	Bedroom	W21	292°N			*North*	*North*
Fifth	R1	FloorPlan-DWG	Residential	LKD	W1 W2 W3	202° 202° 202°	57 45 44	18 16 16		

Date of Analysis: 30/09/2019

robinsons
Robinsons Surveyors Limited

[illegible]

Project Name: Hillingdon Gateway
Project No.: Release 05
Report Title: Daylight & Sunlight Analysis - Proposed Scheme (25th September 2019)
Date of Analysis: 30/09/2019

Floor Ref.	Room Ref.	Room Attribute	Property Type	Room Use.	Window Ref.	Window Orientation	Annual	Winter	Total Suns per Room Annual	Total Suns per Room Winter
	R11	FloorPlan-DWG	Residential	Bedroom	W16	292°N			*North*	*North*
	R12	FloorPlan-DWG	Residential	Bedroom	W17	292°N			*North*	*North*
	R13	FloorPlan-DWG	Residential	Bedroom	W18	292°N			*North*	*North*
	R14	FloorPlan-DWG	Residential	Bedroom	W19	292°N			*North*	*North*
	R15	FloorPlan-DWG	Residential	Bedroom	W20	292°N			*North*	*North*
	R16	FloorPlan-DWG	Residential	Bedroom	W21	292°N			*North*	*North*
Seventh	R1	FloorPlan-DWG	Residential	LKD	W1 W17 W18	202° 292°N 292°N	55	24		
	R2	FloorPlan-DWG	Residential	Bedroom	W2	202°	54	23	63	24
	R3	FloorPlan-DWG	Residential	LKD	W3 W4 W5	202° 202° 112°	54 54 42	23 23 11	54 54 42	23 23 11
	R4	FloorPlan-DWG	Residential	Bedroom	W6	112°	42	11	88 42	29 11
	R5	FloorPlan-DWG	Residential	Bedroom	W7	112°	42	11	42	11
	R6	FloorPlan-DWG	Residential	LD	W8	112°	42	11	42	11
	R7	FloorPlan-DWG	Residential	Bedroom	W9	112°	42	11	42	11
	R8	FloorPlan-DWG	Residential	Bedroom	W10	112°	41	11	42 41	11 11
	R9	FloorPlan-DWG	Residential	LD	W11	112°	38	11	38	11
	R10	FloorPlan-DWG	Residential	LD	W12	292°N			*North*	*North*
	R11	FloorPlan-DWG	Residential	Bedroom	W13	292°N			*North*	*North*
	R12	FloorPlan-DWG	Residential	Bedroom	W14	292°N			*North*	*North*
	R13	FloorPlan-DWG	Residential	Bedroom	W15	292°N			*North*	*North*
	R14	FloorPlan-DWG	Residential	Bedroom	W16	292°N			*North*	*North*
Building 3										
First	R1	FloorPlan-DWG	Residential	LD	W1	112°	17	5	17	5
	R2	FloorPlan-DWG	Residential	Bedroom	W2	112°	17	5	17	5
	R3	FloorPlan-DWG	Residential	Bedroom	W3	112°	17	5	17	5
	R4	FloorPlan-DWG	Residential	LD	W4	112°	19	4	19	4
	R5	FloorPlan-DWG	Residential	Bedroom	W5	112°	26	3	26	3
	R6	FloorPlan-DWG	Residential	Bedroom	W6	112°	28	3	28	3
	R7	FloorPlan-DWG	Residential	Bedroom	W7	112°	31	4	28 31	3 4

Project Name: Hillingdon Gateway
Project No.: Release 05
Report Title: Daylight & Sunlight Analysis - Proposed Scheme (25th September 2019)
Date of Analysis: 30/09/2019

Floor Ref.	Room Ref.	Room Attribute	Property Type	Room Use.	Window Ref.	Window Orientation	Annual	Winter	Total Suns per Room Annual	Total Suns per Room Winter
	R8	FloorPlan-DWG	Residential	LKD	W8 W9 W10	112° 22°N 22°N	33	5	33	5
	R9	FloorPlan-DWG	Residential	LKD	W11 W12 W13 W14	22°N 22°N 22°N 292°N			*North*	*North*
	R10	FloorPlan-DWG	Residential	Bedroom	W15	292°N			*North*	*North*
	R11	FloorPlan-DWG	Residential	Bedroom	W16	292°N			*North*	*North*
	R12	FloorPlan-DWG	Residential	Bedroom	W17	292°N			*North*	*North*
	R13	FloorPlan-DWG	Residential	Bedroom	W18	292°N			*North*	*North*
	R14	FloorPlan-DWG	Residential	Bedroom	W19	292°N			*North*	*North*
	R15	FloorPlan-DWG	Residential	Bedroom	W20	292°N			*North*	*North*
	R16	FloorPlan-DWG	Residential	LD	W21	292°N			*North*	*North*
Second	R1	FloorPlan-DWG	Residential	LD	W1 W2	202° 112°	31 24	15 7	44	16
	R2	FloorPlan-DWG	Residential	Bedroom	W3	112°	24	7	24	7
	R3	FloorPlan-DWG	Residential	Bedroom	W4	112°	29	7	29	7
	R4	FloorPlan-DWG	Residential	LD	W5	112°	30	6	30	6
	R5	FloorPlan-DWG	Residential	Bedroom	W6	112°	24	2	24	2
	R6	FloorPlan-DWG	Residential	Bedroom	W7	112°	34	6	34	6
	R7	FloorPlan-DWG	Residential	Bedroom	W8	112°	35	6	35	6
	R8	FloorPlan-DWG	Residential	Bedroom	W9	112°	37	8	37	8
	R9	FloorPlan-DWG	Residential	LKD	W10 W11 W12	112° 22°N 22°N	37	8	37	8
	R10	FloorPlan-DWG	Residential	LKD	W13 W14 W15 W16	22°N 22°N 22°N 292°N			*North*	*North*
	R11	FloorPlan-DWG	Residential	Bedroom	W17	292°N			*North*	*North*
	R12	FloorPlan-DWG	Residential	Bedroom	W18	292°N			*North*	*North*
	R13	FloorPlan-DWG	Residential	Bedroom	W19	292°N			*North*	*North*
	R14	FloorPlan-DWG	Residential	Bedroom	W20	292°N			*North*	*North*
	R15	FloorPlan-DWG	Residential	Bedroom	W21	292°N			*North*	*North*
	R16	FloorPlan-DWG	Residential	Bedroom	W22	292°N			*North*	*North*

Project Name: Hillingdon Gateway
Project No.: Release 05
Report Title: Daylight & Sunlight Analysis - Proposed Scheme (25th September 2019)
Date of Analysis: 30/09/2019

Floor Ref.	Room Ref.	Room Attribute	Property Type	Room Use.	Window Ref.	Window Orientation	Annual	Winter	Total Suns per Room Annual	Total Suns per Room Winter
	R17	FloorPlan-DWG	Residential	LD	W23	292°N			*North*	*North*
Third	R1	FloorPlan-DWG	Residential	LD	W1 W2	202° 112°	32 31	16 7	52	17
	R2	FloorPlan-DWG	Residential	Bedroom	W3	112°	31	7	31	7
	R3	FloorPlan-DWG	Residential	Bedroom	W4	112°	33	7	33	7
	R4	FloorPlan-DWG	Residential	LD	W5	112°	36	7	36	7
	R5	FloorPlan-DWG	Residential	Bedroom	W6	112°	28	2	28	2
	R6	FloorPlan-DWG	Residential	Bedroom	W7	112°	38	6	38	6
	R7	FloorPlan-DWG	Residential	Bedroom	W8	112°	39	6	39	6
	R8	FloorPlan-DWG	Residential	Bedroom	W9	112°	41	9	41	9
	R9	FloorPlan-DWG	Residential	LKD	W10 W11 W12	112° 22°N 22°N	40	9	40	9
	R10	FloorPlan-DWG	Residential	LKD	W13 W14 W15 W16	22°N 22°N 22°N 292°N			*North*	*North*
	R11	FloorPlan-DWG	Residential	Bedroom	W17	292°N			*North*	*North*
	R12	FloorPlan-DWG	Residential	Bedroom	W18	292°N			*North*	*North*
	R13	FloorPlan-DWG	Residential	Bedroom	W19	292°N			*North*	*North*
	R14	FloorPlan-DWG	Residential	Bedroom	W20	292°N			*North*	*North*
	R15	FloorPlan-DWG	Residential	Bedroom	W21	292°N			*North*	*North*
	R16	FloorPlan-DWG	Residential	Bedroom	W22	292°N			*North*	*North*
	R17	FloorPlan-DWG	Residential	LD	W23	292°N			*North*	*North*
Fourth	R1	FloorPlan-DWG	Residential	LD	W1 W2	202° 112°	33 39	16 10	59	18
	R2	FloorPlan-DWG	Residential	Bedroom	W3	112°	40	10	40	10
	R3	FloorPlan-DWG	Residential	Bedroom	W4	112°	39	9	39	9
	R4	FloorPlan-DWG	Residential	LD	W5	112°	41	8	41	8
	R5	FloorPlan-DWG	Residential	Bedroom	W6	112°	33	3	33	3
	R6	FloorPlan-DWG	Residential	Bedroom	W7	112°	41	8	41	8
	R7	FloorPlan-DWG	Residential	Bedroom	W8	112°	41	8	41	8
	R8	FloorPlan-DWG	Residential	Bedroom	W9	112°	44	11	44	11
	R9	FloorPlan-DWG	Residential	LKD	W10 W11	112° 22°N	43	11	44	11

Date of Analysis: 30/09/2019

robinsons
Robinsons Surveyors Limited

Floor Ref.	Room Ref.	Room Attribute	Property Type	Room Use.	Window Ref.	Window Orientation	Annual	Winter	Total Suns per Room Annual	Total Suns per Room Winter		
	R10	FloorPlan-DWG	Residential	LKD	W12	22°N			43	11		
					W13	22°N						
					W14	22°N						
					W15	22°N						
	R11	FloorPlan-DWG	Residential	Bedroom	W16	292°N			*North*	*North*		
					W17	292°N						
					W18	292°N						
					W19	292°N						
	R12	FloorPlan-DWG	Residential	Bedroom	W20	292°N			*North*	*North*		
	R13	FloorPlan-DWG	Residential	Bedroom	W21	292°N			*North*	*North*		
R14	FloorPlan-DWG	Residential	Bedroom	W22	292°N	*North*	*North*					
R15	FloorPlan-DWG	Residential	Bedroom	W23	292°N	*North*	*North*					
R16	FloorPlan-DWG	Residential	LD	W23	292°N	*North*	*North*					
Fifth	R1	FloorPlan-DWG	Residential	LD	W1	202°	34	16				
					W2	112°	44	12				
	R2	FloorPlan-DWG	Residential	Bedroom	W3	112°	44	12			65	20
							R3	FloorPlan-DWG			Residential	Bedroom
	R4	FloorPlan-DWG	Residential	LD	W5	112°						
							R5	FloorPlan-DWG			Residential	Bedroom
	R6	FloorPlan-DWG	Residential	Bedroom	W7	112°						
							R7	FloorPlan-DWG			Residential	Bedroom
	R8	FloorPlan-DWG	Residential	Bedroom	W9	112°						
							R9	FloorPlan-DWG			Residential	LKD
	W11	22°N										
	W12	22°N										
	W13	22°N										
	R10	FloorPlan-DWG	Residential	LKD	W14	22°N	*North*	*North*				
					W15	22°N						
					W16	292°N						
					W17	292°N						
	R11	FloorPlan-DWG	Residential	Bedroom	W18	292°N	*North*	*North*				
	R12	FloorPlan-DWG	Residential	Bedroom	W19	292°N	*North*	*North*				
	R13	FloorPlan-DWG	Residential	Bedroom	W20	292°N	*North*	*North*				
R14	FloorPlan-DWG	Residential	Bedroom	W21	292°N	*North*	*North*					
R15	FloorPlan-DWG	Residential	Bedroom	W22	292°N	*North*	*North*					
R16	FloorPlan-DWG	Residential	Bedroom	W23	292°N	*North*	*North*					
R17	FloorPlan-DWG	Residential	LD	W23	292°N	*North*	*North*					

Project Name: Hillingdon Gateway
Project No.: Release 05
Report Title: Daylight & Sunlight Analysis - Proposed Scheme (25th September 2019)
Date of Analysis: 30/09/2019

Floor Ref.	Room Ref.	Room Attribute	Property Type	Room Use.	Window Ref.	Window Orientation	Annual	Winter	Total Suns per Room Annual	Total Suns per Room Winter
Sixth	R1	FloorPlan-DWG	Residential	LD	W1	202°	38	16		
					W2	112°	47	13	72	21
	R2	FloorPlan-DWG	Residential	Bedroom	W3	112°	47	13	47	13
	R3	FloorPlan-DWG	Residential	Bedroom	W4	112°	48	14	48	14
	R4	FloorPlan-DWG	Residential	LD	W5	112°	48	14	48	14
	R5	FloorPlan-DWG	Residential	Bedroom	W6	112°	38	8	38	8
	R6	FloorPlan-DWG	Residential	Bedroom	W7	112°	48	14	48	14
	R7	FloorPlan-DWG	Residential	Bedroom	W8	112°	49	15	49	15
	R8	FloorPlan-DWG	Residential	Bedroom	W9	112°	48	15	48	15
	R9	FloorPlan-DWG	Residential	LKD	W10	112°	48	15	48	15
					W11	22°N				
					W12	22°N			48	15
	R10	FloorPlan-DWG	Residential	LKD	W13	22°N				
					W14	22°N				
					W15	22°N				
					W16	292°N				
	R11	FloorPlan-DWG	Residential	Bedroom	W17	292°N			*North*	*North*
Seventh	R12	FloorPlan-DWG	Residential	Bedroom	W18	292°N			*North*	*North*
	R13	FloorPlan-DWG	Residential	Bedroom	W19	292°N			*North*	*North*
	R14	FloorPlan-DWG	Residential	Bedroom	W20	292°N			*North*	*North*
	R15	FloorPlan-DWG	Residential	Bedroom	W21	292°N			*North*	*North*
	R16	FloorPlan-DWG	Residential	Bedroom	W22	292°N			*North*	*North*
	R17	FloorPlan-DWG	Residential	LD	W23	292°N			*North*	*North*
									North	*North*
	R1	FloorPlan-DWG	Residential	LD	W1	112°	42	11	42	11
	R2	FloorPlan-DWG	Residential	Bedroom	W2	112°	42	11	42	11
	R3	FloorPlan-DWG	Residential	Bedroom	W3	112°	42	11	42	11
	R4	FloorPlan-DWG	Residential	LD	W4	112°	42	11	42	11
	R5	FloorPlan-DWG	Residential	Bedroom	W5	112°	42	11	42	11
	R6	FloorPlan-DWG	Residential	Bedroom	W6	112°	42	11	42	11
	R7	FloorPlan-DWG	Residential	LKD	W7	112°	42	11	42	11
					W8	22°N				
					W9	22°N				
	R8	FloorPlan-DWG	Residential	Bedroom	W10	22°N			42	11
	R9	FloorPlan-DWG	Residential	LKD	W11	22°N			*North*	*North*
					W12	292°N				
					W13	292°N				

Project Name: Hillingdon Gateway
Project No.: Release 05
Report Title: Daylight & Sunlight Analysis - Proposed Scheme (25th September 2019)
Date of Analysis: 30/09/2019

Floor Ref.	Room Ref.	Room Attribute	Property Type	Room Use.	Window Ref.	Window Orientation	Annual	Winter	Total Suns per Room Annual	Total Suns per Room Winter
	R10	FloorPlan-DWG	Residential	Bedroom	W14	292°N			*North*	*North*
	R11	FloorPlan-DWG	Residential	Bedroom	W15	292°N			*North*	*North*
	R12	FloorPlan-DWG	Residential	Bedroom	W16	292°N			*North*	*North*
	R13	FloorPlan-DWG	Residential	Bedroom	W17	292°N			*North*	*North*
	R14	FloorPlan-DWG	Residential	LD	W18	292°N			*North*	*North*
Building 4										
Ground	R1	FloorPlan-DWG	Residential	Bedroom	W1	112°	25	2	25	2
	R2	FloorPlan-DWG	Residential	Bedroom	W2	112°	25	2	25	2
	R3		Residential	Bedroom	W3	112°	27	2	27	2
	R4	FloorPlan-DWG	Residential	LD	W4 W5 W6	112° 22°N 22°N	36	7	36	7
	R5	FloorPlan-DWG	Residential	LD	W7 W8	22°N 22°N			*North*	*North*
	R6	FloorPlan-DWG	Residential	LD	W9 W10	22°N 22°N			*North*	*North*
	R7	FloorPlan-DWG	Residential	LD	W11 W12	22°N 22°N			*North*	*North*
									North	*North*
First	R1	FloorPlan-DWG	Residential	LD	W1 W2	112° 112°	39 31	13 7	39	13
	R2	FloorPlan-DWG	Residential	Bedroom	W3	112°	39	12	39	12
	R3	FloorPlan-DWG	Residential	Bedroom	W4	112°	30	6	30	6
	R4	FloorPlan-DWG	Residential	Bedroom	W5	112°	39	12	39	12
	R5	FloorPlan-DWG	Residential	LD	W6	112°	39	9	39	9
	R6	FloorPlan-DWG	Residential	Bedroom	W7	112°	30	3	30	3
	R7	FloorPlan-DWG	Residential	Bedroom	W8	112°	39	9	39	9
	R8	FloorPlan-DWG	Residential	Bedroom	W9	112°	39	9	39	9
	R9	FloorPlan-DWG	Residential	Bedroom	W10	112°	31	3	31	3
	R10	FloorPlan-DWG	Residential	LKD	W11 W12 W13 W14	112° 22°N 22°N 22°N	40	8	40	8
	R11	FloorPlan-DWG	Residential	Bedroom	W15	22°N			*North*	*North*
	R12	FloorPlan-DWG	Residential	Bedroom	W16	22°N			*North*	*North*

Project Name: Hillingdon Gateway
Project No.: Release 05
Report Title: Daylight & Sunlight Analysis - Proposed Scheme (25th September 2019)
Date of Analysis: 30/09/2019

Floor Ref.	Room Ref.	Room Attribute	Property Type	Room Use.	Window Ref.	Window Orientation	Annual	Winter	Total Suns per Room Annual	Total Suns per Room Winter
	R13	FloorPlan-DWG	Residential	Bedroom	W17	22°N			*North*	*North*
	R14	FloorPlan-DWG	Residential	Bedroom	W18	22°N			*North*	*North*
	R15	FloorPlan-DWG	Residential	Bedroom	W19	22°N			*North*	*North*
	R16	FloorPlan-DWG	Residential	Bedroom	W20	22°N			*North*	*North*
	R17	FloorPlan-DWG	Residential	Bedroom	W21	22°N			*North*	*North*
	R18	FloorPlan-DWG	Residential	Bedroom	W22	22°N			*North*	*North*
	R19	FloorPlan-DWG	Residential	Bedroom	W23	22°N			*North*	*North*
	R20	FloorPlan-DWG	Residential	Bedroom	W24	292°N			*North*	*North*
	R21	FloorPlan-DWG	Residential	Bedroom	W25	292°N			*North*	*North*
	R22	FloorPlan-DWG	Residential	LD	W26	292°N			*North*	*North*
	R23	FloorPlan-DWG	Residential	LD	W27 W28	292°N 292°N			*North*	*North*
	R24	FloorPlan-DWG	Residential	Bedroom	W29	292°N			*North*	*North*
	R25	FloorPlan-DWG	Residential	Bedroom	W30	292°N			*North*	*North*
	R26	FloorPlan-DWG	Residential	Bedroom	W31	292°N			*North*	*North*
	R27	FloorPlan-DWG	Residential	Bedroom	W32	292°N			*North*	*North*
	R28	FloorPlan-DWG	Residential	LD	W33	292°N			*North*	*North*
Second	R1	FloorPlan-DWG	Residential	LKD	W1 W2 W36	202° 202° 292°N	62 49	23 20	63	23
	R2	FloorPlan-DWG	Residential	LKD	W3 W4 W5	202° 202° 112°	50 63 42	21 24 13	83	26
	R3	FloorPlan-DWG	Residential	Bedroom	W6	112°	32	7	32	7
	R4	FloorPlan-DWG	Residential	Bedroom	W7	112°	41	13	41	13
	R5	FloorPlan-DWG	Residential	Bedroom	W8	112°	41	12	41	12
	R6	FloorPlan-DWG	Residential	Bedroom	W9	112°	32	6	32	6
	R7	FloorPlan-DWG	Residential	LD	W10	112°	43	12	43	12
	R8	FloorPlan-DWG	Residential	LD	W11	112°	43	12	43	12
	R9	FloorPlan-DWG	Residential	Bedroom	W12	112°	34	5	34	5
	R10	FloorPlan-DWG	Residential	Bedroom	W13	112°	44	11	44	11
	R11	FloorPlan-DWG	Residential	Bedroom	W14	112°	43	11	43	11
	R12	FloorPlan-DWG	Residential	Bedroom	W15	112°	34	5	34	5

Project Name: Hillingdon Gateway
Project No.: Release 05
Report Title: Daylight & Sunlight Analysis - Proposed Scheme (25th September 2019)
Date of Analysis: 30/09/2019

Floor Ref.	Room Ref.	Room Attribute	Property Type	Room Use.	Window Ref.	Window Orientation	Annual	Winter	Total Suns per Room Annual	Total Suns per Room Winter
	R13	FloorPlan-DWG	Residential	LKD	W16 W17 W18	112° 22°N 22°N	43	11	44	11
	R14	FloorPlan-DWG	Residential	LKD	W19 W20 W21	22°N 22°N 292°N			*North*	*North*
	R15	FloorPlan-DWG	Residential	Bedroom	W22	292°N			*North*	*North*
	R16	FloorPlan-DWG	Residential	Bedroom	W23	292°N			*North*	*North*
	R17	FloorPlan-DWG	Residential	Bedroom	W24	292°N			*North*	*North*
	R18	FloorPlan-DWG	Residential	Bedroom	W25	292°N			*North*	*North*
	R19	FloorPlan-DWG	Residential	Bedroom	W26	292°N			*North*	*North*
	R20	FloorPlan-DWG	Residential	LD	W27 W28	292°N 292°N			*North*	*North*
	R21	FloorPlan-DWG	Residential	LD	W29 W30	292°N 292°N			*North*	*North*
	R22	FloorPlan-DWG	Residential	Bedroom	W31	292°N			*North*	*North*
	R23	FloorPlan-DWG	Residential	Bedroom	W32	292°N			*North*	*North*
	R24	FloorPlan-DWG	Residential	Bedroom	W33	292°N			*North*	*North*
	R25	FloorPlan-DWG	Residential	Bedroom	W34	292°N			*North*	*North*
	R26	FloorPlan-DWG	Residential	Bedroom	W35	292°N			*North*	*North*
Third	R1	FloorPlan-DWG	Residential	LKD	W1 W2 W36	202° 202° 292°N	62 49	23 20	64	23
	R2	FloorPlan-DWG	Residential	LKD	W3 W4 W5	202° 202° 112°	51 64 46	22 25 14	88	28
	R3	FloorPlan-DWG	Residential	Bedroom	W6	112°	37	8	37	8
	R4	FloorPlan-DWG	Residential	Bedroom	W7	112°	46	14	46	14
	R5	FloorPlan-DWG	Residential	Bedroom	W8	112°	44	12	44	12
	R6	FloorPlan-DWG	Residential	Bedroom	W9	112°	35	6	35	6
	R7	FloorPlan-DWG	Residential	LD	W10	112°	46	12	46	12
	R8	FloorPlan-DWG	Residential	LD	W11	112°	45	12	45	12
	R9	FloorPlan-DWG	Residential	Bedroom	W12	112°	36	6	36	6
	R10	FloorPlan-DWG	Residential	Bedroom	W13	112°	45	12	45	12
	R11	FloorPlan-DWG	Residential	Bedroom	W14	112°	45	12	45	12
	R12	FloorPlan-DWG	Residential	Bedroom	W15	112°	37	7	45	12

Date of Analysis: 30/09/2019

robinsons
Robinsons Surveyors Limited

Floor Ref.	Room Ref.	Room Attribute	Property Type	Room Use.	Window Ref.	Window Orientation	Annual	Winter	Total Suns per Room Annual	Total Suns per Room Winter	
	R13	FloorPlan-DWG	Residential	LKD	W16 W17 W18	112° 22°N 22°N	46	13	37	7	
	R14	FloorPlan-DWG	Residential	LKD	W19 W20 W21	22°N 22°N 292°N			46	13	
	R15	FloorPlan-DWG	Residential	Bedroom	W22	292°N			*North*	*North*	
	R16	FloorPlan-DWG	Residential	Bedroom	W23	292°N			*North*	*North*	
	R17	FloorPlan-DWG	Residential	Bedroom	W24	292°N			*North*	*North*	
	R18	FloorPlan-DWG	Residential	Bedroom	W25	292°N			*North*	*North*	
	R19	FloorPlan-DWG	Residential	Bedroom	W26 W27	292°N 292°N			*North*	*North*	
	R20	FloorPlan-DWG	Residential	LD	W28	292°N			*North*	*North*	
	R21	FloorPlan-DWG	Residential	LD	W29	292°N			*North*	*North*	
	R22	FloorPlan-DWG	Residential	Bedroom	W30 W31	292°N 292°N			*North*	*North*	
	R23	FloorPlan-DWG	Residential	Bedroom	W32	292°N			*North*	*North*	
	R24	FloorPlan-DWG	Residential	Bedroom	W33	292°N			*North*	*North*	
	R25	FloorPlan-DWG	Residential	Bedroom	W34	292°N			*North*	*North*	
	R26	FloorPlan-DWG	Residential	Bedroom	W35	292°N			*North*	*North*	
	Fourth	R1	FloorPlan-DWG	Residential	LKD	W1 W2 W36	202° 202° 292°N	63 50	24 21		
		R2	FloorPlan-DWG	Residential	LKD	W3 W4 W5	202° 202° 112°	51 64 48	22 25 15	65	24
R3		FloorPlan-DWG	Residential	Bedroom	W6	112°	39	9	90	29	
R4		FloorPlan-DWG	Residential	Bedroom	W7	112°	48	15	39	9	
R5		FloorPlan-DWG	Residential	Bedroom	W8	112°	46	13	48	15	
R6		FloorPlan-DWG	Residential	Bedroom	W9	112°	46	13	46	13	
R7		FloorPlan-DWG	Residential	LD	W10	112°	37	7	37	7	
R8		FloorPlan-DWG	Residential	LD	W11	112°	47	13	37	7	
R9		FloorPlan-DWG	Residential	Bedroom	W12	112°	46	13	47	13	
R10		FloorPlan-DWG	Residential	Bedroom	W13	112°	46	13	46	13	
R11		FloorPlan-DWG	Residential	Bedroom	W14	112°	37	7	37	7	
							46	13	46	13	

Project Name: Hillingdon Gateway
Project No.: Release 05
Report Title: Daylight & Sunlight Analysis - Proposed Scheme (25th September 2019)
Date of Analysis: 30/09/2019

Floor Ref.	Room Ref.	Room Attribute	Property Type	Room Use.	Window Ref.	Window Orientation	Annual	Winter	Total Suns per Room Annual	Total Suns per Room Winter
	R12	FloorPlan-DWG	Residential	Bedroom	W15	112°	38	8	38	8
	R13	FloorPlan-DWG	Residential	LKD	W16 W17 W18	112° 22°N 22°N	47	14	47	14
	R14	FloorPlan-DWG	Residential	LKD	W19 W20 W21	22°N 22°N 292°N			*North*	*North*
	R15	FloorPlan-DWG	Residential	Bedroom	W22	292°N			*North*	*North*
	R16	FloorPlan-DWG	Residential	Bedroom	W23	292°N			*North*	*North*
	R17	FloorPlan-DWG	Residential	Bedroom	W24	292°N			*North*	*North*
	R18	FloorPlan-DWG	Residential	Bedroom	W25	292°N			*North*	*North*
	R19	FloorPlan-DWG	Residential	Bedroom	W26 W27	292°N 292°N			*North*	*North*
	R20	FloorPlan-DWG	Residential	LD	W28	292°N			*North*	*North*
	R21	FloorPlan-DWG	Residential	LD	W29	292°N			*North*	*North*
	R22	FloorPlan-DWG	Residential	Bedroom	W30 W31	292°N 292°N			*North*	*North*
	R23	FloorPlan-DWG	Residential	Bedroom	W32	292°N			*North*	*North*
	R24	FloorPlan-DWG	Residential	Bedroom	W33	292°N			*North*	*North*
	R25	FloorPlan-DWG	Residential	Bedroom	W34	292°N			*North*	*North*
	R26	FloorPlan-DWG	Residential	Bedroom	W35	292°N			*North*	*North*
Fifth	R1	FloorPlan-DWG	Residential	LKD	W1 W2 W36	202° 202° 292°N	64 51	25 22	69	25
	R2	FloorPlan-DWG	Residential	LKD	W3 W4 W5	202° 202° 112°	51 64 49	22 25 15	91	29
	R3	FloorPlan-DWG	Residential	Bedroom	W6	112°	39	9	39	9
	R4	FloorPlan-DWG	Residential	Bedroom	W7	112°	49	15	49	15
	R5	FloorPlan-DWG	Residential	Bedroom	W8	112°	49	15	49	15
	R6	FloorPlan-DWG	Residential	Bedroom	W9	112°	39	9	39	9
	R7	FloorPlan-DWG	Residential	LD	W10	112°	49	15	49	15
	R8	FloorPlan-DWG	Residential	LD	W11	112°	47	14	47	14
	R9	FloorPlan-DWG	Residential	Bedroom	W12	112°	38	8	38	8
	R10	FloorPlan-DWG	Residential	Bedroom	W13	112°	47	14	47	14
	R11	FloorPlan-DWG	Residential	Bedroom	W14	112°	47	14	47	14

Date of Analysis: 30/09/2019

robinsons
Robinsons Surveyors Limited

[illegible]

Date of Analysis: 30/09/2019

robinsons
Robinsons Surveyors Limited

Floor Ref.	Room Ref.	Room Attribute	Property Type	Room Use.	Window Ref.	Window Orientation	Annual	Winter	Total Suns per Room Annual	Total Suns per Room Winter		
	R9	FloorPlan-DWG	Residential	Bedroom	W16	292°N			*North*	*North*		
	R10	FloorPlan-DWG	Residential	Bedroom	W17 W18	292°N 292°N			*North*	*North*		
	R11	FloorPlan-DWG	Residential	Bedroom	W19	292°N			*North*	*North*		
	R12	FloorPlan-DWG	Residential	Bedroom	W20	292°N			*North*	*North*		
	R13	FloorPlan-DWG	Residential	Bedroom	W21 W22	292°N 292°N			*North*	*North*		
	R14	FloorPlan-DWG	Residential	Bedroom	W23	292°N			*North*	*North*		
									North	*North*		
Building 5												
First	R1	FloorPlan-DWG	Residential	Bedroom	W1	292°N			*North*	*North*		
	R2	FloorPlan-DWG	Residential	LD	W2 W3 W4	292°N 292°N 292°N			*North*	*North*		
	R3	FloorPlan-DWG	Residential	LD	W5 W6 W7	292°N 292°N 292°N			*North*	*North*		
	R4	FloorPlan-DWG	Residential	Bedroom	W8	292°N			*North*	*North*		
	R5	FloorPlan-DWG	Residential	Bedroom	W9	292°N			*North*	*North*		
	R6	FloorPlan-DWG	Residential	Bedroom	W10	292°N			*North*	*North*		
	R7	FloorPlan-DWG	Residential	LKD	W11 W12 W13 W14 W15 W16	292°N 292°N 202° 202° 202° 202°			23 21 17 19	6 5 4 5	45	11
	R8	FloorPlan-DWG	Residential	Bedroom	W17 W18	202° 202°			18 23	5 8	30	10
	R9	FloorPlan-DWG	Residential	LKD	W19 W20 W21 W22	202° 202° 112° 112°			25 22 20 19	9 8 3 3	46	13
	R10	FloorPlan-DWG	Residential	Bedroom	W23	112°			17	3	17	3
	R11	FloorPlan-DWG	Residential	Bedroom	W24	112°			12	1	12	1
	R12	FloorPlan-DWG	Residential	LD	W25 W26 W27	112° 112° 112°			10 17 8	0 4 0	18	4
	R13	FloorPlan-DWG	Residential	LD	W28 W29	112° 112°			6 14	0 4	14	4
	R14	FloorPlan-DWG	Residential	Bedroom	W30	112°			10	2	10	2

Project Name: Hillingdon Gateway
Project No.: Release 05
Report Title: Daylight & Sunlight Analysis - Proposed Scheme (25th September 2019)
Date of Analysis: 30/09/2019

Floor Ref.	Room Ref.	Room Attribute	Property Type	Room Use.	Window Ref.	Window Orientation	Annual	Winter	Total Suns per Room Annual	Total Suns per Room Winter
	R15	FloorPlan-DWG	Residential	Bedroom	W31	202°	17	7		
	R16	FloorPlan-DWG	Residential	LKD	W32 W33	202° 22°N	26	9	17	7
									27	9
Second	R1	FloorPlan-DWG	Residential	Bedroom	W1	292°N			*North*	*North*
	R2	FloorPlan-DWG	Residential	LD	W2 W3 W4	292°N 292°N 292°N			*North*	*North*
	R3	FloorPlan-DWG	Residential	LD	W5 W6 W7	292°N 292°N 292°N			*North*	*North*
	R4	FloorPlan-DWG	Residential	Bedroom	W8	292°N			*North*	*North*
	R5	FloorPlan-DWG	Residential	Bedroom	W9	292°N			*North*	*North*
	R6	FloorPlan-DWG	Residential	Bedroom	W10	292°N			*North*	*North*
	R7	FloorPlan-DWG	Residential	LKD	W11 W12 W13 W14 W15 W16	292°N 292°N 202° 202° 202° 202°	25 25 19 23	6 5 4 5		
	R8	FloorPlan-DWG	Residential	Bedroom	W17 W18	202° 202°	21 27	6 9	46	11
	R9	FloorPlan-DWG	Residential	LKD	W19 W20 W21 W22 W23	202° 202° 112° 112° 112°	27 25 22 28 21	10 8 4 6 4	33	11
	R10	FloorPlan-DWG	Residential	Bedroom	W24	112°	18	3	52	15
	R11	FloorPlan-DWG	Residential	Bedroom	W25	112°	15	3	18	3
	R12	FloorPlan-DWG	Residential	LD	W26 W27 W28	112° 112° 112°	13 19 11	2 6 1	15	3
	R13	FloorPlan-DWG	Residential	LD	W29 W30	112° 112°	8 16	0 5	20	6
	R14	FloorPlan-DWG	Residential	Bedroom	W31	112°	13	3	16	5
	R15	FloorPlan-DWG	Residential	Bedroom	W32	202°	28	14	13	3
	R16	FloorPlan-DWG	Residential	Bedroom	W33	202°	17	7	28	14
	R17	FloorPlan-DWG	Residential	LKD	W34 W35	202° 22°N	29	11	17	7
									30	11
Third	R1	FloorPlan-DWG	Residential	Bedroom	W1	292°N			*North*	*North*
	R2	FloorPlan-DWG	Residential	LD	W2 W3	292°N 292°N			*North*	*North*

Project Name: Hillingdon Gateway
 Project No.: Release 05
 Report Title: Daylight & Sunlight Analysis - Proposed Scheme (25th September 2019)
 Date of Analysis: 30/09/2019

Floor Ref.	Room Ref.	Room Attribute	Property Type	Room Use.	Window Ref.	Window Orientation	Annual	Winter	Total Suns per Room Annual	Total Suns per Room Winter
	R3	FloorPlan-DWG	Residential	LD	W4	292°N			*North*	*North*
					W5	292°N				
					W6	292°N				
					W7	292°N				
	R4	FloorPlan-DWG	Residential	Bedroom	W8	292°N			*North*	*North*
	R5	FloorPlan-DWG	Residential	Bedroom	W9	292°N			*North*	*North*
	R6	FloorPlan-DWG	Residential	Bedroom	W10	292°N			*North*	*North*
	R7	FloorPlan-DWG	Residential	LKD	W11	292°N			*North*	*North*
					W12	292°N				
					W13	202°	29	6		
					W14	202°	29	5		
					W15	202°	24	4		
					W16	202°	27	5		
	R8	FloorPlan-DWG	Residential	Bedroom	W17	202°	26	6	50	11
					W18	202°	31	9		
	R9	FloorPlan-DWG	Residential	LKD	W19	202°	32	11	38	11
					W20	202°	31	10		
					W21	112°	24	5		
					W22	112°	33	9		
					W23	112°	22	5		
	R10	FloorPlan-DWG	Residential	Bedroom	W24	112°	20	4	60	18
	R11	FloorPlan-DWG	Residential	Bedroom	W25	112°	17	3	20	4
	R12	FloorPlan-DWG	Residential	LD	W26	112°	16	3	17	3
					W27	112°	26	8		
					W28	112°	15	2		
	R13	FloorPlan-DWG	Residential	LD	W29	112°	13	1	26	8
					W30	112°	23	6		
	R14	FloorPlan-DWG	Residential	Bedroom	W31	112°	15	3	24	7
	R15	FloorPlan-DWG	Residential	Bedroom	W32	202°	29	15	15	3
	R16	FloorPlan-DWG	Residential	Bedroom	W33	202°	18	8	29	15
	R17	FloorPlan-DWG	Residential	LKD	W34	202°	32	13	18	8
					W35	22°N				
									33	13
Fourth	R1	FloorPlan-DWG	Residential	Bedroom	W1	292°N			*North*	*North*
	R2	FloorPlan-DWG	Residential	LD	W2	292°N				
					W3	292°N				
					W4	292°N				
	R3	FloorPlan-DWG	Residential	LD	W5	292°N			*North*	*North*
					W6	292°N				
					W7	292°N				
	R4	FloorPlan-DWG	Residential	Bedroom	W8	292°N			*North*	*North*
	R5	FloorPlan-DWG	Residential	Bedroom	W9	292°N			*North*	*North*

Project Name: Hillingdon Gateway
Project No.: Release 05
Report Title: Daylight & Sunlight Analysis - Proposed Scheme (25th September 2019)
Date of Analysis: 30/09/2019

Floor Ref.	Room Ref.	Room Attribute	Property Type	Room Use.	Window Ref.	Window Orientation	Annual	Winter	Total Suns per Room Annual	Total Suns per Room Winter
	R6	FloorPlan-DWG	Residential	Bedroom	W10	292°N			*North*	*North*
	R7	FloorPlan-DWG	Residential	LKD	W11	292°N			*North*	*North*
					W12	292°N				
					W13	202°	34	7		
					W14	202°	34	5		
					W15	202°	32	7		
					W16	202°	33	6		
	R8	FloorPlan-DWG	Residential	Bedroom	W17	202°	32	7	56	14
					W18	202°	35	9		
	R9	FloorPlan-DWG	Residential	LKD	W19	202°	37	12	43	12
					W20	202°	35	10		
					W21	112°	27	6		
					W22	112°	37	11		
					W23	112°	26	6		
	R10	FloorPlan-DWG	Residential	Bedroom	W24	112°	26	6	68	20
	R11	FloorPlan-DWG	Residential	Bedroom	W25	112°	23	4	26	6
	R12	FloorPlan-DWG	Residential	LD	W26	112°	21	3	23	4
					W27	112°	32	9		
					W28	112°	18	2		
	R13	FloorPlan-DWG	Residential	LD	W29	112°	19	1	33	9
					W30	112°	29	6		
	R14	FloorPlan-DWG	Residential	Bedroom	W31	112°	21	3	30	7
	R15	FloorPlan-DWG	Residential	Bedroom	W32	202°	29	15	21	3
	R16	FloorPlan-DWG	Residential	Bedroom	W33	202°	19	8	29	15
	R17	FloorPlan-DWG	Residential	LKD	W34	202°	17	13	19	8
					W35	22°N				
									18	13
Fifth	R1	FloorPlan-DWG	Residential	Bedroom	W1	292°N			*North*	*North*
					W2	292°N				
	R2	FloorPlan-DWG	Residential	LD	W3	292°N			*North*	*North*
					W4	292°N				
	R3	FloorPlan-DWG	Residential	Bedroom	W5	292°N			*North*	*North*
					W6	292°N				
	R4	FloorPlan-DWG	Residential	LD	W7	292°N			*North*	*North*
					W8	292°N				
	R5	FloorPlan-DWG	Residential	Bedroom	W9	292°N			*North*	*North*
					W10	292°N				
	R6	FloorPlan-DWG	Residential	Bedroom	W11	292°N			*North*	*North*
	R7	FloorPlan-DWG	Residential	LKD	W12	292°N			*North*	*North*
					W13	292°N				
					W14	202°	36	9		
					W15	202°	34	8		
					W16	202°	34	7		

Project Name: Hillingdon Gateway

Project No.: Release 05

Report Title: Daylight & Sunlight Analysis - Proposed Scheme (25th September 2019)

Date of Analysis: 30/09/2019

Floor Ref.	Room Ref.	Room Attribute	Property Type	Room Use.	Window Ref.	Window Orientation	Annual	Winter	Total Suns per Room Annual	Total Suns per Room Winter
					W17	202°	34	8	55	14
	R8	FloorPlan-DWG	Residential	Bedroom	W18	202°	34	8		
					W19	202°	36	11	41	13
	R9	FloorPlan-DWG	Residential	LD	W20	202°	35	10		
					W21	202°	41	16		
					W22	112°	35	9	74	23
	R10	FloorPlan-DWG	Residential	Bedroom	W23	112°	33	9	33	9
	R11	FloorPlan-DWG	Residential	Bedroom	W24	112°	31	7		
					W25	112°	31	7	31	7
	R12	FloorPlan-DWG	Residential	LD	W26	112°	30	6		
					W27	112°	31	6		
					W28	112°	31	6	32	6
	R13	FloorPlan-DWG	Residential	LD	W29	112°	32	5		
					W30	112°	31	4	32	5
	R14	FloorPlan-DWG	Residential	Bedroom	W31	112°	31	4		
					W32	112°	31	4	31	4
Sixth	R1	FloorPlan-DWG	Residential	Bedroom	W1	292°N			*North*	*North*
					W2	292°N				
	R2	FloorPlan-DWG	Residential	LD	W3	292°N			*North*	*North*
					W4	292°N				
	R3	FloorPlan-DWG	Residential	Bedroom	W5	292°N			*North*	*North*
					W6	292°N				
	R4	FloorPlan-DWG	Residential	LD	W7	292°N			*North*	*North*
					W8	292°N				
	R5	FloorPlan-DWG	Residential	Bedroom	W9	292°N			*North*	*North*
					W10	292°N				
	R6	FloorPlan-DWG	Residential	Bedroom	W11	292°N			*North*	*North*
	R7	FloorPlan-DWG	Residential	LKD	W12	292°N			*North*	*North*
					W13	292°N				
					W14	202°	40	13		
					W15	202°	39	13		
					W16	202°	39	12		
					W17	202°	39	13	59	18
	R8	FloorPlan-DWG	Residential	Bedroom	W18	202°	39	12		
					W19	202°	41	15	46	17
	R9	FloorPlan-DWG	Residential	LD	W20	202°	40	13		
					W21	202°	43	17		
					W22	112°	38	9	80	24
	R10	FloorPlan-DWG	Residential	Bedroom	W23	112°	38	9	38	9
	R11	FloorPlan-DWG	Residential	Bedroom	W24	112°	36	7		
					W25	112°	36	7	36	7
	R12	FloorPlan-DWG	Residential	LD	W26	112°	35	6		

Date of Analysis: 30/09/2019

robinsons
Robinsons Surveyors Limited

Floor Ref.	Room Ref.	Room Attribute	Property Type	Room Use.	Window Ref.	Window Orientation	Annual	Winter	Total Suns per Room Annual	Total Suns per Room Winter			
	R13	FloorPlan-DWG	Residential	LD	W27	112°	35	6	35	6			
					W28	112°	35	6					
					W29	112°	36	6					
	R14	FloorPlan-DWG	Residential	Bedroom	W30	112°	35	6	36	6			
					W31	112°	35	6					
					W32	112°	35	6					
Seventh	R1	FloorPlan-DWG	Residential	Bedroom	W1 W2	292°N 292°N			*North*	*North*			
	R2	FloorPlan-DWG	Residential	LD	W3 W4	292°N 292°N			*North*	*North*			
	R3	FloorPlan-DWG	Residential	Bedroom	W5 W6	292°N 292°N			*North*	*North*			
	R4	FloorPlan-DWG	Residential	LD	W7 W8	292°N 292°N			*North*	*North*			
	R5	FloorPlan-DWG	Residential	Bedroom	W9 W10	292°N 292°N			*North*	*North*			
	R6	FloorPlan-DWG	Residential	Bedroom	W11	292°N			*North*	*North*			
	R7	FloorPlan-DWG	Residential	LKD	W12 W13 W14 W15 W16 W17	292°N 292°N 202° 202° 202° 202°			45 45 44 44	18 19 17 18	62	21	
	R8	FloorPlan-DWG	Residential	Bedroom	W18 W19	202° 202°			44 45	17 19	50	21	
	R9	FloorPlan-DWG	Residential	LD	W20 W21 W22	202° 202° 112°			45 45 39	18 19 9	85	28	
	R10	FloorPlan-DWG	Residential	Bedroom	W23	112°			39	9	39	9	
	R11	FloorPlan-DWG	Residential	Bedroom	W24 W25	112° 112°			39 39	9 9	39	9	
	R12	FloorPlan-DWG	Residential	LD	W26 W27 W28	112° 112° 112°			38 38 38	8 8 8	38	8	
	R13	FloorPlan-DWG	Residential	LD	W29 W30	112° 112°			38 38	8 8	38	8	
	R14	FloorPlan-DWG	Residential	Bedroom	W31 W32	112° 112°			38 37	8 7	38	8	
	Eighth	R1	FloorPlan-DWG	Residential	Bedroom	W1 W2			292°N 292°N			*North*	*North*
		R2	FloorPlan-DWG	Residential	LD	W3 W4			292°N 292°N			*North*	*North*

Project Name: Hillingdon Gateway

Project No.: Release 05

Report Title: Daylight & Sunlight Analysis - Proposed Scheme (25th September 2019)

Date of Analysis: 30/09/2019

Floor Ref.	Room Ref.	Room Attribute	Property Type	Room Use.	Window Ref.	Window Orientation	Annual	Winter	Total Suns per Room Annual	Total Suns per Room Winter
	R3	FloorPlan-DWG	Residential	Bedroom	W5 W6	292°N 292°N			*North*	*North*
	R4	FloorPlan-DWG	Residential	LD	W7 W8	292°N 292°N			*North*	*North*
	R5	FloorPlan-DWG	Residential	Bedroom	W9 W10	292°N 292°N			*North*	*North*
	R6	FloorPlan-DWG	Residential	Bedroom	W11	292°N			*North*	*North*
	R7	FloorPlan-DWG	Residential	LKD	W12 W13 W14 W15 W16 W17	292°N 292°N 202° 202° 202° 202°	47 47 47 47	20 21 20 21		
	R8	FloorPlan-DWG	Residential	Bedroom	W18 W19	202° 202°	46 46	19 20	64	23
	R9	FloorPlan-DWG	Residential	LD	W20 W21 W22	202° 202° 112°	46 46 39	19 20 9	51	22
	R10	FloorPlan-DWG	Residential	Bedroom	W23	112°	39	9	86	29
	R11	FloorPlan-DWG	Residential	Bedroom	W24 W25	112° 112°	39 39	9 9	39	9
	R12	FloorPlan-DWG	Residential	LD	W26 W27 W28	112° 112° 112°	39 39 39	9 9 9	39	9
	R13	FloorPlan-DWG	Residential	LD	W29 W30	112° 112°	39 39	9 9	39	9
	R14	FloorPlan-DWG	Residential	Bedroom	W31 W32	112° 112°	39 39	9 9	39	9
									39	9
Ninth	R1	FloorPlan-DWG	Residential	Bedroom	W1 W2	292°N 292°N			*North*	*North*
	R2	FloorPlan-DWG	Residential	LD	W3 W4	292°N 292°N			*North*	*North*
	R3	FloorPlan-DWG	Residential	Bedroom	W5 W6	292°N 292°N			*North*	*North*
	R4	FloorPlan-DWG	Residential	LD	W7 W8	292°N 292°N			*North*	*North*
	R5	FloorPlan-DWG	Residential	Bedroom	W9 W10	292°N 292°N			*North*	*North*
	R6	FloorPlan-DWG	Residential	Bedroom	W11	292°N			*North*	*North*
	R7	FloorPlan-DWG	Residential	LKD	W12 W13 W14 W15	292°N 292°N 202° 202°	47 47	20 21		

Date of Analysis: 30/09/2019

robinsons
Robinsons Surveyors Limited

Floor Ref.	Room Ref.	Room Attribute	Property Type	Room Use.	Window Ref.	Window Orientation	Annual	Winter	Total Suns per Room Annual	Total Suns per Room Winter		
	R8	FloorPlan-DWG	Residential	Bedroom	W16	202°	47	20	64	23		
					W17	202°	47	21				
	R9	FloorPlan-DWG	Residential	LD	W18	202°	47	20	52	23		
					W19	202°	47	21				
					W20	202°	47	20				
	R10	FloorPlan-DWG	Residential	Bedroom	W21	202°	47	21	87	30		
					W22	112°	39	9				
					W23	112°	39	9				
	R11	FloorPlan-DWG	Residential	Bedroom	W24	112°	39	9	39	9		
					W25	112°	39	9				
	R12	FloorPlan-DWG	Residential	LD	W26	112°	39	9	39	9		
					W27	112°	39	9				
					W28	112°	39	9				
	R13	FloorPlan-DWG	Residential	LD	W29	112°	39	9	39	9		
					W30	112°	39	9				
	R14	FloorPlan-DWG	Residential	Bedroom	W31	112°	39	9	39	9		
W32					112°	39	9					
									39	9		
Tenth	R1	FloorPlan-DWG	Residential	Bedroom	W1	292°N			*North*	*North*		
	R2	FloorPlan-DWG	Residential	LD	W2	292°N						
					W3	292°N						
	R3	FloorPlan-DWG	Residential	Bedroom	W4	292°N						
					W5	292°N						
	R4	FloorPlan-DWG	Residential	LD	W6	292°N						
					W7	292°N						
	R5	FloorPlan-DWG	Residential	Bedroom	W8	292°N						
					W9	292°N						
	R6	FloorPlan-DWG	Residential	Bedroom	W10	292°N						
					W11	292°N						
	R7	FloorPlan-DWG	Residential	LKD	W12	292°N					*North*	*North*
					W13	292°N						
					W14	202°						
					W15	202°						
					W16	202°						
R8	FloorPlan-DWG	Residential	Bedroom	W17	202°	47	20	64	23			
				W18	202°	47	21					
				W19	202°	47	20					
				W20	202°	47	21					
				W21	202°	47	20					
R9	FloorPlan-DWG	Residential	LD	W22	112°	47	20	52	23			
				W23	112°	47	21					
				W24	112°	39	9					
R10	FloorPlan-DWG	Residential	Bedroom	W25	112°	87	30	39	9			
				W26	112°	39	9					
R11	FloorPlan-DWG	Residential	Bedroom	W27	112°	39	9	39	9			
				W28	112°	39	9					
									39	9		

Project Name: Hillingdon Gateway
 Project No.: Release 05
 Report Title: Daylight & Sunlight Analysis - Proposed Scheme (25th September 2019)
 Date of Analysis: 30/09/2019

Floor Ref.	Room Ref.	Room Attribute	Property Type	Room Use.	Window Ref.	Window Orientation	Annual	Winter	Total Suns per Room Annual	Total Suns per Room Winter	
	R12	FloorPlan-DWG	Residential	LD	W26	112°	39	9	39	9	
					W27	112°	39	9			
					W28	112°	39	9			
	R13	FloorPlan-DWG	Residential	LD	W29	112°	39	9	39	9	
					W30	112°	39	9			
	R14	FloorPlan-DWG	Residential	Bedroom	W31	112°	39	9	39	9	
					W32	112°	39	9			
	Building 6										
	Ground	R1	FloorPlan-DWG	Residential	Bedroom	W1	202°	29	6	31	7
						W2	202°	27	5		
R2		FloorPlan-DWG	Residential	Bedroom	W3	202°	29	5	30	5	
					W4	202°	27	4			
R3		FloorPlan-DWG	Residential	Bedroom	W5	202°	31	6	32	7	
					W6	202°	29	6			
R4		FloorPlan-DWG	Residential	LD	W7	202°	33	8	36	8	
					W8	202°	31	6			
First	R1	FloorPlan-DWG	Residential	LKD	W1	202°	23	6	24	6	
					W31	22°N					
	R2	FloorPlan-DWG	Residential	Bedroom	W2	202°	18	6	18	6	
	R3	FloorPlan-DWG	Residential	Bedroom	W3	292°N			*North*	*North*	
	R4	FloorPlan-DWG	Residential	LD	W4	292°N			*North*	*North*	
					W5	292°N					
	R5	FloorPlan-DWG	Residential	LD	W6	292°N			*North*	*North*	
					W7	292°N					
					W8	292°N					
	R6	FloorPlan-DWG	Residential	Bedroom	W9	292°N			*North*	*North*	
	R7	FloorPlan-DWG	Residential	Bedroom	W10	292°N			*North*	*North*	
	R8	FloorPlan-DWG	Residential	LKD	W11	292°N			*North*	*North*	
W12					292°N						
W13					202°						
R9	FloorPlan-DWG	Residential	Bedroom	W14	202°	36	11	45	11		
R10	FloorPlan-DWG	Residential	Bedroom	W15	202°	29	6	29	6		
R11	FloorPlan-DWG	Residential	LKD	W16	202°	33	10	33	9		
				W17	112°	19	2	57	15		
				W18	112°	26	6				
R12	FloorPlan-DWG	Residential	Bedroom	W19	112°	22	5	22	5		
R13	FloorPlan-DWG	Residential	Bedroom	W20	112°	16	3	16	3		
R14	FloorPlan-DWG	Residential	LD	W21	112°	15	3	8	0		
				W22	112°	8	0				

Date of Analysis: 30/09/2019

robinsons
Robinsons Surveyors Limited

[illegible]

Project Name: Hillingdon Gateway
Project No.: Release 05
Report Title: Daylight & Sunlight Analysis - Proposed Scheme (25th September 2019)
Date of Analysis: 30/09/2019

Floor Ref.	Room Ref.	Room Attribute	Property Type	Room Use.	Window Ref.	Window Orientation	Annual	Winter	Total Suns per Room Annual	Total Suns per Room Winter
	R19	FloorPlan-DWG	Residential	Bedroom	W29	202°	19	8	19	8
	R20	FloorPlan-DWG	Residential	LKD	W30 W31	202° 22°N	32	12	33	12
Third	R1	FloorPlan-DWG	Residential	LKD	W1 W32	202° 22°N	28	9	29	9
	R2	FloorPlan-DWG	Residential	Bedroom	W2	202°	21	8	21	8
	R3	FloorPlan-DWG	Residential	Bedroom	W3	202°	23	8	23	8
	R4	FloorPlan-DWG	Residential	Bedroom	W4	292°N			*North*	*North*
	R5	FloorPlan-DWG	Residential	LD	W5 W6	292°N 292°N			*North*	*North*
	R6	FloorPlan-DWG	Residential	LD	W7 W8 W9	292°N 292°N 292°N			*North*	*North*
	R7	FloorPlan-DWG	Residential	Bedroom	W10	292°N			*North*	*North*
	R8	FloorPlan-DWG	Residential	Bedroom	W11	292°N			*North*	*North*
	R9	FloorPlan-DWG	Residential	LKD	W12 W13 W14	292°N 292°N 202°	41	15	52	15
	R10	FloorPlan-DWG	Residential	Bedroom	W15	202°	36	10	36	10
	R11	FloorPlan-DWG	Residential	Bedroom	W16	202°	40	14	40	14
	R12	FloorPlan-DWG	Residential	LKD	W17 W18 W19	202° 112° 112°	41 24 31	14 5 10	71	23
	R13	FloorPlan-DWG	Residential	Bedroom	W20	112°	26	7	26	7
	R14	FloorPlan-DWG	Residential	Bedroom	W21	112°	22	6	22	6
	R15	FloorPlan-DWG	Residential	LD	W22 W23 W24	112° 112° 112°	21 15 23	6 2 7	24	8
	R16	FloorPlan-DWG	Residential	LD	W25 W26	112° 112°	13 20	1 5	21	6
	R17	FloorPlan-DWG	Residential	Bedroom	W27	112°	14	3	14	3
	R18	FloorPlan-DWG	Residential	Bedroom	W28	202°	31	15	31	15
	R19	FloorPlan-DWG	Residential	Bedroom	W29	202°	20	8	20	8
	R20	FloorPlan-DWG	Residential	LKD	W30 W31	202° 22°N	37	15	38	15
Fourth	R1	FloorPlan-DWG	Residential	LKD	W1 W32	202° 22°N	17	11	18	11
	R2	FloorPlan-DWG	Residential	Bedroom	W2	202°	25	9		

Project Name: Hillingdon Gateway
Project No.: Release 05
Report Title: Daylight & Sunlight Analysis - Proposed Scheme (25th September 2019)
Date of Analysis: 30/09/2019

Floor Ref.	Room Ref.	Room Attribute	Property Type	Room Use.	Window Ref.	Window Orientation	Annual	Winter	Total Suns per Room Annual	Total Suns per Room Winter
	R3	FloorPlan-DWG	Residential	Bedroom	W3	202°	25	8	25	9
	R4	FloorPlan-DWG	Residential	Bedroom	W4	292°N			25	8
	R5	FloorPlan-DWG	Residential	LD	W5 W6	292°N 292°N			*North*	*North*
	R6	FloorPlan-DWG	Residential	LD	W7 W8 W9	292°N 292°N 292°N			*North*	*North*
	R7	FloorPlan-DWG	Residential	Bedroom	W10	292°N			*North*	*North*
	R8	FloorPlan-DWG	Residential	Bedroom	W11	292°N			*North*	*North*
	R9	FloorPlan-DWG	Residential	LKD	W12 W13 W14	292°N 292°N 202°	43	17	*North*	*North*
	R10	FloorPlan-DWG	Residential	Bedroom	W15	202°	38	12	55	17
	R11	FloorPlan-DWG	Residential	Bedroom	W16	202°	42	16	38	12
	R12	FloorPlan-DWG	Residential	LKD	W17 W18 W19	202° 112° 112°	42 27 36	15 6 11	42	16
	R13	FloorPlan-DWG	Residential	Bedroom	W20	112°	31	9	75	25
	R14	FloorPlan-DWG	Residential	Bedroom	W21	112°	28	7	31	9
	R15	FloorPlan-DWG	Residential	LD	W22 W23 W24	112° 112° 112°	26 21 29	6 2 7	28	7
	R16	FloorPlan-DWG	Residential	LD	W25 W26	112° 112°	19 27	1 5	31	8
	R17	FloorPlan-DWG	Residential	Bedroom	W27	112°	20	3	28	6
	R18	FloorPlan-DWG	Residential	Bedroom	W28	202°	31	15	20	3
	R19	FloorPlan-DWG	Residential	Bedroom	W29	202°	21	8	31	15
	R20	FloorPlan-DWG	Residential	LKD	W30 W31	202° 22°N	20	15	21	8
									21	15
Fifth	R1	FloorPlan-DWG	Residential	Bedroom	W1 W2	292°N 292°N			*North*	*North*
	R2	FloorPlan-DWG	Residential	LD	W3 W4	292°N 292°N			*North*	*North*
	R3	FloorPlan-DWG	Residential	Bedroom	W5	292°N			*North*	*North*
	R4	FloorPlan-DWG	Residential	Bedroom	W6 W7	292°N 292°N			*North*	*North*
	R5	FloorPlan-DWG	Residential	LKD	W8 W9	292°N 292°N			*North*	*North*

Project Name: Hillingdon Gateway

Project No.: Release 05

Report Title: Daylight & Sunlight Analysis - Proposed Scheme (25th September 2019)

Date of Analysis: 30/09/2019

Floor Ref.	Room Ref.	Room Attribute	Property Type	Room Use.	Window Ref.	Window Orientation	Annual	Winter	Total Suns per Room Annual	Total Suns per Room Winter
					W10	202°	46	20		
					W11	202°	46	20		
					W12	202°	46	20		
					W13	202°	45	19		
	R6	FloorPlan-DWG	Residential	LKD	W14	202°	45	19	48	20
					W15	202°	45	19		
					W16	202°	45	19		
					W17	202°	45	19		
					W18	112°	31	7		
					W19	112°	31	7		
	R7	FloorPlan-DWG	Residential	Bedroom	W20	112°	26	4	72	24
					W21	112°	25	3		
	R8	FloorPlan-DWG	Residential	Bedroom	W22	112°	32	6	26	4
	R9	FloorPlan-DWG	Residential	LD	W23	112°	27	2	32	6
					W24	112°	26	1		
	R10	FloorPlan-DWG	Residential	Bedroom	W25	112°	26	1	27	2
					W26	112°	26	1		
									26	1
Sixth	R1	FloorPlan-DWG	Residential	Bedroom	W1	292°N				
					W2	292°N				
	R2	FloorPlan-DWG	Residential	LD	W3	292°N			*North*	*North*
					W4	292°N				
	R3	FloorPlan-DWG	Residential	Bedroom	W5	292°N			*North*	*North*
	R4	FloorPlan-DWG	Residential	Bedroom	W6	292°N			*North*	*North*
					W7	292°N				
	R5	FloorPlan-DWG	Residential	LKD	W8	292°N			*North*	*North*
					W9	292°N				
					W10	202°	46	20		
					W11	202°	46	20		
					W12	202°	46	20		
					W13	202°	46	20		
	R6	FloorPlan-DWG	Residential	LKD	W14	202°	46	20	48	20
					W15	202°	46	20		
					W16	202°	47	21		
					W17	202°	47	21		
					W18	112°	36	7		
					W19	112°	36	7		
	R7	FloorPlan-DWG	Residential	Bedroom	W20	112°	31	4	79	26
					W21	112°	30	3		
	R8	FloorPlan-DWG	Residential	Bedroom	W22	112°	35	6	31	4
	R9	FloorPlan-DWG	Residential	LD	W23	112°	31	3	35	6
					W24	112°	30	3		
	R10	FloorPlan-DWG	Residential	Bedroom	W25	112°	30	3	31	3
					W26	112°	30	3		
									30	3
Seventh	R1	FloorPlan-DWG	Residential	Bedroom	W1	292°N				
					W2	292°N				

Project Name: Hillingdon Gateway
Project No.: Release 05
Report Title: Daylight & Sunlight Analysis - Proposed Scheme (25th September 2019)
Date of Analysis: 30/09/2019

Floor Ref.	Room Ref.	Room Attribute	Property Type	Room Use.	Window Ref.	Window Orientation	Annual	Winter	Total Suns per Room Annual	Total Suns per Room Winter
	R2	FloorPlan-DWG	Residential	LD	W3 W4	292°N 292°N			*North*	*North*
	R3	FloorPlan-DWG	Residential	Bedroom	W5	292°N			*North*	*North*
	R4	FloorPlan-DWG	Residential	Bedroom	W6 W7	292°N 292°N			*North*	*North*
	R5	FloorPlan-DWG	Residential	LKD	W8 W9 W10 W11 W12 W13	292°N 292°N 202° 202° 202° 202°	46 47 47 47	20 21 21 21	*North*	*North*
	R6	FloorPlan-DWG	Residential	LKD	W14 W15 W16 W17 W18 W19	202° 202° 202° 202° 112° 112°	47 47 47 47 39 39	21 21 21 21 9 9	50	21
	R7	FloorPlan-DWG	Residential	Bedroom	W20 W21	112° 112°	34 33	6 5	82	28
	R8	FloorPlan-DWG	Residential	Bedroom	W22	112°	38	8	34	6
	R9	FloorPlan-DWG	Residential	LD	W23 W24	112° 112°	33 33	5 5	38	8
	R10	FloorPlan-DWG	Residential	Bedroom	W25 W26	112° 112°	33 32	5 4	33	5
									33	5
Building 7										
Ground	R1	FloorPlan-DWG	Residential	Bedroom	W1 W2	202° 202°	37 38	11 10	41	11
	R2	FloorPlan-DWG	Residential	Bedroom	W3 W4	202° 202°	38 39	11 11	42	12
	R3	FloorPlan-DWG	Residential	Bedroom	W5 W6	202° 202°	39 37	11 9	41	11
	R4	FloorPlan-DWG	Residential	LD	W7 W8	202° 202°	39 37	11 10	42	11
First	R1	FloorPlan-DWG	Residential	LKD	W1 W31	202° 22°N	31	10	32	10
	R2	FloorPlan-DWG	Residential	Bedroom	W2	202°	18	6	18	6
	R3	FloorPlan-DWG	Residential	Bedroom	W3	292°N			*North*	*North*
	R4	FloorPlan-DWG	Residential	LD	W4 W5	292°N 292°N			*North*	*North*
	R5	FloorPlan-DWG	Residential	LD	W6 W7	292°N 292°N			*North*	*North*

Project Name: Hillingdon Gateway
Project No.: Release 05
Report Title: Daylight & Sunlight Analysis - Proposed Scheme (25th September 2019)
Date of Analysis: 30/09/2019

Floor Ref.	Room Ref.	Room Attribute	Property Type	Room Use.	Window Ref.	Window Orientation	Annual	Winter	Total Suns per Room Annual	Total Suns per Room Winter
					W8	292°N			*North*	*North*
	R6	FloorPlan-DWG	Residential	Bedroom	W9	292°N			*North*	*North*
	R7	FloorPlan-DWG	Residential	Bedroom	W10	292°N			*North*	*North*
	R8	FloorPlan-DWG	Residential	LKD	W11	292°N			*North*	*North*
					W12	292°N				
					W13	202°	39	13	48	13
	R9	FloorPlan-DWG	Residential	Bedroom	W14	202°	34	8	34	8
	R10	FloorPlan-DWG	Residential	Bedroom	W15	202°	36	10	36	10
	R11	FloorPlan-DWG	Residential	LKD	W16	202°	34	8		
					W17	112°	20	3		
					W18	112°	27	7	59	14
	R12	FloorPlan-DWG	Residential	Bedroom	W19	112°	22	5	22	5
	R13	FloorPlan-DWG	Residential	Bedroom	W20	112°	17	4	17	4
	R14	FloorPlan-DWG	Residential	LD	W21	112°	15	3		
					W22	112°	8	0		
					W23	112°	16	5	18	5
	R15	FloorPlan-DWG	Residential	LD	W24	112°	6	0		
					W25	112°	13	4	13	4
	R16	FloorPlan-DWG	Residential	Bedroom	W26	112°	10	2	10	2
	R17	FloorPlan-DWG	Residential	Bedroom	W27	202°	28	12	28	12
	R18	FloorPlan-DWG	Residential	Bedroom	W28	202°	17	7	17	7
	R19	FloorPlan-DWG	Residential	LKD	W29	202°	30	10		
					W30	22°N			31	10
Second	R1	FloorPlan-DWG	Residential	LKD	W1	202°	32	10		
					W32	22°N			33	10
	R2	FloorPlan-DWG	Residential	Bedroom	W2	202°	20	8	20	8
	R3	FloorPlan-DWG	Residential	Bedroom	W3	202°	24	7	24	7
	R4	FloorPlan-DWG	Residential	Bedroom	W4	292°N			*North*	*North*
	R5	FloorPlan-DWG	Residential	LD	W5	292°N			*North*	*North*
					W6	292°N			*North*	*North*
	R6	FloorPlan-DWG	Residential	LD	W7	292°N			*North*	*North*
					W8	292°N				
					W9	292°N			*North*	*North*
	R7	FloorPlan-DWG	Residential	Bedroom	W10	292°N			*North*	*North*
	R8	FloorPlan-DWG	Residential	Bedroom	W11	292°N			*North*	*North*
	R9	FloorPlan-DWG	Residential	LKD	W12	292°N			*North*	*North*
					W13	292°N				
					W14	202°	40	14		

Date of Analysis: 30/09/2019

robinsons
Robinsons Surveyors Limited

[illegible]

Project Name: Hillingdon Gateway
Project No.: Release 05
Report Title: Daylight & Sunlight Analysis - Proposed Scheme (25th September 2019)
Date of Analysis: 30/09/2019

Floor Ref.	Room Ref.	Room Attribute	Property Type	Room Use.	Window Ref.	Window Orientation	Annual	Winter	Total Suns per Room Annual	Total Suns per Room Winter
	R13	FloorPlan-DWG	Residential	Bedroom	W20	112°	26	7	26	7
	R14	FloorPlan-DWG	Residential	Bedroom	W21	112°	22	6	22	6
	R15	FloorPlan-DWG	Residential	LD	W22	112°	21	6		
					W23	112°	15	2		
					W24	112°	23	7	24	8
	R16	FloorPlan-DWG	Residential	LD	W25	112°	13	1	21	6
					W26	112°	20	5	14	3
	R17	FloorPlan-DWG	Residential	Bedroom	W27	112°	14	3	31	15
	R18	FloorPlan-DWG	Residential	Bedroom	W28	202°	31	15	20	8
	R19	FloorPlan-DWG	Residential	Bedroom	W29	202°	20	8	37	15
	R20	FloorPlan-DWG	Residential	LKD	W30	202°	37	15	38	15
					W31	22°N				
Fourth	R1	FloorPlan-DWG	Residential	LKD	W1	202°	21	13		
					W32	22°N			22	13
	R2	FloorPlan-DWG	Residential	Bedroom	W2	202°	25	9	25	9
	R3	FloorPlan-DWG	Residential	Bedroom	W3	202°	27	9	27	9
	R4	FloorPlan-DWG	Residential	Bedroom	W4	292°N			*North*	*North*
	R5	FloorPlan-DWG	Residential	LD	W5	292°N			*North*	*North*
					W6	292°N			*North*	*North*
	R6	FloorPlan-DWG	Residential	LD	W7	292°N			*North*	*North*
					W8	292°N			*North*	*North*
					W9	292°N			*North*	*North*
	R7	FloorPlan-DWG	Residential	Bedroom	W10	292°N			*North*	*North*
	R8	FloorPlan-DWG	Residential	Bedroom	W11	292°N			*North*	*North*
	R9	FloorPlan-DWG	Residential	LKD	W12	292°N			*North*	*North*
					W13	292°N				
					W14	202°	46	20	59	20
	R10	FloorPlan-DWG	Residential	Bedroom	W15	202°	43	16	43	16
	R11	FloorPlan-DWG	Residential	Bedroom	W16	202°	44	18	44	18
	R12	FloorPlan-DWG	Residential	LKD	W17	202°	44	17		
					W18	112°	27	6		
					W19	112°	36	11	77	27
	R13	FloorPlan-DWG	Residential	Bedroom	W20	112°	31	9	31	9
	R14	FloorPlan-DWG	Residential	Bedroom	W21	112°	28	7	28	7
	R15	FloorPlan-DWG	Residential	LD	W22	112°	26	6		
					W23	112°	20	2		
					W24	112°	28	7	31	8
	R16	FloorPlan-DWG	Residential	LD	W25	112°	18	1		

Project Name: Hillingdon Gateway
Project No.: Release 05
Report Title: Daylight & Sunlight Analysis - Proposed Scheme (25th September 2019)
Date of Analysis: 30/09/2019

Floor Ref.	Room Ref.	Room Attribute	Property Type	Room Use.	Window Ref.	Window Orientation	Annual	Winter	Total Suns per Room Annual	Total Suns per Room Winter
	R17	FloorPlan-DWG	Residential	Bedroom	W26	112°	27	5	28	6
	R18	FloorPlan-DWG	Residential	Bedroom	W27	112°	20	3	20	3
	R19	FloorPlan-DWG	Residential	Bedroom	W28	202°	31	15	31	15
	R20	FloorPlan-DWG	Residential	LKD	W29	202°	22	9	31	15
					W30	202°	22	9	22	9
					W31	22°N	21	16	22	9
									22	16
Fifth	R1	FloorPlan-DWG	Residential	Bedroom	W1	292°N			*North*	*North*
	R2	FloorPlan-DWG	Residential	LD	W2	292°N			*North*	*North*
	R3	FloorPlan-DWG	Residential	Bedroom	W3	292°N			*North*	*North*
	R4	FloorPlan-DWG	Residential	Bedroom	W4	292°N			*North*	*North*
	R5	FloorPlan-DWG	Residential	LKD	W5	292°N			*North*	*North*
					W6	292°N				
					W7	292°N				
					W8	292°N				
					W9	292°N				
					W10	202°	46	20		
					W11	202°	46	20		
					W12	202°	46	20		
					W13	202°	46	20		
	R6	FloorPlan-DWG	Residential	LKD	W14	202°	46	20	54	20
					W15	202°	46	20		
					W16	202°	47	21		
					W17	202°	47	21		
					W18	112°	31	7		
					W19	112°	31	7		
	R7	FloorPlan-DWG	Residential	Bedroom	W20	112°	26	4	74	26
					W21	112°	25	3		
	R8	FloorPlan-DWG	Residential	Bedroom	W22	112°	32	6	26	4
	R9	FloorPlan-DWG	Residential	LD	W23	112°	27	2	32	6
					W24	112°	26	1		
	R10	FloorPlan-DWG	Residential	Bedroom	W25	112°	26	1	27	2
					W26	112°	26	1		
									26	1
Sixth	R1	FloorPlan-DWG	Residential	Bedroom	W1	292°N			*North*	*North*
	R2	FloorPlan-DWG	Residential	LD	W2	292°N			*North*	*North*
	R3	FloorPlan-DWG	Residential	Bedroom	W3	292°N			*North*	*North*
	R4	FloorPlan-DWG	Residential	Bedroom	W4	292°N			*North*	*North*
	R5	FloorPlan-DWG	Residential	LKD	W5	292°N			*North*	*North*
					W6	292°N				
					W7	292°N				
					W8	292°N				
					W9	292°N				
					W10	202°	46	20		

Date of Analysis: 30/09/2019

robinsons
Robinsons Surveyors Limited

Floor Ref.	Room Ref.	Room Attribute	Property Type	Room Use.	Window Ref.	Window Orientation	Annual	Winter	Total Suns per Room Annual	Total Suns per Room Winter	
	R6	FloorPlan-DWG	Residential	LKD	W11	202°	47	21	55	21	
					W12	202°	47	21			
					W13	202°	47	21			
					W14	202°	47	21			
					W15	202°	47	21			
					W16	202°	47	21			
	R7	FloorPlan-DWG	Residential	Bedroom	W17	202°	47	21	79	26	
					W18	112°	36	7			
					W19	112°	36	7			
					W20	112°	31	4			
					W21	112°	30	3			
					W22	112°	35	6			
	R8	FloorPlan-DWG	Residential	Bedroom	W23	112°	31	3	31	4	
					W24	112°	30	3			
	R9	FloorPlan-DWG	Residential	LD	W25	112°	31	3	35	6	
					W26	112°	30	3			
	R10	FloorPlan-DWG	Residential	Bedroom	W27	112°	30	3	31	3	
					W28	112°	30	3			
	Seventh	R1	FloorPlan-DWG	Residential	Bedroom	W1	292°N	47	21	*North*	*North*
						W2	292°N				
		R2	FloorPlan-DWG	Residential	LD	W3	292°N				
						W4	292°N				
		R3	FloorPlan-DWG	Residential	Bedroom	W5	292°N				
						W6	292°N				
		R4	FloorPlan-DWG	Residential	Bedroom	W7	292°N				
						W8	292°N				
R5		FloorPlan-DWG	Residential	LKD	W9	292°N					
					W10	202°					
					W11	202°					
					W12	202°					
					W13	202°					
					W14	202°					
R6		FloorPlan-DWG	Residential	LKD	W15	202°					
					W16	202°					
					W17	202°					
					W18	112°					
					W19	112°					
					W20	112°					
R7		FloorPlan-DWG	Residential	Bedroom	W21	112°					
					W22	112°					
R8		FloorPlan-DWG	Residential	Bedroom	W23	112°					
					W24	112°					
R9		FloorPlan-DWG	Residential	LD	W25	112°					
					W26	112°					
R10	FloorPlan-DWG	Residential	Bedroom	W27	112°						
				W28	112°						
Building 8											

Project Name: Hillingdon Gateway

Project No.: Release 05

Report Title: Daylight & Sunlight Analysis - Proposed Scheme (25th September 2019)

Date of Analysis: 30/09/2019

Floor Ref.	Room Ref.	Room Attribute	Property Type	Room Use.	Window Ref.	Window Orientation	Annual	Winter	Total Suns per Room Annual	Total Suns per Room Winter
Ground	R1	FloorPlan-DWG	Residential	Bedroom	W1	202°	39	9	43	9
					W2	202°	35	7		
	R2	FloorPlan-DWG	Residential	Bedroom	W3	202°	40	9	45	9
					W4	202°	37	7		
	R3	FloorPlan-DWG	Residential	Bedroom	W5	202°	41	9	45	9
					W6	202°	38	8		
	R4	FloorPlan-DWG	Residential	LD	W7	202°	29	3	34	3
					W8	202°	30	3		
	R5	FloorPlan-DWG	Residential	LD	W9	202°	22	0	62	9
					W10	202°	24	2		
					W11	202°	24	1		
					W12	112°	34	8		
					W13	112°	36	8		
	R6	FloorPlan-DWG	Residential	Bedroom	W14	112°	28	6	28	6
	R7	FloorPlan-DWG	Residential	Bedroom	W15	112°	24	6	24	6
	R8	FloorPlan-DWG	Residential	Bedroom	W16	112°	21	6	24	6
									21	6
First	R1	FloorPlan-DWG	Residential	LKD	W1	202°	30	10	31	10
					W33	22°N				
	R2	FloorPlan-DWG	Residential	Bedroom	W2	202°	15	6	15	6
	R3	FloorPlan-DWG	Residential	Bedroom	W3	292°N			*North*	*North*
	R4	FloorPlan-DWG	Residential	LD	W4	292°N			*North*	*North*
					W5	292°N				
	R5	FloorPlan-DWG	Residential	LD	W6	292°N			*North*	*North*
					W7	292°N				
	R6	FloorPlan-DWG	Residential	Bedroom	W8	292°N			*North*	*North*
	R7	FloorPlan-DWG	Residential	Bedroom	W9	292°N			*North*	*North*
	R8	FloorPlan-DWG	Residential	Bedroom	W10	292°N			*North*	*North*
	R9	FloorPlan-DWG	Residential	LKD	W11	292°N			*North*	*North*
					W12	292°N				
					W13	202°	33	7		
					W14	202°	32	5		
					W15	202°	30	5		
	R10	FloorPlan-DWG	Residential	LKD	W16	202°	29	3	47	8
					W17	202°	31	4		
					W18	202°	30	1		
					W19	112°	30	6		
					W20	112°	36	9		
	R11	FloorPlan-DWG	Residential	Bedroom	W21	112°	29	6	68	13
	R12	FloorPlan-DWG	Residential	Bedroom	W22	112°	25	6	29	6
	R13	FloorPlan-DWG	Residential	Bedroom	W23	112°	22	6	25	6
									22	6

Project Name: Hillingdon Gateway
Project No.: Release 05
Report Title: Daylight & Sunlight Analysis - Proposed Scheme (25th September 2019)
Date of Analysis: 30/09/2019

Floor Ref.	Room Ref.	Room Attribute	Property Type	Room Use.	Window Ref.	Window Orientation	Annual	Winter	Total Suns per Room Annual	Total Suns per Room Winter
	R14	FloorPlan-DWG	Residential	LD	W24 W25	112° 112°	12 19	3 8	22	9
	R15	FloorPlan-DWG	Residential	LD	W26 W27	112° 112°	6 15	1 6	16	7
	R16	FloorPlan-DWG	Residential	Bedroom	W28	112°	6	0	6	0
	R17	FloorPlan-DWG	Residential	Bedroom	W29	202°	25	10	25	10
	R18	FloorPlan-DWG	Residential	Bedroom	W30	202°	17	7	17	7
	R19	FloorPlan-DWG	Residential	LKD	W31 W32	202° 22°N	14	4	15	4
Second	R1	FloorPlan-DWG	Residential	LKD	W1 W34	202° 22°N	32	11	33	11
	R2	FloorPlan-DWG	Residential	Bedroom	W2	202°	16	7	16	7
	R3	FloorPlan-DWG	Residential	Bedroom	W3	202°	24	7	24	7
	R4	FloorPlan-DWG	Residential	Bedroom	W4	292°N			*North*	*North*
	R5	FloorPlan-DWG	Residential	LD	W5 W6	292°N 292°N			*North*	*North*
	R6	FloorPlan-DWG	Residential	LD	W7 W8	292°N 292°N			*North*	*North*
	R7	FloorPlan-DWG	Residential	Bedroom	W9	292°N			*North*	*North*
	R8	FloorPlan-DWG	Residential	Bedroom	W10	292°N			*North*	*North*
	R9	FloorPlan-DWG	Residential	Bedroom	W11	292°N			*North*	*North*
	R10	FloorPlan-DWG	Residential	LKD	W12 W13 W14 W15 W16	292°N 292°N 202° 202° 202°	38 38 34	11 9 8	53	14
	R11	FloorPlan-DWG	Residential	LKD	W17 W18 W19 W20 W21	202° 202° 202° 112° 112°	37 37 35 30 37	11 10 6 6 10	75	20
	R12	FloorPlan-DWG	Residential	Bedroom	W22	112°	30	6	30	6
	R13	FloorPlan-DWG	Residential	Bedroom	W23	112°	25	6	25	6
	R14	FloorPlan-DWG	Residential	Bedroom	W24	112°	22	6	22	6
	R15	FloorPlan-DWG	Residential	LD	W25 W26	112° 112°	14 22	3 8	24	9
	R16	FloorPlan-DWG	Residential	LD	W27 W28	112° 112°	9 18	1 6	19	7
	R17	FloorPlan-DWG	Residential	Bedroom	W29	112°	10	0		

Project Name: Hillingdon Gateway
Project No.: Release 05
Report Title: Daylight & Sunlight Analysis - Proposed Scheme (25th September 2019)
Date of Analysis: 30/09/2019

Floor Ref.	Room Ref.	Room Attribute	Property Type	Room Use.	Window Ref.	Window Orientation	Annual	Winter	Total Suns per Room Annual	Total Suns per Room Winter
	R18	FloorPlan-DWG	Residential	Bedroom	W30	202°	28	12	10	0
	R19	FloorPlan-DWG	Residential	Bedroom	W31	202°	22	9	28	12
	R20	FloorPlan-DWG	Residential	LKD	W32	202°	16	5	22	9
					W33	22°N			17	5
Third	R1	FloorPlan-DWG	Residential	LKD	W1	202°	35	12		
					W34	22°N			36	12
	R2	FloorPlan-DWG	Residential	Bedroom	W2	202°	17	7	17	7
	R3	FloorPlan-DWG	Residential	Bedroom	W3	202°	26	9	26	9
	R4	FloorPlan-DWG	Residential	Bedroom	W4	292°N			*North*	*North*
	R5	FloorPlan-DWG	Residential	LD	W5	292°N			*North*	*North*
					W6	292°N			*North*	*North*
	R6	FloorPlan-DWG	Residential	LD	W7	292°N			*North*	*North*
					W8	292°N			*North*	*North*
	R7	FloorPlan-DWG	Residential	Bedroom	W9	292°N			*North*	*North*
	R8	FloorPlan-DWG	Residential	Bedroom	W10	292°N			*North*	*North*
	R9	FloorPlan-DWG	Residential	Bedroom	W11	292°N			*North*	*North*
	R10	FloorPlan-DWG	Residential	LKD	W12	292°N			*North*	*North*
					W13	292°N				
					W14	202°	42	15		
					W15	202°	41	11		
					W16	202°	40	13		
									59	19
	R11	FloorPlan-DWG	Residential	LKD	W17	202°	40	14		
					W18	202°	40	13		
					W19	202°	40	10		
					W20	112°	32	6		
					W21	112°	38	11		
									80	22
	R12	FloorPlan-DWG	Residential	Bedroom	W22	112°	30	6	30	6
	R13	FloorPlan-DWG	Residential	Bedroom	W23	112°	30	6	30	6
	R14	FloorPlan-DWG	Residential	Bedroom	W24	112°	26	6	30	6
	R15	FloorPlan-DWG	Residential	LD	W25	112°	21	3	26	6
					W26	112°	30	8	31	9
	R16	FloorPlan-DWG	Residential	LD	W27	112°	19	1		
					W28	112°	28	6	29	7
	R17	FloorPlan-DWG	Residential	Bedroom	W29	112°	18	2	18	2
	R18	FloorPlan-DWG	Residential	Bedroom	W30	202°	28	12	28	12
	R19	FloorPlan-DWG	Residential	Bedroom	W31	202°	27	11	27	11
	R20	FloorPlan-DWG	Residential	LKD	W32	202°	23	8		
					W33	22°N				

Project Name: Hillingdon Gateway
Project No.: Release 05
Report Title: Daylight & Sunlight Analysis - Proposed Scheme (25th September 2019)
Date of Analysis: 30/09/2019

Floor Ref.	Room Ref.	Room Attribute	Property Type	Room Use.	Window Ref.	Window Orientation	Annual	Winter	Total Suns per Room Annual	Total Suns per Room Winter
									24	8
Fourth	R1	FloorPlan-DWG	Residential	LKD	W1 W34	202° 22°N	21	13		
	R2	FloorPlan-DWG	Residential	Bedroom	W2	202°	21	8	22	13
	R3	FloorPlan-DWG	Residential	Bedroom	W3	202°	27	9	21	8
	R4	FloorPlan-DWG	Residential	Bedroom	W4	292°N			27	9
	R5	FloorPlan-DWG	Residential	LD	W5 W6	292°N 292°N			*North*	*North*
	R6	FloorPlan-DWG	Residential	LD	W7 W8	292°N 292°N			*North*	*North*
	R7	FloorPlan-DWG	Residential	Bedroom	W9	292°N			*North*	*North*
	R8	FloorPlan-DWG	Residential	Bedroom	W10	292°N			*North*	*North*
	R9	FloorPlan-DWG	Residential	Bedroom	W11	292°N			*North*	*North*
	R10	FloorPlan-DWG	Residential	LKD	W12 W13 W14 W15 W16	292°N 292°N 202° 202° 202°	48 47 45	20 17 18		
	R11	FloorPlan-DWG	Residential	LKD	W17 W18 W19 W20 W21	202° 202° 202° 112° 112°	46 49 48 34 43	20 21 18 6 11	64	22
	R12	FloorPlan-DWG	Residential	Bedroom	W22	112°	34	6	88	28
	R13	FloorPlan-DWG	Residential	Bedroom	W23	112°	33	6	34	6
	R14	FloorPlan-DWG	Residential	Bedroom	W24	112°	33	6	33	6
	R15	FloorPlan-DWG	Residential	LD	W25 W26	112° 112°	30 41	3 9	33	6
	R16	FloorPlan-DWG	Residential	LD	W27 W28	112° 112°	28 38	3 9	41	9
	R17	FloorPlan-DWG	Residential	Bedroom	W29	112°	25	6	39	9
	R18	FloorPlan-DWG	Residential	Bedroom	W30	202°	32	16	25	6
	R19	FloorPlan-DWG	Residential	Bedroom	W31	202°	31	15	32	16
	R20	FloorPlan-DWG	Residential	LKD	W32 W33	202° 22°N	33	10	31	15
									34	10
Fifth	R1	FloorPlan-DWG	Residential	Bedroom	W1 W2	292°N 292°N			*North*	*North*
	R2	FloorPlan-DWG	Residential	LD	W3 W4	292°N 292°N			*North*	*North*

Project Name: Hillingdon Gateway
Project No.: Release 05
Report Title: Daylight & Sunlight Analysis - Proposed Scheme (25th September 2019)
Date of Analysis: 30/09/2019

Floor Ref.	Room Ref.	Room Attribute	Property Type	Room Use.	Window Ref.	Window Orientation	Annual	Winter	Total Suns per Room Annual	Total Suns per Room Winter
	R3	FloorPlan-DWG	Residential	Bedroom	W5	292°N			*North*	*North*
	R4	FloorPlan-DWG	Residential	Bedroom	W6	292°N				
					W7	292°N				
	R5	FloorPlan-DWG	Residential	LKD	W8	292°N			*North*	*North*
					W9	292°N				
					W10	202°	46	20		
					W11	202°	46	20		
					W12	202°	46	20		
					W13	202°	46	20		
	R6	FloorPlan-DWG	Residential	LKD	W14	202°	46	20	55	20
					W15	202°	46	20		
					W16	202°	46	20		
					W17	202°	46	20		
					W18	112°	39	9		
					W19	112°	39	9		
	R7	FloorPlan-DWG	Residential	Bedroom	W20	112°	34	6	81	27
					W21	112°	34	6		
	R8	FloorPlan-DWG	Residential	Bedroom	W22	112°	39	9	34	6
	R9	FloorPlan-DWG	Residential	LD	W23	112°	34	6	39	9
					W24	112°	34	6		
	R10	FloorPlan-DWG	Residential	Bedroom	W25	112°	33	6	34	6
					W26	112°	29	3		
									33	6
Sixth	R1	FloorPlan-DWG	Residential	Bedroom	W1	292°N			*North*	*North*
					W2	292°N				
	R2	FloorPlan-DWG	Residential	LD	W3	292°N			*North*	*North*
					W4	292°N				
	R3	FloorPlan-DWG	Residential	Bedroom	W5	292°N			*North*	*North*
	R4	FloorPlan-DWG	Residential	Bedroom	W6	292°N			*North*	*North*
					W7	292°N				
	R5	FloorPlan-DWG	Residential	LKD	W8	292°N			*North*	*North*
					W9	292°N				
					W10	202°	47	21		
					W11	202°	47	21		
					W12	202°	47	21		
					W13	202°	47	21		
	R6	FloorPlan-DWG	Residential	LKD	W14	202°	47	21	56	21
					W15	202°	47	21		
					W16	202°	47	21		
					W17	202°	47	21		
					W18	112°	39	9		
					W19	112°	38	9		
	R7	FloorPlan-DWG	Residential	Bedroom	W20	112°	34	6	82	28
					W21	112°	34	6		
	R8	FloorPlan-DWG	Residential	Bedroom	W22	112°	39	9	34	6
	R9	FloorPlan-DWG	Residential	LD	W23	112°	34	6	39	9

Project Name: Hillingdon Gateway
Project No.: Release 05
Report Title: Daylight & Sunlight Analysis - Proposed Scheme (25th September 2019)
Date of Analysis: 30/09/2019

Floor Ref.	Room Ref.	Room Attribute	Property Type	Room Use.	Window Ref.	Window Orientation	Annual	Winter	Total Suns per Room Annual	Total Suns per Room Winter
	R10	FloorPlan-DWG	Residential	Bedroom	W24	112°	34	6	34	6
					W25	112°	34	6		
					W26	112°	34	6	34	6
Seventh	R1	FloorPlan-DWG	Residential	Bedroom	W1	292°N			*North*	*North*
					W2	292°N				
	R2	FloorPlan-DWG	Residential	LD	W3	292°N			*North*	*North*
					W4	292°N				
	R3	FloorPlan-DWG	Residential	Bedroom	W5	292°N			*North*	*North*
	R4	FloorPlan-DWG	Residential	Bedroom	W6	292°N			*North*	*North*
					W7	292°N				
	R5	FloorPlan-DWG	Residential	LKD	W8	292°N			*North*	*North*
					W9	292°N				
					W10	202°	47	21		
					W11	202°	47	21		
					W12	202°	47	21		
					W13	202°	47	21		
	R6	FloorPlan-DWG	Residential	LKD	W14	202°	47	21	57	21
					W15	202°	47	21		
					W16	202°	47	21		
					W17	202°	47	21		
					W18	112°	39	9		
					W19	112°	39	9		
	R7	FloorPlan-DWG	Residential	Bedroom	W20	112°	34	6	82	28
					W21	112°	34	6		
	R8	FloorPlan-DWG	Residential	Bedroom	W22	112°	39	9	34	6
	R9	FloorPlan-DWG	Residential	LD	W23	112°	34	6	39	9
					W24	112°	34	6		
	R10	FloorPlan-DWG	Residential	Bedroom	W25	112°	34	6	34	6
					W26	112°	34	6		
									34	6
Building 9										
Ground	R1	FloorPlan-DWG	Residential	LKD	W1	202°	41	13		
					W2	202°	36	9		
					W3	202°	38	12	45	14
	R2	FloorPlan-DWG	Residential	Bedroom	W4	202°	40	14	40	14
	R3	FloorPlan-DWG	Residential	LKD	W5	202°	41	15		
					W6	202°	44	16		
					W7	202°	43	13		
					W8	112°	49	15		
	R4	FloorPlan-DWG	Residential	Bedroom	W9	112°	34	6	84	23
	R5	FloorPlan-DWG	Residential	Bedroom	W10	112°	34	6	34	6
	R6	FloorPlan-DWG	Residential	LD	W11	112°	34	6	34	6
					W12	112°	49	15		

Project Name: Hillingdon Gateway
Project No.: Release 05
Report Title: Daylight & Sunlight Analysis - Proposed Scheme (25th September 2019)
Date of Analysis: 30/09/2019

Floor Ref.	Room Ref.	Room Attribute	Property Type	Room Use.	Window Ref.	Window Orientation	Annual	Winter	Total Suns per Room Annual	Total Suns per Room Winter
					W13	22°N			49	15
	R7	FloorPlan-DWG	Residential	Bedroom	W14	22°N			*North*	*North*
	R8	FloorPlan-DWG	Residential	Bedroom	W15	22°N			*North*	*North*
	R9	FloorPlan-DWG	Residential	Bedroom	W16	22°N			*North*	*North*
First	R1	FloorPlan-DWG	Residential	LD	W1	292°N	44	17		
					W2	202°	40	12		
					W3	202°	41	15		
					W4	202°			48	17
	R2	FloorPlan-DWG	Residential	Bedroom	W5	202°	41	15	41	15
	R3	FloorPlan-DWG	Residential	Bedroom	W6	202°	43	17		
					W7	202°	45	18		
					W8	202°	44	14		
					W9	112°	48	15		
	R4	FloorPlan-DWG	Residential	Bedroom	W10	112°	34	6	85	24
	R5	FloorPlan-DWG	Residential	Bedroom	W11	112°	34	6	34	6
	R6	FloorPlan-DWG	Residential	LD	W12	112°	34	6	34	6
					W13	112°	48	15		
					W14	22°N			48	15
	R7	FloorPlan-DWG	Residential	Bedroom	W15	22°N			*North*	*North*
	R8	FloorPlan-DWG	Residential	Bedroom	W16	22°N			*North*	*North*
	R9	FloorPlan-DWG	Residential	Bedroom	W17	22°N			*North*	*North*
Second	R1	FloorPlan-DWG	Residential	LD	W1	292°N	44	17		
					W2	202°	41	13		
					W3	202°	44	18		
					W4	202°			50	19
	R2	FloorPlan-DWG	Residential	Bedroom	W5	202°	44	18	44	18
	R3	FloorPlan-DWG	Residential	LKD	W6	202°	44	18		
					W7	202°	46	19		
					W8	202°	47	17		
					W9	112°	48	15		
	R4	FloorPlan-DWG	Residential	Bedroom	W10	112°	34	6	88	27
	R5	FloorPlan-DWG	Residential	Bedroom	W11	112°	34	6	34	6
	R6	FloorPlan-DWG	Residential	LD	W12	112°	34	6	34	6
					W13	112°	48	15		
					W14	22°N			48	15
	R7	FloorPlan-DWG	Residential	Bedroom	W15	22°N			*North*	*North*
	R8	FloorPlan-DWG	Residential	Bedroom	W16	22°N			*North*	*North*
	R9	FloorPlan-DWG	Residential	Bedroom	W17	22°N			*North*	*North*
Third	R1	FloorPlan-DWG	Residential	LD	W1	292°N			*North*	*North*

Project Name: Hillingdon Gateway
Project No.: Release 05
Report Title: Daylight & Sunlight Analysis - Proposed Scheme (25th September 2019)
Date of Analysis: 30/09/2019

Floor Ref.	Room Ref.	Room Attribute	Property Type	Room Use.	Window Ref.	Window Orientation	Annual	Winter	Total Suns per Room Annual	Total Suns per Room Winter
					W2	202°	47	20		
					W3	202°	46	16		
					W4	202°	45	19		
	R2	FloorPlan-DWG	Residential	Bedroom	W5	202°	45	19	53	20
	R3	FloorPlan-DWG	Residential	LKD	W6	202°	45	19	45	19
					W7	202°	47	20		
					W8	202°	47	17		
					W9	112°	48	15		
	R4	FloorPlan-DWG	Residential	Bedroom	W10	112°	34	6	88	27
	R5	FloorPlan-DWG	Residential	Bedroom	W11	112°	34	6	34	6
	R6	FloorPlan-DWG	Residential	LD	W12	112°	34	6	34	6
					W13	112°	48	15		
					W14	22°N			48	15
	R7	FloorPlan-DWG	Residential	Bedroom	W15	22°N			*North*	*North*
	R8	FloorPlan-DWG	Residential	Bedroom	W16	22°N			*North*	*North*
	R9	FloorPlan-DWG	Residential	Bedroom	W17	22°N			*North*	*North*
									North	*North*
Fourth	R1	FloorPlan-DWG	Residential	LD	W1	292°N				
					W2	202°	48	21		
					W3	202°	49	19		
					W4	202°	47	21		
	R2	FloorPlan-DWG	Residential	Bedroom	W5	202°	46	20	56	23
	R3	FloorPlan-DWG	Residential	LKD	W6	202°	46	20	46	20
					W7	202°	49	21		
					W8	202°	48	18		
					W9	112°	49	15		
	R4	FloorPlan-DWG	Residential	Bedroom	W10	112°	34	6	89	28
	R5	FloorPlan-DWG	Residential	Bedroom	W11	112°	34	6	34	6
	R6	FloorPlan-DWG	Residential	LD	W12	112°	34	6	34	6
					W13	112°	49	15		
					W14	22°N			49	15
	R7	FloorPlan-DWG	Residential	Bedroom	W15	22°N			*North*	*North*
	R8	FloorPlan-DWG	Residential	Bedroom	W16	22°N			*North*	*North*
	R9	FloorPlan-DWG	Residential	Bedroom	W17	22°N			*North*	*North*
									North	*North*
Building 10										
Ground	R1	FloorPlan-DWG	Residential	LKD	W1	202°	65	26		
					W2	202°	52	23		
					W28	292°N			69	26
	R2	FloorPlan-DWG	Residential	LKD	W3	202°	52	23		
					W4	202°	65	26		
					W5	112°	24	9		

Project Name: Hillingdon Gateway
Project No.: Release 05
Report Title: Daylight & Sunlight Analysis - Proposed Scheme (25th September 2019)
Date of Analysis: 30/09/2019

Floor Ref.	Room Ref.	Room Attribute	Property Type	Room Use.	Window Ref.	Window Orientation	Annual	Winter	Total Suns per Room Annual	Total Suns per Room Winter
	R3	FloorPlan-DWG	Residential	Bedroom	W6	112°	15	2	71	26
	R4	FloorPlan-DWG	Residential	Bedroom	W7	112°	15	0	15	2
	R5	FloorPlan-DWG	Residential	Bedroom	W8	112°	26	5	15	0
	R6	FloorPlan-DWG	Residential	Bedroom	W9	112°	25	8	26	5
	R7	FloorPlan-DWG	Residential	Bedroom	W10	112°	16	5	25	8
	R8	FloorPlan-DWG	Residential	Bedroom	W11	112°	14	3	16	5
	R9	FloorPlan-DWG	Residential	LKD	W12 W13 W14	112° 22°N 22°N	20	5	14	3
	R10	FloorPlan-DWG	Residential	LKD	W15 W16 W17	22°N 22°N 292°N			20	5
	R11	FloorPlan-DWG	Residential	Bedroom	W18	292°N			*North*	*North*
	R12	FloorPlan-DWG	Residential	Bedroom	W19	292°N			*North*	*North*
	R13	FloorPlan-DWG	Residential	Bedroom	W20	292°N			*North*	*North*
	R14	FloorPlan-DWG	Residential	Bedroom	W21	292°N			*North*	*North*
	R15	FloorPlan-DWG	Residential	LD	W22	292°N			*North*	*North*
	R16	FloorPlan-DWG	Residential	LD	W23	292°N			*North*	*North*
	R17	FloorPlan-DWG	Residential	Bedroom	W24	292°N			*North*	*North*
	R18	FloorPlan-DWG	Residential	Bedroom	W25	292°N			*North*	*North*
	R19	FloorPlan-DWG	Residential	Bedroom	W26	292°N			*North*	*North*
	R20	FloorPlan-DWG	Residential	Bedroom	W27	292°N			*North*	*North*
First	R1	FloorPlan-DWG	Residential	LKD	W1 W2 W36	202° 202° 292°N	65 52	26 23		
	R2	FloorPlan-DWG	Residential	LKD	W3 W4 W5	202° 202° 112°	52 65 29	23 26 9	70	26
	R3	FloorPlan-DWG	Residential	Bedroom	W6	112°	23	3	75	26
	R4	FloorPlan-DWG	Residential	Bedroom	W7	112°	23	1	23	3
	R5	FloorPlan-DWG	Residential	Bedroom	W8	112°	34	6	23	1
	R6	FloorPlan-DWG	Residential	Bedroom	W9	112°	35	7	34	6
	R7	FloorPlan-DWG	Residential	Bedroom	W10	112°	28	3	35	7
	R8	FloorPlan-DWG	Residential	LD	W11 W12	112° 112°	29 37	3 8	28	3

Project Name: Hillingdon Gateway
Project No.: Release 05
Report Title: Daylight & Sunlight Analysis - Proposed Scheme (25th September 2019)
Date of Analysis: 30/09/2019

Floor Ref.	Room Ref.	Room Attribute	Property Type	Room Use.	Window Ref.	Window Orientation	Annual	Winter	Total Suns per Room Annual	Total Suns per Room Winter
	R9	FloorPlan-DWG	Residential	LD	W13 W14	112° 112°	38 30	9 7	37	8
	R10	FloorPlan-DWG	Residential	Bedroom	W15	112°	27	7	39	10
	R11	FloorPlan-DWG	Residential	Bedroom	W16	112°	33	11	27	7
	R12	FloorPlan-DWG	Residential	Bedroom	W17	112°	28	10	33	11
	R13	FloorPlan-DWG	Residential	Bedroom	W18	112°	19	5	28	10
	R14	FloorPlan-DWG	Residential	Bedroom	W19	112°	19	4	19	5
	R15	FloorPlan-DWG	Residential	LKD	W20 W21 W22	112° 22°N 22°N	27	7	19	4
	R16	FloorPlan-DWG	Residential	LKD	W23 W24 W25	22°N 22°N 292°N			27	7
	R17	FloorPlan-DWG	Residential	Bedroom	W26	292°N			*North*	*North*
	R18	FloorPlan-DWG	Residential	Bedroom	W27	292°N			*North*	*North*
	R19	FloorPlan-DWG	Residential	Bedroom	W28	292°N			*North*	*North*
	R20	FloorPlan-DWG	Residential	Bedroom	W29	292°N			*North*	*North*
	R21	FloorPlan-DWG	Residential	LD	W30	292°N			*North*	*North*
	R22	FloorPlan-DWG	Residential	LD	W31	292°N			*North*	*North*
	R23	FloorPlan-DWG	Residential	Bedroom	W32	292°N			*North*	*North*
	R24	FloorPlan-DWG	Residential	Bedroom	W33	292°N			*North*	*North*
	R25	FloorPlan-DWG	Residential	Bedroom	W34	292°N			*North*	*North*
	R26	FloorPlan-DWG	Residential	Bedroom	W35	292°N			*North*	*North*
Second	R1	FloorPlan-DWG	Residential	LKD	W1 W2 W36	202° 202° 292°N	65 52	26 23		
	R2	FloorPlan-DWG	Residential	LKD	W3 W4 W5	202° 202° 112°	52 65 36	23 26 9	70	26
	R3	FloorPlan-DWG	Residential	Bedroom	W6	112°	28	3	81	26
	R4	FloorPlan-DWG	Residential	Bedroom	W7	112°	29	2	28	3
	R5	FloorPlan-DWG	Residential	Bedroom	W8	112°	38	7	29	2
	R6	FloorPlan-DWG	Residential	Bedroom	W9	112°	40	8	38	7
	R7	FloorPlan-DWG	Residential	Bedroom	W10	112°	33	5	40	8
	R8	FloorPlan-DWG	Residential	LD	W11	112°	31	5	33	5

Date of Analysis: 30/09/2019

robinsons
Robinsons Surveyors Limited

Floor Ref.	Room Ref.	Room Attribute	Property Type	Room Use.	Window Ref.	Window Orientation	Annual	Winter	Total Suns per Room Annual	Total Suns per Room Winter
	R9	FloorPlan-DWG	Residential	LD	W12	112°	40	11	40	11
					W13	112°	40	11		
					W14	112°	33	7		
	R10	FloorPlan-DWG	Residential	Bedroom	W15	112°	32	9	40	11
					W16	112°	38	13		
	R11	FloorPlan-DWG	Residential	Bedroom	W17	112°	36	12	32	9
					W18	112°	38	13		
	R12	FloorPlan-DWG	Residential	Bedroom	W19	112°	26	6	36	12
					W20	112°	26	6		
	R13	FloorPlan-DWG	Residential	Bedroom	W21	112°	26	4	36	12
					W22	112°	26	4		
	R14	FloorPlan-DWG	Residential	Bedroom	W23	112°	36	9	26	4
					W24	22°N				
	R15	FloorPlan-DWG	Residential	LKD	W25	22°N			36	9
					W26	292°N				
	R16	FloorPlan-DWG	Residential	LKD	W27	292°N			*North*	*North*
					W28	292°N				
	R17	FloorPlan-DWG	Residential	Bedroom	W29	292°N			*North*	*North*
					W30	292°N				
	R18	FloorPlan-DWG	Residential	Bedroom	W31	292°N			*North*	*North*
					W32	292°N				
	R19	FloorPlan-DWG	Residential	Bedroom	W33	292°N			*North*	*North*
					W34	292°N				
	R20	FloorPlan-DWG	Residential	Bedroom	W35	292°N			*North*	*North*
					W36	292°N				
	R21	FloorPlan-DWG	Residential	LD	W1	202°	65	26	71	26
W2					202°	52	23			
R22	FloorPlan-DWG	Residential	LKD	W3	202°	52	23	86	27	
				W4	202°	65	26			
R23	FloorPlan-DWG	Residential	Bedroom	W5	112°	42	11	33	5	
				W6	112°	35	5			
R24	FloorPlan-DWG	Residential	Bedroom	W7	112°	33	5	33	5	
				W8	112°	44	11			
R25	FloorPlan-DWG	Residential	Bedroom	W9	112°	45	12	44	11	
				W10	112°	45	12			
R26	FloorPlan-DWG	Residential	Bedroom	W11	112°	37	7	45	12	
				W12	112°	37	7			

Project Name: Hillingdon Gateway
Project No.: Release 05
Report Title: Daylight & Sunlight Analysis - Proposed Scheme (25th September 2019)
Date of Analysis: 30/09/2019

Floor Ref.	Room Ref.	Room Attribute	Property Type	Room Use.	Window Ref.	Window Orientation	Annual	Winter	Total Suns per Room Annual	Total Suns per Room Winter
	R8	FloorPlan-DWG	Residential	LD	W11	112°	38	8		
					W12	112°	47	15	48	15
	R9	FloorPlan-DWG	Residential	LD	W13	112°	45	15		
					W14	112°	36	9	45	15
	R10	FloorPlan-DWG	Residential	Bedroom	W15	112°	36	9	36	9
	R11	FloorPlan-DWG	Residential	Bedroom	W16	112°	44	15	44	15
	R12	FloorPlan-DWG	Residential	Bedroom	W17	112°	41	13	41	13
	R13	FloorPlan-DWG	Residential	Bedroom	W18	112°	31	6	31	6
	R14	FloorPlan-DWG	Residential	Bedroom	W19	112°	32	6	32	6
	R15	FloorPlan-DWG	Residential	LKD	W20	112°	42	11		
					W21	22°N			42	11
					W22	22°N				
	R16	FloorPlan-DWG	Residential	LKD	W23	22°N			*North*	*North*
					W24	22°N				
					W25	292°N				
	R17	FloorPlan-DWG	Residential	Bedroom	W26	292°N			*North*	*North*
	R18	FloorPlan-DWG	Residential	Bedroom	W27	292°N			*North*	*North*
	R19	FloorPlan-DWG	Residential	Bedroom	W28	292°N			*North*	*North*
	R20	FloorPlan-DWG	Residential	Bedroom	W29	292°N			*North*	*North*
	R21	FloorPlan-DWG	Residential	LD	W30	292°N			*North*	*North*
	R22	FloorPlan-DWG	Residential	LD	W31	292°N			*North*	*North*
	R23	FloorPlan-DWG	Residential	Bedroom	W32	292°N			*North*	*North*
	R24	FloorPlan-DWG	Residential	Bedroom	W33	292°N			*North*	*North*
	R25	FloorPlan-DWG	Residential	Bedroom	W34	292°N			*North*	*North*
	R26	FloorPlan-DWG	Residential	Bedroom	W35	292°N			*North*	*North*
									North	*North*
Fourth	R1	FloorPlan-DWG	Residential	LKD	W1	202°	65	26		
					W2	202°	52	23	72	26
					W36	292°N				
	R2	FloorPlan-DWG	Residential	LKD	W3	202°	52	23		
					W4	202°	65	26		
					W5	112°	47	13	90	28
	R3	FloorPlan-DWG	Residential	Bedroom	W6	112°	37	7	37	7
	R4	FloorPlan-DWG	Residential	Bedroom	W7	112°	37	7	37	7
	R5	FloorPlan-DWG	Residential	Bedroom	W8	112°	47	13	47	13
	R6	FloorPlan-DWG	Residential	Bedroom	W9	112°	47	14	47	14
	R7	FloorPlan-DWG	Residential	Bedroom	W10	112°	38	8		

Date of Analysis: 30/09/2019

robinsons
Robinsons Surveyors Limited

[illegible]

Project Name: Hillingdon Gateway
Project No.: Release 05
Report Title: Daylight & Sunlight Analysis - Proposed Scheme (25th September 2019)
Date of Analysis: 30/09/2019

Floor Ref.	Room Ref.	Room Attribute	Property Type	Room Use.	Window Ref.	Window Orientation	Annual	Winter	Total Suns per Room Annual	Total Suns per Room Winter
	R7	FloorPlan-DWG	Residential	Bedroom	W10	112°	39	9	39	9
	R8	FloorPlan-DWG	Residential	LD	W11 W12	112° 112°	39 49	9 15	49	15
	R9	FloorPlan-DWG	Residential	LD	W13 W14	112° 112°	49 39	15 9	49	15
	R10	FloorPlan-DWG	Residential	Bedroom	W15	112°	39	9	39	9
	R11	FloorPlan-DWG	Residential	Bedroom	W16	112°	49	15	49	15
	R12	FloorPlan-DWG	Residential	Bedroom	W17	112°	49	15	49	15
	R13	FloorPlan-DWG	Residential	Bedroom	W18	112°	39	9	39	9
	R14	FloorPlan-DWG	Residential	Bedroom	W19	112°	39	9	39	9
	R15	FloorPlan-DWG	Residential	LKD	W20 W21 W22	112° 22°N 22°N	48	15	48	15
	R16	FloorPlan-DWG	Residential	LKD	W23 W24 W25	22°N 22°N 292°N			*North*	*North*
	R17	FloorPlan-DWG	Residential	Bedroom	W26	292°N			*North*	*North*
	R18	FloorPlan-DWG	Residential	Bedroom	W27	292°N			*North*	*North*
	R19	FloorPlan-DWG	Residential	Bedroom	W28	292°N			*North*	*North*
	R20	FloorPlan-DWG	Residential	Bedroom	W29	292°N			*North*	*North*
	R21	FloorPlan-DWG	Residential	LD	W30	292°N			*North*	*North*
	R22	FloorPlan-DWG	Residential	LD	W31	292°N			*North*	*North*
	R23	FloorPlan-DWG	Residential	Bedroom	W32	292°N			*North*	*North*
	R24	FloorPlan-DWG	Residential	Bedroom	W33	292°N			*North*	*North*
	R25	FloorPlan-DWG	Residential	Bedroom	W34	292°N			*North*	*North*
	R26	FloorPlan-DWG	Residential	Bedroom	W35	292°N			*North*	*North*
Sixth	R1	FloorPlan-DWG	Residential	LKD	W1 W2 W24	202° 202° 292°N	55 57	24 24	67	24
	R2	FloorPlan-DWG	Residential	LD	W3 W4 W5	202° 202° 112°	57 55 42	24 24 11	91	30
	R3	FloorPlan-DWG	Residential	Bedroom	W6	112°	42	11	42	11
	R4	FloorPlan-DWG	Residential	Bedroom	W7 W8	112° 112°	43 43	10 10	43	10
	R5	FloorPlan-DWG	Residential	Bedroom	W9	112°	42	11	42	11

Project Name: Hillingdon Gateway
Project No.: Release 05
Report Title: Daylight & Sunlight Analysis - Proposed Scheme (25th September 2019)
Date of Analysis: 30/09/2019

Floor Ref.	Room Ref.	Room Attribute	Property Type	Room Use.	Window Ref.	Window Orientation	Annual	Winter	Total Suns per Room Annual	Total Suns per Room Winter
	R6	FloorPlan-DWG	Residential	Bedroom	W10	112°	42	11	42	11
	R7	FloorPlan-DWG	Residential	Bedroom	W11	112°	43	10	43	10
					W12	112°	43	10	43	10
	R8	FloorPlan-DWG	Residential	Bedroom	W13	112°	42	11	42	11
	R9	FloorPlan-DWG	Residential	LD	W14	112°	42	11	42	11
					W15	22°N				
					W16	22°N			42	11
	R10	FloorPlan-DWG	Residential	LKD	W17	22°N				
					W18	22°N				
					W19	292°N				
	R11	FloorPlan-DWG	Residential	Bedroom	W20	292°N			*North*	*North*
	R12	FloorPlan-DWG	Residential	Bedroom	W21	292°N			*North*	*North*
	R13	FloorPlan-DWG	Residential	Bedroom	W22	292°N			*North*	*North*
	R14	FloorPlan-DWG	Residential	Bedroom	W23	292°N			*North*	*North*
									North	*North*
Building 11										
Ground	R1	FloorPlan-DWG	Residential	Bedroom	W1	202°	45	9	45	9
	R2	FloorPlan-DWG	Residential	LD	W2	202°	49	11	49	11
	R3	FloorPlan-DWG	Residential	LD	W3	202°	53	13	53	13
	R4	FloorPlan-DWG	Residential	Bedroom	W4	202°	52	14	52	14
	R5	FloorPlan-DWG	Residential	Bedroom	W5	202°	43	12	43	12
	R6	FloorPlan-DWG	Residential	Bedroom	W6	202°	42	13	42	13
	R7	FloorPlan-DWG	Residential	LD	W7	112°	49	15	49	15
					W8	112°	49	15	49	15
	R8	FloorPlan-DWG	Residential	LD	W9	112°	43	10	43	10
					W10	112°	52	18	52	18
					W11	22°N			52	18
	R9	FloorPlan-DWG	Residential	Bedroom	W12	22°N			*North*	*North*
	R10	FloorPlan-DWG	Residential	Bedroom	W13	22°N			*North*	*North*
	R11	FloorPlan-DWG	Residential	LD	W14	112°	17	2	17	2
					W15	22°N			18	2
	R12	FloorPlan-DWG	Residential	Bedroom	W16	112°	19	2	19	2
					W17	22°N			20	2
First	R1	FloorPlan-DWG	Residential	LD	W1	202°	51	15	51	15
					W30	292°N				
					W31	292°N				
	R2	FloorPlan-DWG	Residential	Bedroom	W2	202°	45	14	45	14

Project Name: Hillingdon Gateway
Project No.: Release 05
Report Title: Daylight & Sunlight Analysis - Proposed Scheme (25th September 2019)
Date of Analysis: 30/09/2019

Floor Ref.	Room Ref.	Room Attribute	Property Type	Room Use.	Window Ref.	Window Orientation	Annual	Winter	Total Suns per Room Annual	Total Suns per Room Winter
	R3	FloorPlan-DWG	Residential	Bedroom	W3	202°	50	16	50	16
	R4	FloorPlan-DWG	Residential	Bedroom	W4	202°	49	13	49	13
	R5	FloorPlan-DWG	Residential	LD	W5	202°	54	13	54	13
	R6	FloorPlan-DWG	Residential	LD	W6	202°	54	15	54	15
	R7	FloorPlan-DWG	Residential	Bedroom	W7	202°	59	17	59	17
	R8	FloorPlan-DWG	Residential	Bedroom	W8	202°	54	17	54	17
	R9	FloorPlan-DWG	Residential	Bedroom	W9	202°	47	15	47	15
	R10	FloorPlan-DWG	Residential	LD	W10	202°	70	22	85	23
					W11	112°	61	21		
					W12	112°	50	16		
					W13	112°	43	10		
	R11	FloorPlan-DWG	Residential	LD	W14	112°	43	10	52	18
					W15	112°	52	18		
					W16	22°N				
	R12	FloorPlan-DWG	Residential	Bedroom	W17	22°N			*North*	*North*
	R13	FloorPlan-DWG	Residential	Bedroom	W18	22°N			*North*	*North*
	R14	FloorPlan-DWG	Residential	LD	W19	112°	16	1	17	1
					W20	22°N				
	R15	FloorPlan-DWG	Residential	Bedroom	W21	112°	19	2		
				W22	22°N					
R16	FloorPlan-DWG	Residential	Bedroom	W23	22°N			20	2	
				W24	292°N			*North*	*North*	
R17	FloorPlan-DWG	Residential	LD	W25	22°N			*North*	*North*	
R18	FloorPlan-DWG	Residential	Bedroom	W26	22°N			*North*	*North*	
R19	FloorPlan-DWG	Residential	Bedroom	W27	22°N			*North*	*North*	
R20	FloorPlan-DWG	Residential	LD	W28	22°N			*North*	*North*	
				W29	292°N			*North*	*North*	
Second	R1	FloorPlan-DWG	Residential	LD	W1	202°	55	18	55	18
					W30	292°N				
					W31	292°N				
	R2	FloorPlan-DWG	Residential	Bedroom	W2	202°	47	16	47	16
	R3	FloorPlan-DWG	Residential	Bedroom	W3	202°	52	18	52	18
	R4	FloorPlan-DWG	Residential	Bedroom	W4	202°	57	17	57	17
	R5	FloorPlan-DWG	Residential	LD	W5	202°	56	17	56	17
	R6	FloorPlan-DWG	Residential	LD	W6	202°	61	18	61	18
	R7	FloorPlan-DWG	Residential	Bedroom	W7	202°	59	20	59	20

Project Name: Hillingdon Gateway
Project No.: Release 05
Report Title: Daylight & Sunlight Analysis - Proposed Scheme (25th September 2019)
Date of Analysis: 30/09/2019

Floor Ref.	Room Ref.	Room Attribute	Property Type	Room Use.	Window Ref.	Window Orientation	Annual	Winter	Total Suns per Room Annual	Total Suns per Room Winter
	R8	FloorPlan-DWG	Residential	Bedroom	W8	202°	57	20	57	20
	R9	FloorPlan-DWG	Residential	Bedroom	W9	202°	50	18	50	18
	R10	FloorPlan-DWG	Residential	LD	W10	202°	72	24		
					W11	112°	61	21		
					W12	112°	50	16		
					W13	112°	43	10		
									86	24
	R11	FloorPlan-DWG	Residential	LD	W14	112°	43	10		
					W15	112°	52	18		
					W16	22°N				
									52	18
	R12	FloorPlan-DWG	Residential	Bedroom	W17	22°N			*North*	*North*
	R13	FloorPlan-DWG	Residential	Bedroom	W18	22°N			*North*	*North*
	R14	FloorPlan-DWG	Residential	LD	W19	112°	16	1		
					W20	22°N				
									17	1
	R15	FloorPlan-DWG	Residential	Bedroom	W21	112°	19	2		
					W22	22°N				
									20	2
	R16	FloorPlan-DWG	Residential	Bedroom	W23	22°N				
					W24	292°N			*North*	*North*
	R17	FloorPlan-DWG	Residential	LD	W25	22°N			*North*	*North*
	R18	FloorPlan-DWG	Residential	Bedroom	W26	22°N			*North*	*North*
	R19	FloorPlan-DWG	Residential	Bedroom	W27	22°N			*North*	*North*
	R20	FloorPlan-DWG	Residential	LD	W28	22°N			*North*	*North*
					W29	292°N			*North*	*North*
Third	R1	FloorPlan-DWG	Residential	LD	W1	202°	60	23		
					W30	292°N				
					W31	292°N				
									60	23
	R2	FloorPlan-DWG	Residential	Bedroom	W2	202°	52	20	52	20
	R3	FloorPlan-DWG	Residential	Bedroom	W3	202°	57	21	57	21
	R4	FloorPlan-DWG	Residential	Bedroom	W4	202°	59	20	59	20
	R5	FloorPlan-DWG	Residential	LD	W5	202°	64	21	64	21
	R6	FloorPlan-DWG	Residential	LD	W6	202°	65	22	65	22
	R7	FloorPlan-DWG	Residential	Bedroom	W7	202°	61	22	61	22
	R8	FloorPlan-DWG	Residential	Bedroom	W8	202°	60	23	60	23
	R9	FloorPlan-DWG	Residential	Bedroom	W9	202°	52	20	52	20
	R10	FloorPlan-DWG	Residential	LD	W10	202°	75	27		
					W11	112°	61	21		
					W12	112°	50	16		
					W13	112°	43	10		
									89	27
	R11	FloorPlan-DWG	Residential	LD	W14	112°	43	10		

Project Name: Hillingdon Gateway

Project No.: Release 05

Report Title: Daylight & Sunlight Analysis - Proposed Scheme (25th September 2019)

Date of Analysis: 30/09/2019

Floor Ref.	Room Ref.	Room Attribute	Property Type	Room Use.	Window Ref.	Window Orientation	Annual	Winter	Total Suns per Room Annual	Total Suns per Room Winter
					W15	112°	52	18		
					W16	22°N			52	18
	R12	FloorPlan-DWG	Residential	Bedroom	W17	22°N			*North*	*North*
	R13	FloorPlan-DWG	Residential	Bedroom	W18	22°N			*North*	*North*
	R14	FloorPlan-DWG	Residential	LD	W19	112°	16	1		
					W20	22°N			17	1
	R15	FloorPlan-DWG	Residential	Bedroom	W21	112°	19	2		
					W22	22°N			20	2
	R16	FloorPlan-DWG	Residential	Bedroom	W23	22°N				
					W24	292°N			*North*	*North*
	R17	FloorPlan-DWG	Residential	LD	W25	22°N			*North*	*North*
	R18	FloorPlan-DWG	Residential	Bedroom	W26	22°N			*North*	*North*
	R19	FloorPlan-DWG	Residential	Bedroom	W27	22°N			*North*	*North*
	R20	FloorPlan-DWG	Residential	LD	W28	22°N			*North*	*North*
					W29	292°N			*North*	*North*
Fourth	R1	FloorPlan-DWG	Residential	LD	W1	202°	65	24		
					W23	292°N			65	24
					W24	292°N			55	22
	R2	FloorPlan-DWG	Residential	Bedroom	W2	202°	55	22		
	R3	FloorPlan-DWG	Residential	Bedroom	W3	202°	61	24		
	R4	FloorPlan-DWG	Residential	Bedroom	W4	202°	68	26		
	R5	FloorPlan-DWG	Residential	LD	W5	202°	64	25		
	R6	FloorPlan-DWG	Residential	Bedroom	W6	202°	69	25		
	R7	FloorPlan-DWG	Residential	Bedroom	W7	202°	63	24		
	R8	FloorPlan-DWG	Residential	LKD	W8	202°	61	24		
					W9	112°	49	15		
	R9	FloorPlan-DWG	Residential	LD	W10	112°	49	15		
					W11	22°N			90	28
	R10	FloorPlan-DWG	Residential	Bedroom	W12	112°	18	2		
					W13	22°N			49	15
	R11	FloorPlan-DWG	Residential	Bedroom	W14	112°	20	2		
					W15	22°N			19	2
	R12	FloorPlan-DWG	Residential	Bedroom	W16	22°N			21	2
					W17	292°N			*North*	*North*
	R13	FloorPlan-DWG	Residential	LD	W18	22°N			*North*	*North*
	R14	FloorPlan-DWG	Residential	Bedroom	W19	22°N			*North*	*North*
	R15	FloorPlan-DWG	Residential	Bedroom	W20	22°N			*North*	*North*

Project Name: Hillingdon Gateway
Project No.: Release 05
Report Title: Daylight & Sunlight Analysis - Proposed Scheme (25th September 2019)
Date of Analysis: 30/09/2019

Floor Ref.	Room Ref.	Room Attribute	Property Type	Room Use.	Window Ref.	Window Orientation	Annual	Winter	Total Suns per Room Annual	Total Suns per Room Winter
	R16	FloorPlan-DWG	Residential	LD	W21 W22	22°N 292°N			*North*	*North*
									North	*North*
Building 12										
Ground	R1	FloorPlan-DWG	Residential	Bedroom	W1	202°	65	26	65	26
	R2	FloorPlan-DWG	Residential	LD	W2	202°	73	28	73	28
	R3	FloorPlan-DWG	Residential	LD	W3	202°	73	28	73	28
	R4	FloorPlan-DWG	Residential	Bedroom	W4	202°	65	26	65	26
	R5	FloorPlan-DWG	Residential	Bedroom	W5	202°	57	24	57	24
	R6	FloorPlan-DWG	Residential	Bedroom	W6	202°	56	24	56	24
	R7	FloorPlan-DWG	Residential	LD	W7 W8	112° 112°	49 49	15 15	49	15
	R8	FloorPlan-DWG	Residential	LD	W9 W10 W11	112° 112° 22°N	43 52	10 18	52	18
	R9	FloorPlan-DWG	Residential	Bedroom	W12	22°N			*North*	*North*
	R10	FloorPlan-DWG	Residential	Bedroom	W13	22°N			*North*	*North*
	R11	FloorPlan-DWG	Residential	LD	W14 W15	112° 22°N	17	2	18	2
	R12	FloorPlan-DWG	Residential	Bedroom	W16 W17	112° 22°N	19	2	20	2
First	R1	FloorPlan-DWG	Residential	LD	W1 W30 W31	202° 292°N 292°N	74	27	74	27
	R2	FloorPlan-DWG	Residential	Bedroom	W2	202°	57	24	57	24
	R3	FloorPlan-DWG	Residential	Bedroom	W3	202°	63	26	63	26
	R4	FloorPlan-DWG	Residential	Bedroom	W4	202°	65	26	65	26
	R5	FloorPlan-DWG	Residential	LD	W5	202°	72	27	72	27
	R6	FloorPlan-DWG	Residential	LD	W6	202°	65	26	65	26
	R7	FloorPlan-DWG	Residential	Bedroom	W7	202°	69	27	69	27
	R8	FloorPlan-DWG	Residential	Bedroom	W8	202°	63	26	63	26
	R9	FloorPlan-DWG	Residential	Bedroom	W9	202°	56	24	56	24
	R10	FloorPlan-DWG	Residential	LD	W10 W11 W12 W13	202° 112° 112° 112°	78 61 50 43	30 21 16 10	92	30

Project Name: Hillingdon Gateway
Project No.: Release 05
Report Title: Daylight & Sunlight Analysis - Proposed Scheme (25th September 2019)
Date of Analysis: 30/09/2019

Floor Ref.	Room Ref.	Room Attribute	Property Type	Room Use.	Window Ref.	Window Orientation	Annual	Winter	Total Suns per Room Annual	Total Suns per Room Winter
	R11	FloorPlan-DWG	Residential	LD	W14 W15 W16	112° 112° 22°N	43 52	10 18	52	18
	R12	FloorPlan-DWG	Residential	Bedroom	W17	22°N			*North*	*North*
	R13	FloorPlan-DWG	Residential	Bedroom	W18	22°N			*North*	*North*
	R14	FloorPlan-DWG	Residential	LD	W19 W20	112° 22°N	16	1	17	1
	R15	FloorPlan-DWG	Residential	Bedroom	W21 W22	112° 22°N	19	2	20	2
	R16	FloorPlan-DWG	Residential	Bedroom	W23 W24	22°N 292°N			*North*	*North*
	R17	FloorPlan-DWG	Residential	LD	W25	22°N			*North*	*North*
	R18	FloorPlan-DWG	Residential	Bedroom	W26	22°N			*North*	*North*
	R19	FloorPlan-DWG	Residential	Bedroom	W27	22°N			*North*	*North*
	R20	FloorPlan-DWG	Residential	LD	W28 W29	22°N 292°N			*North*	*North*
Second	R1	FloorPlan-DWG	Residential	LD	W1 W30 W31	202° 292°N 292°N	75	27	75	27
	R2	FloorPlan-DWG	Residential	Bedroom	W2	202°	57	24	57	24
	R3	FloorPlan-DWG	Residential	Bedroom	W3	202°	63	26	63	26
	R4	FloorPlan-DWG	Residential	Bedroom	W4	202°	69	27	69	27
	R5	FloorPlan-DWG	Residential	LD	W5	202°	65	26	65	26
	R6	FloorPlan-DWG	Residential	LD	W6	202°	73	27	73	27
	R7	FloorPlan-DWG	Residential	Bedroom	W7	202°	65	26	65	26
	R8	FloorPlan-DWG	Residential	Bedroom	W8	202°	63	26	63	26
	R9	FloorPlan-DWG	Residential	Bedroom	W9	202°	56	24	56	24
	R10	FloorPlan-DWG	Residential	LD	W10 W11 W12 W13	202° 112° 112° 112°	78 61 50 43	30 21 16 10	92	30
	R11	FloorPlan-DWG	Residential	LD	W14 W15 W16	112° 112° 22°N	43 52	10 18	52	18
	R12	FloorPlan-DWG	Residential	Bedroom	W17	22°N			*North*	*North*
	R13	FloorPlan-DWG	Residential	Bedroom	W18	22°N			*North*	*North*
	R14	FloorPlan-DWG	Residential	LD	W19 W20	112° 22°N	16	1		

Project Name: Hillingdon Gateway
Project No.: Release 05
Report Title: Daylight & Sunlight Analysis - Proposed Scheme (25th September 2019)
Date of Analysis: 30/09/2019

Floor Ref.	Room Ref.	Room Attribute	Property Type	Room Use.	Window Ref.	Window Orientation	Annual	Winter	Total Suns per Room Annual	Total Suns per Room Winter
	R15	FloorPlan-DWG	Residential	Bedroom	W21 W22	112° 22°N	19	2	17	1
	R16	FloorPlan-DWG	Residential	Bedroom	W23 W24	22°N 292°N			20	2
	R17	FloorPlan-DWG	Residential	LD	W25	22°N			*North*	*North*
	R18	FloorPlan-DWG	Residential	Bedroom	W26	22°N			*North*	*North*
	R19	FloorPlan-DWG	Residential	Bedroom	W27	22°N			*North*	*North*
	R20	FloorPlan-DWG	Residential	LD	W28 W29	22°N 292°N			*North*	*North*
									North	*North*
Third	R1	FloorPlan-DWG	Residential	LD	W1 W30 W31	202° 292°N 292°N	75	27		
	R2	FloorPlan-DWG	Residential	Bedroom	W2	202°	57	24	76	27
	R3	FloorPlan-DWG	Residential	Bedroom	W3	202°	63	26	57	24
	R4	FloorPlan-DWG	Residential	Bedroom	W4	202°	65	26	63	26
	R5	FloorPlan-DWG	Residential	LD	W5	202°	73	27	65	26
	R6	FloorPlan-DWG	Residential	LD	W6	202°	73	27	65	26
	R7	FloorPlan-DWG	Residential	Bedroom	W7	202°	65	26	73	27
	R8	FloorPlan-DWG	Residential	Bedroom	W8	202°	63	26	65	26
	R9	FloorPlan-DWG	Residential	Bedroom	W9	202°	56	24	63	26
	R10	FloorPlan-DWG	Residential	LD	W10 W11 W12 W13	202° 112° 112° 112°	78 61 50 43	30 21 16 10	56	24
	R11	FloorPlan-DWG	Residential	LD	W14 W15 W16	112° 112° 22°N	43 52	10 18	92	30
	R12	FloorPlan-DWG	Residential	Bedroom	W17	22°N			52	18
	R13	FloorPlan-DWG	Residential	Bedroom	W18	22°N			*North*	*North*
	R14	FloorPlan-DWG	Residential	LD	W19 W20	112° 22°N	16	1	*North*	*North*
	R15	FloorPlan-DWG	Residential	Bedroom	W21 W22	112° 22°N	19	2	17	1
	R16	FloorPlan-DWG	Residential	Bedroom	W23 W24	22°N 292°N			20	2
	R17	FloorPlan-DWG	Residential	LD	W25	22°N			*North*	*North*
	R18	FloorPlan-DWG	Residential	Bedroom	W26	22°N			*North*	*North*


Date of Analysis: 30/09/2019

robinsons
Robinsons Surveyors Limited


[illegible]

Appendix D


17013-M04
2019-21-3--08-00




17013-M04
2019-21-3--09-00



17013-M04
2019-21-3--10-00



17013-M04
2019-21-3--11-00



Source Data:

COLLADOCOLLINS ARCHITECTS
PROPOSED SCHEME DRAWINGS
RECEIVED SEPTEMBER 2019.

ZMAPPING
3D MASSING MODEL.

ORDNANCE SURVEY
SITE PLAN.

SITE PHOTOGRAPHY 23.06.2017.

Key:



A	-	-
Rev:	Details:	Date:

Address:
HILLINGDON GATEWAY
FREEZELAND WAY
HILLINGDON, UB10 9NX

Title:
TRANSIENT SHADOW STUDY
21ST MARCH
LONDON SETTING

Client:


Drawn by: GF	Scale: NTS
-----------------	---------------

Date: 15/09/2019	Issue No: 01
---------------------	-----------------


Drawing No: 55	Model Release: 04
-------------------	----------------------

robinsons
Robinsons Surveyors Limited


17013-M04
2019-21-3--12-00




17013-M04
2019-21-3--13-00



17013-M04
2019-21-3--14-00



17013-M04
2019-21-3--15-00



Source Data:

COLLADOCOLLINS ARCHITECTS
PROPOSED SCHEME DRAWINGS
RECEIVED SEPTEMBER 2019.

ZMAPPING
3D MASSING MODEL.

ORDNANCE SURVEY
SITE PLAN.

SITE PHOTOGRAPHY 23.06.2017.

Key:



A	-	-
Rev:	Details:	Date:

Address:
HILLINGDON GATEWAY
FREEZELAND WAY
HILLINGDON, UB10 9NX

Title:
TRANSIENT SHADOW STUDY
21ST MARCH
LONDON SETTING

Client:


Drawn by: GF	Scale: NTS
-----------------	---------------

Date: 15/09/2019	Issue No: 01
---------------------	-----------------


Drawing No: 56	Model Release: 04
-------------------	----------------------

robinsons
Robinsons Surveyors Limited

17013-M04
2019-21-3--16-00



17013-M04
2019-21-3--17-00



Source Data:

COLLADOCOLLINS ARCHITECTS
PROPOSED SCHEME DRAWINGS
RECEIVED SEPTEMBER 2019.

ZMAPPING
3D MASSING MODEL.

ORDNANCE SURVEY
SITE PLAN.

SITE PHOTOGRAPHY 23.06.2017.

Key:



A	-	-
Rev:	Details:	Date:

Address:
HILLINGDON GATEWAY
FREEZELAND WAY
HILLINGDON, UB10 9NX

Title:
TRANSIENT SHADOW STUDY
21ST MARCH
LONDON SETTING

Client:

Drawn by: GF	Scale: NTS
-----------------	---------------

Date: 15/09/2019	Issue No: 01
---------------------	-----------------

Drawing No: 57	Model Release: 04
-------------------	----------------------

robinsons
Robinsons Surveyors Limited