




Roof Plan Proposed

Scale / height

No changes are being made to the scale or height of the building.

Appearance

It is proposed to improve the appearance of the existing building. The existing windows and doors are to be painted anthracite grey. The existing solar reflective film is to be removed from all the glass panes. Elements of the cladding that are blue are to be repainted anthracite grey.

Glass panes in the line of the floor voids and store areas are to be finished in back painted glass, colour anthracite grey.

Glass panes in the toilet areas are to be finished in obscure glass.



Entrance Area Façade - Proposed

R2 Series VRF

High Efficiency (22.4-45kW)

Simultaneous Heating and Cooling with Heat Recovery Outdoor Unit

CITY MULTI

Delivering outstanding Seasonal Energy Efficiency, the City Multi R2 Series VRF High Efficiency Heat Recovery system provides simultaneous heating and cooling, with the added benefit of heat recovery.

As the only 2-pipe heat recovery system on the market, the **PURY-EP** range offers huge benefits in terms of ease of installation and maintenance, as well as complete design flexibility.



Key Features & Benefits:

- High efficiency system delivers outstanding seasonal energy performance
- Heat recovery achieves energy savings of up to 30% over heat pump systems
- Provides simultaneous heating and cooling with a high level of thermal comfort
- Unique 2-pipe system for ease of installation and maintenance
- Adjustable noise level options to suit application



es.mitsubishielectric.co.uk

Information on the new air conditioning units - Proposed

R2 Series VRF
High Efficiency (22.4-45kW)
Simultaneous Heating and Cooling with Heat Recovery Outdoor Unit

[illegible]

Notes: *500–5500 Hz available separately in the T2b V. 0.9W. Seasonal Efficiency document. Based on design of L27.6 to L27.4825 (the core).
†1.5 separately create a variable for each of the 1000 Hz bins that are used in the analysis. These are the same as the ones used in the analysis.

PURY-EP200/250/300Y/NW-A2 DIMENSIONS

Side View: Shows a single fan unit with dimensions 1000 (width), 1000 (height), and 1000 (depth). Front View: Shows a single fan unit with dimensions 1000 (width), 1000 (height), and 1000 (depth). Upper View: Shows a single fan unit with dimensions 1000 (width) and 1000 (depth).

PURY-EP350/400Y/NW-A2 DIMENSIONS

Side View: Shows a single fan unit with dimensions 1000 (width), 1000 (height), and 1000 (depth). Front View: Shows a single fan unit with dimensions 1000 (width), 1000 (height), and 1000 (depth). Upper View: Shows a single fan unit with dimensions 1000 (width) and 1000 (depth).

PURY-EP400Y/NW-A2 DIMENSIONS

Side View: Shows a single fan unit with dimensions 1000 (width), 1000 (height), and 1000 (depth). Front View: Shows a single fan unit with dimensions 1000 (width), 1000 (height), and 1000 (depth). Upper View: Shows a single fan unit with dimensions 1000 (width) and 1000 (depth).



Telephone: 01707 282880
 email: airconditioning@meuk.mee.com
les.mitsubishielectric.co.uk



in Mitsubishi Electric Using
Environmental Systems, Ltd.



 [Facebook: Electrical Cooling and Heating Ltd](#)



 [rezaulhasanibekir](https://www.instagram.com/rezaulhasanibekir)

 Mitsubishi Electric Living Environmental Systems Ltd.

BLOG [The World of David Byrne](#)

UNITED KINGDOM Mitsubishi Electric Europe Living Environment Systems Division, Travelers Lane, Harford, Hertfordshire, AL10 8BE, England. Telephone: 01707 202500 Fax: 01707 279881
IRELAND Mitsubishi Electric Europe, Westgate Business Park, Ballymore, Dublin 24, Ireland. Telephone: 011 419 8800 Fax: 011 419 8500 International code: 003531

[illegible]

Effective as of April 2023



green@gateway.mitsubishi-electric.co.uk

Information on the new air conditioning units - Proposed

4. Access Issues

Disabled people can gain access to the entrance hall via a level access threshold at the entrance doors.

The lift is fully compliant with access provision for disabled users.

Toilets and an accessible toilet are provided on the ground floor.

A shower and an accessible shower are to be provided on the ground floor.

The existing fire access arrangements will remain as at present, the proposals will not change this arrangement.

5. Landscaping

No work to the landscaping is proposed.