

116A Hallowell Road, Northwood.

Schedule of external materials :

1. Facing bwk : Hanson Ecostock Oakhampton Multi Red
2. Marley Slate Tiles.
3. External Doors: Oak by Howdens
4. Window casements: Jeld Wem Golden Oak
5. RW Goods: Rainclear System Ltd: half round 100mm in black aluminium
6. External surfaces:
 - Access Drive: as existing
 - Small Element paving ; Charcon, Grey for vehicle area
 - Brindle for pathway

Details of all materials attached

December 2014



Oakthorpe Red Multi Stock

Manufactured to BS EN 771-1

Brick type

Category II, HD, Clay Masonry Unit

Standard work size

215 x 102.5 x 65mm

Dimensional tolerances

Tolerance category: T2

Range category: R1

Compressive strength

$\geq 20\text{N/mm}^2$

Water absorption

$\leq 13\%$

Durability

F2

Active soluble salts content

S2

Configuration

Frogged 8-13% voids

Dry weight per brick

2.35kg


Pack size

495

This panel is printed on paper made using ecf from fibres obtained from a sustainable timber source.

DISCLAIMER:

The reproduction of colours and textures is only as accurate as the printing process will allow. Photographic samples should be used when shortlisting products but we advise that an actual sample should be seen before ordering.



ecostock®

The new Hanson Ecostock® range is the most environmentally friendly stock brick range in the UK.

- Efficient, fully automated process
- Energy consumption reduced by up to 50%
- Heat and water from the process is recycled
- Raw material waste is less than 1%
- Products contain recycled content
- All bricks are BES 6001 certified



Hanson Building Products
222 Peterborough Road
Whittlesey
Cambridgeshire
PE7 1PD

Tel: 0330 1231017
Fax: 01733 206040
Email: bricks@hanson.com

www.hanson.com/uk/bricks

Development Management
Regeneration & Environment Department
Enfield Council
P: 020 8379 3851
W: www.enfield.gov.uk

Classification: UNCLASSIFIED



[Follow us on Facebook](#)



[Twitter](#)



<http://www.enfield.gov.uk> [Budget Simulator](#)

Enfield Council is committed to serving the whole borough fairly, delivering excellent services and building strong communities. Opinions expressed in this email are those of the individual and not necessarily those of the London Borough of Enfield. This email and any attachments or files transmitted with it are strictly confidential and intended solely for the named addressee. It may contain privileged and confidential information and if you are not the intended recipient and receive it in error you must not copy, distribute or use the communication in any other way. All traffic handled by the Government Connect Secure Extranet may be subject to recording/and or monitoring in accordance with relevant legislation.

This email has been scanned for viruses but we cannot guarantee that it will be free of viruses or malware. The recipient should perform their own virus checks.



MarleyEternit


STOCKISTS RESOURCES SUSTAINABILITY ABOUT CAREERS CONTACT

Roofing Facades

Home Roofing Slates Thrutone Fibre Cement Slate

Thrutone Fibre Cement Slate

Smooth surface and square cut edges



Call a specialist

Find a stockist

CAD Details

BIM Space

Advantages

[Full product details](#)

Now available in 5 new colours and 3 shapes (for samples please refer to your local specialist)

Impressive minimum pitch down to 15 degrees*

Achieves BES 6001 'Very Good' rating to gain credits under BREEAM and CFSH

Can achieve an A+ in the BRE's Green Guide to Specification**

Does not require wet cutting under COSHH

Can be used for both roof and facade

Fibre cement is a 100% recyclable building material

Low carbon footprint of 13 CO₂e/m²

Watch our movie on fibre cement

*excludes Ireland

**element reference 812410008

Downloads

[More download:](#)[Fibre Cement Slates](#)

Size: 6.77 Mb

[Fibre Cement Slates Fixing Guide](#)

Size: 0.73 Mb

[Thrutone Fibre Cement Slate Low Pitch Solution](#)

Size: 414.1 Kb

Colours Technical Environmental Case Studies Fitting and Accessories



Select a colour to see more detail



Colour

Blue Black

Request Sample

A smooth surface and square cut edges give a low profile slate at an economical price, particularly suitable to complex roof geometries down to 15°. This market leading light weight roof slate is now available in five new colours and three shapes providing even more design flexibility. With its low wastage and ease of installation, it's easy to see why it is the product of choice for all types of new build and refurbishment projects.

Used on a variety of applications, Thrutones provide the flexibility to create inspirational roofs and facades, examples include Canon Popham School in Sheffield and the stunning curved roof of the Cavell Centre in Peterborough.

BIM Downloads

[BIM Files for Thrutone](#)

Size: 2.32 Mb

More downloads

[Fibre Cement Slates](#)

Size: 6.77 Mb

[Fibre Cement Slates Fixing Guide](#)


Size: 0.73 Mb

[Thrutone Fibre Cement Slate Low Pitch Solution](#)

Size: 414.1 Kb

[Thrutone shapes and colours](#)

Size: 274.2 Kb



Like 1

Tweet 9

Resources

Brochures
Samples
Case Studies
CPDs
Stockist Locator
BIM Space
CAD Details

About

Locations
Quality
Health & Safety
Useful Links
Corporate Social Responsibility
Working at Marley Eternit
Construction Products Regulation

Popular Products

Fibre Cement Slates
Equitone [tectiva]
Clay Tiles
Cedral Weatherboard
Profiled Sheeting
Edgemere
Equitone [natura]

Contact ME


Email ME
Stockist Locator
Location Maps

Like 1

Tweet 9

©2014 Marley Eternit Limited [Terms & Conditions of Website](#) [Terms & Conditions of Sale](#) [Conditions of Order](#) [Accessibility Statement](#) [Cookie Settings](#) [Site Map](#)

External Hardwood Doors



DXP23** Cottage Oak M&T Triple Glazed


The design of this door is perfect for creating a traditional rural style.

- Engineered construction using laminated hardwood core and real oak veneer
- Ready for finishing with lacquer or stain
- This door is NOT suitable for waxes, polishes and/or oils as these products do not seal the door properly and may cause veneer delamination
- Supplied triple glazed




Dimensions		
Door Width	2'9"	2'8"
Product Code	DXP2370	DXP2380
Building Regulations	M	
Thickness (mm)	44	44
Weight (kg)	42	41.5
A = width (mm)	838	813
B = width - stiles (mm)	608	583
C = stile (mm)	115	115
D = height (mm)	1981	2032
E = bottom rail (mm)	230	230
F = top rail (mm)	165	165
G = glazing height (mm)	377	377
H = glazing width (mm)	208	208

All sizes subject to standard industry tolerances
Part M Doors (M) - Mobility and Access




Lock Block

A lock block is not included on this door as it is a solid construction. The lock can be fitted on either side, but the mid rail joint must be avoided



HOWDENS JOINERY CO.

MAKING SPACE MORE VALUABLE



OAK WINDOWS

OAK SELECTION

ALL ITEMS IN THIS RANGE

Get the cottage look

Our range of oak casement windows comes with a variety of bar details for that authentic cottage feel. It is also available in a range of bar designs.

Choose from various glazing options and finishes to reach a higher thermal performance and find the right specification to make your property look and feel perfect.

Our long lasting guarantees keep maintenance to a minimum, whilst oak doors, patio doors and stairs can also be supplied to give a coordinated, quality appearance to any home.

All JELD-WEN windows are available in standard and bespoke sizes through builders' merchants and selected retailers across the UK. Click here to find your nearest retailer.

U values for oak windows range from 1.3 to 1.6 W/m²K. Energy ratings: A+ to C

Please note: Sizes quoted below are actual frame sizes - brickwork opening will need to be slightly larger to allow for fitting.

QUICK ESTIMATE

Use our quick estimate system to get a guide price for your project. These prices include VAT and are based on fully finished, double glazed wooden windows. Remember, your hardware, finish and other options will all affect the final cost. We offer made to measure on all windows to fit your requirements. Speak to your local retailer to get a more detailed quote.

[FIND A RETAILER](#)

[ADD TO FAVOURITES](#)

[COMPARE](#)

PROPERTIES

MATERIALS

Images are for illustration only and final appearance will vary based on your chosen material and finish.



Oak

STAIN OPTIONS

All our windows are available in a variety of stain or paint finishes.



Golden Oak (Oak)

Dark Oak (Oak)

WINDOW TYPE

QUANTITY

SMALL



1 Light, up to 625mm
[More Info](#)

0

MEDIUM



2 Light, up to 1195mm
[More Info](#)

0

LARGE



3 Light, up to 1765mm
[More Info](#)

0

X-LARGE



4 Light, up to 2334mm
[More Info](#)

0

GUIDE PRICE

£0.00- £0.00


[FIND A RETAILER](#)

GLAZING PATTERN

All JELD-WEN windows are available with 22 different glazing options. The following are some of our most popular choices. *Not available for simulated divided lite windows.

* The price range shown is intended to give you an indication of how much your selected items may cost and will vary based on your

chosen features, hardware and finish options. We have chosen standard sizes to reflect popular window sizes but we offer other standard and made to measure sizes. See the standard size table for more information.



GLAZING TYPE



Double Glazed

U VALUE

This product range is available with the following U Values, depending on your selected options and glazing.

1.3, 1.4, 1.5, 1.6

STANDARD WIDTHS (MM)

483
910
1337
2334

625
1195
1765

STANDARD HEIGHTS (MM)

445
745
1045
1345
1645

595
895
1195
1495

FEATURES



Secured By Design



Glazing Bar Design



Energy Efficient



UK Manufactured



Made To Measure



CE Marking



FSC®

WINDOWS - GUARANTEES

When it comes to timber windows, JELD-WEN tick every box. This range of products comes with the following guarantees (subject to selected options):



30 Year Oak

10 Year Glass

6 Year Dark Oak Stain

10 Year Manufacturing

2 Year Golden Oak Stain

10 Year Hardware

[Home](#) [About Us](#) [Contact Us](#) [Keep up to date with e-News](#)
[Login Help](#)[Login](#)

0800 644 44 26



0 Items £0.00
Vol. Discount: £0.00
Carriage: £0.00 ex VAT
Total: £0.00 ex VAT



FREE DELIVERY ON ALL ORDERS OVER £300



24HR DELIVERY ON ITEMS ORDERED BEFORE 12PM

[Browse & Buy Online](#)[Buy Online](#)[Cast Iron Gutters](#)[SnapIT Aluminium Gutters](#)[Cast Aluminium Gutters](#)[Half Round](#)[Moulded Ogee](#)[Victorian Ogee](#)[Downpipe & Fittings](#)[Accessories](#)[Rolled Steel Gutters](#)[Cast Iron Drainage](#)[Cast Iron Simplefit Drainage](#)[Gutter Leaf Guard](#)[Roof, Shower & Floor Drains](#)

HALF ROUND

MOULDED OEGEE

VICTORIAN OEGEE

DOWNSPIPE & FITTINGS

ACCESSORIES

CAST ALUMINIUM GUTTERS

Use the drop downs below for further size & coating options

Choose Size: **Half Round / 115mm (4 1/2")**

Choose Colour:

More Info

1013M Pearl White

Textured Black

7038M Agate Grey

6005M Moss Green

9017M Matt Black

9016M White

3003M Ruby Red

7015M Slate Grey

Please use the above options for further size & coating options

14 Products

**1.83m Half Round Aluminium Gutter**

Code: AL45HRG

Profile: Half Round

Size: 115mm (4 1/2")

Coating: Textured Black

24 hour delivery

Price: £40.33 - each

QTY: 1 Add

**Half Round Aluminium Gutter Fascia Bracket**

Code: AL45HRFB

Profile: Half Round

Size: 115mm (4 1/2")

Coating: Textured Black

24 hour delivery

Price: £3.09 - each

QTY: 1 Add

**Half Round Aluminium Gutter Rise & Fall Bracket**

Code: AL45RFB

Profile: Half Round

Size: 115mm (4 1/2")

Coating: Textured Black

24 hour delivery

Price: £10.86 - each

QTY: 1 Add

**Half Round Aluminium Gutter Side Fix Rafter Bracket**

Code: AL45SFB

Profile: Half Round

Size: 115mm (4 1/2")

Coating: Textured Black

24 hour delivery

Price: £5.46 - each

QTY: 1 Add

**Half Round Aluminium Gutter Top Fix Rafter Bracket**

Code: AL45TFB

Profile: Half Round

Size: 115mm (4 1/2")

Coating: Textured Black

24 hour delivery

Price: £5.46 - each

QTY: 1 Add

**Half Round Aluminium Gutter Union**

Code: AL45HRU

Profile: Half Round

Size: 115mm (4 1/2")

Coating: Textured Black

24 hour delivery

Price: £6.00 - each

QTY: 1 Add

**Half Round Aluminium Gutter External Stop End**

Code: AL45HRE1

Profile: Half Round

Size: 115mm (4 1/2")

Coating: Textured Black

24 hour delivery

Price: £6.00 - each

QTY: 1 Add

**Half Round Aluminium Gutter Internal Stop End**

Code: AL45HRE2

Profile: Half Round

Size: 115mm (4 1/2")

Coating: Textured Black

24 hour delivery

Price: £6.00 - each

QTY: 1 Add

Half Round Aluminium Gutter Running Outlet 63mm Pipe

Code: AL45HRRO1

Profile: Half Round

Half Round Aluminium Gutter Running Outlet 76mm Pipe

Code: AL45HRRO2


Profile: Half Round

Volume Discounts

£500 - £1,000 = 2.5%
£1,000 - £2,000 = 5%
£2,000 - £3,000 = 7.5%
£3,000+ = 10%

Information

[Literature Downloads](#)
[Compare our ranges](#)
[Installation Instructions](#)
[Environmental policy](#)
[NBS specification](#)
[Locate a distributor](#)
[See us at buildstore](#)
[Delivery](#)

[View My Quotes](#)[Our e-News](#)

Russell Roof Tiles 2h
@RussellRoofTile


Proper chimney maintenance and proper cleaning are key steps to keeping your family safe and warm as the temperatures drop
#top10tips

Retweeted by Rainclear Systems
Expand





Close



Site Map Terms & Conditions Privacy & Security Refund Policy

© 2014 Rainclear Systems Ltd.



Parliament

Premium Cornish granite gives Parliament its lightly textured, mottled appearance in addition to outstanding durability and skid resistance. It also contains up to 50% recycled material.



Colour	Nominal sizes (l x w x h) (mm)
Grey, Charcoal	600 x 200 x 80
	300 x 300 x 80
	300 x 200 x 80
	200 x 200 x 80
	200 x 100 x 60
	200 x 100 x 80
	100 x 100 x 80

Infilta range**StoneMaster Infilta**

Permeable block which simulates natural yorkstone and has up to 50% recycled content. For use within the construction of Sustainable Drainage Systems (SUDS). Charcon USP pre-applied.



Colour	Nominal sizes (l x w x h) (mm)
Light Buff, Medium Buff, Dark Buff, Light Grey, Medium Grey, Dark Grey	200 x 100 x 80
	201 x 134 x 80
	134 x 134 x 80
	100 x 134 x 80

Infilta

A tough, hardwearing, permeable block for use within the construction of Sustainable Drainage Systems (SuDS).



Colour	Nominal sizes (l x w x h) (mm)
Brindle, Charcoal, Grey, Red	200 x 100 x 80
	200 x 100 x 60

LON BORO OF HILLINGDON
ACCEPTED
- 5 DEC 2014
PLANNING & TRANSPORTATION
GROUP

EcoPave Infilta

Permeable block which uses 60% secondary and recycled materials, minimising waste. For use within the construction of Sustainable Drainage Systems (SUDS).



Colour	Nominal sizes (l x w x h) (mm)
Black Fleck	200 x 100 x 80
	201 x 134 x 80
	134 x 134 x 80
	100 x 134 x 80

Andover Textured Infilta

Stylish permeable block for use within the construction of Sustainable Drainage Systems (SUDS) incorporating 50% recycled material.



Colour	Nominal sizes (l x w x h) (mm)
Cream, Charcoal, Silver Grey	200 x 100 x 80
	201 x 134 x 80
	134 x 134 x 80
	100 x 134 x 80

Andover Washed Infilta

Premium washed permeable block for use within the construction of Sustainable Drainage Systems (SUDS) incorporating 50% recycled material.



Colour	Nominal sizes (l x w x h) (mm)
Silver Grey, Anthracite Charcoal	200 x 100 x 80
	201 x 134 x 80
	134 x 134 x 80
	100 x 134 x 80

Parliament Infilta

Premium textured permeable block for use within the construction of Sustainable Drainage Systems (SUDS) incorporating 50% recycled material.



Colour	Nominal sizes (l x w x h) (mm)
Grey, Charcoal	200 x 100 x 80
	201 x 134 x 80
	134 x 134 x 80
	100 x 134 x 80

Please contact the Charcon sales office for product availability