

48 Willow Grove

52 Willow Grove

50 Willow Grove

48 Willow Grove

LEVEL 1 FCL

LEVEL 1 FFL

LEVEL 0 FCL

LEVEL 0 FFL

3685

3685

2980

2655 (to eaves)





1. PROPOSED FRONT ELEVATION E-E

52 Willow Grove

Architectural elevation drawing of a building facade. The drawing shows a two-story structure with a central gabled section and side wings. Dimensions are provided: 1000 units for the side wings, 6630 units for the central section, and 300 units for the roof height. Level markers on the left indicate Level 1 FCL, Level 1 PFL, Level 0 FCL, and Level 0 PFL. Red dashed lines highlight specific window and door openings. The drawing is flanked by vertical lines labeled "48 Willow Grove" and "52 Willow Grove".

A horizontal beam of length 10m is shown. It has a pin support at the left end (0m) and a roller support at 8m. The beam is subjected to the following loads from left to right: a uniformly distributed load (UDL) of 1 kN/m over the first 0.5m, a point load of 1 kN at 1m, a UDL of 2 kN/m over the next 2m (from 2m to 4m), a point load of 3 kN at 4m, a UDL of 1 kN/m over the next 2m (from 6m to 8m), and a point load of 2 kN at 10m.

Notes:

	DENOTES NEIGHBOURING PROPERTY
	DENOTES EXISTING WALLS
	DENOTES PROPOSED DEMOLITIONS
	DENOTES NEW WALLS

Drawing no. 50WG-105	Scale 1:50@A2 / 1:100@A4	Revision -	Date 02.20
--------------------------------	------------------------------------	----------------------	----------------------