


ITEM	COMMENTS	HEALTH AND SAFETY IMPLICATION	RISK	ITEM	COMMENTS	HEALTH AND SAFETY IMPLICATION	RISK	ITEM	COMMENTS	HEALTH AND SAFETY IMPLICATION	RISK	ITEM	COMMENTS	HEALTH AND SAFETY IMPLICATION	RISK
Cable Ties Used In Installation	Wherever possible electrical cables should not be allowed to trail over the floor. All cables and hoses should be left in a neat and tidy order.	Electrocution, tripping hazard, damage caused by other equipment running over cables.	High	Commando Sockets	Where equipment is mobile electrical connections should be made via Commando sockets.	Best practice, assists with easy movement and cleaning of equipment.	Low	Grills	Do not locate grills over gas oven ranges, either solid top or open top. Unit will overheat and deteriorate, operators can scald themselves on the handles, difficult for operator to reach rear hob, cold burn.	Medium	Specifics Risk Assessments And Register				
Bypass Valves	Water Softeners should be fitted with bypass valves as to allow full use of the equipment being supplied during breakdowns and maintenance work.	Dishwashing by hand: poor sterilisation could lead to food poisoning.	Low	Safety Chain	Any flexible hoses fitted to gas appliances must be secured to a secure wall or floor mounting by suitably approved mobility restraints.	Non compliance with regulations, danger of gas leaks and explosion if gas hose or mountings are ruptured, death.	High	Water Boilers	Boilers will be fitted with overflows or drained drip trays and taken to a grills.	Boilers causing damage to client property.	Medium	Bench Mounted Grills	3. Where these units are mounted on benches, the following must be considered: 1. The bench to which it is to be mounted must have a suitably reinforced top. 2. If bench is mobile then safety chain should be supplied in order to protect services and prevent tipping.	Medium	
Softener Overflows	All water connected water softeners, where an overflow exists, must be connected to a permanent waste outlet.	Flooding of overflow will cause damage to client property.	Medium	Fryers	Where fryers are located adjacent to ranges or at the end of a line of equipment, side screens will be fitted.	Injury to staff if water mixes with hot oil, this will result in splattering causing serious burns.	High	Structure	Commercial equipment is heavy. Attention should be given to equipment loading if installing above ground level. Customer to ensure that floors are strong enough to support weight when fully loaded.	Collapses of floor causing costly damage and possible loss of life. Also rupturing of services which could lead to fire and explosions.	High	Structure	Commercial equipment is heavy. Attention should be given to equipment loading if installing above ground level. Customer to ensure that floors are strong enough to support weight when fully loaded.	Collapses of floor causing costly damage and possible loss of life. Also rupturing of services which could lead to fire and explosions.	High



PROPOSED DEMOLITION WORKS
planned works are subject to structural
engineer design/survey/report

Caveat: This drawing and any subsequent related drawings constitute an outline conceptual scheme only and may be subject to revision after completion of a full structural survey and appraisal.
No Local Authorities have yet been consulted regarding town planning, building control, emergency services, licensing and other relevant approvals, this scheme must be considered as possibly subject to consequent revision after this consultation process has been completed. Your attention is drawn to the risk assessment and individual design notes for the project identified at this stage to comply with current legislation.

© This drawing is the property of Aggora Lockhart Projects which is a trading division of Bunzl UK Limited and must not be copied or reproduced in full or in part without express written permission.

Do Not Scale From This Drawing.

All Dimensions To Be Confirmed On Site.

Revision:	Description:	Date:	Rev By:
-----------	--------------	-------	---------

E	Demolition notes to new openings revised Existing walls to be removed as highlighted by revision cloud Further to site visit modification to existing electrical cupboard have been captured, replacement of existing doors to sports centre and reduction in length of low level external wall. Existing concrete slabs for vending machines noted as been removed Existing balustrade to be removed	01.12.22 25.11.22 07.10.22	JHR JHR JHR
D			
C			
B	Demolition Drawing - large opening space to be created to front of elevation following request to introduce bifold doors Demolitions required to existing external steps revised	26.09.22 19.09.22	JHR JHR
A			

Accepting Signature:	
Print Name:	
Company:	
Date:	
Drawing Approval:	

Unit 6, The Astra Centre,
Edinburgh Way,
Harlow, Essex CM20 2BN.
01279 451335.
01279 406519.
brian.wells@bunzl.co.uk

ALP AGGORΑ
LOCKHART
PROJECTS

CLIENT: Brunel University - sports centre cafe	Scale @ ISO A1 : 1:50	Drawn By : JHR
Drawing Title: Demolition Drawing	Drawing Number : AGJ1068 -04	Revision : E
	Date : 24.08.22	
Drawing Status : Preliminary	Information	Approvals
		As Fitted / Built