


Existing South Elevation

Existing Front Elevation



Existing East Elevation


Existing Rear Elevation

JAMES GRIFFIN DESIGN

www.jamesgriffindesign.co.uk
james@jamesgriffindesign.co.uk
07787 512 459


CLIENT: KAREN & PETER MUTTITT
PROJECT: 3 ALLONBY DRIVE, RUISLIP, HA4 7YU
DATE: OCTOBER 2023

DRAWING TITLE:	EXISTING ELEVATIONS	1:100 @ A3	1 of 6
DRAWING No.	JGD/ROW/003	REV 00	



Proposed South Elevation

Proposed Front Elevation



Proposed East Elevation

Proposed Rear Elevation

JAMES GRIFFIN DESIGN

www.jamesgriffindesign.co.uk
james@jamesgriffindesign.co.uk
07787 512 459

CLIENT: KAREN & PETER MUTTITT
PROJECT: 3 ALLONBY DRIVE, RUISLIP, HA4 7YU
DATE: OCTOBER 2023

DRAWING TITLE: PROPOSED ELEVATIONS

1:100 @ A3

2 of 6


DRAWING No. JGD/ROW/003

REV 00

NOTE: DO NOT SCALE FROM DRAWING - ALL DIMENSIONS TO BE CHECKED ON SITE.

COPYRIGHT OF DRAWINGS AND FILES REMAINS WITH JAMES GRIFFIN DESIGN.

DRAWINGS ARE FOR THE CLIENT'S SOLE USE ONLY. CONTENTS CANNOT BE USED BY A THIRD PARTY WITHOUT PRIOR CONSENT IN WRITING



**JAMES GRIFFIN
DESIGN**

www.jamesgriffindesign.co.uk
james@jamesgriffindesign.co.uk
07787 512 459

CLIENT: KAREN & PETER MUTTITT
PROJECT: 3 ALLONBY DRIVE, RUISLIP, HA4 7YU
DATE: OCTOBER 2023

DRAWING TITLE: EXISTING GROUND FLOOR

1:50 @ A3

3 of 6


DRAWING No. JGD/ROW/003

REV 00

NOTE: DO NOT SCALE FROM DRAWING - ALL DIMENSIONS TO BE CHECKED ON SITE.


COPYRIGHT OF DRAWINGS AND FILES REMAINS WITH JAMES GRIFFIN DESIGN.

DRAWINGS ARE FOR THE CLIENT'S SOLE USE ONLY. CONTENTS CANNOT BE USED BY A THIRD PARTY WITHOUT PRIOR CONSENT IN WRITING



JAMES GRIFFIN
DESIGN

www.jamesgriffindesign.co.uk james@jamesgriffindesign.co.uk 07787 512 459	CLIENT: KAREN & PETER MUTTITT PROJECT: 3 ALLONBY DRIVE, RUISLIP, HA4 7YU DATE: OCTOBER 2023	DRAWING TITLE: PROPOSED GROUND FLOOR	1:50 @ A3	4 of 6
		DRAWING No. JGD/ROW/003		REV 00



Upgraded existing garage wall
To achieve min. U-value of 0.30 W/m²K

- 103 external brickwork
- Breather Membrane lining
- 100 x 50 stud wall
- 100mm Rockwool cavity batts between studs
- 25mm Celotex over studs
- VCL
- Plasterboard with scim finish

New wall to replace garage door.
To achieve U-value of 0.18 W/m²K

- 103 external brickwork to match existing
- 100mm cavity with 50mm Celotex
- 100mm Celcon standard or solar blocks
- 50mm Celotex (fixed to blocks with battens)
- VCL
- 25mm battens
- Plasterboard with scim finish

NOTES:
CONTRACTORS MUST NOT PROCEED WITH
BUILDING WORKS WITHOUT BUILDING REGULATIONS
APPROVAL. DRAWINGS TO READ IN CONJUNCTION WITH
STRUCTURAL ENGINEER'S DRAWINGS.
DRAWINGS NOT TO BE SCALED.
ALL DIMENSIONS TO BE CHECKED ON SITE.

**JAMES GRIFFIN
DESIGN**

www.jamesgriffindesign.co.uk
james@jamesgriffindesign.co.uk
07787 512 459

CLIENT: KAREN & PETER MUTTITT
PROJECT: 3 ALLONBY DRIVE, RUISLIP, HA4 7YU
DATE: OCTOBER 2023

DRAWING TITLE: PROPOSED GARAGE PLAN


1:25 @ A3

5 of 6

DRAWING No. JGD/ROW/003

REV 00

NOTES:
CONTRACTORS MUST NOT PROCEED WITH BUILDING WORKS WITHOUT BUILDING REGULATIONS APPROVAL. DRAWINGS TO READ IN CONJUNCTION WITH STRUCTURAL ENGINEER'S DRAWINGS. DRAWINGS NOT TO BE SCALED. ALL DIMENSIONS TO BE CHECKED ON SITE.



JAMES GRIFFIN
DESIGN

www.jamesgriffindesign.co.uk
james@jamesgriffindesign.co.uk
07787 512 459

CLIENT: KAREN & PETER MUTTITT
PROJECT: 3 ALLONBY DRIVE, RUISLIP, HA4 7YU
DATE: OCTOBER 2023

DRAWING TITLE: PROPOSED SECTION A

1:25 @ A3

6 of 6

DRAWING No. JGD/ROW/003

REV 00