



Ian Bailey
Kalex Ltd
Bridge House
The Ash
Little Hadham
Ware
SG11 2DG

i2 Analytical Ltd.
7 Woodshots Meadow,
Croxley Green
Business Park,
Watford,
Herts,
WD18 8YS

t: 01923 225404
f: 01923 237404
e: reception@i2analytical.com

e: Kalex Group

Analytical Report Number : 21-52932

Project / Site name:	Thames Materials	Samples received on:	25/01/2021
Your job number:	TML	Samples instructed on/ Analysis started on:	25/01/2021
Your order number:	TEM-JAN21	Analysis completed by:	01/02/2021
Report Issue Number:	1	Report issued on:	01/02/2021
Samples Analysed:	1 soil sample		

Signed: *A. Czerwińska*

Agnieszka Czerwińska
Technical Reviewer (Reporting Team)
For & on behalf of i2 Analytical Ltd.

Standard Geotechnical, Asbestos and Chemical Testing Laboratory located at: ul. Pionierów 39, 41 -711 Ruda Śląska, Poland.

Accredited tests are defined within the report, opinions and interpretations expressed herein are outside the scope of accreditation.

Standard sample disposal times, unless otherwise agreed with the laboratory, are :

soils - 4 weeks from reporting
leachates - 2 weeks from reporting
waters - 2 weeks from reporting
asbestos - 6 months from reporting

Excel copies of reports are only valid when accompanied by this PDF certificate.

Any assessments of compliance with specifications are based on actual analytical results with no contribution from uncertainty of measurement.
Application of uncertainty of measurement would provide a range within which the true result lies.
An estimate of measurement uncertainty can be provided on request.



Analytical Report Number: 21-52932
 Project / Site name: Thames Materials
 Your Order No: TEM-JAN21

Lab Sample Number				1747328
Sample Reference				T1/2201/B
Sample Number				None Supplied
Depth (m)				None Supplied
Date Sampled				22/01/2021
Time Taken				1400
Analytical Parameter (Soil Analysis)	Units	Limit of detection	Accreditation Status	
Asbestos in Soil	Type	N/A	ISO 17025	Not-detected

U/S = Unsuitable Sample I/S = Insufficient Sample



Analytical Report Number : 21-52932
Project / Site name: Thames Materials

Water matrix abbreviations: Surface Water (SW) Potable Water (PW) Ground Water (GW)

Analytical Test Name	Analytical Method Description	Analytical Method Reference	Method number	Wet / Dry Analysis	Accreditation Status
Asbestos identification in soil	Asbestos Identification with the use of polarised light microscopy in conjunction with disperion staining techniques.	In house method based on HSG 248	A001-PL	D	ISO 17025
D.O. for Gravimetric Quant if Screen/ID positive	Dependent option for Gravimetric Quant if Screen/ID positive scheduled.	In house asbestos methods A001 & A006.	A006-PL	D	NONE

For method numbers ending in 'UK' analysis have been carried out in our laboratory in the United Kingdom.

For method numbers ending in 'PL' analysis have been carried out in our laboratory in Poland.

Soil analytical results are expressed on a dry weight basis. Where analysis is carried out on as-received the results obtained are multiplied by a moisture correction factor that is determined gravimetrically using the moisture content which is carried out at a maximum of 30oC.