

External Surface Finishes

Roof



Redland

Rosemary-classic-clay-roof-tile-medium-mixed-brindle

Contact: J J Roofing Accessories

Address: Unit 1, Staples Corner Business Park, Edgware Rd,
London NW2 6LU

Phone: +44 20 8452 8000

Website: jjroofing.co.uk

Exterior Nursery Walls and site boundary Wall



HG Matthews

Contact: The Brickworks
Bellingdon
Chesham
Bucks
HP5 2UR
Tel; 01494 758212
Fax; 01494 758077
Email; info@hgmatthews.com
Website; www.hgmatthews.com

Glazing and Doors



SMART ARCHITECTURAL ALUMINIUM

Smart Systems Ltd

Arnolds Way, Yatton, North Somerset, BS49 4QN

Tel: 01934 876 100

Fax: 01934 835 169 (Not for sales orders. See Sales Fax)

Sales Fax: 01934 832 660

Email Enquiries: sales@smartsystems.co.uk

Colour RAL 7016

Contact fabricator and installer:

Direct Trade Windows

Unit 11-12 Slough Business Park

94 Farnham Rd

Slough

SL1 3FQ

01923 777 722

directtrade.windows@gmail.com

Playground Floor



Manufactured from recycled rubber tested to withstand extreme weather conditions as well as high impact.

Protects against unexpected slips, falls and injuries.

Resilient, durable, slip resistant and provides instant water drainage keeping the area dry and slip free. Available in variety of designs and patterns.

Playground flooring UK

CONTACT:

Express Matting Services LimitedUNIT 1B

THE SUMMIT

MANCHESTER ROAD

BURNLEY

BB11 5NS

Phone: **01282 276 786**

Email: **info@playgroundtiles.uk**

Website: **www.playgroundtiles.uk**

Parking Surface



Existing garage courtyard block paving (relatively new)

Walkway Paving



Marshall's Textured Charcoal 450 x 450 x 35 mm Paving Slab
Length:450 mm, Thickness:35 mm, Width:450 mm, Weight:17.17 kg
Material:Concrete
Colour:CharcoalColour
Family:Greys
Finish:Textured

Contact: Travis Rerkins
Address: [110 Greenford Road, Harrow HA1 3QL](#)
Phone: 020 8863 8521

Automated sliding gates with vision panels



Anthracite grey RAL7016



NICE ROBUS 600 EXCELLENCE

Intelligent:

- obstacle detection and automatic programming of working modes.
- Self-diagnosis flashing light system, 8 program levels.
- Possibility to set up speed of gate, force and pause.

Secure:

- Silent: Operator mounted on wheels
- Adjustable acceleration and deceleration, at the beginning and at the end of each manoeuvre
- Gate can open completely for car access or partially for pedestrian use only

Key pad mounted at 1 metre high to maintain accessibility for disabled users.

Contact: [LABEL HABITAT UK](http://www.mistergatesdirect.com)

Mister Gates Direct, Ground floor, the Comet Bldg Birmingham B26 3QJ

Tel: 0121 286 1212

www.mistergatesdirect.com