



PROPOSED FRONT ELEVATION



PROPOSED SIDE ELEVATION



PROPOSED REAR ELEVATION



PROPOSED SIDE ELEVATION

DORMER ROOF IS TO BE TILED TO MATCH THE MAIN ROOF TO BS 473 Part 2 1971 LAID ON EX 19X38mm TREATED SOFTWOOD BATTENS ON REINFORCED BREATHABLE SARKING FELT TO BS 747 TYPE IF WITH LAPPED JOINTS AND TRIMMED TO DRAIN RAINWATER INTO THE GUTTERS. PURPOSE MADE VALLEY TILES OR CODE 5 LEAD VALLIES LAID ON 150X25mm VALLEY BOARDS. BOTTOM OF DORMER WINDOW SHOULD BE NO LESS THAN 900mm ABOVE FINISHED FLOOR LEVEL AND A MAXIMUM 1.7 MINIMUM 1.1m ABOVE EAVES, CODE 5 LEAD FLASHING AND SOAKERS AT JUNCTION WITH MAIN ROOF.

PLOT (1) WINDOW/DOOR SCHEDULE

- D1 - 2100X900mm
D2 - 2100x4950mm - bi fold doors
W1 - 1100X1200mm
W2 - 1100X1200mm - obscure glass
W3 - 1100X2300mm
W4 - 2000X1200mm
W5 - 1350X1200mm
W6 - 1350X1200mm
W7 - 1125x1050mm - obscure glass
W8 - 1350x1200mm
W9 - 2000X1200mm
W10 - 1125X900mm - obscure glass

NOTES:
All dimensions must be checked on site and not scaled from this drawing.

THIS DRAWING IS TO BE READ IN CONJUNCTION WITH DRAWING NO'S
SB/002/16 - SECTIONS
SB/001/16 - PLANS
SB/007/16 - GENERAL NOTES

Revisions	
A	Date

© copyright

20 OCT 2017

ELEVATIONS

Client

Job Title
33/35, DAWLEY ROAD,
HAYES
MIDDLESEX
UB3 1NX.

Drawing Title
PROPOSED 2X 4BED
DETACHED HOUSES
PLOT (1)

SCALE 1/50

JANUARY 2016 Drawn by

Drg. No. SB/003/16 Rev. A