

# DISCHARGE OF CONDITION

18 November 2022  
4875/3.1/MM

Rev 0  
Page 1/1

## TILAK RAJ BASSI: LAND ADJACENT TO 1/3 BOTWELL CRESCENT, HAYES

Subject: Information to discharge part of condition no. 3 of planning permission reference 72105/APP/2021/1534

Distribution:	Planning Department Tilak Raj Bassi Gurpreet Singh file	Hillingdon Borough Council Client APOLLO Construction Ltd Brocklehurst Architects
---------------	--	--

### PROPOSED FACING BRICK

Sample panel to be erected on site in accordance with wording of condition



**ET CLAY PRODUCTS**

More Than Just A Brick Specialist


0208 501 2100

[sales@etbricks.co.uk](mailto:sales@etbricks.co.uk)

[HOME](#) [ABOUT US](#) [PRODUCTS](#) [CASE STUDIES](#) [EXCLUSIVE RANGE](#) [BRICK SELECTOR](#) [BRICK MATCHING](#) [CONTACT](#)

[Home](#) > [Wirecut](#) > [Sinclair Red Multi](#)

### SINCLAIR RED MULTI



Product Type: Wirecut

Colour: Red

Pack Size: 468

Load Size: 11232

Frost Resistance: F2

Salt Soluble: S2

Compressive Strength: 44N/mm<sup>2</sup>

Category: Wirecut

[Technical Data Sheet](#)

[Request a Sample](#)

[Enquire About This Brick](#)

Manufacturer Details



Manufacturer's sample



Photo of bricks in yard