


KEY:

- Proposed Climbers (Fixed onto pressure-treated golden brown timber trellis - Dimensions: (H)1800 x (W)945 x (D)30mm)
- Proposed Timber Decorative Trellis
- Proposed Feature Shrub
- Proposed Ornamental Shrubs (50mm Bark mulch to be included around planting)
- Stainless Steel Stratum Versatile Planter 4mm thick aluminium sheet 0.5m high Polyester powder coated RAL 5010 Blue
- Broxap Roslin Steel Framed Timber Seat Frame Finish: Cast Iron Powder Coated Blue RAL 5010
- Fixing: Set of 4 Ground Bolts Timber: Hardwood Iroko Slats Size: L1300 x W610 x H860mm Code: BX17 4001T
- Tobermore Hydropave Fusion on permeable sub base Silver or similar approved. Herringbone Pattern (600 x 300 x 80mm)
- Tobermore Hydropave Fusion on permeable sub base Silver or similar approved. Staggered Pattern 45° angle to wall (600 x 300 x 80mm)
- Proposed Electric charging point (Location to be confirmed by Engineer)
- Proposed Refuse Area Store Enclosure ROLLER SHUTTER DOORS TO REFUSE AREAS WITH BUILT IN 10% THROUGH VENTILATION FROM ALUMINIUM PPC COLOUR COATED LOCKABLE DOORS. TYPICAL PROVIDER BY HAG LTD OR EQUAL APPROVED. COLOUR BASALT GREY RAL 7012
- Proposed 10 Bike Cycle Rack Sheffield Style Bicycle Rack 5no racks from mid steel Galv to BS EN ISO 1461 (2009) Each TUBE set into conc pad at each end 2no FND2 conc base 250x250x300mm cubes. Top surface to be set c80mm below finished level to allow for block paviours and bedding. (See CPL Architecture Cycle plan for full details)



Planting Schedule

Shrubs	Abbreviation	Species	Specification	Height	Pot Size	Density
3 -	EfEnG	Euonymus fortunei 'Emerald 'n' Gold'	Bushy :3/4 brks	30-40cm	10L	3/m ²
9 -	HEBALRE	Hebe albicans 'Red Edge'	Bushy :5/6 brks	30-40cm	10L	6/m ²
1 -	LAU NOB	Laurus nobilis	Clipped bay cone :5/6 brks	100-125cm	15-20L	Counted
1 -	PHORS	Phormium tenax 'Rainbow Sunrise'	15 leaves :C	100-125cm	15-20L	Counted

Ferns

Number	Abbreviation	Species	Specification	Pot Size	Density
7 -	ASPSC	Asplenium scolopendrium	Full Pot	5-7.5L	5/m ²

Climbers

Number	Abbreviation	Species	Specification	Height	Pot Size
6 -	CLEMOR	Clematis montana rubens	Several Shoots :3/5 brks: Fixed onto trellis	100-150cm	5-7.5L
12 -	TRAJA	Trachelospermum jasminoides	Several Shoots :3/5 brks: Fixed onto trellis	100-150cm	5-7.5L
Total: 18 -					

Grasses

Number	Abbreviation	Species	Specification	Pot Size	Density
5 -	CAOSHEV	Carex oshimensis 'Everglow'	Full Pot	5-7.5L	5/m ²

NB: Climbers to be trained onto treated timber trellis fixed into planters. Dimensions (H1800 x W945mm) or Similar.

PLANTING NOTES
All plants to be supplied in accordance with the HTA 'National Plant Specification' and from a HTA certified nursery. All plants and trees to be planted in accordance with BS3936 and BS8545. Delivery and handling of all plant material to be in accordance with BS4428/JCLI/CPSE Code of Practice for 'Handling and Establishing Ornamental Plants' Parts I, II and III and BS8545.

Planting and Trench Preparation
Tree pits in soft landscape to be excavated to 1mx1mx1m depth prior to topsoiling and all shrub planting areas excavated to 450mm depth. All proposed hedge planting trenches to be excavated to 600mm depth. Unless otherwise specified, all tree pits in hard landscape to be 2mx2mx1m, backfilled with compacted Urban Tree Soil.

The planting of planting pits or trenches shall only be undertaken when the ground is frozen or waterlogged. Any damage may occur to the roots of the soil. All excavated areas to be backfilled with either site won topsoil or imported topsoil to be BS882-General purpose grade. All topsoiled areas to be compacted and raked level. 50mm diameter and smaller debris that may interfere with the establishment of plants. The Contractor shall break up and cultivate at the base of the trenches or planting pits shall be loosened with a fork or other similar implement. All stones and the like over 75mm in any dimension, deleterious matter, weeds and weed roots brought to the surface by any cultivation or excavation shall be removed off site. The Contractor shall remove off site the excavated subsoil/fill material when preparing planting pits. The imported topsoil should make up any deficiencies caused by the removal of the subsoil/fill material. Trenches and pits shall have the topsoil and any subsoil/fill material thoroughly broken up and mixed prior to backfilling.

All trees shall be supplied root ballled, unless otherwise stated. Root ballled trees shall be well grown, healthy and with a compact, contained rootball. They shall be nursery grown and have been regularly watered. Prior to planting, all plant material shall be stored and sorted in accordance with best practice.

Planting
All plants shall be planted in a random fashion avoiding formal regimented lines at densities indicated in the schedule, unless otherwise specified. Unless otherwise specified, all hedgerows shall be planted in a double staggered rows and hedgerow mixes shall be planted in groups of 7, 9 & 13s at densities indicated on the schedule. Ornamental shrubs shall be planted in groups of 9, 13 & 15s and native shrub planting mixes shall be planted in groups of 9, 13 & 15s. The selection, procurement, handling, storage and planting operations of all proposed trees shall be in accordance with BS882-2014 and the specification to be indicated in the landscape specification.

Planting and associated operations shall comply with BS4043, BS4428, BS5937 and BS8545. Unless otherwise stated planting shall be carried out during the period of 1 Nov to 31 March when the ground is not frozen or water logged. If planting is required outside this period agreement shall be sought and all bare root plants shall be substituted with container grown stock.

Provide Bamboo cane support and 'Treeloo Biodegradable Spiral Guards' (Green-tech Product code: 160PS1031-PRO) or similar to young sapling trees, whips and feather planting, ensuring that the main or terminal bud is protruding out above the top of the spirals.

Watering
All plants shall be watered in to field capacity immediately after planting and mulched with 50mm depth of medium grade crushed mulch. The Contractor shall water the trees, shrubs and hedges once planted so that the entire tree pit or planted area is moistened to field capacity, i.e. 'the amount of water retained by previously saturated soil once full drainage has ceased'. Watering to field capacity shall continue frequently and on a regular basis as considered necessary by the landscape contractor and as necessary to ensure the successful establishment and continued thriving of all planting.

Additional watering shall be undertaken during summer months and/or periods of drought. Post planting management and maintenance specifically for new tree planting shall include ongoing irrigation and formative pruning as outlined in BS8545. The period over which regular irrigation required for transplanted trees is likely to be at least two full growing seasons to ensure successful establishment. As the root system develops the frequency of irrigation can be reduced.

Staking
All trees within soft landscape areas to be staked with cross bar and tied, using 1.5m long, 75mm diameter rounded tree stakes 75mm brace, rubber tie and spacer block. Stakes not to extend more than 650mm above ground level. All trees within hardstanding/highways visibility splays to be clear stem to 1.5m unless otherwise specified. Trees within hardstanding / specific pits to be underground guyed unless otherwise specified.

Root Barriers
Root barriers (ReRoot 1000 or equivalent) to be included adjacent to buildings and services where necessary. Landscape contractor shall check all planting operations comply with appropriate standards and that in the absence of detailed surveys, any necessary underground investigations are undertaken to ensure there are no conflicts with existing utilities, services or foundations.

PROTECTION OF EXISTING VEGETATION TO BE RETAINED
Existing trees to be retained shall be protected in accordance with BS5837, from commencement to completion of all works on site.

N.B. All planting proposals including tree planting have been developed in order to create a high quality environment and gain planning consent for the development. All tree species have been reviewed in line with NHBC guidance (2017) and in the absence of any building foundation depths or detailed soil analysis information for the site. Where possible only low and moderate water demand species are proposed in close proximity to new buildings. A number of varied cultivars of these species as well as ornamental species that have a smaller overall mature height (which are not currently assessed within NHBC guidance 2017) have been proposed within these locations & species may require new building foundation depths shall be derived to accommodate the proposed tree sizes, site specific soil shrinkage and tree water demand in line with NHBC standards 2017 (Chapter 4.2 - Building Near Trees). Planting plans have been prepared for planning purposes and in the absence of fully detailed ground investigations, geological or hydrological surveys and planting design or species choice may be subject to change - suitability should be confirmed on site by the landscape contractor. Detailed site specific soil analysis and suitable site drainage should be checked by landscape contractor to ensure planting can be implemented in accordance with approved drawings prior to implementation.

A	14.9.21	Updated to Clients Comments	CW
REV	DATE	NOTE	DRAWN/Chkd

aspect landscape planning

TITLE: 17-23 High Street, Ruislip Landscape Plan

CLIENT: Macniven Quays Ltd

SCALE: 1:50 @ A1	DATE: SEP 2021	DRAWN: CW	CHKD: CW
DRAWING NUMBER: 7514.LP.1.0	REVISION: A		