



R COLLARD SKIPS EVERSLEY
EVERSLEY HAULAGE PARK
BRICKHOUSE HILL
RG27 0PZ
Phone : 01252 844688
Fax : 01252 844668
Email : info@rcollard.com
Company Reg. No. : 3002310

Type: EXCHANGE

Order No: 350302

Ticket Number: 587920

Cash Sale: No

Date: 10/09/2019

Product: 40YD ROLL ON-OFF

Customer Order No: simon

Time On Site: 08:09

Time Start:

Time Stop:

Time Complete: 08:09

Waste Type: 170904

170904 - GENERAL BUILDERS RUBBISH

Parking Ticket: No

Parking Ticket Value: £0.00

Cancelled: No

Cancelled Reason:

Skip Col No: yard bin

Skip Del No: 43

Notes:

Tally 1:

Tally 2:

Gross Weight: 27,160.00

Tare Weight: 17,420.00

Net Weight: 9,740.00

SIC Code: 43110

EWG Code: 170904

Disposal Site: EVERSLEY YARD IN

NO ASBESTOS, NO FRIDGES, NO FREEZERS, NO TVS, NO MONITORS, NO LIQUIDWASTE, NO TYRES OR ANY OTHER HAZARDOUS MATERIALS AS DEFINED FROM TIME TO TIME BY THE ENVIRONMENTAL AGENCY. (UNLESS BY PRIOR ARRANGEMENT).

NO FIRES IN CONTAINERS, LEVEL LOADS ONLY. SKIP HIRE CHARGE INCLUDES UP TO 7 DAYS HIRE.

The customer is responsible for any necessary lights required during the hours of darkness. We accept no liability for any damage caused if customer(s) ask for the vehicle to be taken off the public highway. The customer shall also provide and clearly indicate to our driver a SAFE route FROM THE PUBLIC HIGHWAY to the point of discharge and the customer shall indemnify us, our servants and agents for any damage or injury resulting from any failure to do so.

I confirm that I have fulfilled my duty to apply the waste hierarchy as required by Regulation 12 of the Waste (England and Wales) Regulations 2011

An unsigned ticket is not a valid reason for non-payment of Invoice.

Account Address:

Demo RJC

Delivery Address:

Demo RJC
C6194
C6194
501-504 STONE CLOSE
UB7 8JU

Vehicle: RF12XLO

Driver: CHARLES CAHILL

Waste Management Licence No. EPR/QP3490EA/V002

Waste Carrier Licence No. CBDU/96607

Customer: John nuttles

Driver: CHARLES CAHILL



R COLLARD SKIPS EVERSLEY
EVERSLEY HAULAGE PARK
BRICKHOUSE HILL
RG27 0PZ
Phone : 01252 844688
Fax : 01252 844668
Email : info@rcollard.com
Company Reg. No. : 3002310

Type: EXCHANGE

Order No: 350302

Ticket Number: 587922

Cash Sale: No

Date: 10/09/2019

Product: 40YD ROLL ON-OFF

Customer Order No: simon

Time On Site: 10:09

Time Start:

Time Stop:

Time Complete: 10:09

Waste Type: 170904

170904 - GENERAL BUILDERS RUBBISH

Parking Ticket: No

Parking Ticket Value: £0.00

Cancelled: No

Cancelled Reason:

Skip Col No: yard bin

Skip Del No: 45

Notes:

Tally 1:

Tally 2:

Gross Weight: 25,820.00

Tare Weight: 17,420.00

Net Weight: 8,400.00

SIC Code: 43110

EWG Code: 170904

Disposal Site: EVERSLEY YARD IN

NO ASBESTOS, NO FRIDGES, NO FREEZERS, NO TVS, NO MONITORS, NO LIQUIDWASTE, NO TYRES OR ANY OTHER HAZARDOUS MATERIALS AS DEFINED FROM TIME TO TIME BY THE ENVIRONMENTAL AGENCY. (UNLESS BY PRIOR ARRANGEMENT).

NO FIRES IN CONTAINERS, LEVEL LOADS ONLY. SKIP HIRE CHARGE INCLUDES UP TO 7 DAYS HIRE.

The customer is responsible for any necessary lights required during the hours of darkness. We accept no liability for any damage caused if customer(s) ask for the vehicle to be taken off the public highway. The customer shall also provide and clearly indicate to our driver a SAFE route FROM THE PUBLIC HIGHWAY to the point of discharge and the customer shall indemnify us, our servants and agents for any damage or injury resulting from any failure to do so.

I confirm that I have fulfilled my duty to apply the waste hierarchy as required by Regulation 12 of the Waste (England and Wales) Regulations 2011

An unsigned ticket is not a valid reason for non-payment of Invoice.

Account Address:

Demo RJC

Delivery Address:

Demo RJC
C6194
C6194
501-504 STONE CLOSE
UB7 8JU

Vehicle: RF12XLO

Driver: CHARLES CAHILL

Waste Management Licence No. EPR/QP3490EA/V002

Waste Carrier Licence No. CBDU/96607

Customer: John King

Driver: CHARLES CAHILL



ENVIRONMENT
AGENCY

CONTROL OF POLLUTION ACT 1974
WASTE DISPOSAL LICENCE

LICENCE REF No: WML80370 (MAY037) SITE TYPE:- METAL RECYCLING

The Environment Agency, in pursuance of Part I of the Control of Pollution Act 1974, hereby grant a waste disposal licence authorising the keeping and treatment of controlled waste on the land specified in schedule 1 to this licence to **MAYER PARRY RECYCLING LIMITED**, (hereinafter called 'the holder') Registered Office: **Manor Road, Erith, Kent DA8 2AD** the said licence being subject to the conditions specified in schedule 3 to this licence.

In this licence the words and expressions contained in schedule 2 shall have the meaning assigned to them therein.

SCHEDULE 1 - SPECIFIED LAND

The licence relates to the land at **TRANSPORT AVENUE, GREAT WEST ROAD, BRENTFORD, MIDDLESEX, TW8 9HA** (hereinafter called "the site") shown edged red on Drawing Reference Number 490423 dated 22 October 1997, and attached to this licence.

Signed

D.M.W.Allen

Environment Planning Manager

Date

28 July 1998.

FOR ENVIRONMENT AGENCY USE ONLY

YOUR ATTENTION IS DRAWN TO THE RIGHT OF APPEAL DETAILED IN THE NOTES AT THE END OF THIS LICENCE

Environment Agency - Apollo Court, 2 Bishop Square, St Albans Rd West, Hatfield, Herts., AL10 9EX
Tel: 01707 632300



MAYER PARRY RECYCLING LTD

TRANSPORT AVENUE, BRENTFORD, MIDDLESEX. TW8 9HA.

S/No. 490423



LOCATION MAP

AM
Page 2 of 19
A.J. MASON

22/10/97.

[WML80370]

SCHEDULE 2 - INTERPRETATION

DEFINITIONS

The 1990 Act - The Environmental Protection Act 1990.

The 1995 Act - The Environment Act 1995.

Clinical waste - as defined in Regulation 1(2) of the Controlled Waste Regulations 1992 (S.1 1992 No.588) or any statutory provisions or regulations amending or replacing them.

The Conditions of this Licence - The Conditions set out herein, as varied from time to time under Section 37 of the 1990 Act and section 120 of the 1995 Act.

Controlled waste - as defined in section 75(4) of the Environmental Protection Act and Regulation 7A of the Controlled Waste Regulations 1992 or any statutory provisions or regulations amending or replacing them.

The holder - The licence holder specified in this licence or other person to whom the licence has been transferred in accordance with section 40 of the 1990 Act and section 120 of the 1995 Act.

The Agency - The Environment Agency.

The Agency's emergency telephone number - 0800 807060 or such other number as from time to time is notified to the holder.

UKAS - United Kingdom Accreditation Service.

The site - The land, structures, plant and equipment to which this Licence relates.

The site plan - The drawing referred to on Page 1 of this licence.

Special waste - as defined by The Special Waste Regulations 1996 (S.I. 1996 no.972) or any statutory provisions or regulations amending or replacing them.

The Litter Code - as defined by the Environmental Protection Act 1990 : Code of Practice on Litter and Refuse.

Technically Competent Person- within the meaning of Regulations 4 and 5 of the Waste Management Licensing Regulations 1994 (S.I 1994 No. 1056) or any statutory provisions or regulations amending or replacing them.

Working plan - The documents and drawings detailing the intended methods of operations supplied with the application for this licence and any later drawings or written statements received by the Agency in substitution or augmentation of such drawings or documents, subject to individual changes having been agreed by Agency where this licence so requires.

Burning - Does not include the cutting of materials by gas powered torches or similar devices.

Relevant offences - within the meaning of regulation 3 of the Waste Management Licensing Regulations 1994 (S.I. 1994 No. 1056) or any statutory provisions or regulations amending or replacing them.

SCHEDULE 3 - CONDITIONS RELATING TO THIS LICENCE

2. GENERAL MANAGEMENT

2.1 AUTHORISED ACTIVITIES

2.1.1 No activities or processes other than those listed below may be undertaken at the site.

- (a) The keeping of waste for the purpose of recycling
- (b) The treatment of waste for the purpose of recycling

2.2 MATERIAL TYPES AND QUANTITIES

2.2.1 No materials other than controlled waste as listed below and detailed in Appendix 1 shall be received or handled at the site.

Maximum tonnes per month

i) Waste category B(ii):	General waste that is scrap metal	25000
ii) Waste category E:	Difficult waste	4000
iii) Waste category Q:	Liquid special waste (including the weight of battery casings)	2000

2.3 HOURS OF OPERATION

2.3.1 Scrap metal and associated waste, shall be received, handled, deposited or processed only during the following days and times:-

	OPENING HOURS	PROCESSING HOURS
Mondays to Fridays	07.00 - 16.30 hours	06.00 - 22.00
Saturdays	07.00 - 13.00 hours	07.00 - 16.00
Sundays & Public Holidays	NO OPERATION	ESSENTIAL MAINTENANCE ONLY

2.3.2 Scrap metal may be received outside the above hours only by prior agreement with the Agency.

2.4 DISPLAY OF LICENCE AND AVAILABILITY OF WORKING PLAN

2.4.1 A copy of this licence and any modification to it shall be displayed at the control office where it can be read by the holder's or operators employees and any visitors.

- 2.4.2 A current copy of the working plan including any Agency written consents authorising changes, shall be kept at the control office and shall be readily available.

2.5 CHANGES TO WORKING PLAN

- 2.5.1 Subject to any conditions in this licence under which the prior written consent of the Agency is required to change specific parts of the working plan, the holder shall submit details of any changes to the working plan to the Agency at or before the time the change is implemented.

2.6 MANAGEMENT AND SUPERVISION

- 2.6.1 All persons employed at the site shall be sufficiently trained and experienced and shall carry out their duties in compliance with the conditions of this licence and in accordance with the working plan.
- 2.6.2 A minimum of 4 persons shall be present at the site whenever scrap metal or waste is received or handled.

2.7 STATUTORY NOTICES

- 2.7.1 If any statutory notice or instruction, other than one served by the Agency, which relates to the operation of the site is served on the holder or other occupier, a copy of that notice or instruction shall be submitted to the Agency within seven days of its receipt by the holder or other occupier.

2.8 ACCESS FOR INSPECTORS

- 2.8.1 Safe access shall be available to all parts of the site for any inspector appointed by the Agency exercising powers under section 108 of the 1995 Act.

2.9 CESSATION OF OPERATIONS

- 2.9.1 The holder shall inform the Agency in writing of any intention to either temporarily or permanently cease operations and the circumstances necessitating such cessation, 14 days prior to the date when they are due to cease.
- 2.9.2 Following closure of the site or cessation of operations for a period in excess of 7 days the holder shall notify the Agency of its intention to re-open or recommence operations at least 3 working days prior to the date when the site will open or commence operations.

2.10 CHANGE OF HOLDER'S DETAILS

- 2.10.1 The holder shall notify the Agency in writing, in advance, of any changes in the holder's or operator's:-

- i) registered address and/or principal place of business; or

- ii) details regarding the names and addresses of any director, company secretary or partner.

3. SITE PREPARATION AND INFRASTRUCTURE

3.1 CLEANING EQUIPMENT

- 3.1.1 Effective cleaning equipment shall be provided, maintained and used such that the site is kept clean and tidy at all times. The holder or operator shall ensure that vehicles using the site do not cause the deposit of any liquid, mud or other debris on any internal roadway or at any point beyond the site boundaries.

3.2 SECURITY, GATES AND FENCING

- 3.2.1 The site shall be secured at all times when unattended in order to prevent unauthorised access.
- 3.2.2 Gates and continuous chain-link or solid fencing or walling at least 2.0 metres high shall be provided and maintained in good repair around the entire boundary of the site.

3.3 CONTROL OFFICE

- 3.3.1 A control office equipped with a working telephone shall be provided at the site.

3.4 IDENTIFICATION BOARD

- 3.4.1 An identification board of durable material and finish shall be displayed and maintained at or near the entrance to the site and shall be easily readable from outside the site entrance at all times.
- 3.4.2 The board shall show the following information:-
 - i) the name and address of the site
 - ii) the days and hours when the site is permitted to be open for the receipt of scrap metal or waste
 - iii) the name, address and telephone number (with extensions if appropriate) of the holder, its local agent if any or any other person to contact in an emergency.
 - iv) the name address and telephone number of the Agency
 - v) the Agency licence number

3.5 PARKING AND QUEUEING

- 3.5.1 Adequate parking and queueing and container storage facilities shall be provided within the site to obviate the need for vehicles to park or queue outside the site.

3.6 IMPERMEABLE PAVEMENT

- 3.6.1 The ground surface of the site in the areas where scrap metal or waste is handled or stored, and all internal roadways, shall be constructed of an impermeable material. The surface shall be designed, constructed, maintained and drained so that:

- i) the pavement is impermeable and substances or articles constituting or resulting from the waste are prevented from penetrating into the ground or any watercourse or soakaway,
- ii) any surface drainage flows unimpeded only to, and thence within, the drainage system at the site or is contained,
- iii) the pavement and drainage system are of such a type and of sufficient structural strength to withstand impact and loading from stored scrap metal or waste, plant and equipment, and the activities at the site.

3.7 DRAINAGE SYSTEM

- 3.7.1 An engineered system of drainage shall be installed and tested and maintained as detailed in the working plan. No change shall be made to the working plan in this respect without the prior written consent of the Agency.
- 3.7.2 All drainage interceptors shall be inspected monthly, emptied and cleaned if required, and the contents removed once every six months, to prevent the accumulation of solids and the escape of contaminants into the sewer system.

3.8 LIQUID/FUEL STORAGE IN TANKS

- 3.8.1 Storage tanks for liquids, other than for uncontaminated water, shall be located within a bund having a capacity of not less than 110% of the total capacity of all the tanks within it. The floor and walls of the bund shall be impervious to the contents of the tanks. Inlet/outlet/vent pipes should be directed downwards into the bunded area. All liquid storage tanks shall be labelled as to their contents.

3.9 LIGHTING

- 3.9.1 If operations at the site are undertaken during any of the hours of darkness, or in conditions of poor light, lighting as specified in the working plan shall be provided and used to cover all operating areas of the site. No change shall be made to the working plan in this respect without the prior written consent of the Agency.

3.10 WEIGHBRIDGE

- 3.10.1 A weighbridge shall be provided and maintained in working order and calibrated such that accurate weighing of all loads of scrap metal or waste may be carried out. The net weight of each load of scrap metal or waste received at the site shall be recorded.

4. SITE OPERATIONS

4.1 INSPECTION OF LOADS

- 4.1.1 All scrap metal and waste received at the site shall be inspected:

- i) on arrival at the site (the accompanying documentation shall be inspected) and also
- ii) during and after discharge from the vehicle (the content of the load shall be inspected)

to ensure that the complete content of the load consists of material which is permitted within the terms of this licence and for the purpose of identifying whether any special handling or storage arrangements are necessary.

4.2 UNACCEPTABLE MATERIALS PROCEDURE

- 4.2.1 Any unauthorised scrap metal or waste received at the site shall dealt with in accordance with the working plan. No change shall be made to the working plan in this respect without the prior consent of the Agency.
- 4.2.2 Unless it is dangerous to do so, any scrap metal or waste accepted at the site which is found to be in an unstable condition shall be isolated and placed in a secure storage area.

4.3 SAMPLING OF LOADS

- 4.3.1 Material segregated for further investigation shall be sampled and analysed.
- 4.3.2 A record of all analytical results shall be kept at the control office along with a determination of whether the scrap metal /waste, is permitted within the terms of this licence.

4.4 STORAGE AREAS

- 4.4.1 Scrap Metal and Waste shall be stored only in the areas designated in the working plan and no change shall be made to the working plan in this respect without prior written consent of the Agency.

4.5 STORAGE QUANTITIES

- 4.5.1 No more than 24,995 cubic metres of scrap metal including associated waste shall be stored in the areas designated in the working plan at any one time. No change shall be made to the working plan in this respect without the prior written consent of the Agency

4.6 STORAGE HEIGHT

- 4.6.1 No scrap metal or associated waste shall be stored to a height exceeding 7.0 metres.

4.7 CLEARANCE OF STORAGE AREA

- 4.7.1 At a time and date agreed with the Agency the holder or operator shall ensure that the scrap metal or waste storage areas are completely cleared of material to permit inspection of the condition of the impermeable pavement and drainage system by a duly authorised officer of the Agency.

4.8 PLANT AND EQUIPMENT

- 4.8.1 The plant and equipment used to deal with scrap metal or waste shall be kept in good working order. In the event of breakdown or non availability of the mechanical plant and equipment described in the working plan, the site shall cease accepting scrap metal or waste if the handling or storage would breach the other requirements of this licence.

4.9 SUITABILITY OF VEHICLES

- 4.9.1 Any spillage of waste or scrap metal or deposit of liquid or debris arising from vehicles entering the site for the purpose of depositing or collecting scrap metal or waste other than in the designated storage areas shall be cleared up immediately.
- 4.9.2 All vehicles and containers holding scrap metal or waste, using, or being parked or placed at the site other than in the course of loading or unloading, shall be adequately covered if there is any material risk of any of the contents escaping from the container. Where there is such a risk, vehicles carrying scrap metal or waste out of the site shall be covered before leaving.

4.10 CHLOROFLUOROCARBONS (CFCs)

- 4.10.1 All items containing liquid chlorofluorocarbons (CFCs) shall be handled and stored in such a manner that CFCs neither are, nor are liable to be, released into the environment.
- 4.10.2 If CFC removal is carried out it shall be done using equipment so that the liquid CFC is completely transferred to a secure storage container without being released into the environment. No change in the method of CFC removal shall be implemented without the prior written consent of the Agency.

4.11 POLYCHLORINATED BIPHENYLS (PCBs) AND TERPHENYLS (PCTs)

- 4.11.1 No transformers, capacitors or other equipment containing, or, because of its nature, likely to contain or suspected of containing PCB/PCTs, at a concentration greater than 50 mg/Kg, shall be treated or disposed of at the site. Any such waste equipment received shall be stored separately from other waste on an impermeable hardstanding or in a secure container such that no liquid spills, or is washed from the equipment.

4.12 VEHICLES

- 4.12.1 All vehicle engines and other equipment unless containing polychlorinated biphenyls (PCBs), polychlorinated terphenyls (PCTs) and batteries that are accepted at the site shall either:

(a) be drained as soon as practicable of free running oil and other liquids, or

(b) be stored and processed in an area of impermeable pavement, in such a manner that any liquids that escape from them are captured within the drainage interceptors via the on-site drainage system.

- 4.12.2 Any vehicle for disposal which contains a lead acid battery shall on delivery, have that battery removed in a manner which avoids damage to and spillage from the battery. The battery shall be dealt with in accordance with the condition entitled Lead Acid Battery Storage.

4.13 LEAD/ACID BATTERY STORAGE

- 4.13.1 Upon delivery, all lead/acid batteries shall be placed in a secure container specifically labelled and provided for this purpose and located on an impermeable pavement.

- 4.13.2 The container shall be designed to contain any spillage of the content of batteries, prevent the accumulation of acid vapour, and unless stored in a roofed over area shall be covered to prevent the ingress of water.

- 4.13.3 The holder shall ensure that batteries are handled and stored in such a manner that they are not damaged and their contents are not allowed to spill or otherwise escape from their casing.

- 4.13.4 Any spillage of battery contents shall be contained and neutralised immediately. An adequate supply of sand/absorbent materials and neutralising agent shall be kept on site and used on spillages.

5. ENVIRONMENTAL CONTROL & MONITORING

5.1 QUALITY ASSURANCE FOR TESTING

- 5.1.1 All sampling, laboratory analysis and testing provisions shall either be accredited by UKAS or be of similar standard approved by the Agency in writing.

5.1.2 Before any such sampling, laboratory analysis or testing provisions are undertaken the holder shall submit a quality assurance plan to the Agency which details the quality control measures, auditing and reporting systems which demonstrate how accuracy and precision are to be achieved and how any deviations to accredited procedures are identified. Once written consent has been given by the Agency all sampling, laboratory analysis and testing provisions shall be carried out in accordance with the quality assurance plan. No change shall be made to the working plan in this respect without, the prior written consent of the Agency.

5.2 PEST CONTROL

5.2.1 A monthly inspection of the site shall be made for infestation by pests and any infestation or suspected infestation shall be reported immediately to the relevant local Authority. Effective measures shall be taken so as to eliminate any infestation.

5.2.2 The results of any inspections and any action taken to eliminate infestations or deter pests shall be recorded in the site log book (or on computer record).

5.3 ODOUR

5.3.1 Any complaints about odour which are made known to the holder and any remedial action which has been taken shall be recorded in the site log book (or on computer record).

5.4 FIRE

5.4.1 No waste shall be burnt at the site.

5.4.2 Water supplies for fire-fighting purposes and portable fire-fighting equipment shall be available and maintained as recommended by the Fire Brigade. These supplies shall be protected against freezing.

5.4.3 Adequate access to all parts of the site for Fire Brigade vehicles shall be provided and maintained at all times.

5.4.4 Provision shall be made to allow for the discharge of loads found to be on fire or in an otherwise dangerous condition, as detailed in the working plan. If any waste is found to be on fire or in an otherwise dangerous condition which requires the attendance of the Fire Brigade, the holder shall notify the Agency by telephone and the details shall be confirmed in writing within two days of the incident.

5.5 DUST

5.5.1 Effective measures shall be taken by the holder to suppress the generation of dust or other particulate matter and to prevent its emission beyond the boundary of the site.

5.5.2 Any complaints about dust which are made known to the holder shall be recorded in the site log book.

5.6 DUST MONITORING

- 5.6.1 The holder shall cause the operational parts of the site including the boundary and areas beyond the boundary to be monitored for dust at the frequency detailed in the working plan. The dust monitoring shall be carried out in accordance with the working plan and no change shall be made to the working plan in this respect without the prior written consent of the Agency.

7. NOISE AND VIBRATION

- 5.7.1 Effective measures shall be taken by the holder to limit the noise and vibration caused by operations at the site.
- 5.7.2 Any complaints about noise which are made known to the holder shall be recorded in the site log book.

5.8. NOISE MONITORING

- 5.8.1 The holder shall cause the noise and vibration attributable to the activities authorised by this licence to be monitored at the frequency detailed in the working plan. The noise monitoring shall be carried out in accordance with the working plan, and no change shall be made to the working plan in this respect without the prior written consent of the Agency.
- 5.8.2 A report of the results of each noise monitoring survey together with an assessment of the impact on the locality shall be submitted to the Agency within 7 days of its becoming available to the holder.

5.9 LITTER AND SPILLAGE

- 5.9.1 Land outside the licensed area shall be kept free of litter arising from the site, i.e. grade A of the litter code. If litter escapes from the site the affected area shall be returned to grade A within 24 hours of that escape.
- 5.9.2 The level of litter at the site boundary, including boundary fencing, shall not fall below grade B of the litter code. If the level of litter in such areas increases they shall be returned to grade B within 48 hours.
- 5.9.3 Precautions shall be taken to prevent spillage of any waste. Any fugitive waste within the site or within the vicinity of the facility which is attributable to the site shall be collected and removed.
- 5.9.4 Where any container/tank/vessel is to be cut or crushed it shall be done in such a way as to prevent spillage on to the ground of any of the contents or residues whether solid or liquid.