





EXISTING SITE AND ROOF PLAN



CLIENT	Mr & Mrs Dhami 3 Belmont Close, Uxbridge, UB8 1RF	PROJECT	NEW PORCH, ROOF LIGHTS & SIDE DOOR, AND CHANGE OF EXTERNAL FINISH FROM RENDER TO BRICK	DRAWING	EXISTING SITE PLANS AND ROOF PLAN	STAGE	BUILDING REGS	CHECKED	SCALE 1:100 @ A3	APPROVED	DATE	DRAWING No.	207LL-REGS-01	REV	C
--------	--	---------	--	---------	-----------------------------------	-------	---------------	---------	------------------	----------	------	-------------	---------------	-----	---

ANY CHANGES FROM APPROVED DRAWINGS ARE THE RESPONSIBILITY OF CLIENT/CONTRACTOR – PLEASE READ CLAUSED BELOW BEFORE WORKS COMMENCE

Any dimensions taken from this drawing should be cross checked on site and approved prior to any construction works. The contractor shall be responsible for taking all necessary site dimensions and levels and for all exploratory works to verify any existing structure before commencement of works. The contractor will be responsible for all the correct setting out and temporary supports of works on site to property and neighbouring properties

No liability taken of any kind is accepted by Architect for any error or omission Where new work is near/on boundary line/party wall the property owner is to serve party wall notice to the adjoining property/land owner in accordance with the requirements of the 'Party Wall etc.' Act 1996

Contractor responsible for notifying of Building Control Surveyor of each stage of works and ensure inspections have been made. All details to comply with current building regulations and Building Control Approval. Work not to commence until approval of plans by Building Control Body. Any works that commence before Building Regulations drawings have been approved is responsibility of client.

After confirmation from local authority that prior approval is not required, proposed extension must comply with all permitted development criteria set out under the General Permitted Development Order 1995

Any development carried out without Permitted Development Certificate is at owner's own risk. It is strongly advised that a Permitted Development Certificate/Certificate of Lawfulness is sought prior to commencement of any works


- FD30 All habitable room doors to be replaced with FD30 doors with 38x25mm Door Stops and 3 No Stainless Steel Hinges. Middle Hinge to be installed at least 2/3 of way up door frame
- SD Mains powered with battery back up interlinked smoke detector to be installed within at least 7.5m of all habitable rooms and at least 30cm from any light fitting or wall
- HD Mains powered and interlinked operated heat detector with battery back up
- Ex Extractor fan for shower room - 15l/s and Kitchen 30l/s to be taken through to run and expel externally

For Structural Steelwork refer to Structural Engineer's Drawing. Beams indicated by red dashed lines (see right)

All Steel work to be encased in 2 layers of FireLine Board with staggered joints or fire resisting intumescent paint in accordance with manufacturer's guidance to provide minimum 60min fire resistance
All Steel work to only be ordered once contractor has confirmed dimensions on site and positioning with client. Any discrepancies noted to be discussed with Surveyor prior to ordering any steel work. No responsibility taken by Surveyor for steels ordered to match site conditions

A-Z Building Services

A: Addlestone KT15
E: hthuseyinO809@msn.com
T: 07969925562



ANY CHANGES FROM APPROVED DRAWINGS ARE THE RESPONSIBILITY OF CLIENT/CONTRACTOR – PLEASE READ CLAUSED BELOW BEFORE WORKS COMMENCE

Any dimensions taken from this drawing should be cross checked on site and approved prior to any construction works. The contractor shall be responsible for taking all necessary site dimensions and levels and for all exploratory works to verify any existing structure before commencement of works. The contractor will be responsible for all the correct setting out and temporary supports of works on site to property and neighbouring properties

No liability taken of any kind is accepted by Architect for any error or omission Where new work is near/on boundary line/party wall the property owner is to serve party wall notice to the adjoining property/land owner in accordance with the requirements of the 'Party Wall etc.' Act 1996

Contractor responsible for notifying of Building Control Surveyor of each stage of works and ensure inspections have been made. All details to comply with current building regulations and Building Control Approval. Work not to commence until approval of plans by Building Control Body. Any works that commence before Building Regulations drawings have been approved is responsibility of client.

After confirmation from local authority that prior approval is not required, proposed extension must comply with all permitted development criteria set out under the General Permitted Development Order 1995

Any development carried out without Permitted Development Certificate is at owner's own risk. It is strongly advised that a Permitted Development Certificate/Certificate of Lawfulness is sought prior to commencement of any works

- FD30** All habitable room doors to be replaced with FD30 doors with 38x25mm Door Stops and 3 No Stainless Steel Hinges. Middle Hinge to be installed at least $\frac{2}{3}$ of way up door frame
- SD** Mains powered with battery back up interlinked smoke detector to be installed within at least 7.5m of all habitable rooms and at least 30cm from any light fitting or wall
- HD** Mains powered and interlinked operated heat detector with battery back up
- Ex** Extractor fan for shower room - 15l/s and Kitchen 30l/s to be taken through to run and expel externally

For Structural Steelwork refer to Structural Engineer's Drawing. Beams indicated by red dashed lines (see right)

All Steel work to be encased in 2 layers of FireLine Board with staggered joints or fire resisting intumescent paint in accordance with manufacturer's guidance to provide minimum 60min fire resistance
All Steel work to only be ordered once contractor has confirmed dimensions on site and positioning with client. Any discrepancies noted to be discussed with Surveyor prior to ordering any steel work. No responsibility taken by Surveyor for steels ordered to match site conditions


A-Z Building Services

A: Addlestone KT15
E: lthuseyinO809@msn.com
T: 07969925562




PROPOSED SITE AND ROOF PLAN


CLIENT	PROJECT	DRAWING	STAGE	BUILDING REGS	CHECKFD	APPROVED
Mr & Mrs Dhami 3 Belmont Close, Uxbridge, UB8 1RF	NEW PORCH, ROOF LIGHTS & SIDE DOOR, AND CHANGE OF EXTERNAL FINISH FROM RENDER TO BRICK	PROPOSED SITE PLANS AND ROOF PLAN			SCALE 1:100 @ A3	DATE
DRAWING No. 207LL-REGS-02					REV C	



EXISTING GROUND FLOOR



EXISTING FIRST FLOOR



CLIENT	Mr & Mrs Dhami 3 Belmont Close, Uxbridge, UB8 1RF	PROJECT	NEW PORCH, ROOF LIGHTS & SIDE DOOR, AND CHANGE OF EXTERNAL FINISH FROM RENDER TO BRICK	DRAWING	EXISTING PLANS	STAGE	BUILDING REGS	CHECKED	APPROVED	DRAWING No.	207LL-REGS-03	REV	C
--------	--	---------	--	---------	----------------	-------	---------------	---------	----------	-------------	---------------	-----	---

ANY CHANGES FROM APPROVED DRAWINGS ARE THE RESPONSIBILITY OF CLIENT/CONTRACTOR – PLEASE READ CLAUSED BELOW BEFORE WORKS COMMENCE

Any dimensions taken from this drawing should be cross checked on site and approved prior to any construction works. The contractor shall be responsible for taking all necessary site dimensions and levels and for all exploratory works to verify any existing structure before commencement of works. The contractor will be responsible for all the correct setting out and temporary supports of works on site to property and neighbouring properties

No liability taken of any kind is accepted by Architect for any error or omission Where new work is near/on boundary line/party wall the property owner is to serve party wall notice to the adjoining property/land owner in accordance with the requirements of the 'Party Wall etc.' Act 1996

Contractor responsible for notifying of Building Control Surveyor of each stage of works and ensure inspections have been made. All details to comply with current building regulations and Building Control Approval. Work not to commence until approval of plans by Building Control Body. Any works that commence before Building Regulations drawings have been approved is responsibility of client.

After confirmation from local authority that prior approval is not required, proposed extension must comply with all permitted development criteria set out under the General Permitted Development Order 1995

Any development carried out without Permitted Development Certificate is at owner's own risk. It is strongly advised that a Permitted Development Certificate/Certificate of Lawfulness is sought prior to commencement of any works

- FD30** All habitable room doors to be replaced with FD30 doors with 38x25mm Door Stops and 3 No Stainless Steel Hinges. Middle Hinge to be installed at least 2/3 of way up door frame
- SD** Mains powered with battery back up interlinked smoke detector to be installed within at least 7.5m of all habitable rooms and at least 30cm from any light fitting or wall
- HD** Mains powered and interlinked operated heat detector with battery back up
- Ex** Extractor fan for shower room - 15l/s and Kitchen 30l/s to be taken through to run and expel externally


For Structural Steelwork refer to Structural Engineer's Drawing. Beams indicated by red dashed lines (see right)

All Steel work to be encased in 2 layers of FireLine Board with staggered joints or fire resisting intumescent paint in accordance with manufacturer's guidance to provide minimum 60min fire resistance


All Steel work to only be ordered once contractor has confirmed dimensions on site and positioning with client. Any discrepancies noted to be discussed with Surveyor prior to ordering any steel work. No responsibility taken by Surveyor for steels ordered to match site conditions

A-Z Building Services

A: Addlestone KT15
E: hthuseyin0809@msn.com
T: 07969925562



EXISTING LOFT PLAN



CLIENT	Mr & Mrs Dhami 3 Belmont Close, Uxbridge, UB8 1RF	PROJECT	NEW PORCH, ROOF LIGHTS & SIDE DOOR, AND CHANGE OF EXTERNAL FINISH FROM RENDER TO BRICK	DRAWING	EXISTING PLANS	STAGE	BUILDING REGS	CHECKFD	APPROVED
								SCALE 1:100 @ A3	DATE
								DRAWING No. 207LL-REGS-08	REV C

ANY CHANGES FROM APPROVED DRAWINGS ARE THE RESPONSIBILITY OF CLIENT/CONTRACTOR – PLEASE READ CLAUSED BELOW BEFORE WORKS COMMENCE

Any dimensions taken from this drawing should be cross checked on site and approved prior to any construction works. The contractor shall be responsible for taking all necessary site dimensions and levels and for all exploratory works to verify any existing structure before commencement of works. The contractor will be responsible for all the correct setting out and temporary supports of works on site to property and neighbouring properties

No liability taken of any kind is accepted by Architect for any error or omission Where new work is near/on boundary line/party wall the property owner is to serve party wall notice to the adjoining property/land owner in accordance with the requirements of the 'Party Wall etc.' Act 1996

Contractor responsible for notifying of Building Control Surveyor of each stage of works and ensure inspections have been made. All details to comply with current building regulations and Building Control Approval. Work not to commence until approval of plans by Building Control Body. Any works that commence before Building Regulations drawings have been approved is responsibility of client.

After confirmation from local authority that prior approval is not required, proposed extension must comply with all permitted development criteria set out under the General Permitted Development Order 1995

Any development carried out without Permitted Development Certificate is at owner's own risk. It is strongly advised that a Permitted Development Certificate/Certificate of Lawfulness is sought prior to commencement of any works

- FD30

FD30
- FD30
- All habitable room doors to be replaced with FD30 doors with 38x25mm Door Stops and 3 No Stainless Steel Hinges. Middle Hinge to be installed at least 2/3 of way up door frame
- SD

SD
- SD
- Mains powered with battery back up interlinked smoke detector to be installed within at least 7.5m of all habitable rooms and at least 30cm from any light fitting or wall
- HD

HD
- HD
- Mains powered and interlinked operated heat detector with battery back up
- Ex


Ex
- Ex
- Extractor fan for shower room - 15l/s and Kitchen 30l/s to be taken through to run and expel externally

For Structural Steelwork refer to Structural Engineer's Drawing. Beams indicated by red dashed lines (see right)


All Steel work to be encased in 2 layers of FireLine Board with staggered joints or fire resisting intumescent paint in accordance with manufacturer's guidance to provide minimum 60min fire resistance
All Steel work to only be ordered once contractor has confirmed dimensions on site and positioning with client. Any discrepancies noted to be discussed with Surveyor prior to ordering any steel work. No responsibility taken by Surveyor for steels ordered to match site conditions

A-Z Building Services


A: Addlestone KT15
E: hthuseyin0809@msn.com
T: 07969925562



PROPOSED GROUND FLOOR



PROPOSED FIRST FLOOR



CLIENT	Mr & Mrs Dhami 3 Belmont Close, Uxbridge, UB8 1RF	PROJECT	NEW PORCH, ROOF LIGHTS & SIDE DOOR, AND CHANGE OF EXTERNAL FINISH FROM RENDER TO BRICK	DRAWING	PROPOSED PLANS	STAGE	BUILDING REGS	CHECKED	APPROVED	DRAWING No.	207LL-REGS-04	REV	C
								SCALE 1:100 @ A3	DATE				

ANY CHANGES FROM APPROVED DRAWINGS ARE THE RESPONSIBILITY OF CLIENT/CONTRACTOR – PLEASE READ CLAUSED BELOW BEFORE WORKS COMMENCE

Any dimensions taken from this drawing should be cross checked on site and approved prior to any construction works. The contractor shall be responsible for taking all necessary site dimensions and levels and for all exploratory works to verify any existing structure before commencement of works. The contractor will be responsible for all the correct setting out and temporary supports of works on site to property and neighbouring properties

No liability taken of any kind is accepted by Architect for any error or omission Where new work is near/on boundary line/party wall the property owner is to serve party wall notice to the adjoining property/land owner in accordance with the requirements of the 'Party Wall etc.' Act 1996

Contractor responsible for notifying of Building Control Surveyor of each stage of works and ensure inspections have been made. All details to comply with current building regulations and Building Control Approval. Work not to commence until approval of plans by Building Control Body. Any works that commence before Building Regulations drawings have been approved is responsibility of client.

After confirmation from local authority that prior approval is not required, proposed extension must comply with all permitted development criteria set out under the General Permitted Development Order 1995

Any development carried out without Permitted Development Certificate is at owner's own risk. It is strongly advised that a Permitted Development Certificate/Certificate of Lawfulness is sought prior to commencement of any works

- FD30 All habitable room doors to be replaced with FD30 doors with 38x25mm Door Stops and 3 No Stainless Steel Hinges. Middle Hinge to be installed at least 2/3 of way up door frame
- SD Mains powered with battery back up interlinked smoke detector to be installed within at least 7.5m of all habitable rooms and at least 30cm from any light fitting or wall
- HD Mains powered and interlinked operated heat detector with battery back up
- Ex Extractor fan for shower room - 15l/s and Kitchen 30l/s to be taken through to run and expel externally


For Structural Steelwork refer to Structural Engineer's Drawing. Beams indicated by red dashed lines (see right)

All Steel work to be encased in 2 layers of FireLine Board with staggered joints or fire resisting intumescent paint in accordance with manufacturer's guidance to provide minimum 60min fire resistance


All Steel work to only be ordered once contractor has confirmed dimensions on site and positioning with client. Any discrepancies noted to be discussed with Surveyor prior to ordering any steel work. No responsibility taken by Surveyor for steels ordered to match site conditions

A-Z Building Services

A: Addlestone KT15
E: lthuseyin0809@msn.com
T: 07969925562



PROPOSED LOFT PLAN



CLIENT	Mr & Mrs Dhami 3 Belmont Close, Uxbridge, UB8 1RF	PROJECT	NEW PORCH, ROOF LIGHTS & SIDE DOOR, AND CHANGE OF EXTERNAL FINISH FROM RENDER TO BRICK	DRAWING	PROPOSED PLANS	STAGE	BUILDING REGS	CHECKED	SCALE 1:100 @ A3	APPROVED	DATE	DRAWING No.	207LL-REGS-05	REV	C
--------	--	---------	--	---------	----------------	-------	---------------	---------	------------------	----------	------	-------------	---------------	-----	---

ANY CHANGES FROM APPROVED DRAWINGS ARE THE RESPONSIBILITY OF CLIENT/CONTRACTOR – PLEASE READ CLAUSED BELOW BEFORE WORKS COMMENCE

Any dimensions taken from this drawing should be cross checked on site and approved prior to any construction works. The contractor shall be responsible for taking all necessary site dimensions and levels and for all exploratory works to verify any existing structure before commencement of works. The contractor will be responsible for all the correct setting out and temporary supports of works on site to property and neighbouring properties

No liability taken of any kind is accepted by Architect for any error or omission Where new work is near/on boundary line/party wall the property owner is to serve party wall notice to the adjoining property/land owner in accordance with the requirements of the 'Party Wall etc.' Act 1996

Contractor responsible for notifying of Building Control Surveyor of each stage of works and ensure inspections have been made. All details to comply with current building regulations and Building Control Approval. Work not to commence until approval of plans by Building Control Body. Any works that commence before Building Regulations drawings have been approved is responsibility of client.

After confirmation from local authority that prior approval is not required, proposed extension must comply with all permitted development criteria set out under the General Permitted Development Order 1995

Any development carried out without Permitted Development Certificate is at owner's own risk. It is strongly advised that a Permitted Development Certificate/Certificate of Lawfulness is sought prior to commencement of any works

- FD30 All habitable room doors to be replaced with FD30 doors with 38x25mm Door Stops and 3 No Stainless Steel Hinges. Middle Hinge to be installed at least 2/3 of way up door frame
- SD Mains powered with battery back up interlinked smoke detector to be installed within at least 7.5m of all habitable rooms and at least 30cm from any light fitting or wall
- HD Mains powered and interlinked operated heat detector with battery back up
- Ex Extractor fan for shower room - 15l/s and Kitchen 30l/s to be taken through to run and expel externally

For Structural Steelwork refer to Structural Engineer's Drawing. Beams indicated by red dashed lines (see right)

All Steel work to be encased in 2 layers of FireLine Board with staggered joints or fire resisting intumescent paint in accordance with manufacturer's guidance to provide minimum 60min fire resistance
All Steel work to only be ordered once contractor has confirmed dimensions on site and positioning with client. Any discrepancies noted to be discussed with Surveyor prior to ordering any steel work. No responsibility taken by Surveyor for steels ordered to match site conditions

A-Z Building Services


A: Addlestone KT15
E: hthuseyin0809@msn.com
T: 07969925562




EXISTING FRONT




EXISTING REAR



EXISTING SIDE 1



EXISTING SIDE 2



CLIENT	PROJECT	DRAWING	STAGE
Mr & Mrs Dhami 3 Belmont Close, Uxbridge, UB8 1RF	NEW PORCH, ROOF LIGHTS & SIDE DOOR, AND CHANGE OF EXTERNAL FINISH FROM RENDER TO BRICK	EXISTING ELEVATIONS	BUILDING REGS

CHECKED	APPROVED
SCALE 1:100 @ A3	DATE
DRAWING No.	REV
207LL-REGS-06	C

ANY CHANGES FROM APPROVED DRAWINGS ARE THE RESPONSIBILITY OF CLIENT/CONTRACTOR – PLEASE READ CLAUSED BELOW BEFORE WORKS COMMENCE

Any dimensions taken from this drawing should be cross checked on site and approved prior to any construction works. The contractor shall be responsible for taking all necessary site dimensions and levels and for all exploratory works to verify any existing structure before commencement of works. The contractor will be responsible for all the correct setting out and temporary supports of works on site to property and neighbouring properties

No liability taken of any kind is accepted by Architect for any error or omission Where new work is near/on boundary line/party wall the property owner is to serve party wall notice to the adjoining property/land owner in accordance with the requirements of the 'Party Wall etc.' Act 1996

Contractor responsible for notifying of Building Control Surveyor of each stage of works and ensure inspections have been made. All details to comply with current building regulations and Building Control Approval. Work not to commence until approval of plans by Building Control Body. Any works that commence before Building Regulations drawings have been approved is responsibility of client.

After confirmation from local authority that prior approval is not required, proposed extension must comply with all permitted development criteria set out under the General Permitted Development Order 1995

Any development carried out without Permitted Development Certificate is at owner's own risk. It is strongly advised that a Permitted Development Certificate/Certificate of Lawfulness is sought prior to commencement of any works

- FD30 All habitable room doors to be replaced with FD30 doors with 38x25mm Door Stops and 3 No Stainless Steel Hinges. Middle Hinge to be installed at least 2/3 of way up door frame
- SD Mains powered with battery back up interlinked smoke detector to be installed within at least 7.5m of all habitable rooms and at least 30cm from any light fitting or wall
- HD Mains powered and interlinked operated heat detector with battery back up
- Ex Extractor fan for shower room - 15l/s and Kitchen 30l/s to be taken through to run and expel externally

For Structural Steelwork refer to Structural Engineer's Drawing. Beams indicated by red dashed lines (see right)


All Steel work to be encased in 2 layers of FireLine Board with staggered joints or fire resisting intumescent paint in accordance with manufacturer's guidance to provide minimum 60min fire resistance
All Steel work to only be ordered once contractor has confirmed dimensions on site and positioning with client. Any discrepancies noted to be discussed with Surveyor prior to ordering any steel work. No responsibility taken by Surveyor for steels ordered to match site conditions

A-Z Building Services


A: Addlestone KT15
E: lthuseyin0809@msn.com
T: 07969925562




PROPOSED FRONT




PROPOSED REAR



PROPOSED SIDE 1



PROPOSED SIDE 2



CLIENT
Mr & Mrs Dhami
3 Belmont Close, Uxbridge, UB8 1RF

PROJECT
NEW PORCH, ROOF LIGHTS & SIDE
DOOR, AND CHANGE OF EXTERNAL
FINISH FROM RENDER TO BRICK

DRAWING
PROPOSED ELEVATIONS

STAGE
BUILDING REGS

ANY CHANGES FROM APPROVED DRAWINGS ARE THE
RESPONSIBILITY OF CLIENT/CONTRACTOR - PLEASE
READ CLAUSED BELOW BEFORE WORKS COMMENCE

Any dimensions taken from this drawing should be cross
checked on site and approved prior to any construction works.
The contractor shall be responsible for taking all necessary site
dimensions and levels and for all exploratory works to verify any
existing structure before commencement of works. The
contractor will be responsible for all the correct setting out and
temporary supports of works on site to property and
neighbouring properties

No liability taken of any kind is accepted by Architect for any
error or omission Where new work is near/on boundary
line/party wall the property owner is to serve party wall notice
to the adjoining property/land owner in accordance with the
requirements of the 'Party Wall etc.' Act 1996

Contractor responsible for notifying of Building Control Surveyor
of each stage of works and ensure inspections have been
made. All details to comply with current building regulations and
Building Control Approval. Work not to commence until approval
of plans by Building Control Body. Any works that commence
before Building Regulations drawings have been approved is
responsibility of client.

After confirmation from local authority that prior approval is not
required, proposed extension must comply with all permitted
development criteria set out under the General Permitted
Development Order 1995

Any development carried out without Permitted Development
Certificate is at owner's own risk. It is strongly advised that a
Permitted Development Certificate/Certificate of Lawfulness is
sought prior to commencement of any works

- FD30 All habitable room doors to be replaced with FD30 doors with
38x25mm Door Stops and 3 No Stainless Steel Hinges.
Middle Hinge to be installed at least $\frac{2}{3}$ of way up door frame
- SD Mains powered with battery back up interlinked smoke detector
to be installed within at least 7.5m of all habitable rooms
and at least 30cm from any light fitting or wall
- HD Mains powered and interlinked operated heat detector
with battery back up
- Ex Extractor fan for shower room - 15l/s and
Kitchen 30l/s to be taken through to run and
expel externally

For Structural Steelwork refer to Structural Engineer's
Drawing. Beams indicated by red dashed lines (see right)

All Steel work to be encased in 2 layers of FireLine Board with staggered
joints or fire resisting intumescent paint in accordance with manufacturer's
guidance to provide minimum 60min fire resistance
All Steel work to only be ordered once contractor has confirmed
dimensions on site and positioning with client. Any discrepancies noted to
be discussed with Surveyor prior to ordering any steel work. No
responsibility taken by Surveyor for steels ordered to match site
conditions

A-Z Building Services

A: Addlestone KT15
E: lthuseyin0809@msn.com
T: 07969925562

CHECKED	APPROVED
SCALE 1:100 @ A3	DATE
DRAWING No. 207LL-REGS-07	REV C