

Sources of information

**Survey Solutions**


31651IPLS01-03.dwg  
Received 02/08/2021

3105-DGM-ZZ-3D-X-M3-X-0001-001.rvt  
Received 03/08/2021

31651CVLS-04-07.dwg  
31651CVLS-04-09.dwg  
31651CVLS-04-11.dwg  
Received 07/10/2021

**EB7 Ltd**

Site Photographs  
Ordnance Survey



Project Hayes Town Central Estate  
London

Title 69-67 Station Road  
Window Map

Drawn TR Checked --

Date 26/08/2025 Project 4899

Rel no. Prefix Page no.  
WM11 29



Sources of information

**Survey Solutions**


31651IPLS01-03.dwg  
Received 02/08/2021

3105-DGM-ZZ-3D-X-M3-X-0001-001.rvt  
Received 03/08/2021

31651CVLS-04-07.dwg  
31651CVLS-04-09.dwg  
31651CVLS-04-11.dwg  
Received 07/10/2021

**EB7 Ltd**

Site Photographs  
Ordnance Survey



Project Hayes Town Central Estate  
London

Title 63-65 Station Road  
Window Map

Drawn TR Checked --

Date 26/08/2025 Project 4899

Rel no. Prefix Page no.  
WM11 30



Sources of information

**Survey Solutions**


31651IPLS01-03.dwg  
Received 02/08/2021

3105-DGM-ZZ-3D-X-M3-X-0001-001.rvt  
Received 03/08/2021

31651CVLS-04-07.dwg  
31651CVLS-04-09.dwg  
31651CVLS-04-11.dwg  
Received 07/10/2021

**EB7 Ltd**

Site Photographs  
Ordnance Survey



Project Hayes Town Central Estate  
London

Title 1A Crown Close  
Window Map

Drawn TR Checked --

Date 26/08/2025 Project 4899

Rel no. Prefix Page no.  
WM11 31



Sources of information

**Survey Solutions**


31651IPLS01-03.dwg  
Received 02/08/2021

3105-DGM-ZZ-3D-X-M3-X-0001-001.rvt  
Received 03/08/2021

31651CVLS-04-07.dwg  
31651CVLS-04-09.dwg  
31651CVLS-04-11.dwg  
Received 07/10/2021

**EB7 Ltd**

Site Photographs  
Ordnance Survey




Project Hayes Town Central Estate  
London

Title 53 and 55 Station Road  
Window Map

Drawn TR Checked --

Date 26/08/2025 Project 4899

Rel no. Prefix Page no.  
WM11 32



Sources of information

**Survey Solutions**


31651IPLS01-03.dwg  
Received 02/08/2021

3105-DGM-ZZ-3D-X-M3-X-0001-001.rvt  
Received 03/08/2021

31651CVLS-04-07.dwg  
31651CVLS-04-09.dwg  
31651CVLS-04-11.dwg  
Received 07/10/2021

**EB7 Ltd**

Site Photographs  
Ordnance Survey




Project Hayes Town Central Estate  
London

Title Land and Buildings on the  
South of Pump Lane  
Window Map

Drawn TR Checked --

Date 26/08/2025 Project 4899

Rel no. Prefix Page no.  
WM11 33



Sources of information

**Survey Solutions**


31651IPLS01-03.dwg  
 Received 02/08/2021

3105-DGM-ZZ-3D-X-M3-X-0001-001.rvt  
 Received 03/08/2021

31651CVLS-04-07.dwg  
 31651CVLS-04-09.dwg  
 31651CVLS-04-11.dwg  
 Received 07/10/2021

**EB7 Ltd**

Site Photographs  
 Ordnance Survey




Project Hayes Town Central Estate  
 London

Title Hayes Muslim Centre  
 Window Map

Drawn TR Checked --

Date 26/08/2025 Project 4899

Rel no. Prefix Page no.  
 WM11 34



Sources of information

**Survey Solutions**


31651IPLS01-03.dwg  
 Received 02/08/2021

3105-DGM-ZZ-3D-X-M3-X-0001-001.rvt  
 Received 03/08/2021

31651CVLS-04-07.dwg  
 31651CVLS-04-09.dwg  
 31651CVLS-04-11.dwg  
 Received 07/10/2021

**EB7 Ltd**

Site Photographs  
 Ordnance Survey



Project Hayes Town Central Estate  
 London

Title Hayes Muslim Centre  
 Window Map

Drawn TR Checked --

Date 26/08/2025 Project 4899

Rel no. Prefix Page no.  
 WM11 35



Sources of information

**Survey Solutions**


31651IPLS01-03.dwg  
 Received 02/08/2021

3105-DGM-ZZ-3D-X-M3-X-0001-001.rvt  
 Received 03/08/2021

31651CVLS-04-07.dwg  
 31651CVLS-04-09.dwg  
 31651CVLS-04-11.dwg  
 Received 07/10/2021

**EB7 Ltd**

Site Photographs  
 Ordnance Survey




Project Hayes Town Central Estate  
 London

Title Hayes Muslim Centre  
 Window Map

Drawn TR Checked --

Date 26/08/2025 Project 4899

Rel no. Prefix Page no.  
 WM11 36



Sources of information

**Survey Solutions**


31651IPLS01-03.dwg  
Received 02/08/2021

3105-DGM-ZZ-3D-X-M3-X-0001-001.rvt  
Received 03/08/2021

31651CVLS-04-07.dwg  
31651CVLS-04-09.dwg  
31651CVLS-04-11.dwg  
Received 07/10/2021

**EB7 Ltd**

Site Photographs  
Ordnance Survey



Project Hayes Town Central Estate  
London

Title Hayes Labour Hall  
Window Map

Drawn TR Checked --

Date 26/08/2025 Project 4899

Rel no. Prefix Page no.  
WM11 37



Sources of information

**Survey Solutions**


31651IPLS01-03.dwg  
Received 02/08/2021

3105-DGM-ZZ-3D-X-M3-X-0001-001.rvt  
Received 03/08/2021

31651CVLS-04-07.dwg  
31651CVLS-04-09.dwg  
31651CVLS-04-11.dwg  
Received 07/10/2021

**EB7 Ltd**

Site Photographs  
Ordnance Survey




Project Hayes Town Central Estate  
London

Title Hayes Labour Hall  
Window Map

Drawn TR Checked --

Date 26/08/2025 Project 4899

Rel no. Prefix Page no.  
WM11 38




Sources of information

**Survey Solutions**  
31651IPLS01-03.dwg  
Received 02/08/2021

3105-DGM-ZZ-3D-X-M3-X-0001-001.rvt  
Received 03/08/2021

31651CVLS-04-07.dwg  
31651CVLS-04-09.dwg  
31651CVLS-04-11.dwg  
Received 07/10/2021

**EB7 Ltd**  
Site Photographs  
Ordnance Survey




Project Hayes Town Central Estate  
London

Title 18-22 Pump Lane  
Window Map

Drawn TR Checked --

Date 26/08/2025 Project 4899

Rel no. Prefix Page no.  
WM11 39




Sources of information

**Survey Solutions**  
31651IPLS01-03.dwg  
Received 02/08/2021

3105-DGM-ZZ-3D-X-M3-X-0001-001.rvt  
Received 03/08/2021

31651CVLS-04-07.dwg  
31651CVLS-04-09.dwg  
31651CVLS-04-11.dwg  
Received 07/10/2021

**EB7 Ltd**  
Site Photographs  
Ordnance Survey




Project Hayes Town Central Estate  
London

Title 33 Station Road  
Window Map

Drawn TR Checked --

Date 26/08/2025 Project 4899

Rel no. Prefix Page no.  
WM11 40



Sources of information


**Survey Solutions**  
 31651IPLS01-03.dwg  
 Received 02/08/2021

3105-DGM-ZZ-3D-X-M3-X-0001-001.rvt  
 Received 03/08/2021

31651CVLS-04-07.dwg  
 31651CVLS-04-09.dwg  
 31651CVLS-04-11.dwg  
 Received 07/10/2021

**EB7 Ltd**  
 Site Photographs  
 Ordnance Survey

Block A



Block B


Project Hayes Town Central Estate  
 London

Title Block A-B  
 Window Map

Drawn TR Checked --

Date 26/08/2025 Project 4899

Rel no. Prefix Page no.  
 WM11 41



Sources of information


**Survey Solutions**  
 31651IPLS01-03.dwg  
 Received 02/08/2021

3105-DGM-ZZ-3D-X-M3-X-0001-001.rvt  
 Received 03/08/2021

31651CVLS-04-07.dwg  
 31651CVLS-04-09.dwg  
 31651CVLS-04-11.dwg  
 Received 07/10/2021

**EB7 Ltd**  
 Site Photographs  
 Ordnance Survey

Block B



Block A

Project Hayes Town Central Estate  
 London

Title Block A-B  
 Window Map

Drawn TR Checked --

Date 26/08/2025 Project 4899

Rel no. Prefix Page no.  
 WM11 42




Sources of information

**Survey Solutions**  
 31651IPLS01-03.dwg  
 Received 02/08/2021

3105-DGM-ZZ-3D-X-M3-X-0001-001.rvt  
 Received 03/08/2021

31651CVLS-04-07.dwg  
 31651CVLS-04-09.dwg  
 31651CVLS-04-11.dwg  
 Received 07/10/2021

**EB7 Ltd**  
 Site Photographs  
 Ordnance Survey



Block A

Block B


Project Hayes Town Central Estate  
 London

Title Block A-B  
 Window Map

Drawn TR Checked --

Date 26/08/2025 Project 4899

Rel no. Prefix Page no.  
 WM11 43



Sources of information


**Survey Solutions**  
 31651IPLS01-03.dwg  
 Received 02/08/2021

3105-DGM-ZZ-3D-X-M3-X-0001-001.rvt  
 Received 03/08/2021

31651CVLS-04-07.dwg  
 31651CVLS-04-09.dwg  
 31651CVLS-04-11.dwg  
 Received 07/10/2021

**EB7 Ltd**  
 Site Photographs  
 Ordnance Survey

Block A



Block B


Project Hayes Town Central Estate  
 London

Title Block A-B  
 Window Map

Drawn TR Checked --

Date 26/08/2025 Project 4899

Rel no. Prefix Page no.  
 WM11 44



Sources of information

**Survey Solutions**


31651IPLS01-03.dwg  
 Received 02/08/2021

3105-DGM-ZZ-3D-X-M3-X-0001-001.rvt  
 Received 03/08/2021

31651CVLS-04-07.dwg  
 31651CVLS-04-09.dwg  
 31651CVLS-04-11.dwg  
 Received 07/10/2021

**EB7 Ltd**

Site Photographs  
 Ordnance Survey




Project Hayes Town Central Estate  
 London

Title Block C  
 Window Map

Drawn TR Checked --

Date 26/08/2025 Project 4899

Rel no. Prefix Page no.  
 WM11 45



Sources of information

**Survey Solutions**


31651IPLS01-03.dwg  
 Received 02/08/2021

3105-DGM-ZZ-3D-X-M3-X-0001-001.rvt  
 Received 03/08/2021

31651CVLS-04-07.dwg  
 31651CVLS-04-09.dwg  
 31651CVLS-04-11.dwg  
 Received 07/10/2021

**EB7 Ltd**

Site Photographs  
 Ordnance Survey




Project Hayes Town Central Estate  
 London

Title Block C  
 Window Map

Drawn TR Checked --

Date 26/08/2025 Project 4899

Rel no. Prefix Page no.  
 WM11 46



Sources of information

**Survey Solutions**


31651IPLS01-03.dwg  
Received 02/08/2021

3105-DGM-ZZ-3D-X-M3-X-0001-001.rvt  
Received 03/08/2021

31651CVLS-04-07.dwg  
31651CVLS-04-09.dwg  
31651CVLS-04-11.dwg  
Received 07/10/2021

**EB7 Ltd**

Site Photographs  
Ordnance Survey




Project Hayes Town Central Estate  
London

Title Block C  
Window Map

Drawn TR Checked --

Date 26/08/2025 Project 4899

Rel no. Prefix Page no.  
WM11 47



Sources of information

**Survey Solutions**

31651IPLS01-03.dwg  
 Received 02/08/2021

3105-DGM-ZZ-3D-X-M3-X-0001-001.rvt  
 Received 03/08/2021

31651CVLS-04-07.dwg  
 31651CVLS-04-09.dwg  
 31651CVLS-04-11.dwg  
 Received 07/10/2021

**EB7 Ltd**

Site Photographs  
 Ordnance Survey




Project Hayes Town Central Estate  
 London

Title Block C  
 Window Map

Drawn TR Checked --

Date 26/08/2025 Project 4899

Rel no. Prefix Page no.  
 WM11 48



Sources of information

**Survey Solutions**


31651IPLS01-03.dwg  
 Received 02/08/2021

3105-DGM-ZZ-3D-X-M3-X-0001-001.rvt  
 Received 03/08/2021

31651CVLS-04-07.dwg  
 31651CVLS-04-09.dwg  
 31651CVLS-04-11.dwg  
 Received 07/10/2021

**EB7 Ltd**

Site Photographs  
 Ordnance Survey




Project Hayes Town Central Estate  
 London

Title Block C  
 Window Map

Drawn TR Checked --

Date 26/08/2025 Project 4899

Rel no. Prefix Page no.  
 WM11 49



Sources of information

**Survey Solutions**


31651IPLS01-03.dwg  
Received 02/08/2021

3105-DGM-ZZ-3D-X-M3-X-0001-001.rvt  
Received 03/08/2021

31651CVLS-04-07.dwg  
31651CVLS-04-09.dwg  
31651CVLS-04-11.dwg  
Received 07/10/2021

**EB7 Ltd**

Site Photographs  
Ordnance Survey




Project Hayes Town Central Estate  
London

Title Block D  
Window Map

Drawn TR Checked --

Date 26/08/2025 Project 4899

Rel no. Prefix Page no.  
WM11 50




Sources of information

**Survey Solutions**  
 31651IPLS01-03.dwg  
 Received 02/08/2021

3105-DGM-ZZ-3D-X-M3-X-0001-001.rvt  
 Received 03/08/2021

31651CVLS-04-07.dwg  
 31651CVLS-04-09.dwg  
 31651CVLS-04-11.dwg  
 Received 07/10/2021

**EB7 Ltd**  
 Site Photographs  
 Ordnance Survey




Project Hayes Town Central Estate  
 London

Title Block D  
 Window Map

Drawn TR Checked --

Date 26/08/2025 Project 4899

Rel no. Prefix Page no.  
 WM11 51




Sources of information

**Survey Solutions**  
 31651IPLS01-03.dwg  
 Received 02/08/2021

3105-DGM-ZZ-3D-X-M3-X-0001-001.rvt  
 Received 03/08/2021

31651CVLS-04-07.dwg  
 31651CVLS-04-09.dwg  
 31651CVLS-04-11.dwg  
 Received 07/10/2021

**EB7 Ltd**  
 Site Photographs  
 Ordnance Survey




Project Hayes Town Central Estate  
 London

Title Block D  
 Window Map

Drawn TR Checked --

Date 26/08/2025 Project 4899

Rel no. Prefix Page no.  
 WM11 52



Sources of information

**Survey Solutions**


31651IPLS01-03.dwg  
 Received 02/08/2021

3105-DGM-ZZ-3D-X-M3-X-0001-001.rvt  
 Received 03/08/2021

31651CVLS-04-07.dwg  
 31651CVLS-04-09.dwg  
 31651CVLS-04-11.dwg  
 Received 07/10/2021

**EB7 Ltd**

Site Photographs  
 Ordnance Survey



Project Hayes Town Central Estate  
 London

Title 53 and 55 Station Road  
 Window Map

Drawn TR Checked --

Date 26/08/2025 Project 4899

Rel no. Prefix Page no.  
 WM11 53



Sources of information

**Survey Solutions**


31651IPLS01-03.dwg  
Received 02/08/2021

3105-DGM-ZZ-3D-X-M3-X-0001-001.rvt  
Received 03/08/2021

31651CVLS-04-07.dwg  
31651CVLS-04-09.dwg  
31651CVLS-04-11.dwg  
Received 07/10/2021

**EB7 Ltd**

Site Photographs  
Ordnance Survey



Project Hayes Town Central Estate  
London

Title 53 and 55 Station Road  
Window Map

Drawn TR Checked --

Date 26/08/2025 Project 4899

Rel no. Prefix Page no.  
WM11 54



## Appendix 2

Results of the daylight and sunlight assessments  
within neighbouring properties & VSC Façade Studies

Address	Room	Window	Room use	Vertical Sky Component (VSC)			No-Sky Line (NSL)					Annual Probable Sunlight Hours (APSH) by Room						
				Existing VSC	Proposed VSC	Proportion Retained	Room Area	Existing NSL		Proposed NSL		Proportion Retained	Existing APSH		Proposed APSH		Retained	
								m <sup>2</sup>	%	m <sup>2</sup>	%		Total	Winter	Total	Winter	Total	Winter
<b>18-22 Pump Lane</b>																		
Ground	R1	W1 W10	Communal Occupied Space	6.0	5.9	0.99	60.1	32.8	55%	32.7	54%	1.00	41	12	41	12	1.00	1.00
				16.9	16.8	1.00												
Ground	R2	W2	Circulation	6.7	6.6	0.99	2.3	2.0	87%	2.0	87%	1.00	15	12	15	12	1.00	1.00
Ground	R3	W3 W4	Lobby	6.9	6.8	0.99	24.7	24.2	98%	24.2	98%	1.00	50	18	50	18	1.00	1.00
				20.5	20.5	1.00												
Ground	R4	W5 W6 W7 W8	Dining Room	9.7	9.6	1.00	133.9	122.1	91%	122.6	92%	1.00	46	18	46	18	1.00	1.00
				10.4	10.4	1.00												
				23.2	23.3	1.00												
				12.5	12.5	1.00												
Ground	R5	W9	Lobby	26.2	26.3	1.00	5.3	5.2	98%	5.2	98%	1.00	50	17	50	17	1.00	1.00
First	R1	W1	Bedroom	22.1	22.1	1.00	17.1	11.6	68%	11.6	68%	1.00	54	13	54	13	1.00	1.00
First	R2	W2	Bedroom	23.8	23.8	1.00	11.9	9.0	76%	9.0	76%	1.00	54	15	54	15	1.00	1.00
First	R3	W3	Bathroom	21.0	21.0	1.00	4.1	4.1	99%	4.1	99%	1.00	41	15	41	15	1.00	1.00
First	R4	W4	Bedroom	27.5	27.4	1.00	17.2	14.2	83%	14.2	83%	1.00	64	21	64	21	1.00	1.00
First	R5	W5	Bedroom	29.0	29.0	1.00	16.7	15.4	92%	15.4	92%	1.00	66	22	66	22	1.00	1.00
First	R6	W6	Bathroom	25.4	25.4	1.00	6.7	6.7	99%	6.7	99%	1.00	48	18	48	18	1.00	1.00
First	R7	W7	Bedroom	31.0	31.0	1.00	14.6	14.4	99%	14.4	99%	1.00	69	21	69	21	1.00	1.00
First	R8	W8	Bedroom	28.5	28.5	1.00	18.1	17.5	97%	17.5	97%	1.00	58	22	58	22	1.00	1.00
First	R9	W9	Bedroom	19.8	19.7	1.00	13.4	7.9	59%	7.9	59%	1.00	43	10	43	10	1.00	1.00
Second	R1	W1	Bedroom	23.4	23.4	1.00	15.8	11.0	69%	11.0	69%	1.00	58	14	58	14	1.00	1.00
Second	R2	W2	Bedroom	25.3	25.3	1.00	14.1	11.2	79%	11.2	79%	1.00	60	16	60	16	1.00	1.00
Second	R3	W3	Bathroom	23.4	23.3	1.00	4.2	4.0	96%	4.0	96%	1.00	48	16	48	16	1.00	1.00
Second	R4	W4 W5	Bedroom	29.0	29.0	1.00	18.2	17.9	98%	17.9	98%	1.00	68	21	68	21	1.00	1.00
				30.3	30.2	1.00												
Second	R5	W6	Bedroom	30.9	30.8	1.00	16.6	16.1	97%	16.1	97%	1.00	69	22	69	22	1.00	1.00
Second	R6	W7	Bathroom	27.9	27.9	1.00	6.8	6.7	99%	6.7	99%	1.00	52	18	52	18	1.00	1.00
Second	R7	W8	Bedroom	32.5	32.5	1.00	14.7	14.5	99%	14.5	99%	1.00	72	23	72	23	1.00	1.00
Second	R8	W9	Bedroom	30.4	30.4	1.00	18.2	17.7	98%	17.7	98%	1.00	57	21	57	21	1.00	1.00
Second	R9	W10	Bedroom	21.6	21.5	1.00	16.0	7.8	49%	7.8	49%	1.00	52	10	52	10	1.00	1.00
<b>38 Little Road</b>																		
Ground	R1	W1 W2 W3 W4	KD	28.3	28.7	1.01	27.1	26.7	99%	26.8	99%	1.00	N/F	N/F	N/F	N/F	N/F	N/F
				22.8	23.0	1.01												
				24.2	24.2	1.00												
				76.3	76.5	1.00												
First	R1	W1	Bedroom	30.5	31.2	1.02	18.1	15.3	85%	15.9	88%	1.04	N/F	N/F	N/F	N/F	N/F	N/F
First	R2	W2	Bathroom	24.1	24.2	1.01	5.2	4.9	94%	4.9	94%	1.00	N/F	N/F	N/F	N/F	N/F	N/F
First	R3	W3	Bedroom	29.6	29.8	1.01	14.3	12.9	90%	12.7	88%	0.98	N/F	N/F	N/F	N/F	N/F	N/F
Second	R1	W1	Residential	32.2	32.3	1.00	3.2	3.2	99%	3.2	99%	1.00	N/F	N/F	N/F	N/F	N/F	N/F
Second	R2	W2 W3	Residential	31.9	31.9	1.00	18.1	17.5	97%	17.5	97%	1.00	93	27	93	27	1.00	1.00
				84.5	84.5	1.00												
<b>36 Little Road</b>																		
Ground	R1	W1 W2 W3	Residential	17.4	17.3	1.00	7.2	6.2	86%	5.9	82%	0.96	N/F	N/F	N/F	N/F	N/F	N/F
				19.8	19.7	0.99												
				24.2	24.1	1.00												
Ground	R2	W4	Residential	23.4	23.4	1.00	11.7	9.8	84%	9.5	81%	0.97	N/F	N/F	N/F	N/F	N/F	N/F
First	R1	W1	Residential	29.9	30.0	1.00	5.0	4.7	94%	4.7	94%	1.00	N/F	N/F	N/F	N/F	N/F	N/F
First	R2	W2	Residential	29.9	29.8	1.00	14.3	12.9	90%	12.4	86%	0.96	N/F	N/F	N/F	N/F	N/F	N/F

Address	Room	Window	Room use	Vertical Sky Component (VSC)			No-Sky Line (NSL)					Annual Probable Sunlight Hours (APSH) by Room							
				Existing VSC	Proposed VSC	Proportion Retained	Room Area	Existing NSL		Proposed NSL		Proportion Retained	Existing APSH		Proposed APSH		Retained		
								m <sup>2</sup>	%	m <sup>2</sup>	%		Total	Winter	Total	Winter	Total	Winter	
<b>34 Little Road</b>																			
Ground	R1	W1	Residential	26.3	25.9	0.99	15.0	14.7	98%	14.7	98%	1.00	N/F	N/F	N/F	N/F	N/F	N/F	
		W2		26.4	25.9	0.98													
		W3		26.5	26.0	0.98													
First	R1	W1	Residential	29.8	29.7	1.00	14.3	12.9	90%	12.5	87%	0.96	N/F	N/F	N/F	N/F	N/F	N/F	
First	R2	W2	Residential	29.8	29.6	0.99	4.1	3.9	93%	3.9	93%	1.00	N/F	N/F	N/F	N/F	N/F	N/F	N/F
<b>32 Little Road</b>																			
Ground	R1	W1	Study	12.1	11.7	0.97	7.8	7.1	91%	6.8	87%	0.97	N/F	N/F	N/F	N/F	N/F	N/F	
Ground	R2	W2	LKD	12.4	12.1	0.97	44.3	43.7	99%	43.7	99%	1.00	90	25	90	25	1.00	1.00	
		W3		12.2	11.9	0.98													
		W4		68.0	67.9	1.00													
		W5		63.1	63.0	1.00													
		W6		21.1	21.1	1.00													
		W7		34.9	34.9	1.00													
		W8		30.7	30.7	1.00													
		Ground		R3	W10 W11	Garage													26.2 71.5
Ground	R4	W9	Residential	26.7	27.0	1.01	6.3	6.1	97%	6.0	95%	0.98	58	20	59	20	1.02	1.00	
First	R1	W1	Bathroom	29.4	29.1	0.99	5.5	5.4	99%	5.4	99%	1.00	N/F	N/F	N/F	N/F	N/F	N/F	
		W4		29.7	29.6	1.00													
First	R2	W2	Bedroom	29.5	29.2	0.99	11.8	11.3	96%	11.3	96%	1.00	N/F	N/F	N/F	N/F	N/F	N/F	
First	R3	W3	Landing	29.6	29.4	1.00	4.9	4.6	95%	4.6	95%	1.00	N/F	N/F	N/F	N/F	N/F	N/F	
Second	R1	W1	Bathroom	31.2	31.0	0.99	4.4	4.3	97%	4.3	97%	1.00	N/F	N/F	N/F	N/F	N/F	N/F	
Second	R2	W2	Bedroom	31.4	31.1	0.99	20.7	18.6	90%	18.6	90%	1.00	95	27	95	27	1.00	1.00	
		W3		88.5	88.5	1.00													
		W4		88.6	88.6	1.00													
Second	R3	W5	Stairwell	88.6	88.6	1.00	3.4	3.1	94%	3.1	94%	1.00	88	27	88	27	1.00	1.00	
<b>30 Little Road</b>																			
Ground	R1	W1	Living Room	71.7	71.5	1.00	20.3	20.0	99%	19.6	96%	0.98	N/F	N/F	N/F	N/F	N/F	N/F	
		W2		25.1	25.1	1.00													
		W3		24.9	24.8	1.00													
Ground	R2	W4	Living Room	24.6	24.1	0.98	20.9	12.2	58%	10.7	51%	0.88	N/F	N/F	N/F	N/F	N/F	N/F	
First	R1	W1	Residential	30.2	30.0	0.99	12.6	12.1	96%	12.1	96%	1.00	N/F	N/F	N/F	N/F	N/F	N/F	
First	R2	W2	Residential	30.4	30.2	0.99	4.4	4.3	98%	4.3	98%	1.00	N/F	N/F	N/F	N/F	N/F	N/F	
<b>28 Little Road</b>																			
Ground	R1	W1	Residential	26.1	25.8	0.99	8.6	7.5	87%	6.8	79%	0.90	N/F	N/F	N/F	N/F	N/F	N/F	
Ground	R2	W2	Residential	22.3	22.1	0.99	13.2	12.3	93%	12.3	93%	1.00	N/F	N/F	N/F	N/F	N/F	N/F	
First	R1	W1	Residential	29.3	29.0	0.99	5.0	4.9	98%	4.9	98%	1.00	N/F	N/F	N/F	N/F	N/F	N/F	
First	R2	W2	Residential	29.1	28.8	0.99	13.2	12.9	98%	12.9	97%	1.00	N/F	N/F	N/F	N/F	N/F	N/F	
<b>26 Little Road</b>																			
Ground	R1	W1	Residential	26.9	26.5	0.99	19.2	19.2	100%	18.6	97%	0.97	N/F	N/F	N/F	N/F	N/F	N/F	
		W2		26.4	26.0	0.99													
Ground	R2	W3	Residential	26.7	26.3	0.98	15.7	13.1	84%	11.6	74%	0.89	N/F	N/F	N/F	N/F	N/F	N/F	
First	R1	W1	Residential	29.1	28.8	0.99	13.2	12.9	97%	12.8	97%	1.00	N/F	N/F	N/F	N/F	N/F	N/F	
First	R2	W2	Residential	29.0	28.6	0.99	5.0	4.9	98%	4.9	98%	1.00	N/F	N/F	N/F	N/F	N/F	N/F	
<b>24 Little Road</b>																			
Ground	R1	W1	Storage	26.5	26.0	0.98	9.7	9.3	96%	8.8	90%	0.94	N/F	N/F	N/F	N/F	N/F	N/F	
		W2		26.5	26.0	0.98													
Ground	R2	W3	KD	26.7	26.2	0.98													
		W4		26.2	25.6	0.98													



Address	Room	Window	Room use	Vertical Sky Component (VSC)			No-Sky Line (NSL)					Annual Probable Sunlight Hours (APSH) by Room						
				Existing	Proposed	Proportion	Room	Existing NSL		Proposed NSL		Proportion	Existing APSH		Proposed APSH		Retained	
				VSC	VSC	Retained	Area	m <sup>2</sup>	%	m <sup>2</sup>	%	Retained	Total	Winter	Total	Winter	Total	Winter
		W2		24.3	24.0	0.99												
		W3		23.1	22.8	0.99												
		W4		86.0	85.8	1.00												
		W5		80.8	80.6	1.00	45.8	45.4	99%	45.3	99%	1.00	N/F	N/F	N/F	N/F	N/F	N/F
Ground	R2	W6	Bathroom	84.3	84.1	1.00	3.6	3.6	100%	3.6	100%	1.00	N/F	N/F	N/F	N/F	N/F	N/F
First	R1	W1	Bathroom	27.4	27.2	0.99	6.0	5.8	96%	5.6	93%	0.96	N/F	N/F	N/F	N/F	N/F	N/F
First	R2	W2	Bedroom	27.4	27.1	0.99	12.9	9.0	69%	8.7	67%	0.97	N/F	N/F	N/F	N/F	N/F	N/F
First	R3	W3	Landing	31.7	31.6	1.00	4.9	4.7	95%	4.7	95%	1.00	N/F	N/F	N/F	N/F	N/F	N/F
<b>10 Little Road</b>																		
Ground	R1	W1	Test	3.4	3.3	0.97												
		W2		0.1	0.1	1.00	20.0	8.4	42%	8.2	41%	0.97	N/F	N/F	N/F	N/F	N/F	N/F
Ground	R2	W3	Test	0.5	0.5	1.00	11.4	1.8	16%	1.7	15%	0.97	N/F	N/F	N/F	N/F	N/F	N/F
First	R1	W1	Residential	27.3	27.0	0.99	13.1	9.4	72%	9.1	70%	0.97	N/F	N/F	N/F	N/F	N/F	N/F
First	R2	W2	Residential	27.3	27.0	0.99	5.0	5.0	98%	4.9	97%	0.99	N/F	N/F	N/F	N/F	N/F	N/F
<b>8 Little Road</b>																		
Ground	R1	W1	Study	24.3	24.0	0.99												
		W2		25.8	25.5	0.99	8.9	7.1	80%	7.0	79%	0.98	N/F	N/F	N/F	N/F	N/F	N/F
Ground	R2	W3	Kitchen	23.4	23.1	0.99	10.9	4.8	44%	4.7	43%	0.98	N/F	N/F	N/F	N/F	N/F	N/F
Ground	R3	W4	Dining Room	25.7	25.4	0.99	9.3	8.0	86%	7.9	85%	0.98	N/F	N/F	N/F	N/F	N/F	N/F
First	R1	W1	Residential	27.3	27.0	0.99	5.0	4.6	92%	4.5	89%	0.97	N/F	N/F	N/F	N/F	N/F	N/F
First	R2	W2	Residential	27.1	26.8	0.99	13.1	8.3	63%	8.2	62%	0.98	N/F	N/F	N/F	N/F	N/F	N/F
<b>6 Little Road</b>																		
Ground	R1	W1	Residential	23.7	23.5	0.99												
		W2		25.9	25.5	0.99	12.4	12.3	99%	12.3	99%	1.00	N/F	N/F	N/F	N/F	N/F	N/F
Ground	R2	W3	Residential	25.6	25.0	0.98												
		W4		25.8	25.3	0.98	14.8	9.1	62%	8.4	56%	0.92	N/F	N/F	N/F	N/F	N/F	N/F
First	R1	W1	Residential	27.0	26.7	0.99	13.1	8.4	64%	8.5	65%	1.01	N/F	N/F	N/F	N/F	N/F	N/F
First	R2	W2	Residential	26.9	26.7	0.99	5.0	4.7	93%	4.6	91%	0.98	N/F	N/F	N/F	N/F	N/F	N/F
<b>4 Little Road</b>																		
Ground	R1	W1	Residential	25.6	25.1	0.98												
		W2		25.2	24.5	0.97	12.0	6.4	53%	5.9	49%	0.93	N/F	N/F	N/F	N/F	N/F	N/F
Ground	R2	W3	Residential	25.4	24.8	0.98	13.6	6.4	47%	6.0	44%	0.94	N/F	N/F	N/F	N/F	N/F	N/F
Ground	R3	W4	Residential	24.9	24.3	0.98	15.1	7.0	46%	8.0	53%	1.14	N/F	N/F	N/F	N/F	N/F	N/F
First	R1	W1	Residential	26.5	26.3	0.99	6.4	5.1	79%	5.4	84%	1.06	N/F	N/F	N/F	N/F	N/F	N/F
First	R2	W2	Residential	26.2	26.1	0.99	13.0	8.9	69%	9.8	76%	1.10	N/F	N/F	N/F	N/F	N/F	N/F
<b>2 Little Road</b>																		
Ground	R1	W1	Residential	24.4	24.1	0.99												
		W4		76.1	76.0	1.00	14.6	9.0	61%	9.1	62%	1.02	36	3	36	3	1.00	1.00
Ground	R2	W2	Residential	24.6	24.4	0.99												
		W5		62.5	62.4	1.00	11.7	7.5	64%	7.6	65%	1.01	18	0	18	0	1.00	0.00
Ground	R3	W3	Residential	24.5	24.3	0.99	11.6	6.5	56%	7.5	65%	1.15	N/F	N/F	N/F	N/F	N/F	N/F
First	R1	W1	Residential	25.9	25.8	1.00	13.0	9.0	69%	10.0	77%	1.11	N/F	N/F	N/F	N/F	N/F	N/F
First	R2	W2	Residential	22.2	22.1	0.99	9.2	5.9	64%	6.4	69%	1.09	N/F	N/F	N/F	N/F	N/F	N/F
First	R3	W3	Residential	26.2	26.0	1.00	12.5	8.5	68%	9.4	75%	1.11	N/F	N/F	N/F	N/F	N/F	N/F
<b>Unit8 Crauford Business Park</b>																		
Ground	R1	W1	Residential	24.3	24.3	1.00	20.8	17.0	82%	16.8	81%	0.99	N/F	N/F	N/F	N/F	N/F	N/F
Ground	R2	W2	Residential	20.3	20.3	1.00	17.1	15.4	90%	15.4	90%	1.00	N/F	N/F	N/F	N/F	N/F	N/F

Address	Room	Window	Room use	Vertical Sky Component (VSC)			No-Sky Line (NSL)					Annual Probable Sunlight Hours (APSH) by Room						
				Existing VSC	Proposed VSC	Proportion Retained	Room Area	Existing NSL		Proposed NSL		Proportion Retained	Existing APSH		Proposed APSH		Retained	
								m <sup>2</sup>	%	m <sup>2</sup>	%		Total	Winter	Total	Winter	Total	Winter
Ground	R3	W3	Residential	18.7	18.7	1.00	24.9	24.4	98%	24.5	98%	1.00	N/F	N/F	N/F	N/F	N/F	N/F
Ground	R4	W4	Residential	15.5	15.6	1.01	18.8	14.1	75%	14.3	76%	1.01	N/F	N/F	N/F	N/F	N/F	N/F
		W5		16.1	16.2	1.01												
Ground	R5	W6	Residential	13.0	13.1	1.01	19.1	12.7	66%	12.8	67%	1.01	N/F	N/F	N/F	N/F	N/F	N/F
		W7		14.5	14.6	1.01												
Ground	R6	W8	Residential	10.4	10.5	1.01	19.1	12.2	64%	12.4	65%	1.01	N/F	N/F	N/F	N/F	N/F	N/F
		W9		13.3	13.5	1.01												
Ground	R7	W10	Residential	9.6	9.8	1.01	19.6	12.9	66%	13.0	66%	1.01	N/F	N/F	N/F	N/F	N/F	N/F
		W11		12.7	12.8	1.01												
Ground	R8	W12	Residential	12.0	12.1	1.01	18.5	13.0	71%	13.2	72%	1.01	N/F	N/F	N/F	N/F	N/F	N/F
Ground	R9	W13	Residential	12.0	12.2	1.01	19.1	14.7	77%	14.8	78%	1.01	N/F	N/F	N/F	N/F	N/F	N/F
Ground	R10	W14	Residential	11.7	11.9	1.01	18.9	14.6	77%	14.7	78%	1.01	N/F	N/F	N/F	N/F	N/F	N/F
Ground	R11	W15	Residential	11.4	11.6	1.01	19.3	14.5	75%	14.6	76%	1.01	N/F	N/F	N/F	N/F	N/F	N/F
Ground	R12	W16	Residential	11.3	11.4	1.01	19.0	14.1	74%	14.3	75%	1.01	N/F	N/F	N/F	N/F	N/F	N/F
Ground	R13	W17	Residential	10.9	11.0	1.01	19.4	13.8	71%	13.9	72%	1.01	N/F	N/F	N/F	N/F	N/F	N/F
First	R1	W1	Residential	21.1	21.2	1.00	24.9	20.3	82%	20.5	82%	1.01	N/F	N/F	N/F	N/F	N/F	N/F
First	R2	W2	Residential	16.8	17.0	1.01	18.8	9.3	49%	9.5	50%	1.02	N/F	N/F	N/F	N/F	N/F	N/F
First	R3	W3	Residential	15.2	15.4	1.01	19.1	11.4	59%	11.4	60%	1.00	N/F	N/F	N/F	N/F	N/F	N/F
First	R4	W4	Residential	11.8	11.9	1.02	18.9	6.1	32%	6.3	33%	1.03	N/F	N/F	N/F	N/F	N/F	N/F
<b>Navigation Building</b>																		
Mezzanine	R1	W1	LKD	25.6	25.6	1.00	24.3	24.1	99%	24.1	99%	1.00	24	2	24	2	1.00	1.00
		W2		2.3	2.3	1.00												
Mezzanine	R2	W3	LKD	0.9	0.9	1.00	18.7	9.0	48%	9.0	48%	1.00	N/F	N/F	N/F	N/F	N/F	N/F
		W4		0.6	0.6	1.02												
Mezzanine	R3	W5	Bedroom	0.4	0.4	1.00	7.8	0.8	10%	0.8	10%	1.00	N/F	N/F	N/F	N/F	N/F	N/F
Mezzanine	R4	W6	Bedroom	0.3	0.3	1.00	11.9	0.5	4%	0.5	4%	1.00	N/F	N/F	N/F	N/F	N/F	N/F
Ground	R2	W2	LKD	24.8	24.8	1.00	24.3	24.2	99%	24.2	100%	1.00	23	3	23	3	1.00	1.00
		W3		10.7	10.8	1.00												
Ground	R3	W4	LKD	6.8	6.8	1.01	18.7	9.6	51%	9.6	51%	1.00	N/F	N/F	N/F	N/F	N/F	N/F
		W5		11.5	11.5	1.00												
Ground	R4	W6	Bedroom	10.6	10.6	1.00	7.8	3.0	39%	3.0	39%	1.00	N/F	N/F	N/F	N/F	N/F	N/F
Ground	R5	W7	Bedroom	10.0	10.0	1.00	11.9	3.3	28%	3.3	28%	1.00	N/F	N/F	N/F	N/F	N/F	N/F
First	R1	W1	KD	14.2	14.4	1.01	20.0	19.2	96%	19.2	96%	1.00	N/F	N/F	N/F	N/F	N/F	N/F
First	R2	W2	Circulation	9.3	9.3	1.01	6.4	4.3	68%	4.3	68%	1.01	N/F	N/F	N/F	N/F	N/F	N/F
First	R3	W3	KD	28.7	28.8	1.00	20.2	20.2	100%	20.2	100%	1.00	20	1	20	1	1.00	1.00
		W4		25.4	25.5	1.00												
		W5		24.2	24.3	1.00												
		W6		21.0	21.0	1.00												
Second	R1	W1	KD	15.6	15.8	1.01	20.1	19.3	96%	19.3	96%	1.00	N/F	N/F	N/F	N/F	N/F	N/F
Second	R2	W2	Circulation	9.6	9.7	1.01	6.4	4.6	72%	4.7	73%	1.01	N/F	N/F	N/F	N/F	N/F	N/F
Second	R3	W3	KD	30.0	30.1	1.00	20.2	20.2	100%	20.2	100%	1.00	25	2	25	2	1.00	1.00
		W4		27.0	27.1	1.00												
		W5		26.0	26.1	1.00												
		W6		22.0	22.0	1.00												
Third	R1	W1	KD	16.6	16.8	1.01	20.1	19.3	96%	19.3	96%	1.00	N/F	N/F	N/F	N/F	N/F	N/F
Third	R2	W2	Circulation	10.0	10.1	1.01	6.4	5.0	79%	5.1	80%	1.01	N/F	N/F	N/F	N/F	N/F	N/F
Third	R3	W3	KD	31.3	31.4	1.00	20.2	20.2	100%	20.2	100%	1.00	27	2	27	2	1.00	1.00
		W4		28.7	28.8	1.00												
		W5		27.9	28.0	1.00												
		W6		22.9	22.9	1.00												

Address	Room	Window	Room use	Vertical Sky Component (VSC)			No-Sky Line (NSL)					Annual Probable Sunlight Hours (APSH) by Room						
				Existing VSC	Proposed VSC	Proportion Retained	Room Area	Existing NSL		Proposed NSL		Proportion Retained	Existing APSH		Proposed APSH		Retained	
								m <sup>2</sup>	%	m <sup>2</sup>	%		Total	Winter	Total	Winter	Total	Winter
Fourth	R1	W1	KD	17.7	17.9	1.01	20.1	19.4	96%	19.4	96%	1.00	N/F	N/F	N/F	N/F	N/F	N/F
Fourth	R2	W2	Circulation	10.4	10.4	1.01	6.4	5.5	87%	5.6	89%	1.02	N/F	N/F	N/F	N/F	N/F	N/F
Fourth	R3	W3	KD	32.6	32.8	1.00	20.2	20.2	100%	20.2	100%	1.00	29	2	29	2	1.00	1.00
		W4		30.5	30.7	1.00												
		W5		29.9	30.0	1.00												
		W6		24.0	24.0	1.00												
Fifth	R1	W1	KD	18.9	19.0	1.01	20.1	19.4	97%	19.4	97%	1.00	N/F	N/F	N/F	N/F	N/F	N/F
Fifth	R2	W2	Circulation	10.8	10.9	1.01	6.4	6.0	95%	6.2	97%	1.02	N/F	N/F	N/F	N/F	N/F	N/F
Fifth	R3	W3	KD	33.9	34.1	1.00	20.2	20.2	100%	20.2	100%	1.00	31	3	31	3	1.00	1.00
		W4		32.4	32.5	1.00												
		W5		32.0	32.1	1.00												
		W6		25.4	25.4	1.00												
Sixth	R1	W1	KD	19.9	20.0	1.01	20.1	19.4	97%	19.4	97%	1.00	N/F	N/F	N/F	N/F	N/F	N/F
Sixth	R2	W2	Circulation	11.4	11.4	1.01	6.4	6.4	100%	6.4	100%	1.00	N/F	N/F	N/F	N/F	N/F	N/F
Sixth	R3	W3	KD	35.2	35.4	1.00	20.2	20.2	100%	20.2	100%	1.00	37	4	37	4	1.00	1.00
		W4		34.2	34.3	1.00												
		W5		34.1	34.1	1.00												
		W6		27.3	27.3	1.00												
Seventh	R1	W1	KD	21.1	21.2	1.01	20.1	19.4	97%	19.4	97%	1.00	N/F	N/F	N/F	N/F	N/F	N/F
Seventh	R2	W2	Circulation	12.3	12.3	1.01	6.4	6.4	100%	6.4	100%	1.00	N/F	N/F	N/F	N/F	N/F	N/F
Seventh	R3	W3	KD	36.5	36.6	1.00	20.2	20.2	100%	20.2	100%	1.00	52	5	52	5	1.00	1.00
		W4		35.9	35.9	1.00												
		W5		35.8	35.9	1.00												
		W6		30.4	30.4	1.00												
Eighth	R1	W1	KD	37.0	37.1	1.00	20.1	19.9	99%	19.9	99%	1.00	N/F	N/F	N/F	N/F	N/F	N/F
Eighth	R2	W2	Circulation	16.5	16.6	1.00	6.4	6.4	100%	6.4	100%	1.00	N/F	N/F	N/F	N/F	N/F	N/F
Eighth	R3	W3	KD	37.6	37.7	1.00	20.2	20.2	100%	20.2	100%	1.00	68	13	68	13	1.00	1.00
		W4		37.6	37.7	1.00												
		W5		37.7	37.7	1.00												
		W6		35.3	35.4	1.00												
<b>Cardinal Building</b>																		
Ground	R1	W1	Commercial	20.7	20.7	1.00	58.8	58.8	100%	58.8	100%	1.00	32	8	32	8	1.00	1.00
		W2		23.4	23.5	1.00												
		W3		4.1	4.1	1.01												
Ground	R2	W4	Commercial	3.2	3.2	1.00	60.1	60.0	100%	60.0	100%	1.00	N/F	N/F	N/F	N/F	N/F	N/F
		W5		8.3	8.3	1.00												
First	R1	W1	LKD	13.3	13.4	1.00	24.6	22.4	91%	22.4	91%	1.00	22	7	22	7	1.00	1.00
First	R2	W2	Bedroom	26.4	26.5	1.00	13.0	13.0	100%	13.0	100%	1.00	28	4	28	4	1.00	1.00
First	R3	W3	Bedroom	27.8	27.9	1.00	10.5	8.7	82%	8.7	83%	1.01	34	6	34	6	1.00	1.00
First	R4	W4	KD	14.6	14.7	1.01	20.0	19.3	96%	19.3	96%	1.00	N/F	N/F	N/F	N/F	N/F	N/F
First	R5	W5	Circulation	9.2	9.2	1.01	6.4	6.4	100%	6.4	100%	1.00	N/F	N/F	N/F	N/F	N/F	N/F
First	R6	W6	KD	18.8	18.9	1.01	20.2	20.2	100%	20.2	100%	1.00	22	1	22	1	1.00	1.00
		W7		29.9	30.0	1.00												
		W8		27.9	28.0	1.00												
		W9		26.7	26.8	1.00												
Second	R1	W1	LKD	14.8	14.9	1.00	24.6	22.9	93%	22.9	93%	1.00	25	7	25	7	1.00	1.00
Second	R2	W2	Bedroom	27.9	27.9	1.00	13.0	13.0	100%	13.0	100%	1.00	32	4	32	4	1.00	1.00
Second	R3	W3	Bedroom	29.2	29.3	1.00	10.5	9.0	85%	9.1	86%	1.01	36	6	36	6	1.00	1.00
Second	R4	W4	KD	15.9	16.0	1.01	20.1	19.3	96%	19.3	96%	1.00	N/F	N/F	N/F	N/F	N/F	N/F
Second	R5	W5	Circulation	9.6	9.7	1.01	6.4	6.4	100%	6.4	100%	1.00	N/F	N/F	N/F	N/F	N/F	N/F
Second	R6	W6	KD	19.8	19.9	1.01	20.2	20.2	100%	20.2	100%	1.00	29.4	29.5	29.4	29.5	1.00	1.00
		W7		31.1	31.3	1.00												
		W8		29.4	29.5	1.00												

Address	Room	Window	Room use	Vertical Sky Component (VSC)			No-Sky Line (NSL)					Annual Probable Sunlight Hours (APSH) by Room						
				Existing VSC	Proposed VSC	Proportion Retained	Room Area	Existing NSL		Proposed NSL		Proportion Retained	Existing APSH		Proposed APSH		Retained	
				m <sup>2</sup>	%	m <sup>2</sup>	%	Total	Winter	Total	Winter	Total	Winter	Total	Winter			
		W9		28.3	28.4	1.00	20.2	20.2	100%	20.2	100%	1.00	25	1	25	1	1.00	1.00
Third	R1	W1	LKD	16.4	16.4	1.00	24.6	23.3	95%	23.3	95%	1.00	27	7	27	7	1.00	1.00
Third	R2	W2	Bedroom	29.3	29.4	1.00	13.0	13.0	100%	13.0	100%	1.00	33	4	33	4	1.00	1.00
Third	R3	W3	Bedroom	30.6	30.7	1.00	10.5	9.3	88%	9.3	89%	1.01	37	6	37	6	1.00	1.00
Third	R4	W4	KD	16.7	16.9	1.01	20.1	19.3	96%	19.3	96%	1.00	N/F	N/F	N/F	N/F	N/F	N/F
Third	R5	W5	Circulation	10.2	10.2	1.01	6.4	6.4	100%	6.4	100%	1.00	N/F	N/F	N/F	N/F	N/F	N/F
Third	R6	W6	KD	20.8	20.9	1.01												
		W7		32.3	32.4	1.00												
		W8		30.9	30.9	1.00												
		W9		30.0	30.0	1.00	20.2	20.2	100%	20.2	100%	1.00	27	2	27	2	1.00	1.00
Fourth	R1	W1	LKD	18.1	18.1	1.00	24.6	23.6	96%	23.6	96%	1.00	30	9	30	9	1.00	1.00
Fourth	R2	W2	Bedroom	30.8	30.8	1.00	13.0	13.0	100%	13.0	100%	1.00	36	6	36	6	1.00	1.00
Fourth	R3	W3	Bedroom	32.0	32.1	1.00	10.5	9.5	91%	9.6	91%	1.01	40	8	40	8	1.00	1.00
Fourth	R4	W4	KD	17.7	17.9	1.01	20.1	19.4	97%	19.4	97%	1.00	N/F	N/F	N/F	N/F	N/F	N/F
Fourth	R5	W5	Circulation	10.7	10.7	1.01	6.4	6.4	100%	6.4	100%	1.00	N/F	N/F	N/F	N/F	N/F	N/F
Fourth	R6	W6	KD	22.0	22.1	1.01												
		W7		33.4	33.6	1.00												
		W8		32.4	32.4	1.00												
		W9		31.7	31.7	1.00	20.2	20.2	100%	20.2	100%	1.00	29	2	29	2	1.00	1.00
Fifth	R1	W1	LKD	19.8	19.8	1.00	24.6	24.1	98%	24.1	98%	1.00	33	12	33	12	1.00	1.00
Fifth	R2	W2	Bedroom	32.3	32.3	1.00	13.0	13.0	100%	13.0	100%	1.00	38	8	38	8	1.00	1.00
Fifth	R3	W3	Bedroom	33.5	33.6	1.00	10.5	9.7	92%	9.7	92%	1.00	43	10	43	10	1.00	1.00
Fifth	R4	W4	KD	18.9	19.0	1.01	20.1	19.4	97%	19.4	97%	1.00	N/F	N/F	N/F	N/F	N/F	N/F
Fifth	R5	W5	Circulation	11.2	11.3	1.01	6.4	6.4	100%	6.4	100%	1.00	N/F	N/F	N/F	N/F	N/F	N/F
Fifth	R6	W6	KD	23.4	23.6	1.01												
		W7		34.6	34.7	1.00												
		W8		34.0	34.0	1.00												
		W9		33.5	33.5	1.00	20.2	20.2	100%	20.2	100%	1.00	30	2	30	2	1.00	1.00
Sixth	R1	W1	LKD	21.5	21.6	1.00	24.6	24.5	100%	24.5	100%	1.00	34	13	34	13	1.00	1.00
Sixth	R2	W2	Bedroom	33.9	34.0	1.00	13.0	13.0	100%	13.0	100%	1.00	38	8	38	8	1.00	1.00
Sixth	R3	W3	Bedroom	35.0	35.1	1.00	10.5	9.7	92%	9.7	92%	1.00	43	10	43	10	1.00	1.00
Sixth	R4	W4	KD	19.7	19.9	1.01	20.1	19.4	97%	19.4	97%	1.00	N/F	N/F	N/F	N/F	N/F	N/F
Sixth	R5	W5	Circulation	11.9	12.0	1.01	6.4	6.4	100%	6.4	100%	1.00	N/F	N/F	N/F	N/F	N/F	N/F
Sixth	R6	W6	KD	25.5	25.7	1.01												
		W7		35.7	35.8	1.00												
		W8		35.5	35.6	1.00												
		W9		35.2	35.3	1.00	20.2	20.2	100%	20.2	100%	1.00	37	3	37	3	1.00	1.00
Seventh	R1	W1	LKD	23.1	23.1	1.00	24.6	24.5	100%	24.5	100%	1.00	34	13	34	13	1.00	1.00
Seventh	R2	W2	Bedroom	35.8	35.8	1.00	13.0	13.0	100%	13.0	100%	1.00	42	8	42	8	1.00	1.00
Seventh	R3	W3	Bedroom	36.6	36.7	1.00	10.5	9.7	92%	9.7	92%	1.00	46	12	46	12	1.00	1.00
Seventh	R4	W4	KD	20.9	21.0	1.01	20.1	19.4	97%	19.4	97%	1.00	N/F	N/F	N/F	N/F	N/F	N/F
Seventh	R5	W5	Circulation	12.9	12.9	1.01	6.4	6.4	100%	6.4	100%	1.00	N/F	N/F	N/F	N/F	N/F	N/F
Seventh	R6	W6	KD	28.8	28.9	1.01												
		W7		36.8	36.9	1.00												
		W8		37.0	37.0	1.00												
		W9		36.9	36.9	1.00	20.2	20.2	100%	20.2	100%	1.00	52	5	52	5	1.00	1.00
Eighth	R1	W1	LKD	38.0	38.1	1.00	24.6	24.5	100%	24.5	100%	1.00	50	15	50	15	1.00	1.00
Eighth	R2	W2	Bedroom	38.0	38.1	1.00	13.0	13.0	100%	13.0	100%	1.00	50	15	50	15	1.00	1.00
Eighth	R3	W3	Bedroom	37.9	38.0	1.00	10.5	9.7	92%	9.7	92%	1.00	50	15	50	15	1.00	1.00

Address	Room	Window	Room use	Vertical Sky Component (VSC)			No-Sky Line (NSL)					Annual Probable Sunlight Hours (APSH) by Room						
				Existing	Proposed	Proportion Retained	Room Area	Existing NSL		Proposed NSL		Proportion Retained	Existing APSH		Proposed APSH		Retained	
				VSC	VSC		m <sup>2</sup>	%	m <sup>2</sup>	%		Total	Winter	Total	Winter	Total	Winter	Total
Eighth	R4	W4	KD	36.7	36.8	1.00	20.1	19.9	99%	19.9	99%	1.00	N/F	N/F	N/F	N/F	N/F	N/F
Eighth	R5	W5	Circulation	17.1	17.2	1.00	6.4	6.4	100%	6.4	100%	1.00	N/F	N/F	N/F	N/F	N/F	N/F
Eighth	R6	W6	KD	34.1	34.2	1.00	20.2	20.2	100%	20.2	100%	1.00	67	13	67	13	1.00	1.00
		W7		37.8	37.9	1.00												
		W8		38.2	38.2	1.00												
		W9		38.3	38.3	1.00												
<b>Vantage Building</b>																		
Ground	R1	W1	Commercial	20.1	20.2	1.00	161.9	161.1	100%	161.1	100%	1.00	52	14	52	14	1.00	1.00
		W2		4.8	4.8	1.00												
		W3		8.2	8.2	1.00												
		W4		13.1	13.1	1.00												
		W5		18.4	18.4	1.00												
		W6		19.7	19.7	1.00												
		W7		20.0	20.0	1.00												
		W8		19.2	19.2	1.00												
		W9		16.2	16.2	1.00												
First	R1	W1	LKD	12.9	13.0	1.01	24.6	22.7	92%	22.7	92%	1.00	19	7	19	7	1.00	1.00
First	R2	W2	Bedroom	26.0	26.1	1.00	13.0	12.9	99%	13.0	99%	1.00	29	5	29	5	1.00	1.00
First	R3	W3	Bedroom	27.5	27.6	1.00	10.5	7.1	68%	7.2	69%	1.02	35	7	35	7	1.00	1.00
First	R4	W4	KD	20.0	20.1	1.00	20.0	19.3	97%	19.3	97%	1.00	N/F	N/F	N/F	N/F	N/F	N/F
First	R5	W5	Circulation	12.7	12.7	1.00	6.4	6.4	100%	6.4	100%	1.00	N/F	N/F	N/F	N/F	N/F	N/F
First	R6	W6	KD	20.2	20.3	1.00	20.2	20.2	100%	20.2	100%	1.00	21	2	21	2	1.00	1.00
		W7		36.8	36.8	1.00												
		W8		34.6	34.6	1.00												
		W9		33.1	33.1	1.00												
Second	R1	W1	LKD	14.4	14.5	1.01	24.6	23.3	95%	23.3	95%	1.00	22	8	22	8	1.00	1.00
Second	R2	W2	Bedroom	27.5	27.6	1.00	13.0	13.0	100%	13.0	100%	1.00	29	5	29	5	1.00	1.00
Second	R3	W3	Bedroom	28.9	29.0	1.00	10.5	7.8	74%	7.9	75%	1.02	36	7	36	7	1.00	1.00
Second	R4	W4	KD	20.9	20.9	1.00	20.1	19.4	97%	19.4	97%	1.00	N/F	N/F	N/F	N/F	N/F	N/F
Second	R5	W5	Circulation	12.8	12.8	1.00	6.4	6.4	100%	6.4	100%	1.00	N/F	N/F	N/F	N/F	N/F	N/F
Second	R6	W6	KD	21.1	21.2	1.00	20.2	20.2	100%	20.2	100%	1.00	21	2	21	2	1.00	1.00
		W7		37.4	37.4	1.00												
		W8		35.2	35.2	1.00												
		W9		33.8	33.8	1.00												
Third	R1	W1	LKD	16.0	16.1	1.01	24.6	23.5	96%	23.5	96%	1.00	24	8	25	8	1.04	1.00
Third	R2	W2	Bedroom	28.9	29.0	1.00	13.0	13.0	100%	13.0	100%	1.00	30	5	31	5	1.03	1.00
Third	R3	W3	Bedroom	30.3	30.4	1.00	10.5	8.6	82%	8.8	84%	1.02	38	8	38	8	1.00	1.00
Third	R4	W4	KD	21.2	21.2	1.00	20.1	19.4	97%	19.4	97%	1.00	N/F	N/F	N/F	N/F	N/F	N/F
Third	R5	W5	Circulation	12.8	12.8	1.00	6.4	6.4	100%	6.4	100%	1.00	N/F	N/F	N/F	N/F	N/F	N/F
Third	R6	W6	KD	22.0	22.1	1.01	20.2	20.2	100%	20.2	100%	1.00	22	2	24	2	1.09	1.00
		W7		37.7	37.7	1.00												
		W8		35.6	35.6	1.00												
		W9		34.3	34.3	1.00												
Fourth	R1	W1	LKD	17.7	17.8	1.01	24.6	23.8	97%	23.8	97%	1.00	27	9	27	9	1.00	1.00
Fourth	R2	W2	Bedroom	30.4	30.5	1.00	13.0	13.0	100%	13.0	100%	1.00	33	7	33	7	1.00	1.00
Fourth	R3	W3	Bedroom	31.8	31.9	1.00	10.5	9.5	90%	9.6	91%	1.01	40	10	41	10	1.03	1.00
Fourth	R4	W4	KD	21.6	21.6	1.00	20.1	19.4	97%	19.4	97%	1.00	N/F	N/F	N/F	N/F	N/F	N/F
Fourth	R5	W5	Circulation	12.9	12.9	1.00	6.4	6.4	100%	6.4	100%	1.00	N/F	N/F	N/F	N/F	N/F	N/F
Fourth	R6	W6	KD	23.1	23.2	1.00	20.2	20.2	100%	20.2	100%	1.00	26	2	26	2	1.00	1.00
		W7		38.1	38.1	1.00												
		W8		36.0	36.0	1.00												
		W9		34.9	34.9	1.00												
Fifth	R1	W1	LKD	19.4	19.5	1.01	24.6	24.3	99%	24.3	99%	1.00	31	12	31	12	1.00	1.00



Address	Room	Window	Room use	Vertical Sky Component (VSC)			No-Sky Line (NSL)						Annual Probable Sunlight Hours (APSH) by Room					
				Existing VSC	Proposed VSC	Proportion Retained	Room Area	Existing NSL		Proposed NSL		Proportion Retained	Existing APSH		Proposed APSH		Retained	
				VSC	VSC		m <sup>2</sup>	m <sup>2</sup>	%	m <sup>2</sup>	%		Total	Winter	Total	Winter	Total	Winter
Ground	R1	W1	Storage	10.6	10.7	1.00	3.7	1.0	28%	1.0	28%	1.02	7	0	7	0	1.00	0.00
First	R1	W1	Residential	16.9	16.9	1.00	7.8	5.5	71%	5.5	71%	1.00	32	9	33	10	1.03	1.11
First	R2	W2	Residential	16.8	16.9	1.01	5.0	3.7	73%	3.7	73%	1.01	32	8	33	9	1.03	1.13
<b>71 Station Road</b>																		
Ground	R1	W1	Bathroom	15.4	15.4	1.00												
		W2		17.9	17.8	1.00	6.6	3.3	50%	3.4	51%	1.01	30	7	30	7	1.00	1.00
Ground	R2	W3	Hallway	9.1	9.1	1.00	8.8	0.9	11%	1.0	11%	1.02	1	0	1	0	1.00	0.00
First	R1	W1	Bedroom	16.7	16.7	1.00	9.6	6.4	66%	6.4	66%	1.00	31	9	31	9	1.00	1.00
First	R2	W2	Stairwell	61.0	61.0	1.00	5.9	4.1	68%	4.1	69%	1.00	17	0	17	0	1.00	0.00
<b>69 Station Road</b>																		
Ground	R1	W1	Hallway	12.5	12.5	1.00	5.5	1.2	21%	1.2	21%	1.01	7	0	7	0	1.00	0.00
Ground	R2	W2	Storage	12.3	12.4	1.01	11.3	3.2	28%	3.2	28%	0.99	21	3	21	3	1.00	1.00
First	R1	W1	Test	64.4	64.4	1.00	3.5	2.3	66%	2.3	66%	1.00	45	3	45	3	1.00	1.00
First	R2	W2	Residential	16.9	16.9	1.00	14.6	8.9	61%	8.8	61%	1.00	25	6	24	5	0.96	0.83
<b>67 Station Road</b>																		
First	R1	W1	Residential	17.1	17.0	1.00	14.6	7.3	50%	7.3	50%	1.00	24	6	24	6	1.00	1.00
First	R2	W2	Hallway	21.0	20.9	1.00												
		W3		21.8	21.7	1.00	3.6	1.8	51%	1.8	51%	1.00	32	8	32	8	1.00	1.00
<b>63-65 Station Road</b>																		
Ground	R1	W1	Bathroom	13.4	13.3	0.99	2.1	0.9	43%	0.9	43%	1.01	21	4	21	4	1.00	1.00
Ground	R2	W2	Commercial	14.8	14.8	1.00												
		W3		14.9	14.8	1.00												
		W4		15.5	15.5	1.00												
		W5		26.5	26.4	1.00	29.9	28.3	95%	28.3	95%	1.00	33	10	33	10	1.00	1.00
First	R1	W1	Residential	19.6	19.6	1.00												
		W2		20.0	19.9	1.00												
		W3		31.3	31.2	1.00												
		W4		31.7	31.6	1.00	22.0	21.2	97%	21.2	97%	1.00	40	11	40	11	1.00	1.00
Second	R1	W1	Test	76.2	76.1	1.00	7.9	5.9	75%	5.9	75%	1.00	67	18	67	18	1.00	1.00
<b>1A Crown Close</b>																		
Ground	R1	W1	Commercial	24.5	24.5	1.00	47.6	26.4	55%	26.4	55%	1.00	49	9	49	9	1.00	1.00
Ground	R2	W2	Commercial	11.8	11.4	0.97	21.0	18.0	86%	18.0	86%	1.00	23	6	23	6	1.00	1.00
First	R1	W1	Living Room	29.8	29.8	1.00												
		W2		27.6	27.6	1.00												
		W3		21.1	21.1	1.00												
		W4		25.0	25.0	1.00	16.8	16.4	98%	16.4	98%	1.00	66	16	66	16	1.00	1.00
First	R2	W5	Bedroom	21.7	21.6	1.00	10.9	9.6	88%	9.6	88%	1.00	N/F	N/F	N/F	N/F	N/F	N/F
First	R3	W6	Bedroom	20.5	20.4	1.00	10.7	7.7	73%	7.7	72%	0.99	N/F	N/F	N/F	N/F	N/F	N/F
Second	R1	W1	Kitchen	18.6	17.9	0.96	12.4	8.1	66%	7.9	64%	0.97	37	9	37	10	1.00	1.11
Second	R2	W2	Bedroom	27.0	26.9	1.00	11.3	7.9	70%	7.8	69%	1.00	N/F	N/F	N/F	N/F	N/F	N/F
<b>Phase 1</b>																		
Ground	R1	W1	LKD	24.2	23.6	0.97	25.5	25.4	100%	24.8	97%	0.97	48	19	49	18	1.02	0.95
Ground	R2	W2	LKD	32.2	31.4	0.98	25.3	25.2	100%	24.4	96%	0.97	53	19	52	18	0.98	0.95
Ground	R3	W3	Kitchen	31.7	31.0	0.98	23.0	22.5	98%	22.5	98%	1.00	60	19	58	19	0.97	1.00
Ground	R4	W4	Kitchen	33.0	32.4	0.98	23.0	22.7	99%	22.7	99%	1.00	59	19	59	19	1.00	1.00
Ground	R5	W5	Bedroom	31.7	30.9	0.98	14.4	14.1	98%	14.1	98%	1.00	54	16	52	15	0.96	0.94
Ground	R6	W6	Bedroom	29.4	28.5	0.97	9.7	9.4	96%	9.4	96%	1.00	41	11	41	11	1.00	1.00

Address	Room	Window	Room use	Vertical Sky Component (VSC)			No-Sky Line (NSL)					Annual Probable Sunlight Hours (APSH) by Room						
				Existing VSC	Proposed VSC	Proportion Retained	Room Area	Existing NSL		Proposed NSL		Proportion Retained	Existing APSH		Proposed APSH		Retained	
							m <sup>2</sup>	%	m <sup>2</sup>	%		Total	Winter	Total	Winter	Total	Winter	
Ground	R7	W7	LKD	22.8	21.9	0.96												
		W8		18.7	18.0	0.96												
		W9		16.0	15.5	0.97	32.3	32.0	99%	31.9	99%	1.00	62	16	60	15	0.97	0.94
Ground	R8	W10	LKD	8.1	7.8	0.97	23.0	6.2	27%	6.2	27%	1.00	26	9	26	9	1.00	1.00
Ground	R9	W11	Bedroom	11.2	10.8	0.97	13.2	2.4	18%	2.4	18%	0.99	22	6	22	6	1.00	1.00
Ground	R10	W12	LKD	6.4	6.3	0.99	26.8	7.8	29%	7.8	29%	1.00	23	8	23	8	1.00	1.00
Ground	R11	W13	Bedroom	15.4	15.1	0.98	14.5	3.8	26%	3.7	25%	0.98	30	3	29	3	0.97	1.00
Ground	R12	W14	Bedroom	16.1	15.7	0.98	14.9	7.2	48%	7.1	48%	0.98	34	7	32	6	0.94	0.86
Ground	R13	W15	LKD	11.9	11.5	0.97												
		W16		26.6	26.6	1.00	20.4	19.0	93%	19.0	93%	1.00	29	7	28	6	0.97	0.86
Ground	R14	W17	LKD	23.2	23.2	1.00	25.4	11.1	44%	11.1	44%	1.00	N/F	N/F	N/F	N/F	N/F	N/F
Ground	R15	W18	Kitchen	23.4	23.4	1.00	23.0	16.3	71%	16.3	71%	1.00	N/F	N/F	N/F	N/F	N/F	N/F
Ground	R16	W19	Kitchen	24.3	24.3	1.00	23.0	15.8	69%	15.8	69%	1.00	N/F	N/F	N/F	N/F	N/F	N/F
First	R1	W1	Bedroom	31.1	30.7	0.99	15.5	15.1	98%	15.1	98%	1.00	47	13	47	13	1.00	1.00
First	R2	W2	Bedroom	23.7	23.2	0.98	13.5	13.3	98%	13.3	98%	1.00	39	16	39	16	1.00	1.00
First	R3	W3	Bedroom	34.1	33.5	0.98	15.5	14.7	95%	14.7	95%	1.00	62	21	62	21	1.00	1.00
First	R4	W4	Bedroom	35.7	35.2	0.98	13.5	13.3	98%	13.3	98%	1.00	60	20	60	20	1.00	1.00
First	R5	W5	Bedroom	35.8	35.3	0.99	13.4	13.2	98%	13.2	98%	1.00	54	18	54	18	1.00	1.00
First	R6	W6	Bedroom	31.4	30.9	0.98	13.5	12.8	95%	12.8	95%	1.00	41	15	41	15	1.00	1.00
First	R7	W7	Bedroom	23.0	22.5	0.98	13.6	11.3	83%	11.3	83%	1.00	42	18	42	18	1.00	1.00
First	R8	W8	Bedroom	36.2	35.8	0.99	13.6	12.3	90%	12.3	90%	1.00	61	20	61	20	1.00	1.00
First	R9	W9	Bedroom	36.6	36.1	0.99	13.3	12.6	95%	12.6	95%	1.00	57	19	57	19	1.00	1.00
First	R10	W10	Bedroom	33.9	33.4	0.98	13.4	13.2	98%	13.2	98%	1.00	44	14	44	14	1.00	1.00
First	R11	W11	Bedroom	23.1	22.5	0.98	10.9	10.7	98%	10.7	98%	1.00	38	15	38	15	1.00	1.00
First	R12	W12	Bedroom	22.9	22.3	0.97	13.9	13.6	97%	13.6	97%	1.00	43	19	42	19	0.98	1.00
First	R13	W13	Bedroom	33.6	33.0	0.98	13.5	13.0	96%	13.0	96%	1.00	57	19	56	19	0.98	1.00
First	R14	W14	Kitchen	32.8	32.3	0.99	8.8	8.5	97%	8.5	97%	1.00	40	9	40	9	1.00	1.00
First	R15	W15	Living Room	23.4	22.8	0.97												
		W16		21.0	20.4	0.97	17.6	17.3	99%	17.3	99%	1.00	69	18	67	18	0.97	1.00
First	R16	W17	Bedroom	17.9	17.4	0.97	11.5	6.2	54%	6.2	54%	0.99	44	14	42	14	0.96	1.00
First	R17	W18	LKD	7.5	7.4	0.98	22.3	7.2	32%	7.2	32%	1.00	25	11	25	11	1.00	1.00
First	R18	W19	Bedroom	13.3	13.0	0.98	12.4	2.3	19%	2.3	19%	0.99	28	8	25	8	0.89	1.00
First	R19	W20	LKD	5.8	5.8	0.99	28.1	8.4	30%	8.4	30%	1.00	18	8	18	8	1.00	1.00
First	R20	W21	Bedroom	16.4	16.1	0.98	12.4	5.6	45%	5.5	44%	0.99	32	4	31	4	0.97	1.00
First	R21	W22	Bedroom	18.4	18.1	0.98	13.9	5.8	42%	5.7	41%	0.98	40	8	39	8	0.98	1.00
First	R22	W23	Bedroom	10.5	10.3	0.98	14.0	10.3	73%	10.1	72%	0.98	30	9	30	9	1.00	1.00
First	R23	W24	LKD	11.8	11.6	0.98												
		W25		34.2	34.2	1.00	24.1	22.5	94%	22.5	94%	1.00	37	10	37	10	1.00	1.00
First	R24	W26	Bedroom	33.8	33.8	1.00	14.7	14.1	96%	14.1	96%	1.00	N/F	N/F	N/F	N/F	N/F	N/F
First	R25	W27	Bedroom	33.5	33.5	1.00	15.5	15.2	98%	15.2	98%	1.00	N/F	N/F	N/F	N/F	N/F	N/F
First	R26	W28	Bedroom	33.1	33.1	1.00	13.3	13.2	99%	13.2	99%	1.00	N/F	N/F	N/F	N/F	N/F	N/F
First	R27	W29	Bedroom	32.4	32.4	1.00	13.3	13.1	99%	13.1	99%	1.00	N/F	N/F	N/F	N/F	N/F	N/F
First	R28	W30	Bedroom	23.9	23.9	1.00	13.5	13.0	96%	13.0	96%	1.00	N/F	N/F	N/F	N/F	N/F	N/F
First	R29	W31	Bedroom	19.5	19.5	1.00	13.6	12.7	93%	12.7	93%	1.00	N/F	N/F	N/F	N/F	N/F	N/F

Address	Room	Window	Room use	Vertical Sky Component (VSC)			No-Sky Line (NSL)						Annual Probable Sunlight Hours (APSH) by Room					
				Existing VSC	Proposed VSC	Proportion Retained	Room Area	Existing NSL		Proposed NSL		Proportion Retained	Existing APSH		Proposed APSH		Retained	
				m <sup>2</sup>	%	m <sup>2</sup>	%	Total	Winter	Total	Winter	Total	Winter	Total	Winter			
First	R30	W32	Bedroom	31.5	31.5	1.00	13.6	12.7	93%	12.7	93%	1.00	N/F	N/F	N/F	N/F	N/F	N/F
First	R31	W33	Bedroom	31.4	31.4	1.00	13.3	12.7	96%	12.7	96%	1.00	N/F	N/F	N/F	N/F	N/F	N/F
First	R32	W34	Bedroom	28.9	28.9	1.00	13.4	13.2	99%	13.2	99%	1.00	N/F	N/F	N/F	N/F	N/F	N/F
First	R33	W35	LKD	15.9	15.9	1.00	24.3	20.4	84%	20.4	84%	1.00	N/F	N/F	N/F	N/F	N/F	N/F
First	R34	W36	Bedroom	28.9	28.9	1.00	12.6	12.2	97%	12.2	97%	1.00	N/F	N/F	N/F	N/F	N/F	N/F
First	R35	W37	Bedroom	29.7	29.7	1.00	13.4	12.9	96%	12.9	96%	1.00	N/F	N/F	N/F	N/F	N/F	N/F
First	R36	W38 W39	Kitchen	17.8 36.7	17.8 36.7	1.00 1.00	22.7	22.7	100%	22.7	100%	1.00	N/F	N/F	N/F	N/F	N/F	N/F
First	R37	W40	Kitchen	36.4	36.4	1.00	8.7	7.8	90%	7.8	90%	1.00	N/F	N/F	N/F	N/F	N/F	N/F
First	R38	W41	Bedroom	36.3	36.3	1.00	9.2	8.5	92%	8.5	92%	1.00	N/F	N/F	N/F	N/F	N/F	N/F
First	R39	W42	Bedroom	35.8	35.9	1.00	12.5	12.3	98%	12.3	98%	1.00	N/F	N/F	N/F	N/F	N/F	N/F
First	R40	W43	Bedroom	35.2	35.2	1.00	13.8	13.5	98%	13.5	98%	1.00	N/F	N/F	N/F	N/F	N/F	N/F
First	R41	W44	Bedroom	13.0	13.0	1.00	7.9	5.5	69%	5.5	69%	1.00	N/F	N/F	N/F	N/F	N/F	N/F
First	R42	W45	Living Room	15.1	15.1	1.00	14.4	13.9	97%	13.9	97%	1.00	N/F	N/F	N/F	N/F	N/F	N/F
First	R43	W46	Living Room	14.7	14.7	1.00	14.4	13.9	96%	13.9	96%	1.00	N/F	N/F	N/F	N/F	N/F	N/F
First	R44	W47	Bedroom	9.9	9.9	1.00	7.9	4.7	59%	4.7	59%	1.00	N/F	N/F	N/F	N/F	N/F	N/F
First	R45	W48	Bedroom	11.9	11.9	1.00	11.7	4.6	39%	4.6	39%	1.00	N/F	N/F	N/F	N/F	N/F	N/F
First	R46	W49	Living Room	14.1	14.1	1.00	12.6	5.6	45%	5.6	45%	1.00	N/F	N/F	N/F	N/F	N/F	N/F
First	R47	W50	Kitchen	13.2	13.2	1.00	19.4	7.2	37%	7.2	37%	1.00	N/F	N/F	N/F	N/F	N/F	N/F
First	R48	W51	Bedroom	13.6	13.6	1.00	7.9	4.9	62%	4.9	62%	1.00	13	1	13	1	1.00	1.00
First	R49	W52	Living Room	15.6	15.6	1.00	14.4	13.3	92%	13.3	92%	1.00	21	2	21	2	1.00	1.00
First	R50	W53	Living Room	15.0	15.0	1.00	14.4	11.9	83%	11.9	83%	1.00	26	3	26	3	1.00	1.00
First	R51	W54	Bedroom	11.3	11.3	1.00	7.9	4.8	60%	4.8	60%	1.00	28	5	28	5	1.00	1.00
First	R52	W55	Bedroom	11.3	11.3	1.00	12.2	3.1	25%	3.1	25%	1.00	24	5	24	5	1.00	1.00
First	R53	W56	LKD	5.7	5.7	1.00	22.4	5.9	26%	5.9	26%	1.00	10	4	10	4	1.00	1.00
First	R54	W57	Bedroom	15.0	15.0	1.00	15.3	4.2	28%	4.2	28%	1.00	27	4	27	4	1.00	1.00
First	R55	W58	Bedroom	15.1	15.1	1.00	12.4	4.6	37%	4.6	37%	1.00	28	3	28	3	1.00	1.00
First	R56	W59	LKD	3.9	3.9	1.00	25.9	2.0	8%	2.0	8%	1.00	12	0	12	0	1.00	0.00
Second	R1	W1 W27	Living Room	24.0 24.9	23.9 24.9	1.00 1.00	26.6	26.1	98%	26.1	98%	1.00	41	17	41	17	1.00	1.00
Second	R2	W2	Bedroom	35.0	35.0	1.00	13.5	12.9	95%	12.9	95%	1.00	57	19	57	19	1.00	1.00
Second	R3	W3	Kitchen	33.7	33.7	1.00	8.8	8.6	98%	8.6	98%	1.00	40	9	40	9	1.00	1.00
Second	R4	W4 W5	Living Room	24.7 22.8	24.7 22.2	1.00 0.97	17.9	17.6	99%	17.6	99%	1.00	71	18	70	18	0.99	1.00
Second	R5	W6	Bedroom	19.7	19.2	0.97	11.5	6.8	59%	6.7	58%	0.98	47	14	46	14	0.98	1.00
Second	R6	W7	LKD	8.0	7.8	0.98	22.4	7.6	34%	7.6	34%	0.99	26	12	26	12	1.00	1.00
Second	R7	W8	Bedroom	15.2	14.7	0.97	12.4	3.0	24%	2.8	23%	0.96	30	8	29	8	0.97	1.00
Second	R8	W9	LKD	6.2	6.2	0.99	30.0	9.0	30%	9.0	30%	1.00	19	9	19	9	1.00	1.00
Second	R9	W10	Bedroom	18.3	17.9	0.98	15.4	6.2	40%	6.1	39%	0.98	35	5	35	5	1.00	1.00
Second	R10	W11	Bedroom	20.3	19.9	0.98	16.0	7.2	45%	7.0	44%	0.98	44	9	44	9	1.00	1.00
Second	R11	W12	Kitchen	7.8	7.7	0.98	13.5	9.2	68%	9.1	68%	0.99	20	11	20	11	1.00	1.00
Second	R12	W13 W14	Living Room	12.8 38.3	12.6 38.3	0.99 1.00	18.5	17.5	95%	17.5	95%	1.00	39	12	39	12	1.00	1.00
Second	R13	W15	Bedroom	38.2	38.2	1.00	12.8	12.5	98%	12.5	98%	1.00	N/F	N/F	N/F	N/F	N/F	N/F

Address	Room	Window	Room use	Vertical Sky Component (VSC)			No-Sky Line (NSL)					Annual Probable Sunlight Hours (APSH) by Room						
				Existing VSC	Proposed VSC	Proportion Retained	Room Area	Existing NSL		Proposed NSL		Proportion Retained	Existing APSH		Proposed APSH		Retained	
								m <sup>2</sup>	%	m <sup>2</sup>	%		Total	Winter	Total	Winter	Total	Winter
Second	R14	W16	Bedroom	38.2	38.2	1.00	13.8	13.6	99%	13.6	99%	1.00	N/F	N/F	N/F	N/F	N/F	N/F
Second	R15	W17	Bedroom	38.1	38.1	1.00	15.8	15.6	98%	15.6	98%	1.00	N/F	N/F	N/F	N/F	N/F	N/F
Second	R16	W18	Bedroom	37.8	37.8	1.00	13.0	12.5	96%	12.5	96%	1.00	N/F	N/F	N/F	N/F	N/F	N/F
Second	R17	W19	Bedroom	36.2	36.2	1.00	14.2	14.0	99%	14.0	99%	1.00	N/F	N/F	N/F	N/F	N/F	N/F
Second	R18	W20 W21 W22	LKD	23.9 18.6 19.3	23.9 18.6 19.3	1.00 1.00 1.00	32.5	32.5	100%	32.5	100%	1.00	46	11	46	11	1.00	1.00
Second	R19	W23	Bedroom	16.8	16.8	1.00	12.1	5.9	49%	5.9	49%	1.00	N/F	N/F	N/F	N/F	N/F	N/F
Second	R20	W24	Bedroom	18.9	18.9	1.00	11.9	5.6	47%	5.6	47%	1.00	N/F	N/F	N/F	N/F	N/F	N/F
Second	R21	W25	Bedroom	20.3	20.2	1.00	8.8	3.6	41%	3.6	41%	1.00	N/F	N/F	N/F	N/F	N/F	N/F
Second	R22	W26	Kitchen	22.0	22.0	1.00	8.7	4.9	56%	4.9	56%	1.00	N/F	N/F	N/F	N/F	N/F	N/F
Second	R23	W28 W29 W53	LKD	20.0 18.2 24.6	20.0 18.2 24.4	1.00 1.00 0.99	26.5	26.4	100%	26.4	100%	1.00	77	19	77	19	1.00	1.00
Second	R24	W30	LKD	6.3	6.3	1.00	25.8	4.5	18%	4.5	18%	1.00	18	3	18	3	1.00	1.00
Second	R25	W31	Bedroom	18.9	18.9	1.00	12.4	6.5	52%	6.5	52%	1.00	38	7	38	7	1.00	1.00
Second	R26	W32	Bedroom	19.4	19.4	1.00	15.3	5.9	38%	5.9	38%	1.00	41	8	41	8	1.00	1.00
Second	R27	W33	LKD	10.7	10.7	1.00	22.3	7.2	32%	7.2	32%	1.00	22	8	22	8	1.00	1.00
Second	R28	W34	Bedroom	22.2	22.2	1.00	12.3	6.1	50%	6.1	50%	1.00	46	10	46	10	1.00	1.00
Second	R29	W35 W36	LKD	24.0 20.8	24.0 20.8	1.00 1.00	24.4	24.1	99%	24.1	99%	1.00	61	15	61	15	1.00	1.00
Second	R30	W37	Bedroom	33.9	33.9	1.00	12.7	12.1	95%	12.1	95%	1.00	N/F	N/F	N/F	N/F	N/F	N/F
Second	R31	W38	Bedroom	34.0	34.0	1.00	13.5	12.9	96%	12.9	96%	1.00	N/F	N/F	N/F	N/F	N/F	N/F
Second	R32	W39 W40	Living Room	21.2 38.3	21.2 38.3	1.00 1.00	22.8	22.8	100%	22.8	100%	1.00	N/F	N/F	N/F	N/F	N/F	N/F
Second	R33	W41	Kitchen	38.0	38.0	1.00	8.7	7.7	89%	7.7	89%	1.00	N/F	N/F	N/F	N/F	N/F	N/F
Second	R34	W42	Bedroom	38.0	38.0	1.00	9.1	8.2	90%	8.2	90%	1.00	N/F	N/F	N/F	N/F	N/F	N/F
Second	R35	W43	Bedroom	37.7	37.7	1.00	12.4	12.2	98%	12.2	98%	1.00	N/F	N/F	N/F	N/F	N/F	N/F
Second	R36	W44	Bedroom	37.3	37.3	1.00	13.8	13.4	97%	13.4	97%	1.00	N/F	N/F	N/F	N/F	N/F	N/F
Second	R37	W45 W46 W47	LKD	36.4 36.2 25.2	36.4 36.2 24.9	1.00 1.00 0.99	22.3	22.3	100%	22.3	100%	1.00	44	19	44	19	1.00	1.00
Second	R38	W48	Bedroom	33.4	33.1	0.99	14.3	13.7	96%	13.7	96%	1.00	50	15	50	15	1.00	1.00
Second	R39	W49	LKD	25.4	25.1	0.99	22.2	22.2	100%	22.2	100%	1.00	45	20	45	20	1.00	1.00
Second	R40	W50	Bedroom	36.9	36.6	0.99	14.3	13.9	97%	13.9	97%	1.00	64	21	64	21	1.00	1.00
Second	R41	W51	Bedroom	37.9	37.6	0.99	12.9	12.6	98%	12.6	98%	1.00	59	19	59	19	1.00	1.00
Second	R42	W52	Bedroom	36.1	35.9	0.99	12.7	12.3	97%	12.3	97%	1.00	47	14	47	14	1.00	1.00
Third	R1	W1 W27	Living Room	24.2 27.6	24.2 27.6	1.00 1.00	26.6	26.1	98%	26.1	98%	1.00	42	18	42	18	1.00	1.00
Third	R2	W2	Bedroom	35.3	35.3	1.00	13.5	12.9	95%	12.9	95%	1.00	60	19	60	19	1.00	1.00
Third	R3	W3	Kitchen	34.0	34.0	1.00	8.8	8.6	98%	8.6	98%	1.00	40	9	40	9	1.00	1.00
Third	R4	W4 W5	Living Room	25.0 24.8	25.0 24.2	1.00 0.98	17.9	17.6	99%	17.6	99%	1.00	78	18	76	18	0.97	1.00
Third	R5	W6	Bedroom	21.7	21.2	0.97	11.5	7.4	64%	7.2	62%	0.98	53	14	51	14	0.96	1.00
Third	R6	W7	LKD	9.2	8.6	0.94	22.4	8.0	36%	7.9	35%	0.99	30	13	28	13	0.93	1.00
Third	R7	W8	Bedroom	17.4	17.0	0.97	12.4	3.3	27%	3.2	26%	0.95	38	9	36	9	0.95	1.00

Address	Room	Window	Room use	Vertical Sky Component (VSC)			No-Sky Line (NSL)						Annual Probable Sunlight Hours (APSH) by Room						
				Existing	Proposed	Proportion	Room	Existing NSL			Proposed NSL			Existing APSH		Proposed APSH		Retained	
				VSC	VSC	Retained	Area	m <sup>2</sup>	%	m <sup>2</sup>	%	Retained	Total	Winter	Total	Winter	Total	Winter	
Third	R8	W9	LKD	7.4	6.9	0.94	30.0	9.3	31%	9.2	31%	0.99	22	9	20	9	0.91	1.00	
Third	R9	W10	Bedroom	20.4	20.0	0.98	15.4	6.5	42%	6.4	42%	0.99	42	5	40	5	0.95	1.00	
Third	R10	W11	Bedroom	22.4	22.0	0.98	16.0	7.4	46%	7.3	46%	0.99	52	10	50	10	0.96	1.00	
Third	R11	W12	Kitchen	8.4	8.2	0.98	13.5	9.5	70%	9.4	70%	0.99	21	12	21	12	1.00	1.00	
Third	R12	W13 W14	Living Room	13.7 38.9	13.3 38.9	0.97 1.00	18.5	17.5	95%	17.5	95%	1.00	39	12	39	12	1.00	1.00	
Third	R13	W15	Bedroom	38.9	38.9	1.00	12.8	12.5	98%	12.5	98%	1.00	N/F	N/F	N/F	N/F	N/F	N/F	
Third	R14	W16	Bedroom	38.9	38.9	1.00	13.8	13.6	99%	13.6	99%	1.00	N/F	N/F	N/F	N/F	N/F	N/F	
Third	R15	W17	Bedroom	38.9	38.9	1.00	15.8	15.6	98%	15.6	98%	1.00	N/F	N/F	N/F	N/F	N/F	N/F	
Third	R16	W18	Bedroom	38.7	38.7	1.00	13.0	12.5	96%	12.5	96%	1.00	N/F	N/F	N/F	N/F	N/F	N/F	
Third	R17	W19	Bedroom	37.1	37.1	1.00	14.2	14.0	99%	14.0	99%	1.00	N/F	N/F	N/F	N/F	N/F	N/F	
Third	R18	W20 W21 W22	LKD	24.7 20.5 22.4	24.7 20.5 22.4	1.00 1.00 1.00	32.5	32.5	100%	32.5	100%	1.00	54	11	54	11	1.00	1.00	
Third	R19	W23	Bedroom	20.0	20.0	1.00	12.1	7.5	62%	7.5	62%	1.00	N/F	N/F	N/F	N/F	N/F	N/F	
Third	R20	W24	Bedroom	22.0	22.0	1.00	11.9	6.9	58%	6.9	58%	1.00	N/F	N/F	N/F	N/F	N/F	N/F	
Third	R21	W25	Bedroom	23.3	23.3	1.00	8.8	4.7	53%	4.7	53%	1.00	N/F	N/F	N/F	N/F	N/F	N/F	
Third	R22	W26	Kitchen	24.8	24.8	1.00	8.7	5.6	64%	5.6	64%	1.00	N/F	N/F	N/F	N/F	N/F	N/F	
Third	R23	W28 W29 W53	LKD	23.8 20.7 25.0	23.8 20.7 25.0	1.00 1.00 1.00	26.5	26.4	100%	26.4	100%	1.00	84	20	84	20	1.00	1.00	
Third	R24	W30	LKD	9.1	9.1	1.00	25.8	8.9	35%	8.9	35%	1.00	23	6	23	6	1.00	1.00	
Third	R25	W31	Bedroom	22.3	22.3	1.00	12.4	9.4	76%	9.4	76%	1.00	45	10	45	10	1.00	1.00	
Third	R26	W32	Bedroom	23.0	23.0	1.00	15.3	8.4	55%	8.4	55%	1.00	47	11	47	11	1.00	1.00	
Third	R27	W33	LKD	14.1	14.1	1.00	22.3	9.3	42%	9.3	42%	1.00	32	11	32	11	1.00	1.00	
Third	R28	W34	Bedroom	25.4	25.4	1.00	12.3	7.9	64%	7.9	64%	1.00	56	14	56	14	1.00	1.00	
Third	R29	W35 W36	LKD	27.2 21.8	27.2 21.8	1.00 1.00	24.4	24.1	99%	24.1	99%	1.00	68	18	68	18	1.00	1.00	
Third	R30	W37	Bedroom	34.8	34.8	1.00	12.7	12.1	95%	12.1	95%	1.00	N/F	N/F	N/F	N/F	N/F	N/F	
Third	R31	W38	Bedroom	34.9	34.9	1.00	13.5	12.9	96%	12.9	96%	1.00	N/F	N/F	N/F	N/F	N/F	N/F	
Third	R32	W39 W40	Living Room	21.8 39.0	21.8 39.0	1.00 1.00	22.8	22.8	100%	22.8	100%	1.00	N/F	N/F	N/F	N/F	N/F	N/F	
Third	R33	W41	Kitchen	38.9	38.9	1.00	8.7	7.7	89%	7.7	89%	1.00	N/F	N/F	N/F	N/F	N/F	N/F	
Third	R34	W42	Bedroom	38.9	38.9	1.00	9.1	8.2	90%	8.2	90%	1.00	N/F	N/F	N/F	N/F	N/F	N/F	
Third	R35	W43	Bedroom	38.8	38.8	1.00	12.4	12.2	98%	12.2	98%	1.00	N/F	N/F	N/F	N/F	N/F	N/F	
Third	R36	W44	Bedroom	38.7	38.7	1.00	13.8	13.4	97%	13.4	97%	1.00	N/F	N/F	N/F	N/F	N/F	N/F	
Third	R37	W45 W46 W47	LKD	38.8 38.8 26.2	38.8 38.8 26.2	1.00 1.00 1.00	22.3	22.3	100%	22.3	100%	1.00	44	19	44	19	1.00	1.00	
Third	R38	W48	Bedroom	34.5	34.5	1.00	14.3	13.7	96%	13.7	96%	1.00	50	15	50	15	1.00	1.00	
Third	R39	W49	LKD	26.2	26.2	1.00	22.2	22.2	100%	22.2	100%	1.00	45	20	45	20	1.00	1.00	
Third	R40	W50	Bedroom	37.7	37.7	1.00	14.3	13.9	97%	13.9	97%	1.00	64	21	64	21	1.00	1.00	
Third	R41	W51	Bedroom	38.6	38.6	1.00	12.9	12.6	98%	12.6	98%	1.00	61	19	61	19	1.00	1.00	
Third	R42	W52	Bedroom	36.7	36.7	1.00	12.7	12.3	97%	12.3	97%	1.00	47	14	47	14	1.00	1.00	
Fourth	R1	W1 W27	Living Room	24.4 30.4	24.4 30.4	1.00 1.00	26.6	26.1	98%	26.1	98%	1.00	42	18	42	18	1.00	1.00	
Fourth	R2	W2	Bedroom	36.2	36.2	1.00	13.5	12.9	95%	12.9	95%	1.00	62	19	62	19	1.00	1.00	

Address	Room	Window	Room use	Vertical Sky Component (VSC)			No-Sky Line (NSL)					Annual Probable Sunlight Hours (APSH) by Room						
				Existing VSC	Proposed VSC	Proportion Retained	Room Area	Existing NSL		Proposed NSL		Proportion Retained	Existing APSH		Proposed APSH		Retained	
								m <sup>2</sup>	%	m <sup>2</sup>	%		Total	Winter	Total	Winter	Total	Winter
Fourth	R3	W3	Kitchen	35.0	35.0	1.00	8.8	8.6	98%	8.6	98%	1.00	43	9	43	9	1.00	1.00
Fourth	R4	W4 W5	Living Room	25.2 27.4	25.2 26.6	1.00 0.97	17.9	17.6	99%	17.6	99%	1.00	83	19	81	19	0.98	1.00
Fourth	R5	W6	Bedroom	24.7	24.1	0.97	11.5	8.7	76%	8.4	73%	0.96	58	14	56	14	0.97	1.00
Fourth	R6	W7	LKD	12.0	11.3	0.94	22.4	9.1	41%	8.8	39%	0.97	34	14	31	13	0.91	0.93
Fourth	R7	W8	Bedroom	21.1	20.5	0.97	12.4	4.1	33%	3.8	31%	0.94	46	10	44	10	0.96	1.00
Fourth	R8	W9	LKD	10.1	9.5	0.94	30.0	9.7	32%	9.6	32%	0.98	29	11	26	10	0.90	0.91
Fourth	R9	W10	Bedroom	23.5	22.9	0.98	15.4	7.1	46%	6.9	45%	0.97	50	8	48	8	0.96	1.00
Fourth	R10	W11	Bedroom	25.2	24.7	0.98	16.0	7.9	49%	7.8	49%	0.99	58	12	57	12	0.98	1.00
Fourth	R11	W12	Kitchen	9.0	8.8	0.99	13.5	9.9	73%	9.8	73%	0.99	22	13	22	13	1.00	1.00
Fourth	R12	W13 W14	Living Room	15.6 39.2	15.2 39.2	0.97 1.00	18.5	17.6	95%	17.5	95%	1.00	42	14	42	14	1.00	1.00
Fourth	R13	W15	Bedroom	39.1	39.1	1.00	12.8	12.5	98%	12.5	98%	1.00	N/F	N/F	N/F	N/F	N/F	N/F
Fourth	R14	W16	Bedroom	39.1	39.1	1.00	13.8	13.6	99%	13.6	99%	1.00	N/F	N/F	N/F	N/F	N/F	N/F
Fourth	R15	W17	Bedroom	39.1	39.1	1.00	15.8	15.6	98%	15.6	98%	1.00	N/F	N/F	N/F	N/F	N/F	N/F
Fourth	R16	W18	Bedroom	39.0	39.0	1.00	13.0	12.5	96%	12.5	96%	1.00	N/F	N/F	N/F	N/F	N/F	N/F
Fourth	R17	W19	Bedroom	37.7	37.7	1.00	14.2	14.0	99%	14.0	99%	1.00	N/F	N/F	N/F	N/F	N/F	N/F
Fourth	R18	W20 W21 W22	LKD	24.9 23.1 26.5	24.9 23.1 26.5	1.00 1.00 1.00	32.5	32.5	100%	32.5	100%	1.00	66	13	66	13	1.00	1.00
Fourth	R19	W23	Bedroom	24.1	24.1	1.00	12.1	9.4	78%	9.4	78%	1.00	N/F	N/F	N/F	N/F	N/F	N/F
Fourth	R20	W24	Bedroom	25.8	25.8	1.00	11.9	9.1	76%	9.1	76%	1.00	N/F	N/F	N/F	N/F	N/F	N/F
Fourth	R21	W25	Bedroom	26.9	26.9	1.00	8.8	6.9	78%	6.9	78%	1.00	N/F	N/F	N/F	N/F	N/F	N/F
Fourth	R22	W26	Kitchen	28.1	28.1	1.00	8.7	7.5	86%	7.5	86%	1.00	N/F	N/F	N/F	N/F	N/F	N/F
Fourth	R23	W28 W29 W53	LKD	28.5 23.6 25.2	28.5 23.6 25.2	1.00 1.00 1.00	26.5	26.4	100%	26.4	100%	1.00	91	25	91	25	1.00	1.00
Fourth	R24	W30	LKD	12.1	12.1	1.00	25.8	17.5	68%	17.5	68%	1.00	27	10	27	10	1.00	1.00
Fourth	R25	W31	Bedroom	26.0	26.0	1.00	12.4	12.1	98%	12.1	98%	1.00	51	15	51	15	1.00	1.00
Fourth	R26	W32	Bedroom	27.2	27.2	1.00	15.3	13.0	85%	13.0	85%	1.00	59	19	59	19	1.00	1.00
Fourth	R27	W33	LKD	18.1	18.1	1.00	22.3	16.2	73%	16.2	73%	1.00	40	16	40	16	1.00	1.00
Fourth	R28	W34	Bedroom	29.0	29.0	1.00	12.3	11.4	93%	11.4	93%	1.00	64	20	64	20	1.00	1.00
Fourth	R29	W35 W36	LKD	30.8 22.0	30.8 22.0	1.00 1.00	24.4	24.4	100%	24.4	100%	1.00	75	25	75	25	1.00	1.00
Fourth	R30	W37	Bedroom	35.0	35.0	1.00	12.7	12.1	95%	12.1	95%	1.00	N/F	N/F	N/F	N/F	N/F	N/F
Fourth	R31	W38	Bedroom	35.1	35.1	1.00	13.5	12.9	96%	12.9	96%	1.00	N/F	N/F	N/F	N/F	N/F	N/F
Fourth	R32	W39 W40	Living Room	22.0 39.2	22.0 39.2	1.00 1.00	22.8	22.8	100%	22.8	100%	1.00	N/F	N/F	N/F	N/F	N/F	N/F
Fourth	R33	W41	Kitchen	39.2	39.2	1.00	8.7	7.7	89%	7.7	89%	1.00	N/F	N/F	N/F	N/F	N/F	N/F
Fourth	R34	W42	Bedroom	39.2	39.2	1.00	9.1	8.2	90%	8.2	90%	1.00	N/F	N/F	N/F	N/F	N/F	N/F
Fourth	R35	W43	Bedroom	39.2	39.2	1.00	12.4	12.2	98%	12.2	98%	1.00	N/F	N/F	N/F	N/F	N/F	N/F
Fourth	R36	W44	Bedroom	39.2	39.2	1.00	13.8	13.4	97%	13.4	97%	1.00	N/F	N/F	N/F	N/F	N/F	N/F
Fourth	R37	W45 W46 W47	LKD	39.4 39.4 26.4	39.4 39.4 26.4	1.00 1.00 1.00	22.3	22.3	100%	22.3	100%	1.00	45	19	45	19	1.00	1.00
Fourth	R38	W48	Bedroom	35.6	35.6	1.00	14.3	13.7	96%	13.7	96%	1.00	57	15	57	15	1.00	1.00

Address	Room	Window	Room use	Vertical Sky Component (VSC)			No-Sky Line (NSL)					Annual Probable Sunlight Hours (APSH) by Room						
				Existing VSC	Proposed VSC	Proportion Retained	Room Area	Existing NSL		Proposed NSL		Proportion Retained	Existing APSH		Proposed APSH		Retained	
				m <sup>2</sup>	%	m <sup>2</sup>	%	Total	Winter	Total	Winter	Total	Winter	Total	Winter			
Fourth	R39	W49	LKD	26.4	26.4	1.00	22.2	22.2	100%	22.2	100%	1.00	46	21	46	21	1.00	1.00
Fourth	R40	W50	Bedroom	38.3	38.3	1.00	14.3	13.9	97%	13.9	97%	1.00	64	21	64	21	1.00	1.00
Fourth	R41	W51	Bedroom	39.0	38.9	1.00	12.9	12.6	98%	12.6	98%	1.00	62	19	62	19	1.00	1.00
Fourth	R42	W52	Bedroom	37.3	37.3	1.00	12.7	12.3	97%	12.3	97%	1.00	52	14	52	14	1.00	1.00
Fifth	R1	W1 W27	Living Room	39.0 33.4	39.0 33.4	1.00 1.00	26.6	26.1	98%	26.1	98%	1.00	64	21	64	21	1.00	1.00
Fifth	R2	W2	Bedroom	39.0	39.0	1.00	13.5	12.9	96%	12.9	96%	1.00	64	21	64	21	1.00	1.00
Fifth	R3	W3	Kitchen	39.0	39.0	1.00	8.8	8.7	98%	8.7	98%	1.00	64	21	64	21	1.00	1.00
Fifth	R4	W4 W5	Living Room	39.0 30.0	39.0 29.2	1.00 0.97	17.9	17.6	99%	17.6	99%	1.00	90	22	88	21	0.98	0.96
Fifth	R5	W6	Bedroom	28.7	27.9	0.97	11.5	9.6	83%	9.2	80%	0.96	68	17	65	15	0.96	0.88
Fifth	R6	W7	LKD	27.6	26.8	0.97	22.4	10.8	48%	10.1	45%	0.94	66	16	63	14	0.96	0.88
Fifth	R7	W8	Bedroom	27.0	26.3	0.97	12.4	5.6	45%	5.2	42%	0.93	65	15	62	13	0.95	0.87
Fifth	R8	W9	LKD	26.9	26.2	0.97	30.0	10.8	36%	10.4	35%	0.96	66	15	63	13	0.96	0.87
Fifth	R9	W10	Bedroom	27.6	26.9	0.98	15.4	8.2	54%	7.9	52%	0.96	65	14	63	13	0.97	0.93
Fifth	R10	W11	Bedroom	28.4	27.8	0.98	16.0	8.9	56%	8.7	54%	0.97	65	14	64	13	0.99	0.93
Fifth	R11	W12	Kitchen	30.3	29.8	0.98	13.5	10.9	81%	10.7	79%	0.98	68	17	67	16	0.99	0.94
Fifth	R12	W13 W14	Living Room	31.3 39.1	30.9 39.1	0.99 1.00	18.5	17.7	96%	17.7	96%	1.00	70	18	70	18	1.00	1.00
Fifth	R13	W15	Bedroom	39.0	39.0	1.00	12.8	12.5	98%	12.5	98%	1.00	N/F	N/F	N/F	N/F	N/F	N/F
Fifth	R14	W16	Bedroom	39.0	39.0	1.00	13.8	13.6	99%	13.6	99%	1.00	N/F	N/F	N/F	N/F	N/F	N/F
Fifth	R15	W17	Bedroom	39.0	39.0	1.00	15.8	15.6	98%	15.6	98%	1.00	N/F	N/F	N/F	N/F	N/F	N/F
Fifth	R16	W18	Bedroom	39.0	39.0	1.00	13.0	12.5	96%	12.5	96%	1.00	N/F	N/F	N/F	N/F	N/F	N/F
Fifth	R17	W19	Bedroom	39.0	39.0	1.00	14.2	14.0	99%	14.0	99%	1.00	N/F	N/F	N/F	N/F	N/F	N/F
Fifth	R18	W20 W21 W22	LKD	39.0 26.2 31.6	39.0 26.2 31.6	1.00 1.00 1.00	32.5	32.5	100%	32.5	100%	1.00	88	21	88	21	1.00	1.00
Fifth	R19	W23	Bedroom	28.8	28.8	1.00	12.1	11.4	94%	11.4	94%	1.00	N/F	N/F	N/F	N/F	N/F	N/F
Fifth	R20	W24	Bedroom	29.9	29.9	1.00	11.9	11.1	93%	11.1	93%	1.00	N/F	N/F	N/F	N/F	N/F	N/F
Fifth	R21	W25	Bedroom	30.7	30.7	1.00	8.8	8.4	96%	8.4	96%	1.00	N/F	N/F	N/F	N/F	N/F	N/F
Fifth	R22	W26	Kitchen	31.7	31.7	1.00	8.7	8.5	98%	8.5	98%	1.00	N/F	N/F	N/F	N/F	N/F	N/F
Fifth	R23	W28 W29 W53	LKD	33.4 26.9 39.0	33.4 26.9 39.0	1.00 1.00 1.00	26.5	26.4	100%	26.4	100%	1.00	96	27	96	27	1.00	1.00
Fifth	R24	W30	LKD	16.4	16.3	0.99	25.8	25.6	99%	25.4	98%	0.99	33	13	33	13	1.00	1.00
Fifth	R25	W31	Bedroom	31.2	31.1	1.00	12.4	12.1	98%	12.1	98%	1.00	60	19	60	19	1.00	1.00
Fifth	R26	W32	Bedroom	31.7	31.6	1.00	15.3	15.2	99%	15.2	99%	1.00	65	23	65	23	1.00	1.00
Fifth	R27	W33	LKD	22.1	22.0	1.00	22.3	21.5	96%	20.7	93%	0.96	49	25	49	25	1.00	1.00
Fifth	R28	W34	Bedroom	32.9	32.8	1.00	12.3	12.1	99%	12.1	99%	1.00	68	24	68	24	1.00	1.00
Fifth	R29	W35 W36	LKD	34.6 22.1	34.6 22.1	1.00 1.00	24.4	24.4	100%	24.4	100%	1.00	78	27	78	27	1.00	1.00
Fifth	R30	W37	Bedroom	35.4	35.4	1.00	12.7	12.1	95%	12.1	95%	1.00	N/F	N/F	N/F	N/F	N/F	N/F
Fifth	R31	W38	Bedroom	35.4	35.4	1.00	13.5	12.9	96%	12.9	96%	1.00	N/F	N/F	N/F	N/F	N/F	N/F
Fifth	R32	W39 W40	Living Room	22.0 39.2	22.0 39.2	1.00 1.00	22.8	22.8	100%	22.8	100%	1.00	N/F	N/F	N/F	N/F	N/F	N/F
Fifth	R33	W41	Kitchen	39.2	39.2	1.00	8.7	7.7	89%	7.7	89%	1.00	N/F	N/F	N/F	N/F	N/F	N/F

Address	Room	Window	Room use	Vertical Sky Component (VSC)			No-Sky Line (NSL)						Annual Probable Sunlight Hours (APSH) by Room					
				Existing	Proposed	Proportion Retained	Room	Existing NSL		Proposed NSL		Proportion Retained	Existing APSH		Proposed APSH		Retained	
				VSC	VSC		Area	m <sup>2</sup>	%	m <sup>2</sup>	%		Total	Winter	Total	Winter	Total	Winter
Fifth	R34	W42	Bedroom	39.2	39.2	1.00	9.1	8.2	90%	8.2	90%	1.00	N/F	N/F	N/F	N/F	N/F	N/F
Fifth	R35	W43	Bedroom	39.2	39.2	1.00	12.4	12.2	98%	12.2	98%	1.00	N/F	N/F	N/F	N/F	N/F	N/F
Fifth	R36	W44	Bedroom	39.2	39.2	1.00	13.8	13.4	97%	13.4	97%	1.00	N/F	N/F	N/F	N/F	N/F	N/F
Fifth	R37	W45	LKD	39.1	39.1	1.00												
		W46		39.2	39.2	1.00												
		W47		39.1	39.1	1.00	22.3	22.3	100%	22.3	100%	1.00	65	21	65	21	1.00	1.00
Fifth	R38	W48	Bedroom	39.0	39.0	1.00	14.3	13.7	96%	13.7	96%	1.00	64	21	64	21	1.00	1.00
Fifth	R39	W49	LKD	39.0	39.0	1.00	22.2	22.2	100%	22.2	100%	1.00	64	21	64	21	1.00	1.00
Fifth	R40	W50	Bedroom	39.0	39.0	1.00	14.3	13.9	97%	13.9	97%	1.00	64	21	64	21	1.00	1.00
Fifth	R41	W51	Bedroom	39.0	39.0	1.00	12.9	12.6	98%	12.6	98%	1.00	64	21	64	21	1.00	1.00
Fifth	R42	W52	Bedroom	39.0	39.0	1.00	12.7	12.3	97%	12.3	97%	1.00	64	21	64	21	1.00	1.00
Sixth	R1	W1	LKD	22.8	22.8	1.00												
		W14		37.6	37.5	1.00	23.2	23.2	100%	23.2	100%	1.00	81	29	81	29	1.00	1.00
Sixth	R2	W2	Bedroom	36.5	36.5	1.00	11.0	10.5	95%	10.5	95%	1.00	N/F	N/F	N/F	N/F	N/F	N/F
Sixth	R3	W3	Bedroom	36.5	36.5	1.00	11.5	10.9	95%	10.9	95%	1.00	N/F	N/F	N/F	N/F	N/F	N/F
Sixth	R4	W4	LKD	22.1	22.1	1.00												
		W5		39.2	39.2	1.00	30.5	30.5	100%	30.5	100%	1.00	N/F	N/F	N/F	N/F	N/F	N/F
Sixth	R5	W6	Bedroom	39.1	39.1	1.00	9.7	9.5	97%	9.5	97%	1.00	N/F	N/F	N/F	N/F	N/F	N/F
Sixth	R6	W7	Bedroom	39.1	39.1	1.00	11.4	11.1	97%	11.1	97%	1.00	N/F	N/F	N/F	N/F	N/F	N/F
Sixth	R7	W8	Bedroom	39.1	39.1	1.00	13.7	13.4	97%	13.4	97%	1.00	N/F	N/F	N/F	N/F	N/F	N/F
Sixth	R8	W9	LKD	22.1	21.9	0.99	28.4	28.2	99%	28.2	99%	1.00	50	27	50	27	1.00	1.00
Sixth	R9	W10	Bedroom	33.8	33.7	1.00	12.7	12.1	95%	12.1	95%	1.00	61	26	61	26	1.00	1.00
Sixth	R10	W11	Bedroom	35.7	35.6	1.00	15.7	15.2	97%	15.2	97%	1.00	75	29	75	29	1.00	1.00
Sixth	R11	W12	LKD	25.3	25.1	0.99	22.0	22.0	100%	22.0	100%	1.00	53	28	53	28	1.00	1.00
Sixth	R12	W13	Bedroom	36.5	36.3	1.00	12.4	12.2	98%	12.2	98%	1.00	74	27	74	27	1.00	1.00
Seventh	R1	W1	LKD	39.0	39.0	1.00												
		W14		38.0	37.9	1.00	23.2	23.2	100%	23.2	100%	1.00	80	28	80	28	1.00	1.00
Seventh	R2	W2	Bedroom	38.7	38.7	1.00	11.0	10.5	95%	10.5	95%	1.00	N/F	N/F	N/F	N/F	N/F	N/F
Seventh	R3	W3	Bedroom	38.7	38.7	1.00	11.5	10.9	95%	10.9	95%	1.00	N/F	N/F	N/F	N/F	N/F	N/F
Seventh	R4	W4	LKD	38.8	38.8	1.00												
		W5		38.8	38.8	1.00	30.5	30.5	100%	30.5	100%	1.00	N/F	N/F	N/F	N/F	N/F	N/F
Seventh	R5	W6	Bedroom	38.7	38.7	1.00	9.7	9.5	97%	9.5	97%	1.00	N/F	N/F	N/F	N/F	N/F	N/F
Seventh	R6	W7	Bedroom	38.7	38.7	1.00	11.4	11.1	97%	11.1	97%	1.00	N/F	N/F	N/F	N/F	N/F	N/F
Seventh	R7	W8	Bedroom	38.7	38.7	1.00	13.7	13.4	97%	13.4	97%	1.00	N/F	N/F	N/F	N/F	N/F	N/F
Seventh	R8	W9	LKD	38.1	38.0	1.00	28.4	28.2	99%	28.2	99%	1.00	81	29	81	29	1.00	1.00
Seventh	R9	W10	Bedroom	38.0	37.9	1.00	12.7	12.1	95%	12.1	95%	1.00	80	29	80	29	1.00	1.00
Seventh	R10	W11	Bedroom	38.0	37.9	1.00	15.7	15.2	97%	15.2	97%	1.00	80	29	80	29	1.00	1.00
Seventh	R11	W12	LKD	38.0	37.9	1.00	22.0	22.0	100%	22.0	100%	1.00	79	28	79	28	1.00	1.00
Seventh	R12	W13	Bedroom	38.0	37.9	1.00	12.4	12.2	98%	12.2	98%	1.00	79	28	79	28	1.00	1.00



## Consented Brickfields Building – Daylight Illuminance results

Floor	Room	Window	Room Use	Illuminance (SDA)		
				Target Lux	% of Room meeting target	Median Lux of Room
				(Lux)	(%)	(Lux)
Second	R1	W1	Bedroom	100	71%	124
	R2	W2	Bedroom	100	98%	163
	R3	W3 W4 W5	LKD	150	100%	267
Third	R1	W1	Bedroom	100	86%	138
	R2	W2	Bedroom	100	99%	182
	R3	W3 W4 W5	LKD	150	100%	298
Fourth	R1	W1	Bedroom	100	98%	151
	R2	W2	Bedroom	100	100%	200
	R3	W3 W4 W5	LKD	150	100%	332
Fifth	R1	W1	Bedroom	100	100%	170
	R2	W2	Bedroom	100	100%	226
	R3	W3 W4 W5	LKD	150	100%	373
Sixth	R1	W1	Bedroom	100	100%	286
	R2	W2	Bedroom	100	100%	371
	R3	W3 W4 W5	LKD	150	100%	544
Seventh	R1	W1	Bedroom	100	100%	326

Floor	Room	Window	Room Use	Illuminance (SDA)		
				Target Lux (Lux)	% of Room meeting target (%)	Median Lux of Room (Lux)
	R2	W2	Bedroom	100	100%	425
	R3	W3 W4 W5	LKD	150	100%	600

Sources of information

**Survey Solutions**  
316511PLS01-03.dwg  
Received 02/08/2021

3105-DGM-ZZ-3D-X-M3-X-0001-001.rvt  
Received 03/08/2021

31651CVLS-04-07.dwg  
31651CVLS-04-09.dwg  
31651CVLS-04-11.dwg  
Received 07/10/2021

**PRP**  
HTC S73 Updated.dwg  
Received 18/09/2025

HTC-PRP-ZZ-00-DR-A-10050-Site Plan Ground  
Level GA-P13.dwg  
HTC-PRP-ZZ-01-DR-A-10501-Phase 2\_3 Level 1  
& 2 GA-P08.dwg  
HTC-PRP-ZZ-03-DR-A-10053-Site Plan Level  
03-P09.dwg  
HTC-PRP-ZZ-05-DR-A-10055-Site Plan  
HTC-PRP-ZZ-04-DR-A-10054-Site Plan Level  
04-P09.dwg  
Level 05-P09.dwg  
HTC-PRP-ZZ-06-DR-A-10056-Site Plan Level  
06-P09.dwg  
HTC-PRP-ZZ-07-DR-A-10504-Phase 2\_3 Level 7  
& 8 GA-P08.dwg  
HTC-PRP-3D Dwg 251208.dwg  
Received 25/08/2025

**EB7 Ltd**  
Site Photographs  
Ordnance Survey





Fig. 01: VSC Facade - Proposed Scenario's interaction




Fig. 02: VSC Facade - Proposed Scenario

Project Hayes Town Central Estate

Title VSC Facade Study

Drawn JG Checked --

Date 13/02/2026 Project 4899

Rel no. 26 Prefix FS01 Page no. 01

Sources of information

**Survey Solutions**  
316511PLS01-03.dwg  
Received 02/08/2021

3105-DGM-ZZ-3D-X-M3-X-0001-001.rvt  
Received 03/08/2021

31651CVLS-04-07.dwg  
31651CVLS-04-09.dwg  
31651CVLS-04-11.dwg  
Received 07/10/2021

**PRP**  
HTC S73 Updated.dwg  
Received 18/09/2025

HTC-PRP-ZZ-00-DR-A-10050-Site Plan Ground  
Level GA-P13.dwg  
HTC-PRP-ZZ-01-DR-A-10501-Phase 2\_3 Level 1  
& 2 GA-P08.dwg  
HTC-PRP-ZZ-03-DR-A-10053-Site Plan Level  
03-P09.dwg  
HTC-PRP-ZZ-05-DR-A-10055-Site Plan  
HTC-PRP-ZZ-04-DR-A-10054-Site Plan Level  
04-P09.dwg  
Level 05-P09.dwg  
HTC-PRP-ZZ-06-DR-A-10056-Site Plan Level  
06-P09.dwg  
HTC-PRP-ZZ-07-DR-A-10504-Phase 2\_3 Level 7  
& 8 GA-P08.dwg  
HTC-PRP-3D Dwg 251208.dwg  
Received 25/08/2025

**EB7 Ltd**  
Site Photographs  
Ordnance Survey





Fig. 01: VSC Facade - Existing Scenario's interaction




Fig. 02: VSC Facade - Existing Scenario



Project Hayes Town Central Estate

Title VSC Facade Study

Drawn JG Checked --

Date 13/02/2026 Project 4899

Rel no. 26 Prefix FS01 Page no. 01



# Appendix 3

Results of the daylight and sunlight assessments  
within the proposed dwellings

Building Name	Unit No.	Floor	Room	Window	Room Use	Illuminance (SDA)			Sunlight Exposure (SE)		
						Target Lux	% of Room meeting target	Median Lux of Room	Target	Sunlight Exposure	North Facing
						(Lux)	(%)	(Lux)	(Hrs)	(Hrs)	(NF)
Block C	Flat1	Ground	R1	W1	LKD	150	17%	66	1.5	0.0	N/F
			R2	W2	Bedroom	100	26%	71	1.5	0.0	N/F
	Flat2	Ground	R3	W3	LKD	150	17%	63	1.5	0.0	N/F
			R4	W4	Bedroom	100	28%	73	1.5	0.0	N/F
	Flat3	Ground	R5	W5	Bedroom	100	31%	77	1.5	0.0	N/F
			R6	W6	Bedroom	100	43%	90	1.5	0.0	N/F
			R7	W7	Bedroom	100	33%	72	1.5	0.0	N/F
			R8	W8 W9 W10	LKD	150	89%	271	1.5	2.8	N/F
	Flat1	First	R1	W1	Bedroom	100	100%	230	1.5	1.2	N/F
			R2	W2	Bedroom	100	100%	159	1.5	0.3	N/F
			R3	W3	LKD	150	53%	160	1.5	1.4	N/F
	Flat2	First	R4	W4	LKD	150	26%	97	1.5	0.0	N/F
			R5	W5	Bedroom	100	70%	110	1.5	0.0	N/F
	Flat3	First	R6	W6	LKD	150	25%	90	1.5	0.0	N/F
			R7	W7	Bedroom	100	66%	111	1.5	0.0	N/F
	Flat4	First	R8	W8	Bedroom	100	63%	119	1.5	0.0	N/F
			R9	W9	Bedroom	100	92%	134	1.5	0.0	N/F
			R10	W10	Bedroom	100	53%	104	1.5	0.0	N/F
			R11	W11 W12 W13	LKD	150	100%	419	1.5	3.6	N/F
	Flat5	First	R12	W14	LKD	150	31%	96	1.5	2.1	
			R13	W15	Bedroom	100	58%	111	1.5	3.0	
R14			W16	Bedroom	100	69%	129	1.5	1.4		
R15			W17	Bedroom	100	67%	119	1.5	2.2		
Flat6	First	R16	W18	Bedroom	100	33%	74	1.5	3.0		
		R17	W19	Bedroom	100	54%	103	1.5	2.7		
		R18	W20 W21	LKD	150	91%	222	1.5	1.2	N/F N/F	
Flat1	Second	R1	W1	Bedroom	100	100%	267	1.5	1.2	N/F	
		R2	W2	Bedroom	100	100%	189	1.5	0.3	N/F	
		R3	W3	LKD	150	61%	189	1.5	1.4	N/F	
Flat2	Second	R4	W4 W5 W6 W7	LKD	150	100%	382	1.5	0.3	N/F N/F N/F N/F	
		R5	W8	Bedroom	100	62%	120	1.5	0.0	N/F	

Building Name	Unit No.	Floor	Room	Window	Room Use	Illuminance (SDA)			Sunlight Exposure (SE)		
						Target Lux	% of Room meeting target	Median Lux of Room	Target	Sunlight Exposure	North Facing
						(Lux)	(%)	(Lux)	(Hrs)	(Hrs)	(NF)
			R6	W9	Bedroom	100	63%	121	1.5	0.0	N/F
	Flat3	Second	R7	W10	LKD	150	34%	114	1.5	0.0	N/F
			R8	W11	Bedroom	100	100%	132	1.5	0.0	N/F
	Flat4	Second	R9	W12	LKD	150	31%	105	1.5	0.0	N/F
			R10	W13	Bedroom	100	96%	132	1.5	0.0	N/F
	Flat5	Second	R11	W14	Bedroom	100	82%	137	1.5	0.0	N/F
			R12	W15	Bedroom	100	100%	156	1.5	0.0	N/F
			R13	W16	Bedroom	100	61%	120	1.5	0.0	N/F
			R14	W17 W18 W19	LKD	150	100%	477	1.5	3.6	N/F
	Flat6	Second	R15	W20 W21 W22	LKD	150	100%	328	1.5	7.8	
			R16	W23	Bedroom	100	60%	118	1.5	3.7	
			R17	W24	Bedroom	100	60%	115	1.5	3.6	
			R18	W25	Bedroom	100	100%	199	1.5	4.0	
	Flat7	Second	R19	W26	LKD	150	43%	132	1.5	3.4	
			R20	W27	Bedroom	100	87%	144	1.5	1.4	
			R21	W28	Bedroom	100	90%	152	1.5	2.8	
	Flat8	Second	R22	W29	Bedroom	100	100%	179	1.5	3.6	
			R23	W30	Bedroom	100	99%	159	1.5	3.0	
			R24	W31 W32	LKD	150	100%	267	1.5	1.2	N/F N/F
	Flat1	Third	R1	W1	Bedroom	100	100%	284	1.5	1.2	N/F
			R2	W2	Bedroom	100	100%	187	1.5	0.3	N/F
			R3	W3	LKD	150	70%	211	1.5	1.5	N/F
	Flat2	Third	R4	W4 W5 W6 W7	LKD	150	100%	413	1.5	0.3	N/F N/F N/F N/F
			R5	W8	Bedroom	100	68%	149	1.5	0.0	N/F
			R6	W9	Bedroom	100	68%	148	1.5	0.0	N/F
	Flat3	Third	R7	W10	LKD	150	45%	135	1.5	0.0	N/F
			R8	W11	Bedroom	100	100%	167	1.5	0.0	N/F
	Flat4	Third	R9	W12	LKD	150	40%	124	1.5	0.0	N/F
			R10	W13	Bedroom	100	100%	164	1.5	0.0	N/F
	Flat5	Third	R11	W14	Bedroom	100	97%	168	1.5	0.0	N/F
			R12	W15	Bedroom	100	100%	182	1.5	0.0	N/F

Building Name	Unit No.	Floor	Room	Window	Room Use	Illuminance (SDA)			Sunlight Exposure (SE)		
						Target Lux	% of Room meeting target	Median Lux of Room	Target	Sunlight Exposure	North Facing
						(Lux)	(%)	(Lux)	(Hrs)	(Hrs)	(NF)
			R13	W16	Bedroom	100	75%	139	1.5	0.0	N/F
			R14	W17 W18 W19	LKD	150	100%	495	1.5	3.6	N/F
	Flat6	Third	R15	W20 W21 W22	LKD	150	100%	366	1.5	8.0	
			R16	W23	Bedroom	100	100%	184	1.5	4.0	
			R17	W24	Bedroom	100	100%	255	1.5	4.4	
			R18	W25	Bedroom	100	100%	252	1.5	4.1	
	Flat7	Third	R19	W26	LKD	150	54%	162	1.5	3.5	
			R20	W27	Bedroom	100	100%	170	1.5	1.4	
			R21	W28	Bedroom	100	100%	170	1.5	2.8	
	Flat8	Third	R22	W29	Bedroom	100	100%	203	1.5	3.6	
			R23	W30	Bedroom	100	100%	192	1.5	3.0	
			R24	W31 W32	LKD	150	100%	293	1.5	1.2	N/F N/F
	Flat1	Fourth	R1	W1	Bedroom	100	100%	300	1.5	1.2	N/F
			R2	W2	Bedroom	100	100%	213	1.5	0.3	N/F
			R3	W3	LKD	150	73%	219	1.5	1.5	N/F
	Flat2	Fourth	R4	W4 W5 W6 W7	LKD	150	100%	452	1.5	0.3	N/F N/F N/F N/F
			R5	W8	Bedroom	100	85%	186	1.5	0.0	N/F
			R6	W9	Bedroom	100	81%	197	1.5	0.0	N/F
	Flat3	Fourth	R7	W10	LKD	150	60%	183	1.5	0.0	N/F
			R8	W11	Bedroom	100	100%	208	1.5	0.0	N/F
	Flat4	Fourth	R9	W12	LKD	150	53%	162	1.5	0.0	N/F
			R10	W13	Bedroom	100	100%	211	1.5	0.0	N/F
	Flat5	Fourth	R11	W14	Bedroom	100	100%	213	1.5	0.0	N/F
			R12	W15	Bedroom	100	100%	224	1.5	0.0	N/F
			R13	W16	Bedroom	100	100%	166	1.5	0.0	N/F
			R14	W17 W18 W19	LKD	150	100%	508	1.5	3.6	N/F
	Flat6	Fourth	R15	W20 W21 W22	LKD	150	100%	381	1.5	8.3	
			R16	W23	Bedroom	100	100%	203	1.5	4.2	
			R17	W24	Bedroom	100	100%	281	1.5	4.6	

Building Name	Unit No.	Floor	Room	Window	Room Use	Illuminance (SDA)			Sunlight Exposure (SE)		
						Target Lux	% of Room meeting target	Median Lux of Room	Target	Sunlight Exposure	North Facing
						(Lux)	(%)	(Lux)	(Hrs)	(Hrs)	(NF)
			R18	W25	Bedroom	100	100%	279	1.5	4.3	
	Flat7	Fourth	R19	W26	LKD	150	59%	178	1.5	3.7	
			R20	W27	Bedroom	100	100%	188	1.5	1.6	
			R21	W28	Bedroom	100	100%	184	1.5	2.8	
	Flat8	Fourth	R22	W29	Bedroom	100	100%	214	1.5	3.6	
			R23	W30	Bedroom	100	100%	203	1.5	3.0	
			R24	W31 W32	LKD	150	100%	312	1.5	1.2	N/F N/F
	Flat1	Fifth	R1	W1	Bedroom	100	100%	299	1.5	1.2	N/F
			R2	W2	Bedroom	100	100%	238	1.5	0.3	N/F
			R3	W3	LKD	150	100%	259	1.5	2.2	N/F
	Flat2	Fifth	R4	W4 W5 W6 W7	LKD	150	100%	494	1.5	0.3	N/F N/F N/F N/F
			R5	W8	Bedroom	100	100%	232	1.5	0.0	N/F
			R6	W9	Bedroom	100	100%	232	1.5	0.0	N/F
	Flat3	Fifth	R7	W10	LKD	150	87%	258	1.5	0.0	N/F
			R8	W11	Bedroom	100	100%	251	1.5	0.0	N/F
	Flat4	Fifth	R9	W12	LKD	150	74%	222	1.5	0.0	N/F
			R10	W13	Bedroom	100	100%	245	1.5	0.0	N/F
	Flat5	Fifth	R11	W14	Bedroom	100	100%	240	1.5	0.0	N/F
			R12	W15	Bedroom	100	100%	250	1.5	0.0	N/F
			R13	W16	Bedroom	100	100%	185	1.5	0.0	N/F
			R14	W17 W18 W19	LKD	150	100%	592	1.5	4.8	N/F
	Flat6	Fifth	R15	W20 W21 W22	LKD	150	100%	438	1.5	8.6	
			R16	W23	Bedroom	100	100%	217	1.5	4.5	
			R17	W24	Bedroom	100	100%	304	1.5	5.0	
			R18	W25	Bedroom	100	100%	294	1.5	4.7	
	Flat7	Fifth	R19	W26	LKD	150	68%	204	1.5	5.1	
			R20	W27	Bedroom	100	100%	218	1.5	2.8	
			R21	W28	Bedroom	100	100%	195	1.5	3.1	
	Flat8	Fifth	R22	W29	Bedroom	100	100%	219	1.5	3.4	
			R23	W30	Bedroom	100	100%	206	1.5	3.0	
			R24	W31 W32	LKD	150	100%	382	1.5	1.4	N/F N/F

Building Name	Unit No.	Floor	Room	Window	Room Use	Illuminance (SDA)			Sunlight Exposure (SE)		
						Target Lux	% of Room meeting target	Median Lux of Room	Target	Sunlight Exposure	North Facing
						(Lux)	(%)	(Lux)	(Hrs)	(Hrs)	(NF)
	Flat1	Sixth	R1	W1	LKD	150	100%	362	1.5	2.2	N/F
			R2	W2	Bedroom	100	100%	289	1.5	1.2	N/F
	Flat2	Sixth	R3	W3	Bedroom	100	100%	225	1.5	0.3	N/F
			R4	W4 W5 W6 W7	LKD	150	100%	567	1.5	0.3	N/F N/F N/F N/F
			R5	W8	Bedroom	100	100%	302	1.5	0.0	N/F
			R6	W9 W10	Bedroom	100	100%	335	1.5	0.0	N/F N/F
	Flat3	Sixth	R7	W11	Bedroom	100	100%	229	1.5	0.0	N/F
			R8	W12	LKD	150	90%	265	1.5	0.0	N/F
	Flat4	Sixth	R9	W13	Bedroom	100	100%	296	1.5	0.0	N/F
			R10	W14	Bedroom	100	100%	303	1.5	0.0	N/F
			R11	W15 W16 W17	LKD	150	100%	457	1.5	3.1	N/F N/F
			R12	W18	Bedroom	100	100%	180	1.5	3.6	
	Flat5	Sixth	R13	W19	Bedroom	100	100%	196	1.5	3.5	
			R14	W20 W21	LKD	150	100%	395	1.5	8.7	
			R15	W22	Bedroom	100	100%	324	1.5	5.2	
	Flat6	Sixth	R16	W23	LKD	150	79%	240	1.5	5.5	
			R17	W24	Bedroom	100	100%	253	1.5	3.1	
			R18	W25	Bedroom	100	100%	249	1.5	3.2	
	Flat1	Seventh	R1	W1 W2	LKD	150	94%	480	1.5	6.3	N/F
			R2	W3	Bedroom	100	100%	240	1.5	1.2	N/F
	Flat2	Seventh	R3	W4	Bedroom	100	100%	243	1.5	0.3	N/F
			R4	W5 W6 W7 W8	LKD	150	100%	592	1.5	0.3	N/F N/F N/F N/F
			R5	W9	Bedroom	100	100%	329	1.5	0.0	N/F
			R6	W10 W11	Bedroom	100	100%	362	1.5	0.0	N/F N/F
	Flat3	Seventh	R7	W12	Bedroom	100	100%	249	1.5	0.0	N/F
			R8	W13	LKD	150	100%	304	1.5	0.0	N/F
	Flat4	Seventh	R9	W14	Bedroom	100	100%	323	1.5	0.0	N/F
			R10	W15	Bedroom	100	100%	333	1.5	0.0	N/F
			R11	W16	LKD	150	100%	526	1.5	4.2	N/F

Building Name	Unit No.	Floor	Room	Window	Room Use	Illuminance (SDA)			Sunlight Exposure (SE)		
						Target Lux	% of Room meeting target	Median Lux of Room	Target	Sunlight Exposure	North Facing
						(Lux)	(%)	(Lux)	(Hrs)	(Hrs)	(NF)
				W17 W18							N/F
	Flat5	Seventh	R12	W19	Bedroom	100	100%	237	1.5	3.6	
			R13	W20	Bedroom	100	100%	259	1.5	3.6	
			R14	W21 W22	LKD	150	100%	485	1.5	9.5	
	Flat6	Seventh	R15	W23	Bedroom	100	100%	384	1.5	6.0	
			R16	W24	LKD	150	100%	324	1.5	6.4	
			R17	W25	Bedroom	100	100%	325	1.5	4.9	
			R18	W26	Bedroom	100	100%	325	1.5	4.9	
Block C DP1		Ground	R1	W1	Bedroom	100	54%	100	1.5	0.0	N/F
			R2	W2 W3 W4	Kitchen	200	65%	231	1.5	0.2	N/F N/F N/F
			R3	W5	Bedroom	100	13%	36	1.5	0.0	N/F
		First	R1	W1 W2	Bedroom	100	100%	233	1.5	0.3	N/F N/F
			R2	W3 W4 W5	Living Room	150	100%	306	1.5	0.3	N/F N/F N/F
			R3	W6	Bedroom	100	26%	70	1.5	0.0	N/F
Block C DP2		Ground	R1	W1	Bedroom	100	75%	137	1.5	2.5	
			R2	W2	LKD	150	41%	111	1.5	3.9	
		First	R1	W1	Bedroom	100	100%	150	1.5	2.6	
			R2	W2	Bedroom	100	100%	172	1.5	4.2	
Block C DP3		Ground	R1	W1	LKD	150	41%	121	1.5	2.9	
			R2	W2	Bedroom	100	63%	124	1.5	2.7	
		First	R1	W1	Bedroom	100	100%	226	1.5	3.6	
			R2	W2	Bedroom	100	100%	301	1.5	3.6	
			R3	W3	Bedroom	100	100%	221	1.5	3.6	
			R4	W4	Living Room	150	15%	112	1.5	0.0	N/F
Block D	Flat1	Ground	R1	W1 W2	LKD	150	29%	80	1.5	0.9	N/F N/F
			R2	W3	Bedroom	100	59%	113	1.5	0.0	N/F
			R3	W4	Bedroom	100	75%	141	1.5	0.0	N/F
			R4	W5 W6	Bedroom	100	66%	129	1.5	0.0	N/F N/F
	Flat1	First	R1	W1	LKD	150	53%	153	1.5	1.2	N/F
			R2	W2	Bedroom	100	100%	220	1.5	1.2	N/F
			R3	W3	Bedroom	100	100%	293	1.5	1.2	N/F

Building Name	Unit No.	Floor	Room	Window	Room Use	Illuminance (SDA)			Sunlight Exposure (SE)		
						Target Lux	% of Room meeting target	Median Lux of Room	Target	Sunlight Exposure	North Facing
						(Lux)	(%)	(Lux)	(Hrs)	(Hrs)	(NF)
			R4	W4	Bedroom	100	100%	197	1.5	1.2	N/F
	Flat2	First	R5	W5	Bedroom	100	100%	199	1.5	1.2	N/F
			R6	W6	LKD	150	81%	221	1.5	2.2	N/F
			R7	W7	Bedroom	100	100%	225	1.5	1.2	N/F
	Flat3	First	R8	W8	LKD	150	30%	83	1.5	1.7	
			R9	W9	Bedroom	100	43%	91	1.5	2.2	
			R10	W10	Bedroom	100	70%	161	1.5	2.8	
	Flat4	First	R11	W11	LKD	150	43%	126	1.5	2.5	
			R12	W12	Bedroom	100	100%	219	1.5	2.8	
	Flat5	First	R13	W13 W14	LKD	150	66%	213	1.5	3.5	
			R14	W15	Bedroom	100	100%	217	1.5	2.8	
			R15	W16	Bedroom	100	97%	194	1.5	2.8	
	Flat1	Second	R1	W1	LKD	150	81%	190	1.5	1.2	N/F
			R2	W2	Bedroom	100	100%	256	1.5	1.2	N/F
			R3	W3	Bedroom	100	100%	351	1.5	1.2	N/F
			R4	W4	Bedroom	100	100%	238	1.5	1.2	N/F
	Flat2	Second	R5	W5	Bedroom	100	100%	321	1.5	1.2	N/F
			R6	W6	LKD	150	79%	295	1.5	2.2	N/F
	Flat3	Second	R7	W7	Bedroom	100	100%	302	1.5	1.2	N/F
			R8	W8	LKD	150	78%	272	1.5	2.2	N/F
	Flat4	Second	R9	W9	Bedroom	100	100%	282	1.5	1.2	N/F
			R10	W10	Bedroom	100	100%	180	1.5	0.3	N/F
			R11	W11	LKD	150	58%	182	1.5	1.5	N/F
	Flat5	Second	R12	W12	LKD	150	47%	138	1.5	2.9	
			R13	W13	Bedroom	100	94%	136	1.5	3.4	
			R14	W14	Bedroom	100	100%	246	1.5	4.0	
	Flat6	Second	R15	W15	LKD	150	70%	220	1.5	3.7	
			R16	W16	Bedroom	100	100%	304	1.5	4.0	
	Flat7	Second	R17	W17 W18	LKD	150	86%	294	1.5	4.7	
			R18	W19	Bedroom	100	100%	251	1.5	4.0	
			R19	W20	Bedroom	100	100%	278	1.5	4.0	
	Flat1	Third	R1	W1	LKD	150	98%	206	1.5	1.2	N/F
			R2	W2	Bedroom	100	100%	279	1.5	1.2	N/F
			R3	W3	Bedroom	100	100%	378	1.5	1.2	N/F

Building Name	Unit No.	Floor	Room	Window	Room Use	Illuminance (SDA)			Sunlight Exposure (SE)		
						Target Lux	% of Room meeting target	Median Lux of Room	Target	Sunlight Exposure	North Facing
						(Lux)	(%)	(Lux)	(Hrs)	(Hrs)	(NF)
			R4	W4	Bedroom	100	100%	262	1.5	1.2	N/F
	Flat2	Third	R5	W5	Bedroom	100	100%	350	1.5	1.2	N/F
			R6	W6	LKD	150	82%	326	1.5	2.2	N/F
	Flat3	Third	R7	W7	Bedroom	100	100%	324	1.5	1.2	N/F
			R8	W8	LKD	150	84%	296	1.5	2.2	N/F
	Flat4	Third	R9	W9	Bedroom	100	100%	298	1.5	1.2	N/F
			R10	W10	Bedroom	100	100%	193	1.5	0.3	N/F
			R11	W11	LKD	150	67%	200	1.5	1.5	N/F
	Flat5	Third	R12	W12	LKD	150	64%	188	1.5	3.1	
			R13	W13	Bedroom	100	100%	175	1.5	3.6	
			R14	W14	Bedroom	100	100%	301	1.5	4.2	
	Flat6	Third	R15	W15	LKD	150	88%	299	1.5	3.9	
			R16	W16	Bedroom	100	100%	372	1.5	4.2	
	Flat7	Third	R17	W17 W18	LKD	150	100%	382	1.5	4.8	
			R18	W19	Bedroom	100	100%	306	1.5	4.2	
			R19	W20	Bedroom	100	100%	343	1.5	4.2	
	Flat1	Fourth	R1	W1	LKD	150	99%	217	1.5	1.2	N/F
			R2	W2	Bedroom	100	100%	293	1.5	1.2	N/F
			R3	W3	Bedroom	100	100%	401	1.5	1.2	N/F
			R4	W4	Bedroom	100	100%	279	1.5	1.2	N/F
	Flat2	Fourth	R5	W5	Bedroom	100	100%	370	1.5	1.2	N/F
			R6	W6	LKD	150	86%	347	1.5	2.2	N/F
	Flat3	Fourth	R7	W7	Bedroom	100	100%	343	1.5	1.2	N/F
			R8	W8	LKD	150	97%	317	1.5	2.2	N/F
	Flat4	Fourth	R9	W9	Bedroom	100	100%	314	1.5	1.2	N/F
			R10	W10	Bedroom	100	100%	202	1.5	0.3	N/F
			R11	W11	LKD	150	71%	217	1.5	1.5	N/F
	Flat5	Fourth	R12	W12	LKD	150	70%	206	1.5	3.1	
			R13	W13	Bedroom	100	100%	188	1.5	3.6	
			R14	W14	Bedroom	100	100%	316	1.5	4.2	
	Flat6	Fourth	R15	W15	LKD	150	100%	329	1.5	3.9	
			R16	W16	Bedroom	100	100%	382	1.5	4.2	
	Flat7	Fourth	R17	W17 W18	LKD	150	100%	407	1.5	4.8	
			R18	W19	Bedroom	100	100%	323	1.5	4.2	

Building Name	Unit No.	Floor	Room	Window	Room Use	Illuminance (SDA)			Sunlight Exposure (SE)		
						Target Lux	% of Room meeting target	Median Lux of Room	Target	Sunlight Exposure	North Facing
						(Lux)	(%)	(Lux)	(Hrs)	(Hrs)	(NF)
			R19	W20	Bedroom	100	100%	361	1.5	4.2	
	Flat1	Fifth	R1	W1	LKD	150	100%	237	1.5	1.5	N/F
			R2	W2	Bedroom	100	100%	291	1.5	1.2	N/F
			R3	W3	Bedroom	100	100%	398	1.5	1.2	N/F
			R4	W4	Bedroom	100	100%	277	1.5	1.2	N/F
	Flat2	Fifth	R5	W5	Bedroom	100	100%	363	1.5	1.2	N/F
			R6	W6	LKD	150	89%	359	1.5	2.2	N/F
	Flat3	Fifth	R7	W7	Bedroom	100	100%	341	1.5	1.2	N/F
			R8	W8	LKD	150	100%	327	1.5	2.2	N/F
	Flat4	Fifth	R9	W9	Bedroom	100	100%	316	1.5	1.2	N/F
			R10	W10	Bedroom	100	100%	215	1.5	0.3	N/F
			R11	W11	LKD	150	78%	228	1.5	2.2	N/F
	Flat5	Fifth	R12	W12	LKD	150	80%	222	1.5	3.5	
			R13	W13	Bedroom	100	100%	203	1.5	3.6	
			R14	W14	Bedroom	100	100%	319	1.5	3.9	
	Flat6	Fifth	R15	W15	LKD	150	100%	343	1.5	4.8	
			R16	W16	Bedroom	100	100%	384	1.5	4.2	
	Flat7	Fifth	R17	W17 W18	LKD	150	100%	439	1.5	4.8	
			R18	W19	Bedroom	100	100%	320	1.5	4.2	
			R19	W20	Bedroom	100	100%	356	1.5	4.2	
	Flat1	Sixth	R1	W1	LKD	150	100%	271	1.5	2.2	N/F
			R2	W2	Bedroom	100	100%	298	1.5	1.2	N/F
			R3	W3	Bedroom	100	100%	408	1.5	1.2	N/F
			R4	W4	Bedroom	100	100%	283	1.5	1.2	N/F
	Flat2	Sixth	R5	W5	Bedroom	100	100%	374	1.5	1.2	N/F
			R6	W6	LKD	150	90%	386	1.5	2.2	N/F
	Flat3	Sixth	R7	W7	Bedroom	100	100%	356	1.5	1.2	N/F
			R8	W8	LKD	150	100%	350	1.5	2.2	N/F
	Flat4	Sixth	R9	W9	Bedroom	100	100%	326	1.5	1.2	N/F
			R10	W10	Bedroom	100	100%	232	1.5	0.3	N/F
			R11	W11 W12	LKD	150	100%	304	1.5	2.2	N/F N/F
	Flat5	Sixth	R12	W13 W14	LKD	150	100%	283	1.5	3.5	N/F
			R13	W15	Bedroom	100	100%	219	1.5	3.6	

Building Name	Unit No.	Floor	Room	Window	Room Use	Illuminance (SDA)			Sunlight Exposure (SE)		
						Target Lux	% of Room meeting target	Median Lux of Room	Target	Sunlight Exposure	North Facing
						(Lux)	(%)	(Lux)	(Hrs)	(Hrs)	(NF)
			R14	W16	Bedroom	100	100%	329	1.5	3.9	
	Flat6	Sixth	R15	W17	LKD	150	100%	356	1.5	4.8	
			R16	W18	Bedroom	100	100%	390	1.5	4.2	
	Flat7	Sixth	R17	W19 W20	LKD	150	100%	431	1.5	4.2	
			R18	W21	Bedroom	100	100%	328	1.5	4.2	
			R19	W22	Bedroom	100	100%	363	1.5	4.2	
	Flat1	Seventh	R1	W1 W2	LKD	150	100%	348	1.5	5.3	N/F
			R2	W3	Bedroom	100	100%	268	1.5	0.3	N/F
			R3	W4	Bedroom	100	100%	290	1.5	1.2	N/F
			R4	W5	Bedroom	100	100%	299	1.5	1.2	N/F
	Flat2	Seventh	R5	W6	Bedroom	100	100%	242	1.5	1.2	N/F
			R6	W7	Bedroom	100	100%	245	1.5	1.2	N/F
			R7	W8	Bedroom	100	100%	273	1.5	0.3	N/F
			R8	W9 W10	LKD	150	100%	354	1.5	1.7	N/F N/F
	Flat3	Seventh	R9	W11 W12	LKD	150	100%	424	1.5	4.8	N/F
			R10	W13	Bedroom	100	100%	257	1.5	3.6	
			R11	W14	Bedroom	100	100%	364	1.5	4.2	
	Flat4	Seventh	R12	W15	LKD	150	100%	402	1.5	4.8	
			R13	W16	Bedroom	100	100%	416	1.5	4.2	
	Flat5	Seventh	R14	W17 W18	LKD	150	100%	409	1.5	4.8	
			R15	W19	Bedroom	100	100%	303	1.5	4.2	
			R16	W20	Bedroom	100	95%	147	1.5	3.6	
			R17	W21	Bedroom	100	100%	256	1.5	4.2	
Block D DP1		Ground	R1	W1	LKD	150	36%	92	1.5	1.5	N/F
		First	R1	W1	Bedroom	100	83%	128	1.5	0.3	N/F
			R2	W2	Bedroom	100	78%	141	1.5	0.3	N/F
Block D DP2		Ground	R1	W1	Bedroom	100	60%	121	1.5	0.0	N/F
			R2	W2	LKD	150	27%	66	1.5	1.3	N/F
		First	R1	W1	Bedroom	100	52%	102	1.5	0.3	N/F
			R2	W2 W3	Bedroom	100	82%	189	1.5	0.3	N/F N/F
Block E	Flat1	Ground	R1	W1 W2	Bedroom	100	67%	131	1.5	0.0	N/F N/F
			R2	W3	Bedroom	100	75%	138	1.5	0.0	N/F

Building Name	Unit No.	Floor	Room	Window	Room Use	Illuminance (SDA)			Sunlight Exposure (SE)		
						Target Lux	% of Room meeting target	Median Lux of Room	Target	Sunlight Exposure	North Facing
						(Lux)	(%)	(Lux)	(Hrs)	(Hrs)	(NF)
			R3	W4	Bedroom	100	64%	115	1.5	0.0	N/F
			R4	W5 W6	LKD	150	29%	79	1.5	0.9	N/F N/F
	Flat1	First	R1	W1	Bedroom	100	100%	223	1.5	0.9	N/F
			R2	W2	LKD	150	81%	219	1.5	2.2	N/F
			R3	W3	Bedroom	100	100%	212	1.5	1.2	N/F
	Flat2	First	R4	W4	Bedroom	100	100%	201	1.5	1.2	N/F
			R5	W5	Bedroom	100	100%	303	1.5	1.2	N/F
			R6	W6	Bedroom	100	100%	217	1.5	1.2	N/F
			R7	W7	LKD	150	50%	150	1.5	1.1	N/F
	Flat3	First	R8	W8	LKD	150	35%	97	1.5	2.1	
			R9	W9	Bedroom	100	86%	157	1.5	1.7	
	Flat4	First	R10	W10	Bedroom	100	97%	189	1.5	2.8	
			R11	W11	Bedroom	100	100%	213	1.5	2.8	
			R12	W12 W13	LKD	150	60%	193	1.5	2.2	
	Flat5	First	R13	W14	Bedroom	100	100%	194	1.5	2.7	
			R14	W15	LKD	150	38%	109	1.5	1.7	
	Flat6	First	R15	W16	Bedroom	100	61%	138	1.5	2.0	
			R16	W17	Bedroom	100	36%	81	1.5	1.6	
			R17	W18	LKD	150	26%	64	1.5	1.3	
	Flat1	Second	R1	W1	LKD	150	60%	183	1.5	2.2	N/F
			R2	W2	Bedroom	100	100%	171	1.5	0.3	N/F
			R3	W3	Bedroom	100	100%	278	1.5	1.2	N/F
	Flat2	Second	R4	W4	LKD	150	82%	274	1.5	2.2	N/F
			R5	W5	Bedroom	100	100%	299	1.5	1.2	N/F
	Flat3	Second	R6	W6	LKD	150	80%	294	1.5	2.2	N/F
			R7	W7	Bedroom	100	100%	327	1.5	1.2	N/F
	Flat4	Second	R8	W8	Bedroom	100	100%	247	1.5	1.2	N/F
			R9	W9	Bedroom	100	100%	360	1.5	1.2	N/F
			R10	W10	Bedroom	100	100%	266	1.5	1.2	N/F
			R11	W11	LKD	150	89%	187	1.5	1.1	N/F
	Flat5	Second	R12	W12	LKD	150	57%	163	1.5	3.1	
			R13	W13	Bedroom	100	100%	246	1.5	2.8	
	Flat6	Second	R14	W14	Bedroom	100	100%	276	1.5	4.0	
			R15	W15	Bedroom	100	100%	243	1.5	4.0	

Building Name	Unit No.	Floor	Room	Window	Room Use	Illuminance (SDA)			Sunlight Exposure (SE)		
						Target Lux	% of Room meeting target	Median Lux of Room	Target	Sunlight Exposure	North Facing
						(Lux)	(%)	(Lux)	(Hrs)	(Hrs)	(NF)
			R16	W16 W17	LKD	150	83%	280	1.5	3.4	
	Flat7	Second	R17	W18	Bedroom	100	100%	267	1.5	3.9	
			R18	W19	LKD	150	64%	194	1.5	2.9	
	Flat8	Second	R19	W20	Bedroom	100	90%	212	1.5	3.2	
			R20	W21	Bedroom	100	73%	121	1.5	2.9	
			R21	W22	LKD	150	42%	117	1.5	2.5	
	Flat1	Third	R1	W1	LKD	150	68%	201	1.5	2.2	N/F
			R2	W2	Bedroom	100	100%	186	1.5	0.3	N/F
			R3	W3	Bedroom	100	100%	296	1.5	1.2	N/F
	Flat2	Third	R4	W4	LKD	150	93%	296	1.5	2.2	N/F
			R5	W5	Bedroom	100	100%	320	1.5	1.2	N/F
	Flat3	Third	R6	W6	LKD	150	85%	320	1.5	2.2	N/F
			R7	W7	Bedroom	100	100%	347	1.5	1.2	N/F
	Flat4	Third	R8	W8	Bedroom	100	100%	264	1.5	1.2	N/F
			R9	W9	Bedroom	100	100%	385	1.5	1.2	N/F
			R10	W10	Bedroom	100	100%	282	1.5	1.2	N/F
			R11	W11	LKD	150	98%	201	1.5	1.1	N/F
	Flat5	Third	R12	W12	LKD	150	87%	225	1.5	3.1	
			R13	W13	Bedroom	100	100%	303	1.5	2.8	
	Flat6	Third	R14	W14	Bedroom	100	100%	340	1.5	4.2	
			R15	W15	Bedroom	100	100%	310	1.5	4.2	
			R16	W16 W17	LKD	150	100%	372	1.5	3.6	
	Flat7	Third	R17	W18	Bedroom	100	100%	344	1.5	4.2	
			R18	W19	LKD	150	82%	281	1.5	3.1	
	Flat8	Third	R19	W20	Bedroom	100	100%	286	1.5	3.4	
			R20	W21	Bedroom	100	100%	170	1.5	3.0	
			R21	W22	LKD	150	56%	172	1.5	2.6	
	Flat1	Fourth	R1	W1	LKD	150	71%	212	1.5	2.2	N/F
			R2	W2	Bedroom	100	100%	193	1.5	0.3	N/F
			R3	W3	Bedroom	100	100%	309	1.5	1.2	N/F
	Flat2	Fourth	R4	W4	LKD	150	100%	313	1.5	2.2	N/F
			R5	W5	Bedroom	100	100%	333	1.5	1.2	N/F
	Flat3	Fourth	R6	W6	LKD	150	88%	338	1.5	2.2	N/F
			R7	W7	Bedroom	100	100%	361	1.5	1.2	N/F

Building Name	Unit No.	Floor	Room	Window	Room Use	Illuminance (SDA)			Sunlight Exposure (SE)		
						Target Lux	% of Room meeting target	Median Lux of Room	Target	Sunlight Exposure	North Facing
						(Lux)	(%)	(Lux)	(Hrs)	(Hrs)	(NF)
	Flat4	Fourth	R8	W8	Bedroom	100	100%	277	1.5	1.2	N/F
			R9	W9	Bedroom	100	100%	405	1.5	1.2	N/F
			R10	W10	Bedroom	100	100%	297	1.5	1.2	N/F
			R11	W11	LKD	150	99%	213	1.5	1.1	N/F
	Flat5	Fourth	R12	W12	LKD	150	94%	244	1.5	3.1	
			R13	W13	Bedroom	100	100%	315	1.5	2.8	
	Flat6	Fourth	R14	W14	Bedroom	100	100%	355	1.5	4.2	
			R15	W15	Bedroom	100	100%	327	1.5	4.2	
			R16	W16 W17	LKD	150	100%	399	1.5	3.6	
	Flat7	Fourth	R17	W18	Bedroom	100	100%	366	1.5	4.2	
			R18	W19	LKD	150	99%	309	1.5	3.6	
	Flat8	Fourth	R19	W20	Bedroom	100	100%	306	1.5	3.4	
			R20	W21	Bedroom	100	100%	184	1.5	3.0	
			R21	W22	LKD	150	64%	192	1.5	2.6	
	Flat1	Fifth	R1	W1	LKD	150	77%	222	1.5	2.2	N/F
			R2	W2	Bedroom	100	100%	203	1.5	0.3	N/F
			R3	W3	Bedroom	100	100%	309	1.5	1.2	N/F
	Flat2	Fifth	R4	W4	LKD	150	100%	323	1.5	2.2	N/F
			R5	W5	Bedroom	100	100%	333	1.5	1.2	N/F
	Flat3	Fifth	R6	W6	LKD	150	90%	348	1.5	2.2	N/F
			R7	W7	Bedroom	100	100%	359	1.5	1.2	N/F
	Flat4	Fifth	R8	W8	Bedroom	100	100%	275	1.5	1.2	N/F
			R9	W9	Bedroom	100	100%	399	1.5	1.2	N/F
			R10	W10	Bedroom	100	100%	292	1.5	1.2	N/F
			R11	W11	LKD	150	100%	233	1.5	1.0	N/F
	Flat5	Fifth	R12	W12	LKD	150	96%	254	1.5	4.4	
			R13	W13	Bedroom	100	100%	311	1.5	2.8	
	Flat6	Fifth	R14	W14	Bedroom	100	100%	351	1.5	4.2	
			R15	W15	Bedroom	100	100%	322	1.5	4.2	
			R16	W16 W17	LKD	150	100%	430	1.5	3.6	
	Flat7	Fifth	R17	W18	Bedroom	100	100%	365	1.5	3.9	
			R18	W19	LKD	150	100%	325	1.5	4.8	
	Flat8	Fifth	R19	W20	Bedroom	100	100%	304	1.5	4.2	
			R20	W21	Bedroom	100	100%	198	1.5	3.3	

Building Name	Unit No.	Floor	Room	Window	Room Use	Illuminance (SDA)			Sunlight Exposure (SE)		
						Target Lux	% of Room meeting target	Median Lux of Room	Target	Sunlight Exposure	North Facing
						(Lux)	(%)	(Lux)	(Hrs)	(Hrs)	(NF)
			R21	W22	LKD	150	70%	204	1.5	2.6	
	Flat1	Sixth	R1	W1 W2	LKD	150	100%	280	1.5	2.2	N/F
			R2	W3	Bedroom	100	100%	221	1.5	0.3	N/F
			R3	W4	Bedroom	100	100%	314	1.5	1.2	N/F
	Flat2	Sixth	R4	W5	LKD	150	100%	350	1.5	2.2	N/F
			R5	W6	Bedroom	100	100%	346	1.5	1.2	N/F
	Flat3	Sixth	R6	W7	LKD	150	92%	374	1.5	2.2	N/F
			R7	W8	Bedroom	100	100%	367	1.5	1.2	N/F
	Flat4	Sixth	R8	W9	Bedroom	100	100%	282	1.5	1.2	N/F
			R9	W10	Bedroom	100	100%	410	1.5	1.2	N/F
			R10	W11	Bedroom	100	100%	300	1.5	1.2	N/F
			R11	W12	LKD	150	100%	262	1.5	1.0	N/F
	Flat5	Sixth	R12	W13	LKD	150	98%	276	1.5	4.5	
			R13	W14	Bedroom	100	100%	320	1.5	2.8	
	Flat6	Sixth	R14	W15	Bedroom	100	100%	357	1.5	4.2	
			R15	W16	Bedroom	100	100%	329	1.5	4.2	
			R16	W17 W18	LKD	150	100%	425	1.5	3.6	
	Flat7	Sixth	R17	W19	Bedroom	100	100%	378	1.5	3.8	
			R18	W20	LKD	150	100%	343	1.5	4.8	
	Flat8	Sixth	R19	W21	Bedroom	100	100%	313	1.5	4.1	
			R20	W22	Bedroom	100	100%	208	1.5	3.6	
			R21	W23 W24	LKD	150	83%	234	1.5	3.4	
	Flat1	Seventh	R1	W1 W2	LKD	150	100%	304	1.5	3.2	N/F
			R2	W3	Bedroom	100	100%	269	1.5	0.3	N/F
			R3	W4	Bedroom	100	100%	240	1.5	1.2	N/F
			R4	W5	Bedroom	100	100%	239	1.5	1.2	N/F
	Flat2	Seventh	R5	W6	Bedroom	100	100%	302	1.5	1.2	N/F
			R6	W7	Bedroom	100	100%	277	1.5	1.2	N/F
			R7	W8	Bedroom	100	100%	264	1.5	0.3	N/F
			R8	W9 W10	LKD	150	98%	303	1.5	1.7	N/F N/F
	Flat3	Seventh	R9	W11	Bedroom	100	100%	256	1.5	2.8	
			R10	W12	Bedroom	100	98%	149	1.5	3.6	

Building Name	Unit No.	Floor	Room	Window	Room Use	Illuminance (SDA)			Sunlight Exposure (SE)		
						Target Lux	% of Room meeting target	Median Lux of Room	Target	Sunlight Exposure	North Facing
						(Lux)	(%)	(Lux)	(Hrs)	(Hrs)	(NF)
			R11	W13	Bedroom	100	100%	307	1.5	4.2	
			R12	W14 W15	LKD	150	100%	403	1.5	4.8	
	Flat4	Seventh	R13	W16	Bedroom	100	100%	401	1.5	4.2	
			R14	W17	LKD	150	100%	387	1.5	4.8	
			R15	W18	Bedroom	100	100%	347	1.5	4.2	
			R16	W19	Bedroom	100	100%	242	1.5	3.6	
			R17	W20 W21	LKD	150	100%	295	1.5	4.8	
Block E DP1		Ground	R1	W1	LKD	150	28%	72	1.5	2.2	N/F
			R2	W2	Bedroom	100	62%	127	1.5	0.0	N/F
		First	R1	W1 W2	Bedroom	100	80%	181	1.5	0.3	N/F N/F
			R2	W3	Bedroom	100	63%	109	1.5	0.3	N/F
Block E DP2		Ground	R1	W1	LKD	150	36%	95	1.5	1.0	N/F
		First	R1	W1	Bedroom	100	75%	130	1.5	0.3	N/F
			R2	W2	Bedroom	100	76%	120	1.5	0.3	N/F
Block F	Flat1	Ground	R1	W1	LKD	150	20%	61	1.5	1.7	
			R2	W2 W3	Bedroom	100	31%	78	1.5	0.6	
	Flat2	Ground	R3	W4 W5	Bedroom	100	31%	73	1.5	0.4	
			R4	W6	LKD	150	21%	79	1.5	1.3	
	Flat1	First	R1	W1	LKD	150	27%	78	1.5	1.8	
			R2	W2	Bedroom	100	31%	76	1.5	0.1	
			R3	W3	Bedroom	100	56%	108	1.5	1.4	
	Flat2	First	R4	W4	LKD	150	28%	106	1.5	2.0	
			R5	W5	Bedroom	100	23%	75	1.5	0.2	
			R6	W6	Bedroom	100	66%	116	1.5	2.0	
	Flat3	First	R7	W7	LKD	150	49%	143	1.5	2.2	N/F
			R8	W8	Bedroom	100	98%	171	1.5	0.3	N/F
			R9	W9	Bedroom	100	100%	214	1.5	1.2	N/F
	Flat4	First	R10	W10 W11	LKD	150	87%	214	1.5	1.2	N/F N/F
			R11	W12	Bedroom	100	39%	86	1.5	1.2	
			R12	W13	Bedroom	100	23%	59	1.5	1.1	
	Flat5	First	R13	W14	Bedroom	100	41%	91	1.5	0.0	N/F
			R14	W15	LKD	150	41%	127	1.5	0.0	N/F

Building Name	Unit No.	Floor	Room	Window	Room Use	Illuminance (SDA)			Sunlight Exposure (SE)		
						Target Lux	% of Room meeting target	Median Lux of Room	Target	Sunlight Exposure	North Facing
						(Lux)	(%)	(Lux)	(Hrs)	(Hrs)	(NF)
Flat1	Second	R1	W1	LKD	150	32%	90	1.5	1.8		
		R2	W2	Bedroom	100	42%	87	1.5	0.1		
		R3	W3	Bedroom	100	67%	126	1.5	2.2		
Flat2	Second	R4	W4	LKD	150	37%	121	1.5	2.0		
		R5	W5	Bedroom	100	32%	83	1.5	0.2		
		R6	W6	Bedroom	100	87%	133	1.5	3.1		
Flat3	Second	R7	W7	Bedroom	100	65%	127	1.5	3.7		
		R8	W8	Bedroom	100	67%	131	1.5	3.7		
		R9	W9	LKD	150	100%	351	1.5	2.5		
Flat4	Second	R10	W13	LKD	150	62%	186	1.5	2.2	N/F	
		R11	W14	Bedroom	100	100%	209	1.5	0.3	N/F	
		R12	W15	Bedroom	100	100%	257	1.5	1.2	N/F	
Flat5	Second	R13	W16	LKD	150	100%	271	1.5	1.2	N/F	
		R14	W18	Bedroom	100	83%	135	1.5	1.8		
		R15	W19	Bedroom	100	90%	149	1.5	1.1		
Flat6	Second	R16	W20	Bedroom	100	37%	86	1.5	0.0	N/F	
		R17	W21	LKD	150	45%	136	1.5	0.0	N/F	
Flat7	Second	R18	W22	Bedroom	100	85%	130	1.5	0.0	N/F	
		R19	W23	Bedroom	100	98%	169	1.5	0.0	N/F	
		R20	W24	Bedroom	100	63%	117	1.5	0.0	N/F	
		R21	W25	LKD	150	92%	302	1.5	2.6	N/F	
Flat8	Second	R22	W27	Bedroom	100	100%	177	1.5	3.4		
		R23	W28	Bedroom	100	100%	212	1.5	2.6		
		R24	W29	LKD	150	81%	206	1.5	6.2		
		R25	W31	Bedroom	100	97%	167	1.5	2.5		
Flat1	Third	R1	W1	LKD	150	37%	104	1.5	2.9		
		R2	W2	Bedroom	100	51%	100	1.5	1.5		
		R3	W3	Bedroom	100	76%	146	1.5	3.8		
Flat2	Third	R4	W4	LKD	150	45%	139	1.5	3.3		
		R5	W5	Bedroom	100	43%	94	1.5	1.3		
		R6	W6	Bedroom	100	100%	151	1.5	3.7		
Flat3	Third	R7	W7	Bedroom	100	71%	143	1.5	3.8		

Building Name	Unit No.	Floor	Room	Window	Room Use	Illuminance (SDA)			Sunlight Exposure (SE)		
						Target Lux	% of Room meeting target	Median Lux of Room	Target	Sunlight Exposure	North Facing
						(Lux)	(%)	(Lux)	(Hrs)	(Hrs)	(NF)
			R8	W8	Bedroom	100	73%	147	1.5	3.7	
			R9	W9 W10 W11 W12	LKD	150	100%	379	1.5	2.5	N/F N/F N/F
	Flat4	Third	R10	W13	LKD	150	71%	209	1.5	2.2	N/F
			R11	W14	Bedroom	100	100%	229	1.5	0.3	N/F
			R12	W15	Bedroom	100	100%	279	1.5	1.2	N/F
	Flat5	Third	R13	W16 W17	LKD	150	100%	295	1.5	1.2	N/F N/F
			R14	W18	Bedroom	100	97%	170	1.5	1.8	
			R15	W19	Bedroom	100	100%	179	1.5	1.1	
	Flat6	Third	R16	W20	Bedroom	100	55%	105	1.5	0.0	N/F
			R17	W21	LKD	150	55%	169	1.5	0.0	N/F
	Flat7	Third	R18	W22	Bedroom	100	100%	165	1.5	0.0	N/F
			R19	W23	Bedroom	100	100%	223	1.5	0.0	N/F
			R20	W24	Bedroom	100	100%	210	1.5	0.0	N/F
			R21	W25 W26	LKD	150	94%	326	1.5	2.6	N/F
	Flat8	Third	R22	W27	Bedroom	100	100%	184	1.5	3.4	
			R23	W28	Bedroom	100	100%	220	1.5	2.6	
			R24	W29 W30	LKD	150	84%	219	1.5	7.4	
			R25	W31	Bedroom	100	100%	187	1.5	3.6	
	Flat1	Fourth	R1	W1	LKD	150	42%	121	1.5	3.8	
			R2	W2	Bedroom	100	84%	133	1.5	2.1	
			R3	W3	Bedroom	100	99%	189	1.5	4.0	
	Flat2	Fourth	R4	W4	LKD	150	61%	167	1.5	3.4	
			R5	W5	Bedroom	100	59%	111	1.5	1.3	
			R6	W6	Bedroom	100	100%	184	1.5	3.7	
	Flat3	Fourth	R7	W7	Bedroom	100	88%	167	1.5	3.8	
			R8	W8	Bedroom	100	91%	167	1.5	3.7	
			R9	W9 W10 W11 W12	LKD	150	100%	397	1.5	2.8	N/F N/F N/F
	Flat4	Fourth	R10	W13	LKD	150	75%	217	1.5	2.2	N/F
			R11	W14	Bedroom	100	100%	238	1.5	0.3	N/F
			R12	W15	Bedroom	100	100%	287	1.5	1.2	N/F
	Flat5	Fourth	R13	W16	LKD	150	100%	306	1.5	1.2	N/F

Building Name	Unit No.	Floor	Room	Window	Room Use	Illuminance (SDA)			Sunlight Exposure (SE)		
						Target Lux	% of Room meeting target	Median Lux of Room	Target	Sunlight Exposure	North Facing
						(Lux)	(%)	(Lux)	(Hrs)	(Hrs)	(NF)
				W17							N/F
			R14	W18	Bedroom	100	100%	184	1.5	1.8	
			R15	W19	Bedroom	100	100%	191	1.5	1.1	
	Flat6	Fourth	R16	W20	Bedroom	100	65%	114	1.5	0.0	N/F
			R17	W21	LKD	150	61%	187	1.5	0.0	N/F
	Flat7	Fourth	R18	W22	Bedroom	100	100%	184	1.5	0.0	N/F
			R19	W23	Bedroom	100	100%	247	1.5	0.0	N/F
			R20	W24	Bedroom	100	100%	235	1.5	0.0	N/F
			R21	W25 W26	LKD	150	94%	339	1.5	2.6	N/F
	Flat8	Fourth	R22	W27	Bedroom	100	100%	201	1.5	3.4	
			R23	W28	Bedroom	100	100%	225	1.5	2.6	
			R24	W29 W30	LKD	150	87%	239	1.5	8.3	
			R25	W31	Bedroom	100	100%	213	1.5	4.7	
	Flat1	Fifth	R1	W1	LKD	150	51%	155	1.5	5.4	
			R2	W2	Bedroom	100	100%	209	1.5	3.4	
			R3	W3	Bedroom	100	100%	247	1.5	4.0	
	Flat2	Fifth	R4	W4	LKD	150	75%	236	1.5	4.9	
			R5	W5	Bedroom	100	89%	188	1.5	2.6	
			R6	W6	Bedroom	100	100%	219	1.5	4.3	
	Flat3	Fifth	R7	W7	Bedroom	100	100%	198	1.5	5.7	
			R8	W8	Bedroom	100	100%	193	1.5	6.2	
			R9	W9 W10 W11 W12	LKD	150	100%	414	1.5	5.3	N/F N/F N/F
	Flat4	Fifth	R10	W13	LKD	150	84%	228	1.5	2.2	N/F
			R11	W14	Bedroom	100	100%	252	1.5	0.3	N/F
			R12	W15	Bedroom	100	100%	285	1.5	1.2	N/F
	Flat5	Fifth	R13	W16 W17	LKD	150	100%	372	1.5	1.2	N/F N/F
			R14	W18	Bedroom	100	100%	188	1.5	1.8	
			R15	W19	Bedroom	100	100%	193	1.5	0.9	
	Flat6	Fifth	R16	W20	Bedroom	100	70%	120	1.5	0.0	N/F
			R17	W21	LKD	150	75%	208	1.5	0.0	N/F
	Flat7	Fifth	R18	W22	Bedroom	100	100%	196	1.5	0.0	N/F
			R19	W23	Bedroom	100	100%	258	1.5	0.0	N/F

Building Name	Unit No.	Floor	Room	Window	Room Use	Illuminance (SDA)			Sunlight Exposure (SE)		
						Target Lux	% of Room meeting target	Median Lux of Room	Target	Sunlight Exposure	North Facing
						(Lux)	(%)	(Lux)	(Hrs)	(Hrs)	(NF)
			R20	W24	Bedroom	100	100%	240	1.5	0.0	N/F
			R21	W25 W26	LKD	150	94%	355	1.5	3.1	N/F
	Flat8	Fifth	R22	W27	Bedroom	100	100%	197	1.5	3.2	
			R23	W28	Bedroom	100	100%	238	1.5	3.1	
			R24	W29 W30	LKD	150	89%	257	1.5	8.6	
			R25	W31	Bedroom	100	100%	251	1.5	5.0	
	Flat1	Sixth	R1	W1	LKD	150	68%	224	1.5	6.1	
			R2	W2	Bedroom	100	100%	280	1.5	4.6	
			R3	W3	Bedroom	100	100%	302	1.5	5.7	
	Flat2	Sixth	R4	W4	LKD	150	82%	296	1.5	6.9	
			R5	W5	Bedroom	100	100%	224	1.5	4.6	
			R6	W6	Bedroom	100	100%	270	1.5	5.9	
	Flat3	Sixth	R7	W7	Bedroom	100	100%	244	1.5	6.3	
			R8	W8	Bedroom	100	100%	242	1.5	6.3	
			R9	W9 W10 W11 W12	LKD	150	100%	433	1.5	5.3	N/F N/F N/F
	Flat4	Sixth	R10	W13	LKD	150	100%	256	1.5	2.2	N/F
			R11	W14	Bedroom	100	100%	297	1.5	0.3	N/F
			R12	W15 W16	Bedroom	100	100%	396	1.5	1.2	N/F N/F
	Flat5	Sixth	R13	W17	Bedroom	100	91%	146	1.5	0.0	N/F
			R14	W18	LKD	150	94%	235	1.5	0.0	N/F
	Flat6	Sixth	R15	W19	Bedroom	100	100%	220	1.5	0.0	N/F
			R16	W20	Bedroom	100	100%	274	1.5	0.0	N/F
			R17	W21	Bedroom	100	100%	262	1.5	0.0	N/F
			R18	W22 W23	LKD	150	96%	396	1.5	4.8	N/F
	Flat7	Sixth	R19	W24	Bedroom	100	100%	197	1.5	3.6	
			R20	W25	Bedroom	100	100%	283	1.5	3.6	
			R21	W26 W27	LKD	150	91%	290	1.5	8.6	
			R22	W28	Bedroom	100	100%	297	1.5	5.4	
	Flat1	Seventh	R1	W1 W2 W3	LKD	150	100%	383	1.5	9.0	
			R2	W4	Bedroom	100	100%	344	1.5	6.3	

Building Name	Unit No.	Floor	Room	Window	Room Use	Illuminance (SDA)			Sunlight Exposure (SE)		
						Target Lux	% of Room meeting target	Median Lux of Room	Target	Sunlight Exposure	North Facing
						(Lux)	(%)	(Lux)	(Hrs)	(Hrs)	(NF)
			R3	W5	Bedroom	100	100%	349	1.5	6.3	
			R4	W6	Bedroom	100	100%	339	1.5	6.3	
	Flat2	Seventh	R5	W7	LKD	150	88%	359	1.5	5.7	
			R6	W8	Bedroom	100	100%	256	1.5	3.6	
			R7	W9	Bedroom	100	100%	345	1.5	6.2	
	Flat3	Seventh	R8	W10	Bedroom	100	100%	304	1.5	6.3	
			R9	W11	Bedroom	100	100%	299	1.5	6.0	
			R10	W12 W13 W14 W15	LKD	150	100%	504	1.5	4.3	N/F N/F N/F
	Flat4	Seventh	R11	W16	Bedroom	100	98%	201	1.5	1.2	N/F
			R12	W17 W18	LKD	150	78%	324	1.5	1.6	N/F N/F
	Flat5	Seventh	R13	W19	Bedroom	100	100%	198	1.5	0.0	N/F
			R14	W20	LKD	150	100%	276	1.5	0.0	N/F
	Flat6	Seventh	R15	W21	Bedroom	100	100%	243	1.5	0.0	N/F
			R16	W22 W23 W24	LKD	150	100%	321	1.5	2.6	N/F N/F
			R17	W25	Bedroom	100	100%	165	1.5	3.6	
			R18	W26	Bedroom	100	100%	257	1.5	3.6	
	Flat1	Eighth	R1	W1 W2 W3	LKD	150	100%	502	1.5	9.5	
			R2	W4	Bedroom	100	100%	373	1.5	6.3	
			R3	W5	Bedroom	100	100%	384	1.5	6.3	
			R4	W6	Bedroom	100	100%	382	1.5	6.3	
	Flat2	Eighth	R5	W7	LKD	150	100%	444	1.5	7.2	
			R6	W8	Bedroom	100	100%	329	1.5	5.0	
			R7	W9	Bedroom	100	100%	393	1.5	6.3	
	Flat3	Eighth	R8	W10	Bedroom	100	100%	353	1.5	6.3	
			R9	W11	Bedroom	100	100%	389	1.5	6.3	
			R10	W12 W13 W14 W15	LKD	150	100%	556	1.5	6.3	N/F N/F N/F
	Flat4	Eighth	R11	W16	Bedroom	100	100%	250	1.5	1.2	N/F
			R12	W17 W18	LKD	150	95%	467	1.5	2.2	N/F N/F
	Flat5	Eighth	R15	W19	Bedroom	100	100%	269	1.5	0.0	N/F

Building Name	Unit No.	Floor	Room	Window	Room Use	Illuminance (SDA)			Sunlight Exposure (SE)		
						Target Lux	% of Room meeting target	Median Lux of Room	Target	Sunlight Exposure	North Facing
						(Lux)	(%)	(Lux)	(Hrs)	(Hrs)	(NF)
Block F DP1	Flat6	Eighth	R16	W20	LKD	150	100%	359	1.5	0.0	N/F
			R17	W21	Bedroom	100	100%	274	1.5	0.0	N/F
			R18	W22 W23 W24	LKD	150	100%	380	1.5	4.2	N/F N/F
			R19	W25	Bedroom	100	100%	227	1.5	3.6	
			R20	W26	Bedroom	100	100%	296	1.5	3.6	
	Ground	R1	W1	Bedroom	100	100%	151	1.5	3.6		
		R2	W2	Kitchen	200	37%	155	1.5	4.2		
		First	R1	W1	Bedroom	100	100%	189	1.5	3.6	
			R2	W2	Bedroom	100	100%	285	1.5	3.6	
			R3	W3	Bedroom	100	100%	220	1.5	3.6	
Block F DP2	Ground	R1	W1	Bedroom	100	21%	53	1.5	1.0		
		R2	W2 W3 W4	Kitchen	200	79%	261	1.5	2.7		
		R3	W5	Bedroom	100	78%	133	1.5	1.2	N/F	
		First	R1	W1	Bedroom	100	33%	80	1.5	1.3	
			R2	W2 W3 W4	Living Room	150	100%	243	1.5	2.7	N/F
	R3	W5 W6	Bedroom	100	100%	237	1.5	0.3	N/F N/F		
	H1	Ground	R1	W1	KD	150	72%	190	1.5	2.6	
			R2	W2	Bedroom	100	76%	165	1.5	2.7	
		First	R1	W1 W4	Living Room	150	100%	265	1.5	3.6	N/F
			R2	W2 W3	Bedroom	100	100%	448	1.5	3.6	
Second		R1	W1 W2	Bedroom	100	100%	329	1.5	3.6	N/F	
H2	Ground	R1	W1	Bedroom	100	100%	205	1.5	3.2		
		R2	W2	KD	150	100%	238	1.5	4.2		
	First	R1	W1 W2	Bedroom	100	100%	464	1.5	3.6		
		R2	W3 W4	Living Room	150	100%	314	1.5	3.6	N/F	
	Second	R1	W1 W2	Bedroom	100	100%	360	1.5	3.6	N/F	
H3	Ground	R1	W1	KD	150	100%	239	1.5	3.4		

Building Name	Unit No.	Floor	Room	Window	Room Use	Illuminance (SDA)			Sunlight Exposure (SE)			
						Target Lux	% of Room meeting target	Median Lux of Room	Target	Sunlight Exposure	North Facing	
						(Lux)	(%)	(Lux)	(Hrs)	(Hrs)	(NF)	
H4		First	R2	W2	Bedroom	100	100%	199	1.5	3.6		
			R1	W1 W4	Living Room	150	100%	319	1.5	3.6	N/F	
		Second	R2	W2 W3	Bedroom	100	100%	464	1.5	3.6		
			R1	W1 W2	Bedroom	100	100%	362	1.5	3.6	N/F	
		Ground	R1	W1	Bedroom	100	100%	210	1.5	3.6		
			R2	W2	KD	150	100%	253	1.5	4.2		
H5	First		R1	W1 W2	Bedroom	100	100%	471	1.5	3.6		
			R2	W3 W4	Living Room	150	100%	317	1.5	3.6	N/F	
		Second		R1	W1 W2	Bedroom	100	100%	361	1.5	3.6	N/F
				R1	W1	KD	150	100%	245	1.5	3.4	
		Ground		R2	W2	Bedroom	100	100%	199	1.5	3.6	
				R1	W1 W4	Living Room	150	100%	312	1.5	3.6	N/F
H6		Second	R2	W2 W3	Bedroom	100	100%	459	1.5	3.6		
			R1	W1 W2	Bedroom	100	100%	351	1.5	3.6	N/F	
		Ground		R1	W1	Bedroom	100	100%	201	1.5	3.6	
				R2	W2	KD	150	99%	228	1.5	4.2	
		First		R1	W1 W2	Bedroom	100	100%	466	1.5	3.6	
				R2	W3 W4	Living Room	150	100%	303	1.5	3.6	N/F
H7		Second	R1	W1 W2	Bedroom	100	100%	347	1.5	3.6	N/F	
			R1	W1	KD	150	96%	218	1.5	3.4		
		Ground		R2	W2	Bedroom	100	86%	171	1.5	2.9	
				R1	W1 W4	Living Room	150	100%	300	1.5	3.6	N/F
		First		R2	W2 W3	Bedroom	100	100%	442	1.5	3.6	
				R1	W1 W2	Bedroom	100	100%	346	1.5	3.6	N/F
H8	Ground		R1	W1	Bedroom	100	64%	150	1.5	2.8		
			R2	W2	KD	150	58%	170	1.5	2.9		
	First		R1	W1 W2	Bedroom	100	100%	425	1.5	3.6		


Building Name	Unit No.	Floor	Room	Window	Room Use	Illuminance (SDA)			Sunlight Exposure (SE)		
						Target Lux	% of Room meeting target	Median Lux of Room	Target	Sunlight Exposure	North Facing
						(Lux)	(%)	(Lux)	(Hrs)	(Hrs)	(NF)
H9			R2	W3 W4	Living Room	150	100%	277	1.5	3.6	N/F
		Second	R1	W1 W2	Bedroom	100	100%	333	1.5	3.6	N/F
		Ground	R1	W1	KD	150	57%	164	1.5	1.6	
			R2	W2	Bedroom	100	59%	128	1.5	1.7	
		First	R1	W1 W4	Living Room	150	100%	261	1.5	3.6	N/F
			R2	W2 W3	Bedroom	100	100%	382	1.5	3.1	
H10		Second	R1	W1 W2	Bedroom	100	100%	318	1.5	3.6	N/F
		Ground	R1	W1	Bedroom	100	69%	155	1.5	2.3	
			R2	W2	KD	150	80%	182	1.5	3.2	
		First	R1	W1 W2	Bedroom	100	100%	389	1.5	3.2	
			R2	W3 W4	Living Room	150	99%	220	1.5	3.4	N/F
		Second	R1	W1 W2	Bedroom	100	100%	278	1.5	3.6	N/F



## Notional Kitchens Off Assessment

# Block D

# Block C



### Sources of information

**Survey Solutions**  
31651IPLS01-03.dwg  
Received 02/08/2021

3105-DGM-ZZ-3D-X-M3-X-0001-001.rvt  
Received 03/08/2021


31651CVLS-04-07.dwg  
31651CVLS-04-09.dwg  
31651CVLS-04-11.dwg  
Received 07/10/2021

**PRP**  
HTC - Design Freeze 01  
Received 08/12/2025

**EB7 Ltd**  
Site Photographs  
Ordnance Survey



Key Plan



Note: Red rectangle represents the drawing sheet and North Arrow denotes the orientation of the building.

Project Hayes Town Centre Estate

Title Ground Floor  
Room Layout  
Block C-D - H1-H5


Drawn TR Checked --

Date 10/01/2026 Project 4899

Rel no. 26 Prefix ID01 Page no. 01

# Block D

# Block C



### Sources of information

#### Survey Solutions

31651IPLS01-03.dwg  
Received 02/08/2021

3105-DGM-ZZ-3D-X-M3-X-0001-001.rvt  
Received 03/08/2021

31651CVLS-04-07.dwg  
31651CVLS-04-09.dwg  
31651CVLS-04-11.dwg  
Received 07/10/2021

#### PRP


HTC - Design Freeze 01  
Received 08/12/2025

#### EB7 Ltd

Site Photographs  
Ordnance Survey



Key Plan



Note: Red rectangle represents the drawing sheet and North Arrow denotes the orientation of the building.

Project Hayes Town Centre Estate

Title First Floor  
Room Layout  
Block C-D - H1-H5


Drawn TR Checked --

Date 10/01/2026 Project 4899

Rel no. 26 Prefix ID01 Page no. 02

# Block D

# Block C



Sources of information

**Survey Solutions**

31651IPLS01-03.dwg  
Received 02/08/2021

3105-DGM-ZZ-3D-X-M3-X-0001-001.rvt

Received 03/08/2021

31651CVLS-04-07.dwg

31651CVLS-04-09.dwg

31651CVLS-04-11.dwg

Received 07/10/2021

**PRP**

HTC - Design Freeze 01

Received 08/12/2025

**EB7 Ltd**


Site Photographs

Ordnance Survey

NORTH



Key Plan



Note: Red rectangle represents the drawing sheet and North Arrow denotes the orientation of the building.

Project Hayes Town Centre Estate

Title Second Floor  
Room Layout  
Block C-D - H1-H5


Drawn TR Checked --

Date 10/01/2026 Project 4899

Rel no. 26 Prefix ID01 Page no. 03

# Block D

# Block C



### Sources of information

**Survey Solutions**  
31651IPLS01-03.dwg  
Received 02/08/2021

3105-DGM-ZZ-3D-X-M3-X-0001-001.rvt  
Received 03/08/2021


31651CVLS-04-07.dwg  
31651CVLS-04-09.dwg  
31651CVLS-04-11.dwg  
Received 07/10/2021

**PRP**  
HTC - Design Freeze 01  
Received 08/12/2025

**EB7 Ltd**  
Site Photographs  
Ordnance Survey



Key Plan



Note: Red rectangle represents the drawing sheet and North Arrow denotes the orientation of the building.

Project Hayes Town Centre Estate

Title Third Floor  
Room Layout  
Block C-D


Drawn TR Checked --

Date 10/01/2026 Project 4899

Rel no. 26 Prefix ID01 Page no. 04

# Block D

# Block C



### Sources of information

**Survey Solutions**  
31651IPLS01-03.dwg  
Received 02/08/2021

3105-DGM-ZZ-3D-X-M3-X-0001-001.rvt  
Received 03/08/2021


31651CVLS-04-07.dwg  
31651CVLS-04-09.dwg  
31651CVLS-04-11.dwg  
Received 07/10/2021

**PRP**  
HTC - Design Freeze 01  
Received 08/12/2025

**EB7 Ltd**  
Site Photographs  
Ordnance Survey



Key Plan



Note: Red rectangle represents the drawing sheet and North Arrow denotes the orientation of the building.

Project Hayes Town Centre Estate

Title Fourth Floor  
Room Layout  
Block C-D


Drawn TR Checked --

Date 10/01/2026 Project 4899

Rel no. 26 Prefix ID01 Page no. 05

# Block D

# Block C



Sources of information


**Survey Solutions**  
31651IPLS01-03.dwg  
Received 02/08/2021

3105-DGM-ZZ-3D-X-M3-X-0001-001.rvt  
Received 03/08/2021

31651CVLS-04-07.dwg  
31651CVLS-04-09.dwg  
31651CVLS-04-11.dwg  
Received 07/10/2021

**PRP**  
HTC - Design Freeze 01  
Received 08/12/2025

**EB7 Ltd**  
Site Photographs  
Ordnance Survey



Note: Red rectangle represents the drawing sheet and North Arrow denotes the orientation of the building.

Project Hayes Town Centre Estate

Title Fifth Floor  
Room Layout  
Block C-D



Drawn TR Checked --

Date 10/01/2026 Project 4899

Rel no. 26 Prefix ID01 Page no. 06

# Block D

# Block C



## Sources of information

**Survey Solutions**  
31651IPLS01-03.dwg  
Received 02/08/2021

3105-DGM-ZZ-3D-X-M3-X-0001-001.rvt  
Received 03/08/2021


31651CVLS-04-07.dwg  
31651CVLS-04-09.dwg  
31651CVLS-04-11.dwg  
Received 07/10/2021

**PRP**  
HTC - Design Freeze 01  
Received 08/12/2025

**EB7 Ltd**  
Site Photographs  
Ordnance Survey



Key Plan



Note: Red rectangle represents the drawing sheet and North Arrow denotes the orientation of the building.

Project Hayes Town Centre Estate


Title Sixth Floor  
Room Layout  
Block C-D

Drawn TR Checked --


Date 10/01/2026 Project 4899

Rel no. 26 Prefix ID01 Page no. 07

# Block D



# Block C



## Sources of information

**Survey Solutions**  
31651IPLS01-03.dwg  
Received 02/08/2021

3105-DGM-ZZ-3D-X-M3-X-0001-001.rvt  
Received 03/08/2021


31651CVLS-04-07.dwg  
31651CVLS-04-09.dwg  
31651CVLS-04-11.dwg  
Received 07/10/2021

**PRP**  
HTC - Design Freeze 01  
Received 08/12/2025

**EB7 Ltd**  
Site Photographs  
Ordnance Survey



Key Plan



Note: Red rectangle represents the drawing sheet and North Arrow denotes the orientation of the building.

Project Hayes Town Centre Estate

Title Seventh Floor  
Room Layout  
Block C-D


Drawn TR Checked --

Date 10/01/2026 Project 4899

Rel no. 26 Prefix ID01 Page no. 08

# Block F

# Block E



## Sources of information

**Survey Solutions**  
31651IPLS01-03.dwg  
Received 02/08/2021

3105-DGM-ZZ-3D-X-M3-X-0001-001.rvt  
Received 03/08/2021


31651CVLS-04-07.dwg  
31651CVLS-04-09.dwg  
31651CVLS-04-11.dwg  
Received 07/10/2021

**PRP**  
HTC - Design Freeze 01  
Received 08/12/2025

**EB7 Ltd**  
Site Photographs  
Ordnance Survey



Key Plan



Note: Red rectangle represents the drawing sheet and North Arrow denotes the orientation of the building.

Project Hayes Town Centre Estate

Title Ground Floor  
Room Layout  
Block E-F - H6-H10


Drawn TR Checked --

Date 10/01/2026 Project 4899

Rel no. 26 Prefix ID01 Page no. 09

# Block F

# Block E



2nd Floor, Chancery  
Exchange, 10 Funnival  
Street, EC4A 1AB  
T: +44(0)20 7148 6290  
E: info@eb7.co.uk  
W: eb7.co.uk



### Sources of information

#### Survey Solutions

31651IPLS01-03.dwg  
Received 02/08/2021

3105-DGM-ZZ-3D-X-M3-X-0001-001.rvt  
Received 03/08/2021

31651CVLS-04-07.dwg  
31651CVLS-04-09.dwg  
31651CVLS-04-11.dwg  
Received 07/10/2021

#### PRP


HTC - Design Freeze 01  
Received 08/12/2025

#### EB7 Ltd

Site Photographs  
Ordnance Survey



Key Plan



Note: Red rectangle represents the drawing sheet and North Arrow denotes the orientation of the building.

Project Hayes Town Centre Estate

Title First Floor  
Room Layout  
Block E-F - H6-H10

Drawn TR Checked --

Date 10/01/2026 Project 4899

Rel no. 26 Prefix ID01 Page no. 10