

382, BATH ROAD, HEATHROW, UB7 0DH

## Order Details

**Date:** 23/11/2022

**Your ref:** 3412\_Verna\_

**Our Ref:** GS-9216706

## Site Details

**Location:** 505934 177005

**Area:** 0.07 ha

**Authority:** [London Borough of Hillingdon](#)



**Summary of findings**

p. 2 **Aerial image**

p. 8

**OS MasterMap site plan**

p.13 [groundsure.com/insightuserguide](http://groundsure.com/insightuserguide)

Contact us with any questions at:

[info@groundsure.com](mailto:info@groundsure.com)

08444 159 000

## Summary of findings

Page	Section	Past land use	On site	0-50m	50-250m	250-500m	500-2000m
14	<u>1.1</u>	<u>Historical industrial land uses</u>	0	4	5	12	-
15	<u>1.2</u>	<u>Historical tanks</u>	0	0	3	6	-
16	<u>1.3</u>	<u>Historical energy features</u>	0	0	12	8	-
17	1.4	Historical petrol stations	0	0	0	0	-
17	<u>1.5</u>	<u>Historical garages</u>	1	0	0	6	-
18	1.6	Historical military land	0	0	0	0	-
Page	Section	Past land use - un-grouped	On site	0-50m	50-250m	250-500m	500-2000m
19	<u>2.1</u>	<u>Historical industrial land uses</u>	0	6	5	17	-
21	<u>2.2</u>	<u>Historical tanks</u>	0	0	6	9	-
21	<u>2.3</u>	<u>Historical energy features</u>	0	0	24	14	-
23	2.4	Historical petrol stations	0	0	0	0	-
23	<u>2.5</u>	<u>Historical garages</u>	1	0	0	12	-
Page	Section	Waste and landfill	On site	0-50m	50-250m	250-500m	500-2000m
25	3.1	Active or recent landfill	0	0	0	0	-
25	3.2	Historical landfill (BGS records)	0	0	0	0	-
26	3.3	Historical landfill (LA/mapping records)	0	0	0	0	-
26	3.4	Historical landfill (EA/NRW records)	0	0	0	0	-
26	3.5	Historical waste sites	0	0	0	0	-
26	3.6	Licensed waste sites	0	0	0	0	-
26	<u>3.7</u>	<u>Waste exemptions</u>	0	0	0	24	-
Page	Section	Current industrial land use	On site	0-50m	50-250m	250-500m	500-2000m
30	<u>4.1</u>	<u>Recent industrial land uses</u>	0	0	16	-	-
32	<u>4.2</u>	<u>Current or recent petrol stations</u>	0	0	0	1	-
32	4.3	Electricity cables	0	0	0	0	-
32	4.4	Gas pipelines	0	0	0	0	-
32	4.5	Sites determined as Contaminated Land	0	0	0	0	-



32	4.6	Control of Major Accident Hazards (COMAH)	0	0	0	0	-
33	4.7	Regulated explosive sites	0	0	0	0	-
33	4.8	Hazardous substance storage/usage	0	0	0	0	-
33	4.9	Historical licensed industrial activities (IPC)	0	0	0	0	-
33	4.10	Licensed industrial activities (Part A(1))	0	0	0	0	-
<b>33</b>	<b>4.11</b>	<b>Licensed pollutant release (Part A(2)/B)</b>	0	0	0	<b>6</b>	-
34	4.12	Radioactive Substance Authorisations	0	0	0	0	-
35	4.13	Licensed Discharges to controlled waters	0	0	0	0	-
35	4.14	Pollutant release to surface waters (Red List)	0	0	0	0	-
35	4.15	Pollutant release to public sewer	0	0	0	0	-
35	4.16	List 1 Dangerous Substances	0	0	0	0	-
35	4.17	List 2 Dangerous Substances	0	0	0	0	-
<b>36</b>	<b>4.18</b>	<b>Pollution Incidents (EA/NRW)</b>	0	<b>1</b>	0	<b>1</b>	-
36	4.19	Pollution inventory substances	0	0	0	0	-
36	4.20	Pollution inventory waste transfers	0	0	0	0	-
37	4.21	Pollution inventory radioactive waste	0	0	0	0	-

Page	Section	Hydrogeology	On site	0-50m	50-250m	250-500m	500-2000m
<b>38</b>	<b>5.1</b>	<b>Superficial aquifer</b>			Identified (within 500m)		
<b>39</b>	<b>5.2</b>	<b>Bedrock aquifer</b>			Identified (within 500m)		
<b>40</b>	<b>5.3</b>	<b>Groundwater vulnerability</b>			Identified (within 50m)		
41	5.4	Groundwater vulnerability- soluble rock risk			None (within 0m)		
<b>41</b>	<b>5.5</b>	<b>Groundwater vulnerability- local information</b>			Identified (within 0m)		
<b>42</b>	<b>5.6</b>	<b>Groundwater abstractions</b>	0	0	0	<b>2</b>	30
<b>50</b>	<b>5.7</b>	<b>Surface water abstractions</b>	0	0	0	0	4
<b>52</b>	<b>5.8</b>	<b>Potable abstractions</b>	0	0	0	0	2
52	5.9	Source Protection Zones	0	0	0	0	-
53	5.10	Source Protection Zones (confined aquifer)	0	0	0	0	-

Page	Section	Hydrology	On site	0-50m	50-250m	250-500m	500-2000m
54	6.1	Water Network (OS MasterMap)	0	0	0	-	-



54	6.2	Surface water features	0	0	0	-	-
<b>55</b>	<b>6.3</b>	<b><u>WFD Surface water body catchments</u></b>	<b>1</b>	-	-	-	-
<b>55</b>	<b>6.4</b>	<b><u>WFD Surface water bodies</u></b>	<b>0</b>	0	0	-	-
<b>55</b>	<b>6.5</b>	<b><u>WFD Groundwater bodies</u></b>	<b>1</b>	-	-	-	-
Page	Section	River and coastal flooding	On site	0-50m	50-250m	250-500m	500-2000m
57	7.1	Risk of flooding from rivers and the sea	None (within 50m)				
57	7.2	Historical Flood Events	0	0	0	-	-
57	7.3	Flood Defences	0	0	0	-	-
58	7.4	Areas Benefiting from Flood Defences	0	0	0	-	-
58	7.5	Flood Storage Areas	0	0	0	-	-
59	7.6	Flood Zone 2	None (within 50m)				
59	7.7	Flood Zone 3	None (within 50m)				
Page	Section	Surface water flooding					
<b>60</b>	<b>8.1</b>	<b><u>Surface water flooding</u></b>	1 in 30 year, 0.1m - 0.3m (within 50m)				
Page	Section	Groundwater flooding					
<b>62</b>	<b>9.1</b>	<b><u>Groundwater flooding</u></b>	Moderate (within 50m)				
Page	Section	Environmental designations	On site	0-50m	50-250m	250-500m	500-2000m
63	10.1	Sites of Special Scientific Interest (SSSI)	0	0	0	0	0
64	10.2	Conserved wetland sites (Ramsar sites)	0	0	0	0	0
64	10.3	Special Areas of Conservation (SAC)	0	0	0	0	0
64	10.4	Special Protection Areas (SPA)	0	0	0	0	0
64	10.5	National Nature Reserves (NNR)	0	0	0	0	0
65	10.6	Local Nature Reserves (LNR)	0	0	0	0	0
65	10.7	Designated Ancient Woodland	0	0	0	0	0
65	10.8	Biosphere Reserves	0	0	0	0	0
65	10.9	Forest Parks	0	0	0	0	0
66	10.10	Marine Conservation Zones	0	0	0	0	0
<b>66</b>	<b>10.11</b>	<b><u>Green Belt</u></b>	0	0	2	0	<b>21</b>
67	10.12	Proposed Ramsar sites	0	0	0	0	0



67	10.13	Possible Special Areas of Conservation (pSAC)	0	0	0	0	0
67	10.14	Potential Special Protection Areas (pSPA)	0	0	0	0	0
68	10.15	Nitrate Sensitive Areas	0	0	0	0	0
68	10.16	Nitrate Vulnerable Zones	0	0	0	0	0
<b>69</b>	<b><u>10.17</u></b>	<b><u>SSSI Impact Risk Zones</u></b>	<b>1</b>	-	-	-	-
70	10.18	SSSI Units	0	0	0	0	0

Page	Section	Visual and cultural designations	On site	0-50m	50-250m	250-500m	500-2000m
71	11.1	World Heritage Sites	0	0	0	-	-
71	11.2	Area of Outstanding Natural Beauty	0	0	0	-	-
71	11.3	National Parks	0	0	0	-	-
71	11.4	Listed Buildings	0	0	0	-	-
72	11.5	Conservation Areas	0	0	0	-	-
72	11.6	Scheduled Ancient Monuments	0	0	0	-	-
72	11.7	Registered Parks and Gardens	0	0	0	-	-

Page	Section	Agricultural designations	On site	0-50m	50-250m	250-500m	500-2000m	
<b>73</b>	<b><u>12.1</u></b>	<b><u>Agricultural Land Classification</u></b>		Non Agricultural (within 250m)				
74	12.2	Open Access Land	0	0	0	-	-	
74	12.3	Tree Felling Licences	0	0	0	-	-	
74	12.4	Environmental Stewardship Schemes	0	0	0	-	-	
74	12.5	Countryside Stewardship Schemes	0	0	0	-	-	

Page	Section	Habitat designations	On site	0-50m	50-250m	250-500m	500-2000m
75	13.1	Priority Habitat Inventory	0	0	0	-	-
75	13.2	Habitat Networks	0	0	0	-	-
75	13.3	Open Mosaic Habitat	0	0	0	-	-
75	13.4	Limestone Pavement Orders	0	0	0	-	-

Page	Section	Geology 1:10,000 scale	On site	0-50m	50-250m	250-500m	500-2000m	
<b>76</b>	<b><u>14.1</u></b>	<b><u>10k Availability</u></b>		Identified (within 500m)				
<b>77</b>	<b><u>14.2</u></b>	<b><u>Artificial and made ground (10k)</u></b>	0	0	0	7	-	
<b>79</b>	<b><u>14.3</u></b>	<b><u>Superficial geology (10k)</u></b>	1	0	1	0	-	




80	14.4	Landslip (10k)	0	0	0	0	-
<b>81</b>	<b>14.5</b>	<b><u>Bedrock geology (10k)</u></b>	<b>1</b>	0	0	0	-
82	14.6	Bedrock faults and other linear features (10k)	0	0	0	0	-
Page	Section	Geology 1:50,000 scale	On site	0-50m	50-250m	250-500m	500-2000m
<b>83</b>	<b>15.1</b>	<b><u>50k Availability</u></b>	Identified (within 500m)				
84	15.2	Artificial and made ground (50k)	0	0	0	0	-
84	15.3	Artificial ground permeability (50k)	0	0	-	-	-
<b>85</b>	<b>15.4</b>	<b><u>Superficial geology (50k)</u></b>	<b>1</b>	0	1	0	-
<b>86</b>	<b>15.5</b>	<b><u>Superficial permeability (50k)</u></b>	Identified (within 50m)				
86	15.6	Landslip (50k)	0	0	0	0	-
86	15.7	Landslip permeability (50k)	None (within 50m)				
<b>87</b>	<b>15.8</b>	<b><u>Bedrock geology (50k)</u></b>	<b>1</b>	0	0	0	-
<b>88</b>	<b>15.9</b>	<b><u>Bedrock permeability (50k)</u></b>	Identified (within 50m)				
88	15.10	Bedrock faults and other linear features (50k)	0	0	0	0	-
Page	Section	Boreholes	On site	0-50m	50-250m	250-500m	500-2000m
<b>89</b>	<b>16.1</b>	<b><u>BGS Boreholes</u></b>	0	0	2	-	-
Page	Section	Natural ground subsidence					
<b>90</b>	<b>17.1</b>	<b><u>Shrink swell clays</u></b>	Negligible (within 50m)				
<b>91</b>	<b>17.2</b>	<b><u>Running sands</u></b>	Very low (within 50m)				
<b>92</b>	<b>17.3</b>	<b><u>Compressible deposits</u></b>	Negligible (within 50m)				
<b>93</b>	<b>17.4</b>	<b><u>Collapsible deposits</u></b>	Very low (within 50m)				
<b>94</b>	<b>17.5</b>	<b><u>Landslides</u></b>	Very low (within 50m)				
<b>95</b>	<b>17.6</b>	<b><u>Ground dissolution of soluble rocks</u></b>	Negligible (within 50m)				
Page	Section	Mining, ground workings and natural cavities	On site	0-50m	50-250m	250-500m	500-2000m
96	18.1	Natural cavities	0	0	0	0	-
96	18.2	BritPits	0	0	0	0	-
96	18.3	Surface ground workings	0	0	0	-	-
96	18.4	Underground workings	0	0	0	0	0
97	18.5	Historical Mineral Planning Areas	0	0	0	0	-



97	18.6	Non-coal mining	0	0	0	0	0
97	18.7	Mining cavities	0	0	0	0	0
97	18.8	JPB mining areas	None (within 0m)				
97	18.9	Coal mining	None (within 0m)				
98	18.10	Brine areas	None (within 0m)				
98	18.11	Gypsum areas	None (within 0m)				
98	18.12	Tin mining	None (within 0m)				
98	18.13	Clay mining	None (within 0m)				

Page	Section	Radon					
99	<u>19.1</u>	<u>Radon</u>	Less than 1% (within 0m)				
Page	Section	Soil chemistry	On site	0-50m	50-250m	250-500m	500-2000m
<u>100</u>	<u>20.1</u>	<u>BGS Estimated Background Soil Chemistry</u>	3	0	-	-	-
<u>100</u>	<u>20.2</u>	<u>BGS Estimated Urban Soil Chemistry</u>	2	2	-	-	-
101	20.3	BGS Measured Urban Soil Chemistry	0	0	-	-	-
Page	Section	Railway infrastructure and projects	On site	0-50m	50-250m	250-500m	500-2000m
102	21.1	Underground railways (London)	0	0	0	-	-
102	21.2	Underground railways (Non-London)	0	0	0	-	-
102	21.3	Railway tunnels	0	0	0	-	-
102	21.4	Historical railway and tunnel features	0	0	0	-	-
102	21.5	Royal Mail tunnels	0	0	0	-	-
103	21.6	Historical railways	0	0	0	-	-
103	21.7	Railways	0	0	0	-	-
103	21.8	Crossrail 1	0	0	0	0	-
103	21.9	Crossrail 2	0	0	0	0	-
103	21.10	HS2	0	0	0	0	-

## Recent aerial photograph



Capture Date: 13/06/2021


Site Area: 0.07ha



Contact us with any questions at:  
[info@groundsure.com](mailto:info@groundsure.com)  
08444 159 000

Date: 23 November 2022

## Recent site history - 2019 aerial photograph



Aerial photography supplied by Getmapping PLC. © Copyright Getmapping PLC 2022. All Rights Reserved.

Capture Date: 29/06/2019


Site Area: 0.07ha



Contact us with any questions at:  
[info@groundsure.com](mailto:info@groundsure.com)  
08444 159 000

Date: 23 November 2022

## Recent site history - 2015 aerial photograph



Aerial photography supplied by Getmapping PLC. © Copyright Getmapping PLC 2022. All Rights Reserved

Capture Date: 20/04/2015


Site Area: 0.07ha



Contact us with any questions at:  
[info@groundsure.com](mailto:info@groundsure.com)  
08444 159 000

Date: 23 November 2022

## Recent site history - 2010 aerial photograph



Capture Date: 12/09/2010


Site Area: 0.07ha



Contact us with any questions at:  
[info@groundsure.com](mailto:info@groundsure.com)  
08444 159 000

Date: 23 November 2022

## Recent site history - 1999 aerial photograph



Capture Date: 13/10/1999


Site Area: 0.07ha



Contact us with any questions at:  
[info@groundsure.com](mailto:info@groundsure.com)  
08444 159 000

Date: 23 November 2022

## OS MasterMap site plan



Site Area: 0.07ha



## 1 Past land use



- Site Outline
- Search buffers in metres (m)
- Historical industrial land uses
- Historical tanks
- Historical energy features
- Historical garages

### 1.1 Historical industrial land uses

#### Records within 500m

21

Potentially contaminative land use features digitised from historical Ordnance Survey mapping at 1:10,000 and 1:10,560 scale, intelligently grouped into contiguous features. To prevent misrepresentation of the size of historical features at any given time, features are only grouped if they have similar geometries within immediately preceding or succeeding map editions. See section 2 for a breakdown of grouping if required. Grouped and the original un-grouped features can be cross-referenced across sections 1 and 2 using the 'Group ID'.

Features are displayed on the Past land use map on [page 14](#)

ID	Location	Land use	Dates present	Group ID
2	27m S	Unspecified Commercial/Industrial	1974 - 1987	2230351



ID	Location	Land use	Dates present	Group ID
A	41m S	Unspecified Works	1970	2159610
B	47m NW	Unspecified Factory	1970 - 1974	2193242
B	50m W	Unspecified Commercial/Industrial	1959	2130808
B	63m NW	Unspecified Tank	1970 - 1974	2199041
C	105m S	Unspecified Depot	1987	2147052
D	105m S	Airport	1959	2271702
D	105m S	Airport	1964 - 1966	2279956
E	181m SW	Unspecified Depot	1974	2147053
G	263m S	Airport	1974 - 1987	2186997
G	263m S	Airport	1970	2240650
H	271m W	Gravel Pit	1882	2138867
I	305m SE	Unspecified Commercial/Industrial	1974 - 1987	2176882
9	313m W	Gravel Pit	1865	2138866
H	365m W	Unspecified Works	1970	2159606
J	366m SE	Unspecified Tank	1970	2154492
K	446m E	Garage	1974 - 1987	2280130
L	464m W	Unspecified Laboratory	1935 - 1938	2246737
11	464m W	Unspecified Works	1970	2159607
L	465m W	Research Laboratories	1938	2143239
L	468m W	Department Of Science And Industrial Research Laboratory	1934	2142379

This data is sourced from Ordnance Survey / Groundsure.

## 1.2 Historical tanks

### Records within 500m

9

Tank features digitised from historical Ordnance Survey mapping at high-detail 1:1,250 and 1:2,500 scale, intelligently grouped into contiguous features. To prevent misrepresentation of the size of historical features at any given time, features are only grouped if they have similar geometries within immediately preceding or succeeding map editions. See section 2 for a breakdown of grouping if required. Grouped and the original ungrouped features can be cross-referenced across sections 1 and 2 using the 'Group ID'.

Features are displayed on the Past land use map on **page 14**



ID	Location	Land use	Dates present	Group ID
B	70m NW	Unspecified Tank	1987	363015
A	78m SW	Unspecified Tank	1977 - 1993	382516
C	180m S	Tanks	1977 - 1997	407552
J	366m SE	Unspecified Tank	1962	411318
I	434m E	Tanks	1962	375905
I	437m E	Unspecified Tank	1962	410971
I	451m E	Unspecified Tank	1962	406112
I	454m E	Tanks	1972	375903
I	460m E	Tanks	1972	375904

This data is sourced from Ordnance Survey / Groundsure.

### 1.3 Historical energy features

Records within 500m

20

Energy features digitised from historical Ordnance Survey mapping at high-detail 1:1,250 and 1:2,500 scale, intelligently grouped into contiguous features. To prevent misrepresentation of the size of historical features at any given time, features are only grouped if they have similar geometries within immediately preceding or succeeding map editions. See section 2 for a breakdown of grouping if required. Grouped and the original ungrouped features can be cross-referenced across sections 1 and 2 using the 'Group ID'.

Features are displayed on the Past land use map on [page 14](#)

ID	Location	Land use	Dates present	Group ID
3	56m SE	Electricity Substation	1977 - 1997	291151
B	72m NW	Electricity Substation	1992	243595
B	92m NW	Electricity Substation	1964	243596
C	125m S	Electricity Substation	1977 - 1997	287907
4	155m SW	Electricity Substation	1997	243586
C	171m S	Electricity Substation	1997	243585
E	176m SW	Electricity Substation	1977 - 1993	270935
E	200m SW	Electricity Substation	1997	264563
5	204m E	Electricity Substation	1972 - 1993	286758



ID	Location	Land use	Dates present	Group ID
6	207m N	Electricity Substation	1964 - 1992	282436
F	216m NW	Electricity Substation	1978	243597
F	226m NW	Electricity Substation	1987 - 1992	261222
7	311m SE	Electricity Substation	1992 - 1993	286959
8	312m S	Electricity Substation	1997	243583
H	347m W	Electricity Substation	1993 - 1997	280965
H	347m W	Electricity Substation	1977	270665
10	371m SE	Electricity Substation	1992 - 1993	276084
H	388m W	Electricity Substation	1993 - 1997	264823
I	465m E	Electricity Substation	1972 - 1983	290605
12	474m W	Electricity Substation	1974 - 1999	273593

This data is sourced from Ordnance Survey / Groundsure.

## 1.4 Historical petrol stations

### Records within 500m

0

Petrol stations digitised from historical Ordnance Survey mapping at high-detail 1:1,250 and 1:2,500 scale, intelligently grouped into contiguous features. To prevent misrepresentation of the size of historical features at any given time, features are only grouped if they have similar geometries within immediately preceding or succeeding map editions. See section 2 for a breakdown of grouping if required. Grouped and the original ungrouped features can be cross-referenced across sections 1 and 2 using the 'Group ID'.

This data is sourced from Ordnance Survey / Groundsure.

## 1.5 Historical garages

### Records within 500m

7

Garages digitised from historical Ordnance Survey mapping at high-detail 1:1,250 and 1:2,500 scale, intelligently grouped into contiguous features. To prevent misrepresentation of the size of historical features at any given time, features are only grouped if they have similar geometries within immediately preceding or succeeding map editions. See section 2 for a breakdown of grouping if required. Grouped and the original ungrouped features can be cross-referenced across sections 1 and 2 using the 'Group ID'.

Features are displayed on the Past land use map on [page 14](#)



ID	Location	Land use	Dates present	Group ID
1	On site	<b>Garage</b>	<b>1962</b>	<b>73255</b>
H	351m W	Garage	1977	76941
H	352m W	Garage	1964 - 1987	85449
H	360m W	Garage	1962	79558
K	445m E	Garage	1983	75107
K	445m E	Garage	1972	79873
K	446m E	Garage	1962	85696

*This data is sourced from Ordnance Survey / Groundsure.*

## 1.6 Historical military land

**Records within 500m**

**0**

Areas of military land digitised from multiple sources including the National Archives, local records, MOD records and verified other sources, intelligently grouped into contiguous features.

*This data is sourced from Ordnance Survey / Groundsure / other sources.*



## 2 Past land use - un-grouped



- Site Outline
- Search buffers in metres (m)
- Historical industrial land uses
- Historical tanks
- Historical energy features
- Historical garages

### 2.1 Historical industrial land uses

#### Records within 500m

28

Potentially contaminative land use features digitised from historical Ordnance Survey mapping at 1:10,000 and 10,560 scale. Any records shown are available intelligently grouped in section 1. Grouped and the original un-grouped features can be cross-referenced across sections 1 and 2 using the 'Group ID'.

Features are displayed on the Past land use - un-grouped map on [page 19](#)

ID	Location	Land Use	Date	Group ID
A	27m S	Unspecified Commercial/Industrial	1987	2230351
A	34m S	Unspecified Commercial/Industrial	1974	2230351
B	41m S	Unspecified Works	1970	2159610



ID	Location	Land Use	Date	Group ID
C	47m NW	Unspecified Factory	1970	2193242
C	47m NW	Unspecified Factory	1974	2193242
C	50m W	Unspecified Commercial/Industrial	1959	2130808
C	63m NW	Unspecified Tank	1974	2199041
C	64m NW	Unspecified Tank	1970	2199041
E	105m S	Unspecified Depot	1987	2147052
2	105m S	Airport	1964	2279956
F	181m SW	Unspecified Depot	1974	2147053
J	263m S	Airport	1987	2186997
J	263m S	Airport	1974	2186997
K	271m W	Gravel Pit	1882	2138867
L	305m SE	Unspecified Commercial/Industrial	1974	2176882
5	313m W	Gravel Pit	1865	2138866
N	317m SE	Airport	1959	2271702
N	326m SE	Airport	1970	2240650
K	365m W	Unspecified Works	1970	2159606
O	366m SE	Unspecified Tank	1970	2154492
6	432m E	Unspecified Commercial/Industrial	1987	2176882
Q	446m E	Garage	1974	2280130
Q	447m E	Garage	1987	2280130
R	464m W	Unspecified Laboratory	1938	2246737
R	464m W	Unspecified Laboratory	1935	2246737
7	464m W	Unspecified Works	1970	2159607
R	465m W	Research Laboratories	1938	2143239
R	468m W	Department Of Science And Industrial Research Laboratory	1934	2142379

This data is sourced from Ordnance Survey / Groundsure.



## 2.2 Historical tanks

### Records within 500m

15

Tank features digitised from historical Ordnance Survey mapping at high-detail 1:1,250 and 1:2,500 scale. Any records shown are available intelligently grouped in section 1. Grouped and the original un-grouped features can be cross-referenced across sections 1 and 2 using the 'Group ID'.

Features are displayed on the Past land use - un-grouped map on [page 19](#)

ID	Location	Land Use	Date	Group ID
C	70m NW	Unspecified Tank	1987	363015
B	78m SW	Unspecified Tank	1993	382516
B	80m SW	Unspecified Tank	1977	382516
E	180m S	Tanks	1997	407552
E	180m S	Tanks	1993	407552
E	180m S	Tanks	1977	407552
O	366m SE	Unspecified Tank	1962	411318
O	366m SE	Unspecified Tank	1962	411318
L	434m E	Tanks	1962	375905
L	437m E	Unspecified Tank	1962	410971
L	437m E	Unspecified Tank	1962	410971
L	451m E	Unspecified Tank	1962	406112
L	451m E	Unspecified Tank	1962	406112
L	454m E	Tanks	1972	375903
L	460m E	Tanks	1972	375904

This data is sourced from Ordnance Survey / Groundsure.

## 2.3 Historical energy features

### Records within 500m

38

Energy features digitised from historical Ordnance Survey mapping at high-detail 1:1,250 and 1:2,500 scale. Any records shown are available intelligently grouped in section 1. Grouped and the original un-grouped features can be cross-referenced across sections 1 and 2 using the 'Group ID'.

Features are displayed on the Past land use - un-grouped map on [page 19](#)



ID	Location	Land Use	Date	Group ID
D	56m SE	Electricity Substation	1977	291151
D	56m SE	Electricity Substation	1997	291151
D	56m SE	Electricity Substation	1993	291151
C	72m NW	Electricity Substation	1992	243595
C	92m NW	Electricity Substation	1964	243596
E	125m S	Electricity Substation	1977	287907
E	128m S	Electricity Substation	1997	287907
E	128m S	Electricity Substation	1993	287907
3	155m SW	Electricity Substation	1997	243586
E	171m S	Electricity Substation	1997	243585
F	176m SW	Electricity Substation	1993	270935
F	176m SW	Electricity Substation	1977	270935
F	200m SW	Electricity Substation	1997	264563
G	204m E	Electricity Substation	1983	286758
G	204m E	Electricity Substation	1972	286758
G	205m E	Electricity Substation	1993	286758
G	205m E	Electricity Substation	1992	286758
H	207m N	Electricity Substation	1964	282436
H	208m N	Electricity Substation	1978	282436
H	208m N	Electricity Substation	1987	282436
H	209m N	Electricity Substation	1992	282436
I	216m NW	Electricity Substation	1978	243597
I	226m NW	Electricity Substation	1987	261222
I	227m NW	Electricity Substation	1992	261222
M	311m SE	Electricity Substation	1993	286959
M	311m SE	Electricity Substation	1992	286959
4	312m S	Electricity Substation	1997	243583
K	347m W	Electricity Substation	1997	280965



ID	Location	Land Use	Date	Group ID
K	347m W	Electricity Substation	1993	280965
K	347m W	Electricity Substation	1977	270665
P	371m SE	Electricity Substation	1993	276084
P	371m SE	Electricity Substation	1992	276084
K	388m W	Electricity Substation	1997	264823
K	388m W	Electricity Substation	1993	264823
L	465m E	Electricity Substation	1972	290605
L	468m E	Electricity Substation	1983	290605
S	474m W	Electricity Substation	1974	273593
S	475m W	Electricity Substation	1999	273593

*This data is sourced from Ordnance Survey / Groundsure.*

## 2.4 Historical petrol stations

Records within 500m

0

Petrol stations digitised from historical Ordnance Survey mapping at high-detail 1:1,250 and 1:2,500 scale. Any records shown are available intelligently grouped in section 1. Grouped and the original un-grouped features can be cross-referenced across sections 1 and 2 using the 'Group ID'.

*This data is sourced from Ordnance Survey / Groundsure.*

## 2.5 Historical garages

Records within 500m

13

Garages digitised from historical Ordnance Survey mapping at high-detail 1:1,250 and 1:2,500 scale. Any records shown are available intelligently grouped in section 1. Grouped and the original un-grouped features can be cross-referenced across sections 1 and 2 using the 'Group ID'.

Features are displayed on the Past land use - un-grouped map on [page 19](#)

ID	Location	Land Use	Date	Group ID
1	On site	Garage	1962	73255
K	351m W	Garage	1977	76941
K	352m W	Garage	1971	85449



ID	Location	Land Use	Date	Group ID
K	352m W	Garage	1964	85449
K	352m W	Garage	1964	85449
K	352m W	Garage	1964	85449
K	353m W	Garage	1978	85449
K	353m W	Garage	1987	85449
K	360m W	Garage	1962	79558
Q	445m E	Garage	1983	75107
Q	445m E	Garage	1972	79873
Q	446m E	Garage	1962	85696
Q	448m E	Garage	1962	85696

*This data is sourced from Ordnance Survey / Groundsure.*



## 3 Waste and landfill



- Site Outline
- Search buffers in metres (m)
- Waste exemptions

### 3.1 Active or recent landfill

Records within 500m

0

Active or recently closed landfill sites under Environment Agency/Natural Resources Wales regulation.

*This data is sourced from the Environment Agency and Natural Resources Wales.*

### 3.2 Historical landfill (BGS records)

Records within 500m

0

Landfill sites identified on a survey carried out on behalf of the DoE in 1973. These sites may have been closed or operational at this time.

*This data is sourced from the British Geological Survey.*



### 3.3 Historical landfill (LA/mapping records)

**Records within 500m****0**

Landfill sites identified from Local Authority records and high detail historical mapping.

*This data is sourced from the Ordnance Survey/Groundsure and Local Authority records.*

### 3.4 Historical landfill (EA/NRW records)

**Records within 500m****0**

Known historical (closed) landfill sites (e.g. sites where there is no PPC permit or waste management licence currently in force). This includes sites that existed before the waste licensing regime and sites that have been licensed in the past but where a licence has been revoked, ceased to exist or surrendered and a certificate of completion has been issued.

*This data is sourced from the Environment Agency and Natural Resources Wales.*

### 3.5 Historical waste sites

**Records within 500m****0**

Waste site records derived from Local Authority planning records and high detail historical mapping.

*This data is sourced from Ordnance Survey/Groundsure and Local Authority records.*

### 3.6 Licensed waste sites

**Records within 500m****0**

Active or recently closed waste sites under Environment Agency/Natural Resources Wales regulation.

*This data is sourced from the Environment Agency and Natural Resources Wales.*

### 3.7 Waste exemptions

**Records within 500m****24**

Activities involving the storage, treatment, use or disposal of waste that are exempt from needing a permit. Exemptions have specific limits and conditions that must be adhered to.

Features are displayed on the Waste and landfill map on **page 25**



ID	Location	Site	Reference	Category	Sub-Category	Description
A	342m NW	Longfield Farm Hatch Lane UB7 0AZ	EPR/EH0776JK /A001	Disposing of waste exemption	Both agricultural and non- agricultural waste	Deposit of waste from dredging of inland waters
A	342m NW	Longfield Farm Hatch Lane UB7 0AZ	EPR/EH0776JK /A001	Disposing of waste exemption	Both agricultural and non- agricultural waste	Deposit of waste from a portable sanitary convenience
A	342m NW	Longfield Farm Hatch Lane UB7 0AZ	EPR/EH0776JK /A001	Disposing of waste exemption	Both agricultural and non- agricultural waste	Disposal by incineration
A	342m NW	Longfield Farm Hatch Lane UB7 0AZ	EPR/EH0776JK /A001	Disposing of waste exemption	Both agricultural and non- agricultural waste	Burning waste in the open
A	342m NW	Longfield Farm Hatch Lane UB7 0AZ	EPR/EH0776JK /A001	Storing waste exemption	Both agricultural and non- agricultural waste	Storage of waste in secure containers
A	342m NW	Longfield Farm Hatch Lane UB7 0AZ	EPR/EH0776JK /A001	Storing waste exemption	Both agricultural and non- agricultural waste	Storage of waste in a secure place
A	342m NW	Longfield Farm Hatch Lane UB7 0AZ	EPR/EH0776JK /A001	Treating waste exemption	Both agricultural and non- agricultural waste	Sorting mixed waste
A	342m NW	Longfield Farm Hatch Lane UB7 0AZ	EPR/EH0776JK /A001	Treating waste exemption	Both agricultural and non- agricultural waste	Aerobic composting and associated prior treatment
A	342m NW	Longfield Farm Hatch Lane UB7 0AZ	EPR/EH0776JK /A001	Treating waste exemption	Both agricultural and non- agricultural waste	Anaerobic digestion at premises not used for agriculture and burning of resultant biogas



ID	Location	Site	Reference	Category	Sub-Category	Description
A	342m NW	Longfield Farm Hatch Lane UB7 0AZ	EPR/EH0776JK /A001	Treating waste exemption	Both agricultural and non- agricultural waste	Treatment of non-hazardous pesticide washings by carbon filtration for disposal
A	342m NW	Longfield Farm Hatch Lane UB7 0AZ	EPR/EH0776JK /A001	Treating waste exemption	Both agricultural and non- agricultural waste	Preparatory treatments (baling, sorting, shredding etc)
A	342m NW	Longfield Farm Hatch Lane UB7 0AZ	EPR/EH0776JK /A001	Treating waste exemption	Both agricultural and non- agricultural waste	Screening and blending of waste
A	342m NW	Longfield Farm Hatch Lane UB7 0AZ	EPR/EH0776JK /A001	Treating waste exemption	Both agricultural and non- agricultural waste	Treatment of waste wood and waste plant matter by chipping, shredding, cutting or pulverising
A	342m NW	Longfield Farm Hatch Lane UB7 0AZ	EPR/EH0776JK /A001	Using waste exemption	Both agricultural and non- agricultural waste	Use of waste in construction
A	342m NW	Longfield Farm Hatch Lane UB7 0AZ	EPR/EH0776JK /A001	Using waste exemption	Both agricultural and non- agricultural waste	Spreading waste on agricultural land to confer benefit
A	342m NW	Longfield Farm Hatch Lane UB7 0AZ	EPR/EH0776JK /A001	Using waste exemption	Both agricultural and non- agricultural waste	Spreading waste on non- agricultural land to confer benefit
A	342m NW	Longfield Farm Hatch Lane UB7 0AZ	EPR/EH0776JK /A001	Using waste exemption	Both agricultural and non- agricultural waste	Use of mulch
A	342m NW	Longfield Farm Hatch Lane UB7 0AZ	EPR/EH0776JK /A001	Using waste exemption	Both agricultural and non- agricultural waste	Spreading of plant matter to confer benefit




ID	Location	Site	Reference	Category	Sub-Category	Description
A	342m NW	Longfield Farm Hatch Lane UB7 0AZ	EPR/EH0776JK /A001	Using waste exemption	Both agricultural and non- agricultural waste	Incorporation of ash into soil
A	342m NW	Longfield Farm Hatch Lane UB7 0AZ	EPR/EH0776JK /A001	Using waste exemption	Both agricultural and non- agricultural waste	Use of baled end-of-life tyres in construction
A	342m NW	Longfield Farm Hatch Lane UB7 0AZ	EPR/EH0776JK /A001	Using waste exemption	Both agricultural and non- agricultural waste	Use of waste for a specified purpose
A	342m NW	Longfield Farm Hatch Lane UB7 0AZ	EPR/EH0776JK /A001	Using waste exemption	Both agricultural and non- agricultural waste	Use of waste to manufacture finished goods
B	486m E	KAD Substructure, T1 Northern Kilo Cul-de-Sac, Heathrow Airport, Hounslow, TW6 2GW	WEX143284	Using waste exemption	Not on a farm	Use of waste in construction
B	486m E	KAD Substructure, T1 Northern Kilo Cul-de-sac, Heathrow Airport, Hounslow, TW62GW	WEX145284	Treating waste exemption	Not on a farm	Screening and blending of waste

*This data is sourced from the Environment Agency and Natural Resources Wales.*



## 4 Current industrial land use



- Site Outline
- Search buffers in metres (m)
- Recent industrial land uses
- △ Current or recent petrol stations
- Licensed pollutant release (Part A(2)/B)
- Pollution Incidents (EA/NRW)

### 4.1 Recent industrial land uses

#### Records within 250m

16

Current potentially contaminative industrial sites.

Features are displayed on the Current industrial land use map on [page 30](#)

ID	Location	Company	Address	Activity	Category
2	68m NW	Electricity Sub Station	Greater London, UB7	Electrical Features	Infrastructure and Facilities
3	100m NE	Eagle One Logistics Ltd	16, Pinglestone Close, West Drayton, Greater London, UB7 0DL	Distribution and Haulage	Transport, Storage and Delivery



ID	Location	Company	Address	Activity	Category
4	120m NW	Electricity Sub Station	Greater London, UB7	Electrical Features	Infrastructure and Facilities
5	156m SW	Electricity Sub Station	Greater London, UB7	Electrical Features	Infrastructure and Facilities
6	196m W	Electricity Sub Stations	Greater London, UB7	Electrical Features	Infrastructure and Facilities
A	201m NW	Medequip Assistive Technology	Unit 2 Heathrow Summit Centre, Skyport Drive, West Drayton, Greater London, UB7 0LJ	Medical Equipment, Supplies and Pharmaceuticals	Industrial Products
A	201m NW	Saints Transport Ltd	Unit 1 Heathrow Summit Centre, Skyport Drive, West Drayton, Greater London, UB7 0LJ	Distribution and Haulage	Transport, Storage and Delivery
A	201m NW	Unicorn Shipping Ltd	Unit 1 Heathrow Summit Centre, Skyport Drive, West Drayton, Greater London, UB7 0LJ	Distribution and Haulage	Transport, Storage and Delivery
B	203m E	Mast	Greater London, UB7	Telecommunications Features	Infrastructure and Facilities
C	204m SW	Electricity Sub Station	Greater London, TW6	Electrical Features	Infrastructure and Facilities
B	209m E	Electricity Sub Station	Greater London, UB7	Electrical Features	Infrastructure and Facilities
7	210m N	Electricity Sub Station	Greater London, UB7	Electrical Features	Infrastructure and Facilities
8	210m E	A P R Fire Alarm Services Ltd	318, Bath Road, Heathrow, Greater London, UB7 0DE	Electronic Equipment	Industrial Products
C	216m SW	Electricity Sub Station	Greater London, TW6	Electrical Features	Infrastructure and Facilities
9	229m W	Europcar	Unit 4-5 Skyport Industrial Estate, Harmondsworth, West Drayton, Greater London, UB7 0LB	Vehicle Hire and Rental	Hire Services
A	229m NW	Electricity Sub Station	Greater London, UB7	Electrical Features	Infrastructure and Facilities

This data is sourced from Ordnance Survey.



## 4.2 Current or recent petrol stations

### Records within 500m

1

Open, closed, under development and obsolete petrol stations.

Features are displayed on the Current industrial land use map on **page 30**

ID	Location	Company	Address	LPG	Status
D	295m W	SHELL	400, Colnbrook Bypass, Bath Road, Longford, West Drayton, Outer London, UB7 0HB	No	Open

*This data is sourced from Experian.*

## 4.3 Electricity cables

### Records within 500m

0

High voltage underground electricity transmission cables.

*This data is sourced from National Grid.*

## 4.4 Gas pipelines

### Records within 500m

0

High pressure underground gas transmission pipelines.

*This data is sourced from National Grid.*

## 4.5 Sites determined as Contaminated Land

### Records within 500m

0

Contaminated Land Register of sites designated under Part 2a of the Environmental Protection Act 1990.

*This data is sourced from Local Authority records.*

## 4.6 Control of Major Accident Hazards (COMAH)

### Records within 500m

0

Control of Major Accident Hazards (COMAH) sites. This data includes upper and lower tier sites, and includes a historical archive of COMAH sites and Notification of Installations Handling Hazardous Substances (NIHHS) records.

*This data is sourced from the Health and Safety Executive.*



## 4.7 Regulated explosive sites

**Records within 500m****0**

Sites registered and licensed by the Health and Safety Executive under the Manufacture and Storage of Explosives Regulations 2005 (MSER). The last update to this data was in April 2011.

*This data is sourced from the Health and Safety Executive.*

## 4.8 Hazardous substance storage/usage

**Records within 500m****0**

Consents granted for a site to hold certain quantities of hazardous substances at or above defined limits in accordance with the Planning (Hazardous Substances) Regulations 2015.

*This data is sourced from Local Authority records.*

## 4.9 Historical licensed industrial activities (IPC)

**Records within 500m****0**

Integrated Pollution Control (IPC) records of substance releases to air, land and water. This data represents a historical archive as the IPC regime has been superseded.

*This data is sourced from the Environment Agency and Natural Resources Wales.*

## 4.10 Licensed industrial activities (Part A(1))

**Records within 500m****0**

Records of Part A(1) installations regulated under the Environmental Permitting (England and Wales) Regulations 2016 for the release of substances to the environment.

*This data is sourced from the Environment Agency and Natural Resources Wales.*

## 4.11 Licensed pollutant release (Part A(2)/B)

**Records within 500m****6**

Records of Part A(2) and Part B installations regulated under the Environmental Permitting (England and Wales) Regulations 2016 for the release of substances to the environment.

Features are displayed on the Current industrial land use map on **page 30**



ID	Location	Address	Details	
10	257m S	Enterprise Rent-A-Car, Northern Perimeter Road, Heathrow, TW6 2RY	Process: Unloading of Petrol into Storage at Service Stations Status: Current Permit Permit Type: Part B	Enforcement: No Enforcement Notified Date of enforcement: No Enforcement Notified Comment: No Enforcement Notified
11	273m SE	Hertz UK Limited, Hertz Turnaround Facility, Northern Perimeter Road, HAL, TW6 2QD	Process: Unloading of Petrol into Storage at Service Stations Status: Current Permit Permit Type: Part B	Enforcement: No Enforcement Notified Date of enforcement: No Enforcement Notified Comment: No Enforcement Notified
D	301m W	Shell UK Oil Products Ltd, Peggy Bedford Service Station, 400 Bath Road, Longford, UB7 0BA	Process: Unloading of Petrol into Storage at Service Stations Status: Current Permit Permit Type: Part B	Enforcement: No Enforcement Notified Date of enforcement: No Enforcement Notified Comment: No Enforcement Notified
D	309m W	Fina, Bath Rd	Process: Petrol Vapour Recovery Status: Historical Permit Permit Type: Part B	Enforcement: No Enforcement Notified Date of enforcement: No Enforcement Notified Comment: No Enforcement Notified
13	408m SE	Europcar UK Ltd, Europcar Interrent Reception, Northern Perimeter Road, HAL, TW6 2QE	Process: Unloading of Petrol into Storage at Service Stations Status: Current Permit Permit Type: Part B	Enforcement: No Enforcement Notified Date of enforcement: No Enforcement Notified Comment: No Enforcement Notified
14	427m E	Shell Skyport, Bath Rd	Process: Petrol Vapour Recovery Status: Historical Permit Permit Type: Part B	Enforcement: No Enforcement Notified Date of enforcement: No Enforcement Notified Comment: No Enforcement Notified

This data is sourced from Local Authority records.

## 4.12 Radioactive Substance Authorisations

Records within 500m	0
Records of the storage, use, accumulation and disposal of radioactive substances regulated under the Radioactive Substances Act 1993.	

This data is sourced from the Environment Agency and Natural Resources Wales.



## 4.13 Licensed Discharges to controlled waters

**Records within 500m****0**

Discharges of treated or untreated effluent to controlled waters under the Water Resources Act 1991.

*This data is sourced from the Environment Agency and Natural Resources Wales.*

## 4.14 Pollutant release to surface waters (Red List)

**Records within 500m****0**

Discharges of specified substances under the Environmental Protection (Prescribed Processes and Substances) Regulations 1991.

*This data is sourced from the Environment Agency and Natural Resources Wales.*

## 4.15 Pollutant release to public sewer

**Records within 500m****0**

Discharges of Special Category Effluents to the public sewer.

*This data is sourced from the Environment Agency and Natural Resources Wales.*

## 4.16 List 1 Dangerous Substances

**Records within 500m****0**

Discharges of substances identified on List I of European Directive E 2006/11/EC, and regulated under the Environmental Damage (Prevention and Remediation) Regulations 2015.

*This data is sourced from the Environment Agency and Natural Resources Wales.*

## 4.17 List 2 Dangerous Substances

**Records within 500m****0**

Discharges of substances identified on List II of European Directive E 2006/11/EC, and regulated under the Environmental Damage (Prevention and Remediation) Regulations 2015.

*This data is sourced from the Environment Agency and Natural Resources Wales.*



## 4.18 Pollution Incidents (EA/NRW)

### Records within 500m

2

Records of substantiated pollution incidents. Since 2006 this data has only included category 1 (major) and 2 (significant) pollution incidents.

Features are displayed on the Current industrial land use map on [page 30](#)

ID	Location	Details	
1	13m S	Incident Date: 12/12/2006 Incident Identification: 456226 Pollutant: Sewage Materials Pollutant Description: Sludge	Water Impact: Category 3 (Minor) Land Impact: Category 2 (Significant) Air Impact: Category 4 (No Impact)
12	387m W	Incident Date: 08/05/2002 Incident Identification: 77372 Pollutant: Sewage Materials Pollutant Description: Crude Sewage	Water Impact: Category 4 (No Impact) Land Impact: Category 4 (No Impact) Air Impact: Category 4 (No Impact)

*This data is sourced from the Environment Agency and Natural Resources Wales.*

## 4.19 Pollution inventory substances

### Records within 500m

0

The pollution inventory (substances) includes reporting on annual emissions of certain regulated substances to air, controlled waters and land. A reporting threshold for each substance is also included. Where emissions fall below the reporting threshold, no value will be given. The data is given for the most recent complete year available.

*This data is sourced from the Environment Agency and the Scottish Environment Protection Agency.*

## 4.20 Pollution inventory waste transfers

### Records within 500m

0

The pollution inventory (waste transfers) includes reporting on annual transfers and recovery/disposal of controlled wastes from a site. A reporting threshold for each waste type is also included. Where releases fall below the reporting threshold, no value will be given. The data is given for the most recent complete year available.

*This data is sourced from the Environment Agency and the Scottish Environment Protection Agency.*



## 4.21 Pollution inventory radioactive waste

### Records within 500m


0

The pollution inventory (radioactive wastes) includes reporting on annual releases of radioactive substances from a site, including the means of release. Where releases fall below the reporting threshold, no value will be given. The data is given for the most recent complete year available.

*This data is sourced from the Environment Agency and the Scottish Environment Protection Agency.*



## 5 Hydrogeology - Superficial aquifer



— Site Outline  
 Search buffers in metres (m)

- Principal
- Secondary A
- Secondary B
- Secondary Undifferentiated
- Unproductive
- Unknown

### 5.1 Superficial aquifer

#### Records within 500m

2

Aquifer status of groundwater held within superficial geology.


Features are displayed on the Hydrogeology map on [page 38](#)

ID	Location	Designation	Description
1	On site	Principal	<b>Geology of high intergranular and/or fracture permeability, usually providing a high level of water storage and may support water supply/river base flow on a strategic scale. Generally principal aquifers were previously major aquifers</b>
2	111m NW	Unproductive	These are rock layers or drift deposits with low permeability that have negligible significance for water supply or river base flow

*This data is sourced from the British Geological Survey, the Environment Agency and Natural Resources Wales.*



## Bedrock aquifer



— Site Outline  
 Search buffers in metres (m)

- Principal
- Secondary A
- Secondary B
- Secondary Undifferentiated
- Unproductive

### 5.2 Bedrock aquifer

#### Records within 500m

1

Aquifer status of groundwater held within bedrock geology.


Features are displayed on the Bedrock aquifer map on [page 39](#)

ID	Location	Designation	Description
1	On site	Unproductive	These are rock layers or drift deposits with low permeability that have negligible significance for water supply or river base flow

*This data is sourced from the British Geological Survey, the Environment Agency and Natural Resources Wales.*



## Groundwater vulnerability



<b>Site Outline</b>
<b>Search buffers in metres (m)</b>
<b>Superficial vulnerability</b>
Principal superficial aquifer, high vulnerability
Secondary superficial aquifer, high vulnerability
Principal superficial aquifer, medium vulnerability
Secondary superficial aquifer, medium vulnerability
Principal superficial aquifer, low vulnerability
Secondary superficial aquifer, low vulnerability
<b>Bedrock vulnerability</b>
Principal bedrock aquifer, high vulnerability
Secondary bedrock aquifer, high vulnerability
Principal bedrock aquifer, medium vulnerability
Secondary bedrock aquifer, medium vulnerability
Principal bedrock aquifer, low vulnerability
Secondary bedrock aquifer, low vulnerability
<b>Other information</b>
Unproductive aquifer
Soluble rock risk
Local information

### 5.3 Groundwater vulnerability

#### Records within 50m

2

An assessment of the vulnerability of groundwater to a pollutant discharged at ground level based on the hydrological, geological, hydrogeological and soil properties within a one kilometre square grid. Groundwater vulnerability is described as High, Medium or Low as follows:

- High - Areas able to easily transmit pollution to groundwater. They are likely to be characterised by high leaching soils and the absence of low permeability superficial deposits.
- Medium - Intermediate between high and low vulnerability.
- Low - Areas that provide the greatest protection from pollution. They are likely to be characterised by low leaching soils and/or the presence of superficial deposits characterised by a low permeability.

Features are displayed on the Groundwater vulnerability map on **page 40**



ID	Location	Summary	Soil / surface	Superficial geology	Bedrock geology
1	On site	<b>Summary Classification:</b> Principal superficial aquifer - Medium Vulnerability <b>Combined classification:</b> Unproductive Bedrock Aquifer, Productive Superficial Aquifer	<b>Leaching class:</b> Intermediate <b>Infiltration value:</b> >70% <b>Dilution value:</b> 300-550mm/year	<b>Vulnerability:</b> Medium <b>Aquifer type:</b> Principal <b>Thickness:</b> 3-10m <b>Patchiness value:</b> >90% <b>Recharge potential:</b> Medium	<b>Vulnerability:</b> Unproductive <b>Aquifer type:</b> Unproductive <b>Flow mechanism:</b> Mixed
A	On site	<b>Summary Classification:</b> Principal superficial aquifer - Medium Vulnerability <b>Combined classification:</b> Unproductive Bedrock Aquifer, Productive Superficial Aquifer	<b>Leaching class:</b> Intermediate <b>Infiltration value:</b> >70% <b>Dilution value:</b> 300-550mm/year	<b>Vulnerability:</b> Medium <b>Aquifer type:</b> Principal <b>Thickness:</b> 3-10m <b>Patchiness value:</b> >90% <b>Recharge potential:</b> High	<b>Vulnerability:</b> Unproductive <b>Aquifer type:</b> Unproductive <b>Flow mechanism:</b> Mixed

This data is sourced from the British Geological Survey, the Environment Agency and Natural Resources Wales.

## 5.4 Groundwater vulnerability- soluble rock risk

Records on site	0
-----------------	---

This dataset identifies areas where solution features that enable rapid movement of a pollutant may be present within a 1km grid square.

This data is sourced from the British Geological Survey and the Environment Agency.

## 5.5 Groundwater vulnerability- local information

Records on site	2
-----------------	---


This dataset identifies areas where additional local information affecting vulnerability is held by the Environment Agency. Further information can be obtained by contacting the Environment Agency local Area groundwater team through the Environment Agency National Customer Call Centre on 03798 506 506 or by email on [enquiries@environment-agency.gov.uk](mailto:enquiries@environment-agency.gov.uk).

ID	Summary	Additional information
2	Highly vulnerable Principal superficial aquifer present in river terrace gravels	Principal superficial aquifer in river terrace gravels with only a thin cover of low permeability silts and/or alluvium (shown as unproductive)
A	Highly vulnerable Principal superficial aquifer present in river terrace gravels	Principal superficial aquifer in river terrace gravels with only a thin cover of low permeability silts and/or alluvium (shown as unproductive)

This data is sourced from the British Geological Survey and the Environment Agency.



## Abstractions and Source Protection Zones



## 5.6 Groundwater abstractions

### Records within 2000m

32

Licensed groundwater abstractions for sites extracting more than 20 cubic metres of water a day and includes active and historical records. The data may be for a single abstraction point, between two points (line data) or a larger area.

Features are displayed on the Abstractions and Source Protection Zones map on **page 42**



ID	Location	Details	
A	495m NE	Status: Historical Licence No: 28/39/36/0023 Details: Spray Irrigation - Direct Direct Source: THAMES GROUNDWATER Point: BOREHOLE 'C' AT HOME FARM, HARMONSWORTH Data Type: Point Name: BARWICK Easting: 506400 Northing: 177200	Annual Volume (m <sup>3</sup> ): - Max Daily Volume (m <sup>3</sup> ): - Original Application No: - Original Start Date: 13/02/1967 Expiry Date: - Issue No: 100 Version Start Date: 25/09/1996 Version End Date: -
A	495m NE	Status: Historical Licence No: 28/39/36/0023 Details: General Farming & Domestic Direct Source: THAMES GROUNDWATER Point: BOREHOLE 'C' AT HOME FARM, HARMONSWORTH Data Type: Point Name: BARWICK Easting: 506400 Northing: 177200	Annual Volume (m <sup>3</sup> ): - Max Daily Volume (m <sup>3</sup> ): - Original Application No: - Original Start Date: 13/02/1967 Expiry Date: - Issue No: 100 Version Start Date: 25/09/1996 Version End Date: -
B	510m N	Status: Historical Licence No: 28/39/36/0023 Details: Spray Irrigation - Direct Direct Source: THAMES GROUNDWATER Point: BOREHOLE 'B' AT HOME FARM, HARMONSWORTH Data Type: Point Name: BARWICK Easting: 506100 Northing: 177500	Annual Volume (m <sup>3</sup> ): - Max Daily Volume (m <sup>3</sup> ): - Original Application No: - Original Start Date: 13/02/1967 Expiry Date: - Issue No: 100 Version Start Date: 25/09/1996 Version End Date: -
B	510m N	Status: Historical Licence No: 28/39/36/0023 Details: General Farming & Domestic Direct Source: THAMES GROUNDWATER Point: BOREHOLE 'B' AT HOME FARM, HARMONSWORTH Data Type: Point Name: BARWICK Easting: 506100 Northing: 177500	Annual Volume (m <sup>3</sup> ): - Max Daily Volume (m <sup>3</sup> ): - Original Application No: - Original Start Date: 13/02/1967 Expiry Date: - Issue No: 100 Version Start Date: 25/09/1996 Version End Date: -

ID	Location	Details	
C	574m NE	Status: Active Licence No: 28/39/36/0023 Details: General Farming & Domestic Direct Source: THAMES GROUNDWATER Point: BOREHOLE 'C' AT HOME FARM, HARMONDSWORTH Data Type: Point Name: BARWICK Easting: 506460 Northing: 177260	Annual Volume (m <sup>3</sup> ): 28,108 Max Daily Volume (m <sup>3</sup> ): 1,309 Original Application No: - Original Start Date: 13/02/1967 Expiry Date: - Issue No: 100 Version Start Date: 27/07/2001 Version End Date: -
C	574m NE	Status: Active Licence No: 28/39/36/0023 Details: Spray Irrigation - Direct Direct Source: THAMES GROUNDWATER Point: BOREHOLE 'C' AT HOME FARM, HARMONDSWORTH Data Type: Point Name: BARWICK Easting: 506460 Northing: 177260	Annual Volume (m <sup>3</sup> ): 28,108 Max Daily Volume (m <sup>3</sup> ): 1,309 Original Application No: - Original Start Date: 13/02/1967 Expiry Date: - Issue No: 100 Version Start Date: 27/07/2001 Version End Date: -
D	605m N	Status: Active Licence No: 28/39/36/0023 Details: General Farming & Domestic Direct Source: THAMES GROUNDWATER Point: BOREHOLE 'B' AT HOME FARM, HARMONDSWORTH Data Type: Point Name: BARWICK Easting: 506130 Northing: 177590	Annual Volume (m <sup>3</sup> ): 28,108 Max Daily Volume (m <sup>3</sup> ): 1,309 Original Application No: - Original Start Date: 13/02/1967 Expiry Date: - Issue No: 100 Version Start Date: 27/07/2001 Version End Date: -
D	605m N	Status: Active Licence No: 28/39/36/0023 Details: Spray Irrigation - Direct Direct Source: THAMES GROUNDWATER Point: BOREHOLE 'B' AT HOME FARM, HARMONDSWORTH Data Type: Point Name: BARWICK Easting: 506130 Northing: 177590	Annual Volume (m <sup>3</sup> ): 28,108 Max Daily Volume (m <sup>3</sup> ): 1,309 Original Application No: - Original Start Date: 13/02/1967 Expiry Date: - Issue No: 100 Version Start Date: 27/07/2001 Version End Date: -



ID	Location	Details	
-	684m N	Status: Active Licence No: 28/39/36/0023 Details: Spray Irrigation - Direct Direct Source: THAMES GROUNDWATER Point: BOREHOLE 'A' AT HOME FARM, HARMONDSWORTH Data Type: Point Name: BARWICK Easting: 505930 Northing: 177700	Annual Volume (m <sup>3</sup> ): 28,108 Max Daily Volume (m <sup>3</sup> ): 1,309 Original Application No: - Original Start Date: 13/02/1967 Expiry Date: - Issue No: 100 Version Start Date: 27/07/2001 Version End Date: -
-	684m N	Status: Active Licence No: 28/39/36/0023 Details: General Farming & Domestic Direct Source: THAMES GROUNDWATER Point: BOREHOLE 'A' AT HOME FARM, HARMONDSWORTH Data Type: Point Name: BARWICK Easting: 505930 Northing: 177700	Annual Volume (m <sup>3</sup> ): 28,108 Max Daily Volume (m <sup>3</sup> ): 1,309 Original Application No: - Original Start Date: 13/02/1967 Expiry Date: - Issue No: 100 Version Start Date: 27/07/2001 Version End Date: -
-	685m N	Status: Historical Licence No: 28/39/36/0023 Details: General Farming & Domestic Direct Source: THAMES GROUNDWATER Point: BOREHOLE 'A' AT HOME FARM, HARMONDSWORTH Data Type: Point Name: BARWICK Easting: 505900 Northing: 177700	Annual Volume (m <sup>3</sup> ): - Max Daily Volume (m <sup>3</sup> ): - Original Application No: - Original Start Date: 13/02/1967 Expiry Date: - Issue No: 100 Version Start Date: 25/09/1996 Version End Date: -
-	685m N	Status: Historical Licence No: 28/39/36/0023 Details: Spray Irrigation - Direct Direct Source: THAMES GROUNDWATER Point: BOREHOLE 'A' AT HOME FARM, HARMONDSWORTH Data Type: Point Name: BARWICK Easting: 505900 Northing: 177700	Annual Volume (m <sup>3</sup> ): - Max Daily Volume (m <sup>3</sup> ): - Original Application No: - Original Start Date: 13/02/1967 Expiry Date: - Issue No: 100 Version Start Date: 25/09/1996 Version End Date: -



ID	Location	Details	
-	1199m NE	Status: Historical Licence No: 28/39/36/0070 Details: Mineral Washing Direct Source: THAMES GROUNDWATER Point: HARMONDSWORTH QUARRY, WEST DRAYTON-BOREHOLE A Data Type: Point Name: SITA PRODUCTS AND SERVICES LTD Easting: 506640 Northing: 177990	Annual Volume (m <sup>3</sup> ): 617760 Max Daily Volume (m <sup>3</sup> ): 2160 Original Application No: - Original Start Date: 28/01/2003 Expiry Date: 31/03/2013 Issue No: 1 Version Start Date: 28/01/2003 Version End Date: -
-	1199m NE	Status: Historical Licence No: 28/39/36/0070 Details: Mineral Washing Direct Source: THAMES GROUNDWATER Point: HARMONDSWORTH QUARRY, WEST DRAYTON-LAGOON Data Type: Point Name: SITA ENVIRONMENT LIMITED Easting: 506640 Northing: 177990	Annual Volume (m <sup>3</sup> ): 617760 Max Daily Volume (m <sup>3</sup> ): 2160 Original Application No: - Original Start Date: 28/01/2003 Expiry Date: 31/03/2013 Issue No: 2 Version Start Date: 26/01/2009 Version End Date: -
-	1417m SW	Status: Historical Licence No: 28/39/28/0564 Details: General use relating to Secondary Category (High Loss) Direct Source: THAMES GROUNDWATER Point: A3044 BOREHOLE AT HEATHROW AIRPORT Data Type: Point Name: HEATHROW AIRPORT LIMITED Easting: 504660 Northing: 176330	Annual Volume (m <sup>3</sup> ): - Max Daily Volume (m <sup>3</sup> ): - Original Application No: - Original Start Date: 26/06/2001 Expiry Date: 31-Dec-09 Issue No: 1 Version Start Date: 26/06/2001 Version End Date: -
-	1417m SW	Status: Historical Licence No: 28/39/28/0564 Details: General use relating to Secondary Category (High Loss) Direct Source: THAMES GROUNDWATER Point: HEATHROW AIRPORT- BOREHOLE A Data Type: Point Name: HEATHROW AIRPORT LIMITED Easting: 504660 Northing: 176330	Annual Volume (m <sup>3</sup> ): - Max Daily Volume (m <sup>3</sup> ): - Original Application No: - Original Start Date: 26/06/2001 Expiry Date: 31/12/2009 Issue No: 2 Version Start Date: 24/09/2003 Version End Date: -



ID	Location	Details	
-	1417m SW	Status: Historical Licence No: 28/39/28/0564 Details: Evaporative Cooling Direct Source: THAMES GROUNDWATER Point: HEATHROW AIRPORT- BOREHOLE A Data Type: Point Name: HEATHROW AIRPORT LIMITED Easting: 504660 Northing: 176330	Annual Volume (m <sup>3</sup> ): 706000 Max Daily Volume (m <sup>3</sup> ): 3197 Original Application No: - Original Start Date: 26/06/2001 Expiry Date: 31/12/2009 Issue No: 3 Version Start Date: 21/01/2005 Version End Date: -
-	1417m SW	Status: Historical Licence No: 28/39/28/0564 Details: Drinking, Cooking, Sanitary, Washing, (Small Garden) - Commercial/Industrial/Public Services Direct Source: THAMES GROUNDWATER Point: HEATHROW AIRPORT- BOREHOLE A Data Type: Point Name: HEATHROW AIRPORT LIMITED Easting: 504660 Northing: 176330	Annual Volume (m <sup>3</sup> ): 706000 Max Daily Volume (m <sup>3</sup> ): 3197 Original Application No: - Original Start Date: 26/06/2001 Expiry Date: 31/12/2009 Issue No: 3 Version Start Date: 21/01/2005 Version End Date: -
-	1417m SW	Status: Historical Licence No: 28/39/28/0564 Details: General Use Relating To Secondary Category (High Loss) Direct Source: THAMES GROUNDWATER Point: HEATHROW AIRPORT- BOREHOLE A Data Type: Point Name: HEATHROW AIRPORT LIMITED Easting: 504660 Northing: 176330	Annual Volume (m <sup>3</sup> ): 706000 Max Daily Volume (m <sup>3</sup> ): 3197 Original Application No: - Original Start Date: 26/06/2001 Expiry Date: 31/12/2009 Issue No: 3 Version Start Date: 21/01/2005 Version End Date: -
-	1417m SW	Status: Historical Licence No: TH/039/0028/007 Details: Drinking, Cooking, Sanitary, Washing, (Small Garden) - Commercial/Industrial/Public Services Direct Source: THAMES GROUNDWATER Point: HEATHROW AIRPORT - BOREHOLE A Data Type: Point Name: HEATHROW AIRPORT LIMITED Easting: 504660 Northing: 176330	Annual Volume (m <sup>3</sup> ): 706000 Max Daily Volume (m <sup>3</sup> ): 3197 Original Application No: - Original Start Date: 13/02/2010 Expiry Date: 31/12/2019 Issue No: 2 Version Start Date: 29/04/2014 Version End Date: -
-	1417m SW	Status: Historical Licence No: TH/039/0028/007 Details: Evaporative Cooling Direct Source: THAMES GROUNDWATER Point: HEATHROW AIRPORT - BOREHOLE A Data Type: Point Name: HEATHROW AIRPORT LIMITED Easting: 504660 Northing: 176330	Annual Volume (m <sup>3</sup> ): 706000 Max Daily Volume (m <sup>3</sup> ): 3197 Original Application No: - Original Start Date: 13/02/2010 Expiry Date: 31/12/2019 Issue No: 2 Version Start Date: 29/04/2014 Version End Date: -



ID	Location	Details	
-	1417m SW	Status: Historical Licence No: TH/039/0028/007 Details: General Use Relating To Secondary Category (High Loss) Direct Source: THAMES GROUNDWATER Point: HEATHROW AIRPORT - BOREHOLE A Data Type: Point Name: HEATHROW AIRPORT LIMITED Easting: 504660 Northing: 176330	Annual Volume (m <sup>3</sup> ): 706000 Max Daily Volume (m <sup>3</sup> ): 3197 Original Application No: - Original Start Date: 13/02/2010 Expiry Date: 31/12/2019 Issue No: 2 Version Start Date: 29/04/2014 Version End Date: -
-	1417m SW	Status: Active Licence No: TH/039/0028/007/R01 Details: General Use Relating To Secondary Category (High Loss) Direct Source: THAMES GROUNDWATER Point: HEATHROW AIRPORT - BOREHOLE A Data Type: Point Name: HEATHROW AIRPORT LIMITED Easting: 504660 Northing: 176330	Annual Volume (m <sup>3</sup> ): 706,000 Max Daily Volume (m <sup>3</sup> ): 3,197 Original Application No: NPS/WR/030424 Original Start Date: 01/01/2020 Expiry Date: 31/03/2026 Issue No: 1 Version Start Date: 01/01/2020 Version End Date: -
-	1417m SW	Status: Active Licence No: TH/039/0028/007/R01 Details: Evaporative Cooling Direct Source: THAMES GROUNDWATER Point: HEATHROW AIRPORT - BOREHOLE A Data Type: Point Name: HEATHROW AIRPORT LIMITED Easting: 504660 Northing: 176330	Annual Volume (m <sup>3</sup> ): 706,000 Max Daily Volume (m <sup>3</sup> ): 3,197 Original Application No: NPS/WR/030424 Original Start Date: 01/01/2020 Expiry Date: 31/03/2026 Issue No: 1 Version Start Date: 01/01/2020 Version End Date: -
-	1652m E	Status: Active Licence No: TH/039/0036/017 Details: General Use Relating To Secondary Category (Medium Loss) Direct Source: THAMES GROUNDWATER Point: BOREHOLE AT PARK INN HOTEL, BATH ROAD Data Type: Point Name: Park Hotel Heathrow Limited Easting: 507590 Northing: 177105	Annual Volume (m <sup>3</sup> ): 43,800 Max Daily Volume (m <sup>3</sup> ): 120 Original Application No: NPS/WR/022592 Original Start Date: 29/09/2016 Expiry Date: 31/03/2025 Issue No: 1 Version Start Date: 29/09/2016 Version End Date: -



ID	Location	Details	
-	1783m SW	Status: Historical Licence No: 28/39/28/0274 Details: Spray Irrigation - Direct Direct Source: THAMES GROUNDWATER Point: WELL AT HOLDING 16, BEDFONT COURT ESTATE, STANWELL Data Type: Point Name: PALMER Easting: 504500 Northing: 175900	Annual Volume (m <sup>3</sup> ): - Max Daily Volume (m <sup>3</sup> ): - Original Application No: - Original Start Date: 13/02/1967 Expiry Date: - Issue No: 100 Version Start Date: 13/02/1967 Version End Date: -
-	1783m SW	Status: Historical Licence No: 28/39/28/0274 Details: Spray Irrigation - Spray Irrigation Definition Order Direct Source: THAMES GROUNDWATER Point: WELL AT HOLDING 16, BEDFONT COURT ESTATE, STANWELL Data Type: Point Name: PALMER Easting: 504500 Northing: 175900	Annual Volume (m <sup>3</sup> ): - Max Daily Volume (m <sup>3</sup> ): - Original Application No: - Original Start Date: 13/02/1967 Expiry Date: - Issue No: 100 Version Start Date: 13/02/1967 Version End Date: -
-	1916m SW	Status: Historical Licence No: 28/39/28/0388 Details: Spray Irrigation - Spray Irrigation Definition Order Direct Source: THAMES GROUNDWATER Point: WELL AT HOLDING 3, BEDFONT ESTATE, STANWELL Data Type: Point Name: PALMER Easting: 504700 Northing: 175500	Annual Volume (m <sup>3</sup> ): - Max Daily Volume (m <sup>3</sup> ): - Original Application No: - Original Start Date: 08/02/1971 Expiry Date: - Issue No: 100 Version Start Date: 08/02/1971 Version End Date: -
-	1916m SW	Status: Historical Licence No: 28/39/28/0388 Details: Spray Irrigation - Direct Direct Source: THAMES GROUNDWATER Point: WELL AT HOLDING 3, BEDFONT ESTATE, STANWELL Data Type: Point Name: PALMER Easting: 504700 Northing: 175500	Annual Volume (m <sup>3</sup> ): - Max Daily Volume (m <sup>3</sup> ): - Original Application No: - Original Start Date: 08/02/1971 Expiry Date: - Issue No: 100 Version Start Date: 08/02/1971 Version End Date: -



ID	Location	Details	
-	1981m SW	Status: Historical Licence No: 28/39/28/0273 Details: General Farming & Domestic Direct Source: THAMES GROUNDWATER Point: BOREHOLE AT STANWELL, NEAR STAINES, MIDDLESEX Data Type: Point Name: PALMER Easting: 504600 Northing: 175500	Annual Volume (m <sup>3</sup> ): - Max Daily Volume (m <sup>3</sup> ): - Original Application No: - Original Start Date: 13/02/1967 Expiry Date: - Issue No: 100 Version Start Date: 14/12/1970 Version End Date: -
-	1981m SW	Status: Historical Licence No: 28/39/28/0273 Details: Spray Irrigation - Direct Direct Source: THAMES GROUNDWATER Point: BOREHOLE AT STANWELL, NEAR STAINES, MIDDLESEX Data Type: Point Name: PALMER Easting: 504600 Northing: 175500	Annual Volume (m <sup>3</sup> ): - Max Daily Volume (m <sup>3</sup> ): - Original Application No: - Original Start Date: 13/02/1967 Expiry Date: - Issue No: 100 Version Start Date: 14/12/1970 Version End Date: -
-	1982m NE	Status: Active Licence No: 28/39/36/0059 Details: Mineral Washing Direct Source: THAMES GROUNDWATER Point: WET PIT AT SIPSON LANE, HARMONDSDWORTH Data Type: Point Name: Harleyford Aggregates Limited Easting: 507600 Northing: 178100	Annual Volume (m <sup>3</sup> ): 649,318 Max Daily Volume (m <sup>3</sup> ): 2,455 Original Application No: NPS/WR/022219 Original Start Date: 06/12/1994 Expiry Date: - Issue No: 102 Version Start Date: 18/04/2016 Version End Date: -

*This data is sourced from the Environment Agency and Natural Resources Wales.*

## 5.7 Surface water abstractions

Records within 2000m	4
Licensed surface water abstractions for sites extracting more than 20 cubic metres of water a day and includes active and historical records. The data may be for a single abstraction point, a stretch of watercourse or a larger area.	

Features are displayed on the Abstractions and Source Protection Zones map on **page 42**



ID	Location	Details	
-	713m W	Status: Historical Licence No: 28/39/28/0582 Details: Transfer between sources Direct Source: THAMES SURFACE WATER - NON TIDAL Point: HEADWORKS OF DNR, LONGFORD- POINT A Data Type: Point Name: BAA PLC Easting: 505220 Northing: 176850	Annual Volume (m <sup>3</sup> ): - Max Daily Volume (m <sup>3</sup> ): - Original Application No: - Original Start Date: 07/01/2004 Expiry Date: 31/12/2004 Issue No: 1 Version Start Date: 07/01/2004 Version End Date: -
-	1041m NW	Status: Historical Licence No: 28/39/28/0530 Details: Make-Up or Top Up Water Direct Source: THAMES SURFACE WATER - NON TIDAL Point: RIVE COLNE AT PROSPECT PARK, WEST DRAYTON Data Type: Point Name: BRITISH AIRWAYS PLC Easting: 505000 Northing: 177500	Annual Volume (m <sup>3</sup> ): 7300 Max Daily Volume (m <sup>3</sup> ): 480 Original Application No: - Original Start Date: 09/05/1997 Expiry Date: 31/03/2007 Issue No: 100 Version Start Date: 24/03/1998 Version End Date: -
-	1206m W	Status: Historical Licence No: 28/39/28/0581 Details: Transfer between sources Direct Source: THAMES SURFACE WATER - NON TIDAL Point: HEADWORKS OF LONGFORD RIVER- POINT A Data Type: Point Name: BAA PLC Easting: 504760 Northing: 176650	Annual Volume (m <sup>3</sup> ): - Max Daily Volume (m <sup>3</sup> ): - Original Application No: - Original Start Date: 24/12/2003 Expiry Date: 31/12/2004 Issue No: 1 Version Start Date: 24/12/2003 Version End Date: -
-	1390m NW	Status: Historical Licence No: 28/39/28/0530 Details: Make-Up or Top Up Water Direct Source: THAMES SURFACE WATER - NON TIDAL Point: RIVER COLNE AT PROSPECT PARK, WEST DRAYTON Data Type: Point Name: BRITISH AIRWAYS PLC Easting: 505390 Northing: 178300	Annual Volume (m <sup>3</sup> ): 7300 Max Daily Volume (m <sup>3</sup> ): 480 Original Application No: - Original Start Date: 09/05/1997 Expiry Date: 31/03/2007 Issue No: 100 Version Start Date: 24/03/1998 Version End Date: -

This data is sourced from the Environment Agency and Natural Resources Wales.



## 5.8 Potable abstractions

### Records within 2000m

2

Licensed potable water abstractions for sites extracting more than 20 cubic metres of water a day and includes active and historical records. The data may be for a single abstraction point, a stretch of watercourse or a larger area.

Features are displayed on the Abstractions and Source Protection Zones map on [page 42](#)

ID	Location	Details	
-	1417m SW	Status: Historical Licence No: 28/39/28/0564 Details: Drinking, Cooking, Sanitary, Washing, (Small Garden) - Commercial/Industrial/Public Services Direct Source: THAMES GROUNDWATER Point: HEATHROW AIRPORT- BOREHOLE A Data Type: Point Name: HEATHROW AIRPORT LIMITED Easting: 504660 Northing: 176330	Annual Volume (m <sup>3</sup> ): 706000 Max Daily Volume (m <sup>3</sup> ): 3197 Original Application No: - Original Start Date: 26/06/2001 Expiry Date: 31/12/2009 Issue No: 3 Version Start Date: 21/01/2005 Version End Date: -
-	1417m SW	Status: Historical Licence No: TH/039/0028/007 Details: Drinking, Cooking, Sanitary, Washing, (Small Garden) - Commercial/Industrial/Public Services Direct Source: THAMES GROUNDWATER Point: HEATHROW AIRPORT - BOREHOLE A Data Type: Point Name: HEATHROW AIRPORT LIMITED Easting: 504660 Northing: 176330	Annual Volume (m <sup>3</sup> ): 706000 Max Daily Volume (m <sup>3</sup> ): 3197 Original Application No: - Original Start Date: 13/02/2010 Expiry Date: 31/12/2019 Issue No: 2 Version Start Date: 29/04/2014 Version End Date: -

*This data is sourced from the Environment Agency and Natural Resources Wales.*

## 5.9 Source Protection Zones

### Records within 500m

0

Source Protection Zones define the sensitivity of an area around a potable abstraction site to contamination.

*This data is sourced from the Environment Agency and Natural Resources Wales.*



## 5.10 Source Protection Zones (confined aquifer)


**Records within 500m****0**

Source Protection Zones in the confined aquifer define the sensitivity around a deep groundwater abstraction to contamination. A confined aquifer would normally be protected from contamination by overlying geology and is only considered a sensitive resource if deep excavation/drilling is taking place.

*This data is sourced from the Environment Agency and Natural Resources Wales.*



## 6 Hydrology



- Site Outline
- Search buffers in metres (m)
- Water Network (OS MasterMap)
- Surface water features (wider than 5m)
- Surface water features (narrower than 5m)
- WFD River, canal and surface water transfer water bodies
- WFD Lake water bodies
- WFD Transitional and coastal water bodies
- WFD Surface water body catchments boundaries
- WFD Groundwater body boundaries

### 6.1 Water Network (OS MasterMap)

Records within 250m

0

Detailed water network of Great Britain showing the flow and precise central course of every river, stream, lake and canal.

*This data is sourced from the Ordnance Survey.*

### 6.2 Surface water features

Records within 250m

0

Covering rivers, streams and lakes (some overlap with OS MasterMap Water Network data in previous section) but additionally covers smaller features such as ponds. Rivers and streams narrower than 5m are represented as a single line. Lakes, ponds and rivers or streams wider than 5m are represented as polygons.



This data is sourced from the Ordnance Survey.

## 6.3 WFD Surface water body catchments

### Records on site

1

The Water Framework Directive is an EU-led framework for the protection of inland surface waters, estuaries, coastal waters and groundwater through river basin-level management planning. In terms of surface water, these basins are broken down into smaller units known as management, operational and water body catchments.

Features are displayed on the Hydrology map on [page 54](#)

ID	Location	Type	Water body catchment	Water body ID	Operational catchment	Management catchment
A	On site	River	Crane	<a href="#">GB106039023030</a>	Crane Rivers and Lakes	London

This data is sourced from the Environment Agency and Natural Resources Wales.

## 6.4 WFD Surface water bodies

### Records identified

1

Surface water bodies under the Directive may be rivers, lakes, estuary or coastal. To achieve the purpose of the Directive, environmental objectives have been set and are reported on for each water body. The progress towards delivery of the objectives is then reported on by the relevant competent authorities at the end of each six-year cycle. The river water body directly associated with the catchment listed in the previous section is detailed below, along with any lake, canal, coastal or artificial water body within 250m of the site. Click on the water body ID in the table to visit the EA Catchment Explorer to find out more about each water body listed.

Features are displayed on the Hydrology map on [page 54](#)

ID	Location	Type	Name	Water body ID	Overall rating	Chemical rating	Ecological rating	Year
-	4094m E	River	Crane	<a href="#">GB106039023030</a>	Moderate	Fail	Moderate	2019

This data is sourced from the Environment Agency and Natural Resources Wales.

## 6.5 WFD Groundwater bodies

### Records on site

1

Groundwater bodies are also covered by the Directive and the same regime of objectives and reporting detailed in the previous section is in place. Click on the water body ID in the table to visit the EA Catchment Explorer to find out more about each groundwater body listed.



Features are displayed on the Hydrology map on **page 54**

ID	Location	Name	Water body ID	Overall rating	Chemical rating	Quantitative	Year
A	On site	Lower Thames Gravels	<a href="#">GB40603G000300</a>	Poor	Good	Poor	2019

*This data is sourced from the Environment Agency and Natural Resources Wales.*



## 7 River and coastal flooding

### 7.1 Risk of flooding from rivers and the sea

**Records within 50m****0**

The chance of flooding from rivers and/or the sea in any given year, based on cells of 50m within the Risk of Flooding from Rivers and Sea (RoFRaS)/Flood Risk Assessment Wales (FRAW) models. Each cell is allocated one of four flood risk categories, taking into account flood defences and their condition. The risk categories for RoFRaS for rivers and the sea and FRAW for rivers are; Very low (less than 1 in 1000 chance in any given year), Low (less than 1 in 100 but greater than or equal to 1 in 1000 chance), Medium (less than 1 in 30 but greater than or equal to 1 in 100 chance) or High (greater than or equal to 1 in 30 chance). The risk categories for FRAW for the sea are; Very low (less than 1 in 1000 chance in any given year), Low (less than 1 in 200 but greater than or equal to 1 in 1000 chance), Medium (less than 1 in 30 but greater than or equal to 1 in 200 chance) or High (greater than or equal to 1 in 30 chance).

*This data is sourced from the Environment Agency and Natural Resources Wales.*

### 7.2 Historical Flood Events

**Records within 250m****0**

Records of historic flooding from rivers, the sea, groundwater and surface water. Records began in 1946 when predecessor bodies started collecting detailed information about flooding incidents, although limited details may be included on flooding incidents prior to this date. Takes into account the presence of defences, structures, and other infrastructure where they existed at the time of flooding, and includes flood extents that may have been affected by overtopping, breaches or blockages.

*This data is sourced from the Environment Agency and Natural Resources Wales.*

### 7.3 Flood Defences

**Records within 250m****0**

Records of flood defences owned, managed or inspected by the Environment Agency and Natural Resources Wales. Flood defences can be structures, buildings or parts of buildings. Typically these are earth banks, stone and concrete walls, or sheet-piling that is used to prevent or control the extent of flooding.

*This data is sourced from the Environment Agency and Natural Resources Wales.*



## 7.4 Areas Benefiting from Flood Defences

### Records within 250m

0

Areas that would benefit from the presence of flood defences in a 1 in 100 (1%) chance of flooding each year from rivers or 1 in 200 (0.5%) chance of flooding each year from the sea.

*This data is sourced from the Environment Agency and Natural Resources Wales.*

## 7.5 Flood Storage Areas

### Records within 250m

0

Areas that act as a balancing reservoir, storage basin or balancing pond to attenuate an incoming flood peak to a flow level that can be accepted by the downstream channel or to delay the timing of a flood peak so that its volume is discharged over a longer period.

*This data is sourced from the Environment Agency and Natural Resources Wales.*



## River and coastal flooding - Flood Zones

### 7.6 Flood Zone 2

**Records within 50m****0**

Areas of land at risk of flooding, when the presence of flood defences are ignored. Covering land between Flood Zone 3 (see next section) and the extent of the flooding from rivers or the sea with a 1 in 1000 (0.1%) chance of flooding each year.

*This data is sourced from the Environment Agency and Natural Resources Wales.*

### 7.7 Flood Zone 3

**Records within 50m****0**

Areas of land at risk of flooding, when the presence of flood defences are ignored. Covering land with a 1 in 100 (1%) or greater chance of flooding each year from rivers or a 1 in 200 (0.5%) or greater chance of flooding each year from the sea.

*This data is sourced from the Environment Agency and Natural Resources Wales.*



## 8 Surface water flooding



— Site Outline  
 Search buffers in metres (m)

1 in 1000 return period

- Depth between 0.1m - 0.3m
- Depth between 0.3m - 1.0m
- Depth greater than 1.0m

1 in 250 return period

- Depth between 0.1m - 0.3m
- Depth between 0.3m - 1.0m
- Depth greater than 1.0m

1 in 100 return period

- Depth between 0.1m - 0.3m
- Depth between 0.3m - 1.0m
- Depth greater than 1.0m

1 in 30 return period

- Depth between 0.1m - 0.3m
- Depth between 0.3m - 1.0m
- Depth greater than 1.0m

### 8.1 Surface water flooding

Highest risk on site

1 in 100 year, 0.1m - 0.3m

Highest risk within 50m

1 in 30 year, 0.1m - 0.3m

Ambient Risk Analytics surface water (pluvial) FloodMap identifies areas likely to flood as a result of extreme rainfall events, i.e. land naturally vulnerable to surface water ponding or flooding. This data set was produced by simulating 1 in 30 year, 1 in 100 year, 1 in 250 year and 1 in 1,000 year rainfall events. Modern urban drainage systems are typically built to cope with rainfall events between 1 in 20 and 1 in 30 years, though some older ones may flood in a 1 in 5 year rainfall event.

Features are displayed on the Surface water flooding map on [page 60](#)

The data shown on the map and in the table above shows the highest likelihood of flood events happening at the site. Lower likelihood events may have greater flood depths and hence a greater potential impact on a site.



The table below shows the maximum flood depths for a range of return periods for the site.

Return period	Maximum modelled depth
1 in 1000 year	Between 0.1m and 0.3m
1 in 250 year	Between 0.1m and 0.3m
1 in 100 year	Between 0.1m and 0.3m
1 in 30 year	Negligible

*This data is sourced from Ambiental Risk Analytics.*



## 9 Groundwater flooding



— Site Outline  
 Search buffers in metres (m)

- High
- Moderate - High
- Moderate
- Low
- Negligible

### 9.1 Groundwater flooding

**Highest risk on site**

**Moderate**

**Highest risk within 50m**

**Moderate**


Groundwater flooding is caused by unusually high groundwater levels. It occurs when the water table rises above the ground surface or within underground structures such as basements or cellars. Groundwater flooding tends to exhibit a longer duration than surface water flooding, possibly lasting for weeks or months, and as a result it can cause significant damage to property. This risk assessment is based on a 1 in 100 year return period and a 5m Digital Terrain Model (DTM).

Features are displayed on the Groundwater flooding map on **page 62**

*This data is sourced from Ambiental Risk Analytics.*



## 10 Environmental designations



- Site Outline
- Search buffers in metres (m)
-  Green Belt

### 10.1 Sites of Special Scientific Interest (SSSI)

Records within 2000m

0

Sites providing statutory protection for the best examples of UK flora, fauna, or geological or physiographical features. Originally notified under the National Parks and Access to the Countryside Act 1949, SSSIs were re-notified under the Wildlife and Countryside Act 1981. Improved provisions for the protection and management of SSSIs were introduced by the Countryside and Rights of Way Act 2000 (in England and Wales) and (in Scotland) by the Nature Conservation (Scotland) Act 2004 and the Wildlife and Natural Environment (Scotland) Act 2010.

*This data is sourced from Natural England, Natural Resources Wales and Scottish Natural Heritage.*



## 10.2 Conserved wetland sites (Ramsar sites)

**Records within 2000m****0**

Ramsar sites are designated under the Convention on Wetlands of International Importance, agreed in Ramsar, Iran, in 1971. They cover all aspects of wetland conservation and wise use, recognizing wetlands as ecosystems that are extremely important for biodiversity conservation in general and for the well-being of human communities. These sites cover a broad definition of wetland; marsh, fen, peatland or water, whether natural or artificial, permanent or temporary, with water that is static or flowing, fresh, brackish or salt, and even some marine areas.

*This data is sourced from Natural England, Natural Resources Wales and Scottish Natural Heritage.*

## 10.3 Special Areas of Conservation (SAC)

**Records within 2000m****0**

Areas which have been identified as best representing the range and variety within the European Union of habitats and (non-bird) species listed on Annexes I and II to the Directive. SACs are designated under the EC Habitats Directive.

*This data is sourced from Natural England, Natural Resources Wales and Scottish Natural Heritage.*

## 10.4 Special Protection Areas (SPA)

**Records within 2000m****0**

Sites classified by the UK Government under the EC Birds Directive, SPAs are areas of the most important habitat for rare (listed on Annex I to the Directive) and migratory birds within the European Union.

*This data is sourced from Natural England, Natural Resources Wales and Scottish Natural Heritage.*

## 10.5 National Nature Reserves (NNR)

**Records within 2000m****0**

Sites containing examples of some of the most important natural and semi-natural terrestrial and coastal ecosystems in Great Britain. They are managed to conserve their habitats, provide special opportunities for scientific study or to provide public recreation compatible with natural heritage interests.

*This data is sourced from Natural England, Natural Resources Wales and Scottish Natural Heritage.*



## 10.6 Local Nature Reserves (LNR)

### Records within 2000m

0

Sites managed for nature conservation, and to provide opportunities for research and education, or simply enjoying and having contact with nature. They are declared by local authorities under the National Parks and Access to the Countryside Act 1949 after consultation with the relevant statutory nature conservation agency.

*This data is sourced from Natural England, Natural Resources Wales and Scottish Natural Heritage.*

## 10.7 Designated Ancient Woodland

### Records within 2000m

0

Ancient woodlands are classified as areas which have been wooded continuously since at least 1600 AD. This includes semi-natural woodland and plantations on ancient woodland sites. 'Wooded continuously' does not mean there is or has previously been continuous tree cover across the whole site, and not all trees within the woodland have to be old.

*This data is sourced from Natural England, Natural Resources Wales and Scottish Natural Heritage.*

## 10.8 Biosphere Reserves

### Records within 2000m

0

Biosphere Reserves are internationally recognised by UNESCO as sites of excellence to balance conservation and socioeconomic development between nature and people. They are recognised under the Man and the Biosphere (MAB) Programme with the aim of promoting sustainable development founded on the work of the local community.

*This data is sourced from Natural England, Natural Resources Wales and Scottish Natural Heritage.*

## 10.9 Forest Parks

### Records within 2000m

0

These are areas managed by the Forestry Commission designated on the basis of recreational, conservation or scenic interest.

*This data is sourced from the Forestry Commission.*



## 10.10 Marine Conservation Zones

### Records within 2000m

0

A type of marine nature reserve in UK waters established under the Marine and Coastal Access Act (2009). They are designated with the aim to protect nationally important, rare or threatened habitats and species.

*This data is sourced from Natural England, Natural Resources Wales and Scottish Natural Heritage.*

## 10.11 Green Belt

### Records within 2000m

23

Areas designated to prevent urban sprawl by keeping land permanently open.

Features are displayed on the Environmental designations map on **page 63**

ID	Location	Name	Local Authority name
1	163m N	London	Hillingdon
2	224m N	London	Hillingdon
3	701m W	London	Hillingdon
4	792m W	London	Hillingdon
5	868m N	London	Hillingdon
6	1184m W	London	Hillingdon
7	1229m N	London	Hillingdon
-	1412m N	London	Hillingdon
-	1415m N	London	Hillingdon
-	1463m N	London	Hillingdon
-	1532m E	London	Hillingdon
-	1593m NW	London	Hillingdon
-	1596m NE	London	Hillingdon
-	1606m NW	London	Hillingdon
12	1619m NW	London	Slough
-	1621m NW	London	Hillingdon
14	1633m NW	London	Hillingdon
-	1650m E	London	Hillingdon



ID	Location	Name	Local Authority name
-	1698m NW	London	Hillingdon
-	1705m NW	London	Buckinghamshire
-	1769m NE	London	Hillingdon
-	1812m W	London	Hillingdon
-	1924m W	London	Slough

*This data is sourced from the Ministry of Housing, Communities and Local Government.*

## 10.12 Proposed Ramsar sites

Records within 2000m	0
----------------------	---

Ramsar sites are areas listed as a Wetland of International Importance under the Convention on Wetlands of International Importance especially as Waterfowl Habitat (the Ramsar Convention) 1971. The sites here supplied have a status of 'Proposed' having been identified for potential adoption under the framework.

*This data is sourced from Natural England.*

## 10.13 Possible Special Areas of Conservation (pSAC)

Records within 2000m	0
----------------------	---

Special Areas of Conservation are areas which have been identified as best representing the range and variety within the European Union of habitats and (non-bird) species listed on Annexes I and II to the Directive. SACs are designated under the EC Habitats Directive. Those sites supplied here are those with a status of 'Possible' having been identified for potential adoption under the framework.

*This data is sourced from Natural England and Natural Resources Wales.*

## 10.14 Potential Special Protection Areas (pSPA)

Records within 2000m	0
----------------------	---

Special Protection Areas (SPAs) are areas designated (or 'classified') under the European Union Wild Birds Directive for the protection of nationally and internationally important populations of wild birds. Those sites supplied here are those with a status of 'Potential' having been identified for potential adoption under the framework.

*This data is sourced from Natural England.*



## 10.15 Nitrate Sensitive Areas

### Records within 2000m

0

Areas where nitrate concentrations in drinking water sources exceeded or was at risk of exceeding the limit of 50 mg/l set by the 1980 EC Drinking Water Directive. Voluntary agricultural measures as a means of reducing the levels of nitrate were introduced by DEFRA as MAFF, with payments being made to farmers who complied. The scheme was started as a pilot in 1990 in ten areas, later implemented within 32 areas. The scheme was closed to further new entrants in 1998, although existing agreements continued for their full term. All Nitrate Sensitive Areas fell within the areas designated as Nitrate Vulnerable Zones (NVZs) in 1996 under the EC Nitrate Directive (91/676/EEC).

*This data is sourced from Natural England.*

## 10.16 Nitrate Vulnerable Zones

### Records within 2000m


0

Areas at risk from agricultural nitrate pollution designated under the EC Nitrate Directive (91/676/EEC). These are areas of land that drain into waters polluted by nitrates. Farmers operating within these areas have to follow mandatory rules to tackle nitrate loss from agriculture.

*This data is sourced from Natural England and Natural Resources Wales.*



## SSSI Impact Zones and Units



- Site Outline
- Search buffers in metres (m)
- SSSI Impact Risk Zones
- SSSI Units
  - Not recorded
  - Favourable
  - Unfavourable - Recovering
  - Unfavourable - No change
  - Unfavourable - Declining
  - Partially destroyed
  - Destroyed

### 10.17 SSSI Impact Risk Zones

#### Records on site

1

Developed to allow rapid initial assessment of the potential risks to SSSIs posed by development proposals. They define zones around each SSSI which reflect the particular sensitivities of the features for which it is notified and indicate the types of development proposal which could potentially have adverse impacts.

Features are displayed on the SSSI Impact Zones and Units map on [page 69](#)



ID	Location	Type of developments requiring consultation
1	On site	<p><b>Infrastructure - Airports, helipads and other aviation proposals.</b>  <b>Wind and Solar - Wind turbines.</b></p> <p><b>Minerals, Oil and Gas -</b> Planning applications for quarries, including: new proposals, review of minerals permissions (romp), extensions, variations to conditions etc. oil &amp; gas exploration/extraction.</p> <p><b>Air pollution -</b> Any industrial/agricultural development that could cause air pollution (incl: industrial processes, livestock &amp; poultry units with floorspace &gt; 500m<sup>2</sup>, slurry lagoons &amp; digestate stores &gt; 750m<sup>2</sup>, manure stores &gt; 3500t).</p> <p><b>Combustion -</b> General combustion processes &gt;50mw energy input. incl: energy from waste incineration, other incineration, landfill gas generation plant, pyrolysis/gasification, anaerobic digestion, sewage treatment works, other incineration/ combustion.</p> <p><b>Waste - Landfill.</b> incl: inert landfill, non-hazardous landfill, hazardous landfill.</p> <p><b>Discharges -</b> Any discharge of water or liquid waste of more than 5m<sup>3</sup>/day to ground (ie to seep away) or to surface water, such as a beck or stream.</p>

*This data is sourced from Natural England.*

## 10.18 SSSI Units

Records within 2000m	0
Divisions of SSSIs used to record management and condition details. Units are the smallest areas for which Natural England gives a condition assessment, however, the size of units varies greatly depending on the types of management and the conservation interest.	

*This data is sourced from Natural England and Natural Resources Wales.*



## 11 Visual and cultural designations

### 11.1 World Heritage Sites

**Records within 250m****0**

Sites designated for their globally important cultural or natural interest requiring appropriate management and protection measures. World Heritage Sites are designated to meet the UK's commitments under the World Heritage Convention.

*This data is sourced from Historic England, Cadw and Historic Environment Scotland.*

### 11.2 Area of Outstanding Natural Beauty

**Records within 250m****0**

Areas of Outstanding Natural Beauty (AONB) are conservation areas, chosen because they represent 18% of the finest countryside. Each AONB has been designated for special attention because of the quality of their flora, fauna, historical and cultural associations, and/or scenic views. The National Parks and Access to the Countryside Act of 1949 created AONBs and the Countryside and Rights of Way Act, 2000 added further regulation and protection. There are likely to be restrictions to some developments within these areas.

*This data is sourced from Natural England, Natural Resources Wales and Scottish Natural Heritage.*

### 11.3 National Parks

**Records within 250m****0**

In England and Wales, the purpose of National Parks is to conserve and enhance landscapes within the countryside whilst promoting public enjoyment of them and having regard for the social and economic well-being of those living within them. In Scotland National Parks have the additional purpose of promoting the sustainable use of the natural resources of the area and the sustainable social and economic development of its communities. The National Parks and Access to the Countryside Act 1949 established the National Park designation in England and Wales, and The National Parks (Scotland) Act 2000 in Scotland.

*This data is sourced from Natural England, Natural Resources Wales and the Scottish Government.*

### 11.4 Listed Buildings

**Records within 250m****0**

Buildings listed for their special architectural or historical interest. Building control in the form of 'listed building consent' is required in order to make any changes to that building which might affect its special interest. Listed buildings are graded to indicate their relative importance, however building controls apply to all buildings equally, irrespective of their grade, and apply to the interior and exterior of the building in its entirety, together with any curtilage structures.



*This data is sourced from Historic England, Cadw and Historic Environment Scotland.*

## 11.5 Conservation Areas

**Records within 250m****0**

Local planning authorities are obliged to designate as conservation areas any parts of their own area that are of special architectural or historic interest, the character and appearance of which it is desirable to preserve or enhance. Designation of a conservation area gives broader protection than the listing of individual buildings. All the features within the area, listed or otherwise, are recognised as part of its character. Conservation area designation is the means of recognising the importance of all factors and of ensuring that planning decisions address the quality of the landscape in its broadest sense.

*This data is sourced from Historic England, Cadw and Historic Environment Scotland.*

## 11.6 Scheduled Ancient Monuments

**Records within 250m****0**

A scheduled monument is an historic building or site that is included in the Schedule of Monuments kept by the Secretary of State for Digital, Culture, Media and Sport. The regime is set out in the Ancient Monuments and Archaeological Areas Act 1979. The Schedule of Monuments has c.20,000 entries and includes sites such as Roman remains, burial mounds, castles, bridges, earthworks, the remains of deserted villages and industrial sites. Monuments are not graded, but all are, by definition, considered to be of national importance.

*This data is sourced from Historic England, Cadw and Historic Environment Scotland.*

## 11.7 Registered Parks and Gardens


**Records within 250m****0**

Parks and gardens assessed to be of particular interest and of special historic interest. The emphasis being on 'designed' landscapes, rather than on planting or botanical importance. Registration is a 'material consideration' in the planning process, meaning that planning authorities must consider the impact of any proposed development on the special character of the landscape.

*This data is sourced from Historic England, Cadw and Historic Environment Scotland.*



## 12 Agricultural designations



- Site Outline
- Search buffers in metres (m)
- Grade 1 - excellent quality
- Grade 2 - very good quality
- Grade 3 - good to moderate quality
- Grade 3a - good quality
- Grade 3b - moderate quality
- Grade 4 - poor quality
- Grade 5 - very poor quality
- Non-agricultural land
- Urban land
- Exclusion land
- Tree felling licences
- Open Access land

### 12.1 Agricultural Land Classification

#### Records within 250m

3

Classification of the quality of agricultural land taking into consideration multiple factors including climate, physical geography and soil properties. It should be noted that the categories for the grading of agricultural land are not consistent across England, Wales and Scotland.

Features are displayed on the Agricultural designations map on page 73

ID	Location	Classification	Description
1	On site	Grade 1	Excellent quality agricultural land. Land with no or very minor limitations to agricultural use. A very wide range of agricultural and horticultural crops can be grown and commonly includes top fruit, soft fruit, salad crops and winter harvested vegetables. Yields are high and less variable than on land of lower quality.
2	66m S	Urban	-



ID	Location	Classification	Description
3	198m W	Non Agricultural	-

*This data is sourced from Natural England.*

## 12.2 Open Access Land

### Records within 250m

0

The Countryside and Rights of Way Act 2000 (CROW Act) gives a public right of access to land without having to use paths. Access land includes mountains, moors, heaths and downs that are privately owned. It also includes common land registered with the local council and some land around the England Coast Path. Generally permitted activities on access land are walking, running, watching wildlife and climbing.

*This data is sourced from Natural England and Natural Resources Wales.*

## 12.3 Tree Felling Licences

### Records within 250m

0

Felling Licence Application (FLA) areas approved by Forestry Commission England. Anyone wishing to fell trees must ensure that a licence or permission under a grant scheme has been issued by the Forestry Commission before any felling is carried out or that one of the exceptions apply.

*This data is sourced from the Forestry Commission.*

## 12.4 Environmental Stewardship Schemes

### Records within 250m

0

Environmental Stewardship covers a range of schemes that provide financial incentives to farmers, foresters and land managers to look after and improve the environment. The schemes identified may be historical schemes that have now expired, or may still be active.

*This data is sourced from Natural England.*

## 12.5 Countryside Stewardship Schemes

### Records within 250m

0

Countryside Stewardship covers a range of schemes that provide financial incentives to farmers, foresters and land managers to look after and improve the environment. Main objectives are to improve the farmed environment for wildlife and to reduce diffuse water pollution.

*This data is sourced from Natural England.*



## 13 Habitat designations

### 13.1 Priority Habitat Inventory

**Records within 250m****0**

Habitats of principal importance as named under Natural Environment and Rural Communities Act (2006) Section 41.

*This data is sourced from Natural England.*

### 13.2 Habitat Networks

**Records within 250m****0**

Habitat networks for 18 priority habitat networks (based primarily, but not exclusively, on the priority habitat inventory) and areas suitable for the expansion of networks through restoration and habitat creation.

*This data is sourced from Natural England.*

### 13.3 Open Mosaic Habitat

**Records within 250m****0**

Sites verified as Open Mosaic Habitat. Mosaic habitats are brownfield sites that are identified under the UK Biodiversity Action Plan as a priority habitat due to the habitat variation within a single site, supporting an array of invertebrates.

*This data is sourced from Natural England.*

### 13.4 Limestone Pavement Orders


**Records within 250m****0**

Limestone pavements are outcrops of limestone where the surface has been worn away by natural means over millennia. These rocks have the appearance of paving blocks, hence their name. Not only do they have geological interest, they also provide valuable habitats for wildlife. These habitats are threatened due to their removal for use in gardens and water features. Many limestone pavements have been designated as SSSIs which affords them some protection. In addition, Section 34 of the Wildlife and Countryside Act 1981 gave them additional protection via the creation of Limestone Pavement Orders, which made it a criminal offence to remove any part of the outcrop. The associated Limestone Pavement Priority Habitat is part of the UK Biodiversity Action Plan priority habitat in England.

*This data is sourced from Natural England.*



## 14 Geology 1:10,000 scale - Availability



— Site Outline  
 Search buffers in metres (m)

- Full coverage
- Partial coverage
- No coverage

### 14.1 10k Availability

#### Records within 500m

1

An indication on the coverage of 1:10,000 scale geology data for the site, the most detailed dataset provided by the British Geological Survey. Either 'Full', 'Partial' or 'No coverage' for each geological theme.

Features are displayed on the Geology 1:10,000 scale - Availability map on **page 76**

ID	Location	Artificial	Superficial	Bedrock	Mass movement	Sheet No.
1	On site	Full	Full	Full	No coverage	TQ07NE

*This data is sourced from the British Geological Survey.*



## Geology 1:10,000 scale - Artificial and made ground



— Site Outline  
 Search buffers in metres (m)

- Reclaimed ground
- Made ground
- Worked ground
- Infilled ground
- Disturbed ground
- Landscaped ground

### 14.2 Artificial and made ground (10k)

#### Records within 500m

7

Details of made, worked, infilled, disturbed and landscaped ground at 1:10,000 scale. Artificial ground can be associated with potentially contaminated material, unpredictable engineering conditions and instability.

Features are displayed on the Geology 1:10,000 scale - Artificial and made ground map on [page 77](#)

ID	Location	LEX Code	Description	Rock description
1	287m W	MGR-UNKNOWN	Made Ground (Undivided)	Unknown/unclassified Entry
2	315m W	WMGR-UNKNOWN	Infilled Ground	Unknown/unclassified Entry
3	404m SE	MGR-UNKNOWN	Made Ground (Undivided)	Unknown/unclassified Entry
A	462m E	WGR-UNKNOWN	Worked Ground (Undivided)	Unknown/unclassified Entry




ID	Location	LEX Code	Description	Rock description
B	485m W	MGR-UNKNOWN	Made Ground (Undivided)	Unknown/unclassified Entry
A	485m E	MGR-UNKNOWN	Made Ground (Undivided)	Unknown/unclassified Entry
A	487m E	WMGR-UNKNOWN	Infilled Ground	Unknown/unclassified Entry

*This data is sourced from the British Geological Survey.*



## Geology 1:10,000 scale - Superficial



— Site Outline  
 Search buffers in metres (m)

▨ Landslip (10k)  
 Superficial geology (10k)  
 Please see table for more details.

### 14.3 Superficial geology (10k)

#### Records within 500m

2

Superficial geological deposits at 1:10,000 scale. Also known as 'drift', these are the youngest geological deposits, formed during the Quaternary. They rest on older deposits or rocks referred to as bedrock.

Features are displayed on the Geology 1:10,000 scale - Superficial map on [page 79](#)

ID	Location	LEX Code	Description	Rock description
1	On site	TPGR-XSV	<b>Taplow Gravel Formation - Sand And Gravel</b>	<b>Sand And Gravel</b>
2	111m NW	LASI-Z	Langley Silt Member - Silt (unlithified Deposits Coding Scheme)	Silt

*This data is sourced from the British Geological Survey.*



## 14.4 Landslip (10k)

Records within 500m


0

Mass movement deposits on BGS geological maps at 1:10,000 scale. Primarily superficial deposits that have moved down slope under gravity to form landslips. These affect bedrock, other superficial deposits and artificial ground.

*This data is sourced from the British Geological Survey.*



## Geology 1:10,000 scale - Bedrock



— Site Outline  
 Search buffers in metres (m)

.... Bedrock faults and other linear features (10k)  
 Bedrock geology (10k)  
 Please see table for more details.

### 14.5 Bedrock geology (10k)

#### Records within 500m

1

Bedrock geology at 1:10,000 scale. The main mass of rocks forming the Earth and present everywhere, whether exposed at the surface in outcrops or concealed beneath superficial deposits or water.

Features are displayed on the Geology 1:10,000 scale - Bedrock map on **page 81**

ID	Location	LEX Code	Description	Rock age
1	On site	LC-CLAY	London Clay Formation - Clay	Eocene Epoch

*This data is sourced from the British Geological Survey.*



## 14.6 Bedrock faults and other linear features (10k)


**Records within 500m****0**

Linear features at the ground or bedrock surface at 1:10,000 scale of six main types; rock, fault, fold axis, mineral vein, alteration area or landform. Features are either observed or inferred, and relate primarily to bedrock.

*This data is sourced from the British Geological Survey.*



## 15 Geology 1:50,000 scale - Availability



 Site Outline  
 Search buffers in metres (m)

Geological map tile

### 15.1 50k Availability

#### Records within 500m

1

An indication on the coverage of 1:50,000 scale geology data for the site. Either 'Full' or 'No coverage' for each geological theme.

Features are displayed on the Geology 1:50,000 scale - Availability map on [page 83](#)

ID	Location	Artificial	Superficial	Bedrock	Mass movement	Sheet No.
1	On site	Full	Full	Full	Full	EW269_windsor_v4

*This data is sourced from the British Geological Survey.*



## Geology 1:50,000 scale - Artificial and made ground

### 15.2 Artificial and made ground (50k)

**Records within 500m****0**

Details of made, worked, infilled, disturbed and landscaped ground at 1:50,000 scale. Artificial ground can be associated with potentially contaminated material, unpredictable engineering conditions and instability.

*This data is sourced from the British Geological Survey.*

### 15.3 Artificial ground permeability (50k)


**Records within 50m****0**

A qualitative classification of estimated rates of vertical movement of water from the ground surface through the unsaturated zone of any artificial deposits (the zone between the land surface and the water table).

*This data is sourced from the British Geological Survey.*



## Geology 1:50,000 scale - Superficial



— Site Outline  
 Search buffers in metres (m)

☒ Landslip (50k)  
 Superficial geology (50k)  
 Please see table for more details.

### 15.4 Superficial geology (50k)

#### Records within 500m

2

Superficial geological deposits at 1:50,000 scale. Also known as 'drift', these are the youngest geological deposits, formed during the Quaternary. They rest on older deposits or rocks referred to as bedrock.

Features are displayed on the Geology 1:50,000 scale - Superficial map on [page 85](#)

ID	Location	LEX Code	Description	Rock description
1	On site	TPGR-XSV	TAPLOW GRAVEL MEMBER	SAND AND GRAVEL
2	111m NW	LASI-XCZ	LANGLEY SILT MEMBER	CLAY AND SILT

*This data is sourced from the British Geological Survey.*



## 15.5 Superficial permeability (50k)

Records within 50m		1	
Location	Flow type	Maximum permeability	Minimum permeability
On site	Intergranular	Very High	High

*This data is sourced from the British Geological Survey.*

## 15.6 Landslip (50k)


Records within 500m		0
Mass movement deposits on BGS geological maps at 1:50,000 scale. Primarily superficial deposits that have moved down slope under gravity to form landslips. These affect bedrock, other superficial deposits and artificial ground.		
<i>This data is sourced from the British Geological Survey.</i>		

## 15.7 Landslip permeability (50k)

Records within 50m		0
A qualitative classification of estimated rates of vertical movement of water from the ground surface through the unsaturated zone of any landslip deposits (the zone between the land surface and the water table).		
<i>This data is sourced from the British Geological Survey.</i>		



## Geology 1:50,000 scale - Bedrock



— Site Outline  
 Search buffers in metres (m)

.... Bedrock faults and other linear features (50k)  
 Bedrock geology (50k)  
 Please see table for more details.

### 15.8 Bedrock geology (50k)

#### Records within 500m

1

Bedrock geology at 1:50,000 scale. The main mass of rocks forming the Earth and present everywhere, whether exposed at the surface in outcrops or concealed beneath superficial deposits or water.

Features are displayed on the Geology 1:50,000 scale - Bedrock map on **page 87**

ID	Location	LEX Code	Description	Rock age
1	On site	LC-XCZS	LONDON CLAY FORMATION - CLAY, SILT AND SAND	YPRESIAN

*This data is sourced from the British Geological Survey.*



## 15.9 Bedrock permeability (50k)

### Records within 50m

1

A qualitative classification of estimated rates of vertical movement of water from the ground surface through the unsaturated zone of bedrock (the zone between the land surface and the water table).

Location	Flow type	Maximum permeability	Minimum permeability
On site	Mixed	Moderate	Very Low

*This data is sourced from the British Geological Survey.*

## 15.10 Bedrock faults and other linear features (50k)

### Records within 500m

0

Linear features at the ground or bedrock surface at 1:50,000 scale of six main types; rock, fault, fold axis, mineral vein, alteration area or landform. Features are either observed or inferred, and relate primarily to bedrock.

*This data is sourced from the British Geological Survey.*



## 16 Boreholes



— Site Outline  
 Search buffers in metres (m)

- Confidential
- 0 - 10m
- 10 - 30m
- 30m+
- Unknown

### 16.1 BGS Boreholes

#### Records within 250m

2

The Single Onshore Boreholes Index (SOBI); an index of over one million records of boreholes, shafts and wells from all forms of drilling and site investigation work held by the British Geological Survey. Covering onshore and nearshore boreholes dating back to at least 1790 and ranging from one to several thousand metres deep.

Features are displayed on the Boreholes map on [page 89](#)

ID	Location	Grid reference	Name	Length	Confidential	Web link
1	148m SW	505790 176910	LONGFORD M/S CAR PARK 6	7.0	N	<a href="#">574184</a>
2	232m W	505700 176910	LONGFORD M/S CAR PARK 5	7.0	N	<a href="#">574183</a>


This data is sourced from the British Geological Survey.



Contact us with any questions at:  
[info@groundsure.com](mailto:info@groundsure.com)  
 08444 159 000

Date: 23 November 2022

## 17 Natural ground subsidence - Shrink swell clays



— Site Outline  
 Search buffers in metres (m)

- No data
- Negligible
- Very low
- Low
- Moderate
- High

### 17.1 Shrink swell clays

#### Records within 50m

1

The potential hazard presented by soils that absorb water when wet (making them swell), and lose water as they dry (making them shrink). This shrink-swell behaviour is controlled by the type and amount of clay in the soil, and by seasonal changes in the soil moisture content (related to rainfall and local drainage).


Features are displayed on the Natural ground subsidence - Shrink swell clays map on [page 90](#)

Location	Hazard rating	Details
On site	Negligible	Ground conditions predominantly non-plastic.

*This data is sourced from the British Geological Survey.*



## Natural ground subsidence - Running sands



### 17.2 Running sands

#### Records within 50m

1

The potential hazard presented by rocks that can contain loosely-packed sandy layers that can become fluidised by water flowing through them. Such sands can 'run', removing support from overlying buildings and causing potential damage.


Features are displayed on the Natural ground subsidence - Running sands map on [page 91](#)

Location	Hazard rating	Details
On site	Very low	Running sand conditions are unlikely. No identified constraints on land use due to running conditions unless water table rises rapidly.

*This data is sourced from the British Geological Survey.*



## Natural ground subsidence - Compressible deposits



— Site Outline  
 Search buffers in metres (m)

- No data
- Negligible
- Very low
- Low
- Moderate
- High

### 17.3 Compressible deposits

#### Records within 50m

1

The potential hazard presented by types of ground that may contain layers of very soft materials like clay or peat and may compress if loaded by overlying structures, or if the groundwater level changes, potentially resulting in depression of the ground and disturbance of foundations.


Features are displayed on the Natural ground subsidence - Compressible deposits map on [page 92](#)

Location	Hazard rating	Details
On site	Negligible	Compressible strata are not thought to occur.

*This data is sourced from the British Geological Survey.*



## Natural ground subsidence - Collapsible deposits



— Site Outline  
 Search buffers in metres (m)

- No data
- Negligible
- Very low
- Low
- Moderate
- High

### 17.4 Collapsible deposits

#### Records within 50m

1

The potential hazard presented by natural deposits that could collapse when a load (such as a building) is placed on them or they become saturated with water.


Features are displayed on the Natural ground subsidence - Collapsible deposits map on [page 93](#)

Location	Hazard rating	Details
On site	Very low	Deposits with potential to collapse when loaded and saturated are unlikely to be present.

*This data is sourced from the British Geological Survey.*



## Natural ground subsidence - Landslides



### 17.5 Landslides

#### Records within 50m

1

The potential for landsliding (slope instability) to be a hazard assessed using 1:50,000 scale digital maps of superficial and bedrock deposits, combined with information from the BGS National Landslide Database and scientific and engineering reports.


Features are displayed on the Natural ground subsidence - Landslides map on [page 94](#)

Location	Hazard rating	Details
On site	Very low	<b>Slope instability problems are not likely to occur but consideration to potential problems of adjacent areas impacting on the site should always be considered.</b>

*This data is sourced from the British Geological Survey.*



## Natural ground subsidence - Ground dissolution of soluble rocks



— Site Outline  
 Search buffers in metres (m)

- No data
- Negligible
- Very low
- Low
- Moderate
- High

### 17.6 Ground dissolution of soluble rocks

#### Records within 50m

1

The potential hazard presented by ground dissolution, which occurs when water passing through soluble rocks produces underground cavities and cave systems. These cavities reduce support to the ground above and can cause localised collapse of the overlying rocks and deposits.

Features are displayed on the Natural ground subsidence - Ground dissolution of soluble rocks map on [page 95](#)

Location	Hazard rating	Details
On site	Negligible	Soluble rocks are either not thought to be present within the ground, or not prone to dissolution. Dissolution features are unlikely to be present.

*This data is sourced from the British Geological Survey.*



## 18 Mining, ground workings and natural cavities

### 18.1 Natural cavities

**Records within 500m****0**

Industry recognised national database of natural cavities. Sinkholes and caves are formed by the dissolution of soluble rock, such as chalk and limestone, gulls and fissures by cambering. Ground instability can result from movement of loose material contained within these cavities, often triggered by water.

*This data is sourced from Stantec UK Ltd.*

### 18.2 BritPits

**Records within 500m****0**

BritPits (an abbreviation of British Pits) is a database maintained by the British Geological Survey of currently active and closed surface and underground mineral workings. Details of major mineral handling sites, such as wharfs and rail depots are also held in the database.

*This data is sourced from the British Geological Survey.*

### 18.3 Surface ground workings

**Records within 250m****0**

Historical land uses identified from Ordnance Survey mapping that involved ground excavation at the surface. These features may or may not have been subsequently backfilled.

*This data is sourced from Ordnance Survey/Groundsure.*

### 18.4 Underground workings

**Records within 1000m****0**

Historical land uses identified from Ordnance Survey mapping that indicate the presence of underground workings e.g. mine shafts.

*This data is sourced from Ordnance Survey/Groundsure.*



## 18.5 Historical Mineral Planning Areas

**Records within 500m**

0

Boundaries of mineral planning permissions for England and Wales. This data was collated between the 1940s (and retrospectively to the 1930s) and the mid 1980s. The data includes permitted, withdrawn and refused permissions.

*This data is sourced from the British Geological Survey.*

## 18.6 Non-coal mining

**Records within 1000m**

0

The potential for historical non-coal mining to have affected an area. The assessment is drawn from expert knowledge and literature in addition to the digital geological map of Britain. Mineral commodities may be divided into seven general categories - vein minerals, chalk, oil shale, building stone, bedded ores, evaporites and 'other' commodities (including ball clay, jet, black marble, graphite and chert).

*This data is sourced from the British Geological Survey.*

## 18.7 Mining cavities

**Records within 1000m**

0

Industry recognised national database of mining cavities. Degraded mines may result in hazardous subsidence (crown holes). Climatic conditions and water escape can also trigger subsidence over mine entrances and workings.

*This data is sourced from Stantec UK Ltd.*

## 18.8 JPB mining areas

**Records on site**

0

Areas which could be affected by former coal and other mining. This data includes some mine plans unavailable to the Coal Authority.

*This data is sourced from Johnson Poole and Bloomer.*

## 18.9 Coal mining

**Records on site**

0

Areas which could be affected by past, current or future coal mining.

*This data is sourced from the Coal Authority.*



## 18.10 Brine areas

**Records on site****0**

The Cheshire Brine Compensation District indicates areas that may be affected by salt and brine extraction in Cheshire and where compensation would be available where damage from this mining has occurred. Damage from salt and brine mining can still occur outside this district, but no compensation will be available.

*This data is sourced from the Cheshire Brine Subsidence Compensation Board.*

## 18.11 Gypsum areas

**Records on site****0**

Generalised areas that may be affected by gypsum extraction.

*This data is sourced from British Gypsum.*

## 18.12 Tin mining

**Records on site****0**

Generalised areas that may be affected by historical tin mining.

*This data is sourced from Groundsure.*

## 18.13 Clay mining


**Records on site****0**

Generalised areas that may be affected by kaolin and ball clay extraction.

*This data is sourced from the Kaolin and Ball Clay Association (UK).*



## 19 Radon



### 19.1 Radon

Records on site	1
Estimated percentage of dwellings exceeding the Radon Action Level. This data is the highest resolution radon dataset available for the UK and is produced to a 75m level of accuracy to allow for geological data accuracy and a 'residential property' buffer. The findings of this section should supersede any estimations derived from the Indicative Atlas of Radon in Great Britain. The data was derived from both geological assessments and long term measurements of radon in more than 479,000 households.	

Features are displayed on the Radon map on [page 99](#)

Location	Estimated properties affected	Radon Protection Measures required
On site	Less than 1%	None**

*This data is sourced from the British Geological Survey and Public Health England.*



## 20 Soil chemistry

### 20.1 BGS Estimated Background Soil Chemistry

#### Records within 50m

3

The estimated values provide the likely background concentration of the potentially harmful elements Arsenic, Cadmium, Chromium, Lead and Nickel in topsoil. The values are estimated primarily from rural topsoil data collected at a sample density of approximately 1 per 2 km<sup>2</sup>. In areas where rural soil samples are not available, estimation is based on stream sediment data collected from small streams at a sampling density of 1 per 2.5 km<sup>2</sup>; this is the case for most of Scotland, Wales and southern England. The stream sediment data are converted to soil-equivalent concentrations prior to the estimation.

Location	Arsenic	Bioaccessible Arsenic	Lead	Bioaccessible Lead	Cadmium	Chromium	Nickel
On site	15 mg/kg	No data	100 - 200 mg/kg	60 - 120 mg/kg	2.2 - 3.0 mg/kg	60 - 90 mg/kg	15 - 30 mg/kg
On site	15 mg/kg	No data	100 - 200 mg/kg	60 - 120 mg/kg	3.0 - 6.0 mg/kg	60 - 90 mg/kg	15 - 30 mg/kg
On site	No data	No data	100 - 200 mg/kg	60 - 120 mg/kg	2.2 - 3.0 mg/kg	No data	No data

This data is sourced from the British Geological Survey.

### 20.2 BGS Estimated Urban Soil Chemistry

#### Records within 50m

4

Estimated topsoil chemistry of Arsenic, Cadmium, Chromium, Copper, Nickel, Lead, Tin and Zinc and bioaccessible Arsenic and Lead in 23 urban centres across Great Britain. These estimates are derived from interpolation of the measured urban topsoil data referred to above and provide information across each city between the measured sample locations (4 per km<sup>2</sup>).

Location	Arsenic (mg/kg)	Bioaccessible Arsenic (mg/kg)	Lead (mg/kg)	Bioaccessible Lead (mg/kg)	Cadmium (mg/kg)	Chromium (mg/kg)	Copper (mg/kg)	Nickel (mg/kg)	Tin (mg/kg)
On site	12	2.1	127	87	6.1	135	99	29	23
On site	12	2.1	128	88	6.1	136	100	29	23
22m SW	14	2.5	131	90	6.3	138	99	32	24
22m NW	14	2.5	132	91	6.3	141	101	31	24



*This data is sourced from the British Geological Survey.*

## 20.3 BGS Measured Urban Soil Chemistry

Records within 50m

0

The locations and measured total concentrations (mg/kg) of Arsenic, Cadmium, Chromium, Copper, Nickel, Lead, Tin and Zinc in urban topsoil samples from 23 urban centres across Great Britain. These are collected at a sample density of 4 per km<sup>2</sup>.

*This data is sourced from the British Geological Survey.*



## 21 Railway infrastructure and projects

### 21.1 Underground railways (London)

**Records within 250m****0**

Details of all active London Underground lines, including approximate tunnel roof depth and operational hours.

*This data is sourced from publicly available information by Groundsure.*

### 21.2 Underground railways (Non-London)

**Records within 250m****0**

Details of the Merseyrail system, the Tyne and Wear Metro and the Glasgow Subway. Not all parts of all systems are located underground. The data contains location information only and does not include a depth assessment.

*This data is sourced from publicly available information by Groundsure.*

### 21.3 Railway tunnels

**Records within 250m****0**

Railway tunnels taken from contemporary Ordnance Survey mapping.

*This data is sourced from the Ordnance Survey.*

### 21.4 Historical railway and tunnel features

**Records within 250m****0**

Railways and tunnels digitised from historical Ordnance Survey mapping as scales of 1:1,250, 1:2,500, 1:10,000 and 1:10,560.

*This data is sourced from Ordnance Survey/Groundsure.*

### 21.5 Royal Mail tunnels

**Records within 250m****0**

The Post Office Railway, otherwise known as the Mail Rail, is an underground railway running through Central London from Paddington Head District Sorting Office to Whitechapel Eastern Head Sorting Office. The line is 10.5km long. The data includes details of the full extent of the tunnels, the depth of the tunnel, and the depth to track level.



*This data is sourced from Groundsure/the Postal Museum.*

## 21.6 Historical railways

### Records within 250m

**0**

Former railway lines, including dismantled lines, abandoned lines, disused lines, historic railways and razed lines.

*This data is sourced from OpenStreetMap.*

## 21.7 Railways

### Records within 250m

**0**

Currently existing railway lines, including standard railways, narrow gauge, funicular, trams and light railways.

*This data is sourced from Ordnance Survey and OpenStreetMap.*

## 21.8 Crossrail 1

### Records within 500m

**0**

The Crossrail railway project links 41 stations over 100 kilometres from Reading and Heathrow in the west, through underground sections in central London, to Shenfield and Abbey Wood in the east.

*This data is sourced from publicly available information by Groundsure.*

## 21.9 Crossrail 2

### Records within 500m

**0**

Crossrail 2 is a proposed railway linking the national rail networks in Surrey and Hertfordshire via an underground tunnel through London.

*This data is sourced from publicly available information by Groundsure.*

## 21.10 HS2

### Records within 500m

**0**

HS2 is a proposed high speed rail network running from London to Manchester and Leeds via Birmingham. Main civils construction on Phase 1 (London to Birmingham) of the project began in 2019, and it is currently anticipated that this phase will be fully operational by 2026. Construction on Phase 2a (Birmingham to Crewe) is anticipated to commence in 2021, with the service fully operational by 2027. Construction on Phase 2b (Crewe to Manchester and Birmingham to Leeds) is scheduled to begin in 2023 and be operational by 2033.

*This data is sourced from HS2 Ltd.*



## Data providers

Groundsure works with respected data providers to bring you the most relevant and accurate information. To find out who they are and their areas of expertise see <https://www.groundsure.com/sources-reference>.

## Terms and conditions

Groundsure's Terms and Conditions can be accessed at this link: <https://www.groundsure.com/terms-and-conditions-jan-2020/>.

