

Musgrave House, Widewater Place, Denham

Technical Note

OFFICE ADDRESS:

Lombard House
145 Great Charles Street
Birmingham
B3 3LP

PROJECT NO:

100386

DATE:

August 2021

REPORT NO.

1

PREPARED:

DS

DATE ISSUE:

26/08/2021

STATUS:

Issued

CHECKED:

SG

AUTHORISED:

DS

CHANGE LOG.

VERSION NO.

DATE:

CHECKED BY:

REASON FOR CHANGE:

1 Introduction

- 1.1.1 Air & Acoustic Consultants Limited have been commissioned by Fprop Offices General Partner Ltd to undertake a noise assessment in support of a residential development, under The Town and Country Planning (General Permitted Development) (England) Order 2015, at Musgrave House, Widewater Place, Moorhall Road, Denham, within the London Borough of Hillingdon.
- 1.1.2 Following submission of the noise assessment it has been noted that there is a typographical error in [Table 6.3a](#), 'Predicted Commercial Noise Impacts at Sensitive Receptors', which is within the Operational Impacts section of the report.
- 1.1.3 The specific error is represented as a plus sign instead of the correct minus sign within the difference column for Receptor 2.
- 1.1.4 The original [Table 6.3a](#) from the noise assessment report is replicated as [Table 6.3a](#), below and the updated correct table, with the plus sign corrected to a minus sign is provided in the replacement, [Table 6.3a](#).

Table 6.3a: Predicted Commercial Noise Impacts at Sensitive Receptors (Original Table)

Receptor	Height (m)	Specific Level (dBA)	Acoustic feature Penalty (dBA)	Daytime (07.00 – 23.00)		Difference (dBA)
				Rating Level $L_{A,T,r}$ (dBA)	Background Level (dBA)	
R1	1.5	34		37		-11
	4	35	33	38	48	-10
	6.5	35		38		-10
R2	1.5	32		35		+11
	4	37	3	40	44	+4
	6.5	36		39		+5
R3	1.5	21		24		-19
	4	21	3	24	43	-19
	6.5	23		26		-17
R4	1.5	23		26		-17
	4	21	3	24	43	-19
	6.5	24		27		-16

Table 6.3b: Predicted Commercial Noise Impacts at Sensitive Receptors (Updated Table)

Receptor	Height (m)	Specific Level (dBA)	Acoustic feature Penalty (dBA)	Daytime (07.00 – 23.00)		Difference (dBA)
				Rating Level $L_{A,r,Tr}$ (dBA)	Background Level (dBA)	
R1	1.5	34		37		-11
	4	35	3	38	48	-10
	6.5	35		38		-10
R2	1.5	32		35		-11
	4	37	3	40	44	-4
	6.5	36		39		-5
R3	1.5	21		24		-19
	4	21	3	24	43	-19
	6.5	23		26		-17
R4	1.5	23		26		-17
	4	21	3	24	43	-19
	6.5	24		27		-16

