

Falling Lane, Yiewsley

Transport Statement

Client: London Borough of Hillingdon

i-Transport Ref: SJ/RW/ITB14707-002D

Date: 04 February 2022

Falling Lane, Yiewsley

Transport Statement

Client: London Borough of Hillingdon

i-Transport Ref: SJ/RW/ITB14707-002D

Date: 04 February 2022

i-Transport LLP

The Square Basing View Basingstoke RG21 4EB

Tel: 01256 637940

www.i-transport.co.uk

COPYRIGHT

The contents of this document must not be copied or reproduced in whole or in part without the written consent of i-Transport LLP

Quality Management

| Report No. | Comments | Date | Author | Authorised |
|---------------|----------------|------------|--------|------------|
| ITB14707-002 | Draft | 17/06/2019 | EF | SJ |
| ITB14707-002A | For Planning | 26/07/2019 | EF | SJ |
| ITB14707-002B | Minor Amends | 23/08/2018 | SJ | SJ |
| ITB14707-002C | Updated Scheme | 10/09/2021 | RW | SJ |
| ITB14707-002D | Minor Edits | 04/02/2022 | RW | SJ |

File Ref: T:\Projects\14000 Series\14707ITB Falling Lane, Yiewsley\Admin\Report and Tech Notes\ITB14707-002D R Transport Statement Falling Lane.docx



Contents

| SECTION 1 | INTRODUCTION | 1 |
|-----------|--------------------------------------|----|
| SECTION 2 | POLICY CONTEXT | 3 |
| SECTION 3 | EXISTING CONDTIONS AND ACCESSIBILITY | 10 |
| SECTION 4 | DEVELOPMENT PROPOSALS | 18 |
| SECTION 5 | TRAFFIC IMPACT | 21 |
| SECTION 6 | SUMMARY AND CONCLUSION | 25 |

Figures

FIGURE 1 Site location plan

FIGURE 2 Local services and facilities plan

Drawings

| ITB14707-GA-002B | Estate car parking tracking |
|------------------|-------------------------------|
| ITB14707-GA-007A | Site access visibility splays |
| M9534-APL104 | Proposed site plan by Hunters |

Appendices

| APPENDIX A. | Personal Injury Accident Data |
|-------------|--|
| APPENDIX B. | PTAL Assessment |
| APPENDIX C. | TIM Assessment |
| APPENDIX D. | Falling Lane Car park and traffic data (2019) |
| APPENDIX E. | Falling Lane In/Out Parking Survey Data (2021) |
| APPENDIX F | TRICS Output |
| APPENDIX G. | Fairfield Road car park data |



SECTION 1 INTRODUCTION

1.1 Background

- 1.1.1 The London Borough of Hillingdon (LBH) has appointed i-Transport LLP to provide transport and highways advice with regard to a planning application for a mixed-use scheme at Falling Lane, Yiewsley. The development proposal is for 50 apartments.
- 1.1.2 The site is currently occupied by Yiewsley Library and the Falling Lane Car Park. It is located adjacent to the High Street / Falling Lane junction and is bound by Yiewsley Recreation Ground to the east and south. It is located in the London Borough of Hillingdon.

1.2 Background

- 1.2.1 LBH has previously prepared plans for a similar scale of development and for a new library on the site. The applicant engaged in pre-application discussions with officers at LBH and the final proposal will provide 50 new apartments with associated parking provision. The library is no longer included in the proposals for this site, instead the library will be provided on a site on the eastern side of the recreation ground. The library proposal is part of a separate planning application.
- 1.2.2 Vehicular and pedestrian access to the site will be taken from Falling Lane via a vehicular crossover. Pedestrian access will also be provided onto Falling Lane and onto High Street.

1.3 **Scope**

- 1.3.1 Pre-Application discussions with LBH highways officers took place in the form of a Transport Statement Scoping Note (i-Transport Report Ref: ITB14706-001) which was prepared in June 2019. This document set out the proposed scope of the Transport Statement. Further preapplication discussions took place with LBH highways officers in May, June and July 2020 with regard to options for servicing of the library element of the earlier scheme.
- 1.3.2 This TS has been prepared by i-Transport on the basis outlined in the Transport Statement Scoping Note and in line with discussions with LBH and it assesses the transport impacts of the development proposals with respect to national, regional and local policy and guidance. A separate Travel Plan Statement (TPS) has been prepared for the planning application.



1.4 Structure of Report

- 1.4.1 The remainder of the TS is set out as follows:
 - Section 2 summarises the relevant national, regional and local policies and guidance;
 - Section 3 summarises the existing conditions, including site location, local highway network, walking and cycling, public transport and the accessibility of the site;
 - Section 4 sets out the development proposals including access arrangements, servicing and parking provision;
 - Section 5 provides an analysis of the traffic impact of the site; and
 - Section 6 provides a summary and conclusions.



SECTION 2 POLICY CONTEXT

2.1 To provide context for the Transport Statement, this section of the report provides an overview of the relevant national and local transport planning policy.

2.2 **National Policy**

National Planning Policy Framework (NPPF) (July 2021)

- 2.2.1 The National Planning Policy Framework (NPPF) July 2021 sets out the Government's planning policies for England and how these are expected to be applied. At the heart of the NPPF is a presumption in favour of sustainable development.
- 2.2.2 The NPPF states that all developments that generate significant amounts of movement should be supported by a Transport Statement or Transport Assessment and a Travel Plan (ref: NPPF, paragraph 113).
- 2.2.3 It is stated that in assessing sites that may be allocated for development in plans, or specific applications for development, it should be ensured that:
 - "appropriate opportunities to promote sustainable transport modes can be or have been taken up, given the type of development and its location;
 - safe and suitable access to the site can be achieved for all users;
 - the design of streets, parking areas, other transport elements and the content of associated standards reflects current national guidance, including the National Design Guide and the National Model Design Code; and
 - any significant impacts from the development on the transport network (in terms of capacity and congestion), or on highway safety, can be cost effectively mitigated to an acceptable degree". (ref: NPPF, paragraph 110)
- 2.2.4 In addition, it is stated that:
 - "Development should only be prevented or refused on highways grounds if there would be an unacceptable impact on highway safety, or the residual cumulative impacts on the road network would be severe" (ref: NPPF, paragraph 111)

National Planning Practice Guidance (NPPG) 2014

2.2.5 The NPPG provides guidance on promoting sustainable transport (Section 4), and paragraph 32 states that a Transport Assessment or Statement is required to support proposals that generate significant amounts of movement.



2.3 **Regional Policy**

The London Plan 2021 (March 2021)

- 2.3.1 The London Plan sets out the strategic targets for the spatial development of London for the next 20-25 years. From a transport perspective, the Mayor intends that London will be a city where it is easy, safe and convenient for everyone to access jobs, opportunities and facilities with an efficient and effective transport system which actively encourages more walking and cycling. Furthermore, the Mayor wishes to strike an appropriate balance between promoting new development and preventing excessive parking provision that can undermine the use of sustainable travel modes.
- 2.3.2 Policy T1 Strategic Approach to Transport states that all development should facilitate the delivery of the Mayor's strategic target of 80% of all trips in London to be made by foot, cycle or public transport by 2041. Developments should make the most effective use of land, reflecting its connectivity and accessibility by existing and future public transport, walking and cycling routes, and ensure that any impacts on London's transport networks and supporting infrastructure are mitigated.
- 2.3.3 Policy T4 Assessing and Mitigating Transport Impacts states that transport assessments should be submitted with development proposals to ensure that impacts on the capacity of the transport network (including impacts on pedestrians and the cycle network), at the local, network-wide and strategic level, are fully assessed. Transport assessments should focus on embedding the Healthy Streets Approach within, and in the vicinity of, new development. Travel Plans, Parking Design and Management Plans, Construction Logistics Plans and Delivery and Servicing Plans will be required having regard to Transport for London guidance.
- 2.3.4 Policy T5 Cycling requires that development proposals should help remove barriers to cycling and create a healthy environment in which people choose to cycle. This is achieved through supporting the delivery of a London-wide network of cycle routes, and appropriate cycle parking, that is designed and laid out in accordance with the guidance contained in the London Cycling Design Standards (LCDS), and that meets the minimum standards set out in Table 10.2.
- 2.3.5 Policy T6 Car Parking states that car-free development should be the starting point for all development proposals in places that are (or are planned to be) well-connected by public transport, with developments elsewhere designed to provide the minimum necessary parking ('car-lite'). Car-free development has no general parking but should still provide disabled



persons parking. Where car parking is provided in new developments, provision should be made for infrastructure for electric or other Ultra-Low Emission vehicles. Adequate provision should be made for efficient deliveries and servicing and emergency access. A Parking Design and Management Plan should be submitted alongside all applications which include car parking provision, indicating how the car parking will be designed and managed.

2.3.6 Policy T7 – Deliveries, Servicing and Construction states that development proposals should facilitate safe, clean, and efficient deliveries and servicing. Provision of adequate space for servicing, storage and deliveries should be made off-street, with on-street loading bays only used where this is not possible. Construction Logistics Plans and Delivery and Servicing Plans will be required and should be developed in accordance with Transport for London guidance and in a way which reflects the scale and complexities of developments.

Car and Cycle Parking Standards

2.3.7 The current car and cycle parking standards set out in the London Plan 2021 relevant to the site are summarised in **Tables 2.1** and **2.2** respectively.

Table 2.1: London Plan Car Parking Standards

| Land Use | Vehicle Parking Standards (Maximum) |
|------------------------------|--|
| | 1-2 Beds = 0.75 spaces per dwelling (Outer London PTAL 2-3) |
| | 3+ Beds = Up to 1 space per dwelling (Outer London PTAL 2-3) |
| Residential (Land Use C3) | Notes: Developments must ensure that for three per cent of dwellings, at least one designated disabled persons parking bay per dwelling is available from the outset. At least 20 per cent of spaces should have active electric vehicle charging facilities, with passive provision for all remaining spaces. |

Source: The London Plan 2021

Table 2.2: London Plan Cycle Parking Standards

| Land Use | Minimum Cycle Parking | | |
|------------------------------|---|--|--|
| | Long Stay | Short Stay | |
| Residential (Land Use C3) | 1 space per studio or 1 person 1- bedroom dwelling; 1.5 spaces per 2 person 1-bedroom dwelling; 2 spaces per all other dwellings. | 5 to 40 dwellings: 2 spaces; Thereafter; 1 space per 40 dwellings | |

Source: The London Plan 2021



2.4 **Local Transport Policies**

London Borough of Hillingdon Local Plan: Part 1 – Strategic Policies (November 2012) and London Borough of Hillingdon Unitary Development Plan (1998) Saved – September 2007

- 2.4.1 The Hillingdon Local Plan Part 1 Strategic Policies is the key strategic planning document for Hillingdon and will support delivery of the spatial elements of the Sustainable Community Strategy. It sets out a long-term vision and objectives for the Borough. The primary matter relating to Transport notes an overall aim of improving quality of life and reducing private car dependency.
- 2.4.2 The LBH Unitary Development Plan (UDP) contains 'saved' policies from 1998 and sits alongside the Local Plan Part 1. Once adopted, the Local Plan Part 2 will replace these policies, although until then the following transport policies are still relevant to this proposal.

Policy

- The Local Planning Authority will consider whether the traffic generated by proposed developments is acceptable in terms of the capacity and functions of existing and AM1-Development will only be permitted where the existing/proposed public transport network has sufficient capacity to meet demand and/or the development makes the development more accessible through finding improvements;
- Policy AM2 All proposals for development will be assessed against their contribution to traffic generation and their impact on congestion;
- Policy AM6 committed principal roads only development will be refused if
 development will result in unacceptable increases in demand on roads/through
 junctions already at capacity, prejudice the free flow of traffic or conditions of general
 highway or pedestrian safety or diminish materially the environmental benefits brought
 about by new or improved roads;
- Policy AM13 The Local Planning Authority will seek to ensure that proposals for development increase ease and spontaneity of movement for elderly people, the frail and people with disabilities by (amongst other things) seeking adequate and convenient parking spaces for people with disabilities;



- *Policy AM14* New development will only be permitted where it is in accordance with the council's adopted car parking standards as set out in annex 1;
- Policy AM15 All car parks provided for new development shall contain conveniently located reserved spaces for disabled persons in accordance with the council's adopted car parking standards.
- 2.4.3 The current relevant adopted car and cycle parking standards are summarised in **Tables 2.3** and **2.4**.

Table 2.3: LBH Local Plan 1 Car Parking Standards

| Land Use | Vehicle Parking Standards (Maximum) | |
|------------------------------|-------------------------------------|--|
| Residential (Land Use C3) | Up to 1.5 spaces per dwelling | |

Source: London Borough of Hillingdon Unitary Development Plan Saved Policies 2007

Table 2.3: LBH Local Plan 1 Cycle Parking Standards

| Land Use | Maximum Cycle Standards |
|-----------------------|------------------------------|
| Residential (Land Use | Studio/1 bed/2 beds: 1 space |
| C3) | 3 beds +: 2 spaces |

Source: London Borough of Hillingdon Unitary Development Saved Policies 2007

Note: Visitor parking forms part of the standard unless otherwise stated

<u>London Borough of Hillingdon Local Plan: Part 2 – Development Management Policies</u> (<u>January 2020</u>)

- 2.4.4 The Local Plan Part 2 provides revised development management policies replaces the UDP in its entirety. The relevant policies within the adopted version are as follows:
 - Policy DMT 1 Managing Transport Impacts Development will be required to be
 accessible by sustainable modes of travel, adequately address delivery, servicing and
 drop-off requirements and have no significant adverse transport or associated air
 quality and noise impacts on the local and wider environment. Developments of more
 than 80 units will be required to prepare a Transport Assessment and Travel Plan.
 - Policy DMT 2 Highways Impacts Development must provide safe and suitable access for all users, and impacts on local amenity and congestion are minimised by routing traffic appropriately, with suitable mitigation measures if necessary.



- Policy DMT 4 Public Transport The Council may require developers to mitigate transport impacts from development proposals by improving local public transport facilities and services;
- Policy DMT 5 Pedestrians and Cyclists Development proposals will be required to
 ensure that safe, direct and inclusive access for pedestrians and cyclists is provided on
 the site connecting it to the wider network.
- Policy DMT 6 Vehicle Parking Development must comply with the standards outlined at Appendix C in order to facilitate sustainable development. All car parks provided for new development will be required to contain conveniently located reserved spaces for wheelchair users and those with restricted mobility in accordance with the Council's Accessible Hillingdon SPD.
- 2.4.5 The proposed parking standards from the document are set out in **Tables 2.5** and **2.6** below.

Table 2.5: LBH Local Plan 2 Car Parking Standards

| Land Use | Vehicle Parking Standards (Maximum) |
|---------------|---|
| Residential | 3-4 or more bedrooms: 2 spaces per unit 1-2 bedrooms: 1-1.5 spaces per unit Studio: 1 space per 2 units |
| (Land Use C3) | Notes: Proposals must also accommodate visitor's car parking on-site additional to the above Car parks must be allocated to dwellings |

Source: London Borough of Hillingdon Local Plan Part 2 2020 Appendix C

Table 2.6: LBH Local Plan 2 Cycle Parking Standards

| Land Use | Maximum Cycle Standards |
|-----------------------|------------------------------|
| Residential (Land Use | Studio/1 bed/2 beds: 1 space |
| C3) | 3+ beds: 2 spaces |

Source: London Borough of Hillingdon Local Plan Part 2 2020 Appendix C

Note: Visitor parking forms part of the standard unless otherwise stated

2.5 **Summary**

2.5.1 The London Plan 2021 recommends a car parking level of a maximum up to 1 space per unit in Outer London PTAL 2-3 areas, whilst the residential parking standards in the LBH Local Plan seek maximum standards of between 1.0-1.5 spaces per unit for 1-2 beds and 2 spaces per 3-bed units. Regional and local parking standards both require adequate disabled parking on-site.



- 2.5.2 It is important to note that the London Plan requires all developments in areas of good public transport accessibility in all parts of London to aim for significantly less than 1 space per unit.
- 2.5.3 There is slight lack of alignment between the parking policies of LBH and those set by the Mayor of London and a balance should be sought.



SECTION 3 EXISTING CONDTIONS AND ACCESSIBILITY

3.1 **Overview**

3.1.1 The section of the TS sets out the existing conditions and accessibility of the site, including the site location, local walking and cycling infrastructure, the local highway network and accessibility of the site.

3.2 **Site Location**

3.2.1 The site is located at the current Yiewsley library and the Falling Lane car park. The site is bounded to the north by Falling Lane and to the west by Yiewsley High Street. The site is also located adjacent to the High Street / Falling Lane signal junction and bound by Yiewsley Recreation Ground to the east and south. A site location plan is shown at **Figure 1**.

3.3 Walking and Cycling

Pedestrian Environment

- 3.3.1 Wide footways are provided on both sides of Falling Lane with street lighting on both sides of the carriageway, it is subject to a 30mph speed limit. There is a formal zebra crossing point with dropped kerbs and tactile paving circa 85m north east of the site on Falling Lane which provides a safe crossing point linking to Gordon Road for pedestrian access to Rabbsfarm Primary School. Falling Lane is street lit.
- 3.3.2 To the west of the site, Falling Lane links to the High Street and Trout Road via a four-arm signal-controlled junction where formal pedestrian crossing points with dropped kerbs and tactile paving are provided for all arms. This crossing allows pedestrians to access to the bus stops on both Falling Lane and on the western side of the high street. This allows pedestrians to cross the High Street and access the local services and facilities provided on the western side of the carriageway.
- 3.3.3 Yiewsley High Street benefits from wide, good quality footways with street lighting on both sides of the carriageway providing access to the bus stops and local facilities. The High Street also provides a pedestrian link heading south towards West Drayton Station.



Cycle Network

- 3.3.4 The local area benefits from an extensive network of cycle routes which provide convenient routes to local facilities and train and London Underground stations as well as Heathrow Airport to the southwest. These are detailed in the TfL Local Cycling Guide 6. In the vicinity of the site there are a number of routes signed or marked for the use of cyclists. Yiewsley High Street is identified as a route for use by cyclists on a mixture of quieter or busier routes. This route provides a direct connection to the north with Uxbridge and links to West Drayton Station to the south of the site.
- 3.3.5 Surrounding the site there are a number of roads identified on TfL Local Cycling Guide 6 that have been recommended by cyclists. Some of these routes connect to other off-road routes or routes signed and marked for the use of cyclists.
- 3.3.6 Another off-road cycle route has been designated alongside the Grand Union Canal and can be joined west of the site and provides a connection to Uxbridge to the north and Hayes to the southeast.

3.4 **Public Transport**

<u>Bus</u>

- 3.4.1 The closest bus stops to the site are located on Yiewsley High Street adjacent to the site for southbound services and 120m north on the High Street for northbound services. These bus stops provide access to bus services 222, U1, U3 and U5. Additional bus stops on Falling Lane provide access services to the U1, U3 and U5 services only. All stops are provided with shelters, timetabling information and lighting.
- 3.4.2 A summary of the buses that serve the site is provided in **Table 3.1.**

Table 3.1: Local Bus Services

| Bus No. | Route | Typical Frequency (per hour, per direction) | | |
|---------|---|---|--------------------------|---------------------------------|
| | | Mon - Fri | Sat | Sun |
| 222 | Uxbridge – West Drayton - Hounslow | Service every 9- 13 minutes | Service 9-13 minutes | Service every 10- 13 minutes |
| U1 | Ruislip – Uxbridge – West Drayton | 4 services an hour | 4 services an hour | 2 services an hour |
| U3 | Uxbridge – West Drayton – Heathrow Airport | Service every 9- 12 minutes | Service every 12 minutes | Every 20 minutes |



| Bus No. | Route | Typical Frequency (per hour, per direction) | | |
|---------|---|---|-----------------------------|------------------|
| | | Mon - Fri | Sat | Sun |
| U5 | Uxbridge – Cowley – Hillingdon Hospital – West Drayton – Stockley Park – Hayes & Harlington Station | Service every 11- 12 minutes | Service every 12 minutes | Every 20 minutes |

Source: TfL – Assessed August 2021

3.4.3 In summary, the bus stops located on Yiewsley High Street, adjacent to the site provide regular and frequent bus services to destinations such as Uxbridge, West Drayton, Ruislip and Hounslow. This provision will clearly provide future residents, employees and visitors of the site with excellent travel opportunities by bus.

Rail

- 3.4.4 National Rail services can be accessed from West Drayton Station, operated by TfL Rail and Great Western Railway. West Drayton Station is located 700m south of the site which equates to an 8minute walk or 3-minute cycle journey. Approximately 5 services to Reading and 4 services to London Paddington operate per hour.
- 3.4.5 West Drayton Station will benefit from the introduction of the Elizabeth Line. The Elizabeth Line is a significant piece of new railway infrastructure adding approximately 10% of new railway capacity and new/easier journey opportunities.
- 3.4.6 Stations along the route are also being upgraded with West Drayton station to benefit from the following upgraded features:
 - A new entrance canopy across the existing building and extension;
 - Platform extensions to accommodate new Elizbeth Line trains;
 - A new lift to provide step-free access;
 - New lighting in the station and on the platforms; and
 - Improved customer information screens, station signage, help points and CCTV.
- 3.4.7 When the full route opens, up to six Elizabeth line services an hour will allow passengers from West Drayton to travel Reading or Heathrow in the west or through the central London tunnels to Essex and southeast London via Liverpool Street and Canary Wharf.



3.5 **Local Highway Network**

- 3.5.1 Falling Lane bounds the north of the site and splits westbound traffic into three lanes on approach to a four-arm signal-controlled junction with the High Street and Trout Road. Eastbound traffic on Falling Lane has a single lane arrangement.
- 3.5.2 Heading north the High Street remains in a two-lane arrangement towards Cowley and Uxbridge. Heading south into Yiewsley, the High Street merges into a single carriageway. Yellow lines on the High Street are present on both sides of the carriageway, with no stopping restrictions between 08:00 and 18:30, Monday to Saturday as well as no loading restrictions between 08:00-09:30 and 16:30- 18:30, Monday to Friday.
- 3.5.3 Trout Road is a single carriageway road with double yellow lines on the southern side of the carriageway and for the majority of the northern side of the carriageway. There are some permit holder only parking bays on the northern side of the carriageway which are subject to restrictions 09:00-18:00, Monday to Saturday.

Road Safety

3.5.4 Personal Injury Accident (PIA) data has been obtained from TfL for the most recently available five-year period up to end of April 2021. The area of search included the site access and the major junction of Falling Lane and High Street. The full data is provided as **Appendix A**, and an extract is shown in **Image 3.1**.






Image 3.1: Personal Injury Accident Plot

Source: TfL

- 3.5.1 A total of 8 PIAs have been recorded during the 60 months to end of April 2021 within the study area, all accidents were classified as 'slight' in severity, i.e. there were no serious or fatal accidents.
- 3.5.2 **Table** 3. summarises the location and severity of each PIA and the full data is included in **Appendix A**. Further detail of the recorded PIAs is summarised in the following paragraphs.

Table 3.2: Summary of PIA Data

| Year | Motorised | l Vehicles | Pedestrians | Total | |
|-------|-----------|------------|-------------|---------|-------|
| | Slight | Serious | Slight | Serious | TOtal |
| 2016 | 0 | 0 | 0 | 0 | 0 |
| 2017 | 3 | 0 | 0 | 0 | 3 |
| 2018 | 1 | 0 | 2 | 0 | 3 |
| 2019 | 2 | 0 | 0 | 0 | 2 |
| 2020 | 0 | 0 | 0 | 0 | 0 |
| 2021 | 0 | 0 | 0 | 0 | 0 |
| TOTAL | 6 | 0 | 2 | 0 | 8 |

Source: TfL



- 3.5.3 Three of the eight accidents involved pedestrians, two occurred in wet conditions and one of the accidents occurred in hours of darkness.
- 3.5.4 Contributory factors to the slight PIAs can be largely attributed to driver/ pedestrian error, including:
 - Failed to judge other person's path or speed;
 - Poor turn or manoeuvre;
 - Careless/ reckless in a hurry;
 - Failed to look properly;
 - Disobeyed automatic traffic signal;
 - Distraction in vehicle; and
 - Vision affected dazzling sun.

Summary

3.5.5 A review of the PIA data in the vicinity of the site in the 60 months to the end of April 2021 has been undertaken. Whilst any accident is regrettable, the cause and locations of the accidents do not suggest a specific highway safety problem on the local highway network. This TS nevertheless carefully assesses the impacts of the development to consider whether there will be unacceptable safety impacts in line with paragraph 110 of the NPPF.

3.6 Accessibility

Local Facilities

- 3.6.1 A key aim of national and local policy is the delivery of sustainable development. This in part, is achieved by the accessibility of a site to a good range of everyday services and facilities.
- 3.6.2 It is clear from **Table 3.3** that a good range of everyday services and facilities will be accessible to future residents of the site, on foot or by bicycle. The services and facilities listed below are also shown on **Figure 2**.



Table 3.3: Distances and Travel Times to Key Destinations

| | Destination | Approx. Walking Distance from Site (m) | Walking Journey Time (mins) | Cycling Journey Time (mins) |
|-----------|---------------------------------|--|-----------------------------------|-----------------------------------|
| | Magic Steps Nursery | 110 | 1 | <1 |
| | St Matthews CofE Primary School | 280 | 3 | 1 |
| | Rabbsfarm Primary School | 290 | 3 | 1 |
| | Little Leaf Nursery School | 700 | 8 | 3 |
| Education | Park Academy West London | 1100 | 13 | 4 |
| | The Meadow School | 1500 | 18 | 6 |
| | Colham Manor Primary School | 1900 | 23 | 7 |
| | Brunel University | 2000 | 24 | 8 |
| | Aldi | 61 | 1 | <1 |
| | Tesco | 220 | 3 | 1 |
| | Wilko | 280 | 3 | 1 |
| Retail | Iceland | 280 | 3 | 1 |
| | Morrisons | 350 | 4 | 1 |
| | Yiewsley High Street | 550 | 7 | 2 |
| | George and Dragon Public House | 50 | 1 | <1 |
| | Yiewsley Recreation Ground | 550 | 7 | 2 |
| Leisure | Panthers Gym | 950 | 11 | 4 |
| | Packet Boat Marina | 1000 | 12 | 4 |
| | Uxbridge Football Club | 1800 | 21 | 7 |
| Health | Yiewsley Pharmacy | 400 | 5 | 2 |
| | Yiewsley Health Centre | 450 | 5 | 2 |
| | Otterfield Medical Centre | 500 | 6 | 2 |
| | Hillingdon Hospital | 1600 | 19 | 6 |

Source: i-Transport



PTAL

- 3.6.3 The accessibility of the site has been assessed using the TfL Public Transport Accessibility Level (PTAL) methodology. PTALs are a detailed measure of the accessibility of a site to the public transport network, taking into account the combination of walking time and service frequency.
- 3.6.4 The site has a PTAL rating of 3, indicating a satisfactory level of public transport accessibility. This PTAL score is a result of the proximity to West Drayton railway station and local bus stops (the closest within 200m of the site). The PTAL output is provided at **Appendix B.** Full details of the public transport services accessible from the site are provided in the previous section.

TIM Assessment

3.6.5 TfL's WebCAT resource also provides travel time mapping (TIM) which reflects the travel time from the site to other areas in London by public transport during a morning peak hour. Considering this, the site is accessible to a large area of west London within a 30-45-minute journey. The output is provided at **Appendix C**.

Car Clubs

- 3.6.6 Car clubs provide the opportunity for residents to have access to a car without owning a private vehicle. As this transport option has become established in London, surveys have consistently demonstrated the positive benefits of car clubs including the fact that car club members drive significantly fewer miles than other London drivers and have lower car ownership than Londoners in general.
- 3.6.7 Car Club services operated by HiyaCar are located throughout Yiewsley and more widely across Hillingdon. The nearest car club is located in West Drayton to the south of the site.

Travel Plan Statement

3.6.8 A separate Travel Plan Statement has been prepared to support the application (i-Transport Report Ref: ITB14707-003A).

3.7 **Summary**

3.7.1 The site has good overall accessibility with excellent proximity to a wide range of bus routes and the wider London transport network. Pedestrian access is good, and the site has good highway access with no trend or pattern in road safety problems identified in the local vicinity.



SECTION 4 DEVELOPMENT PROPOSALS

4.1 **Overview**

4.1.1 This section of the TS describes the development proposal, including the access, parking and servicing arrangements for the development.

4.2 **Development Proposals**

- 4.2.1 The development proposal is for 50 new apartments associated access, servicing, landscaping and parking. It will replace the existing car park and library.
- 4.2.2 The proposed accommodation schedule is as follows:
 - 18 x 1-bed units;
 - 24 x 2-bed units; and
 - 8 x 3-bed units.
- 4.2.3 The proposal site layout is provided on Hunters **drawing M9534-APL104**.

4.3 **Vehicle Access**

4.3.1 The existing car park access will be closed and a new access to the site will be provided from Falling Lane which will serve 28 car parking spaces at street level as shown on Hunters drawing M9534-APL104. The new access will provide 2.4m x 43m visibility splays and include a dropped kerb footway crossover to allow for pedestrian activity on Falling Lane. The visibility splays are shown on drawing ITB14707-GA-007A.

4.4 Pedestrian Access

4.4.1 The main pedestrian access to the development will be provided from Yiewsley High Street, at the northwest of the site. A further pedestrian access will be provided on Falling Lane to the west of the vehicular access as shown on Hunters drawing M9534-APL104.



Parking 4.5

Car Parking

- 4.5.1 Car parking will be delivered in accordance with the London Plan with 13 car parking spaces (including 5 disabled) provided on site for the residential units, all at ground level¹. Swept path analysis of a large estate car entering and exiting some of the spaces is shown on drawing ITB14707-GA-002 Rev B.
- 4.5.2 In addition, 15 car parking spaces will be provided for the Rabbsfarm School drop-off / pick-up activities (Park & Stride spaces). These will be provided near the vehicular access to Falling Lane to prevent vehicles from parking further into the development and near to pedestrian routes to the school, with a safe pedestrian access zone provided in the car park.

Cycle Parking

4.5.3 Cycle parking for the development will be provided in the form of Sheffield Stands located in two locked and dedicated bicycle stores at the ground floor capable of accommodating 50 and 40 (i.e. a total of 90) bicycles. One of these stores will be accessed from the car park and the other from adjacent to the main entrance on the High Street. A further 3 short stay cycle parking spaces for the are also provided on the High Street.

Refuse Collection and Servicing Arrangements 4.6

- 4.6.1 There will be two bin storage areas provided within the building which will have internal access doors. The bin store 1 is located just east of the main pedestrian entrance, and bin store 2 is adjacent to the vehicular entrance on Falling Lane to allow easy access on collection day. A temporary storage area will be located to the north of bin store 2, on Falling Lane and will be used for managed refuse collection, minimising the time taken to take the bins from the stores to the refuse vehicle.
- Falling Lane is subject to single yellow line parking restrictions with loading and unloading being 4.6.2 permitted. Refuse / recycling collection will take place on a weekly basis and the implications

Date: 04 February 2022

Ref: SJ/RW/ITB14707-002D

¹ The London Plan states that car-free development should be the starting point for all development proposals in places that are (or are planned to be) well-connected by public transport, with developments elsewhere designed to provide the minimum necessary parking ('car-lite'). A maximum of 0.75 spaces per 1-2 bed dwelling and 1.0 space for 3 bed dwellings should be provided meaning the maximum parking should be 39.5 spaces.



of a refuse vehicle momentarily stopping on Falling Lane will be limited. Waste operatives will become quickly become familiar with the arrangements and manage the collection process in an efficient way that limits the time the vehicle will need to wait on Falling Lane.

4.7 **Summary**

- 4.7.1 Access to the site is proposed via a new access on Falling Lane that replaces the existing public car park. The access is designed in accordance with Manual for Streets and TfL guidance and in addition, two direct pedestrian accesses will be provided one onto Falling Lane for the residential element and the other onto High Street.
- 4.7.2 The proposal includes sufficient car and cycle parking providing 13 car parking spaces for the development and 15 'park & stride' spaces for the Rabbsfarm School. There will be 90 cycle parking spaces provided in secure locations.
- 4.7.3 Service and delivery access is provided in a safe and sufficient manner with weekly refuse collection accessed from Falling Lane.
- 4.7.4 Against this background, the proposed arrangements are in accordance with local and national policy requirements.



SECTION 5 TRAFFIC IMPACT

5.1 Introduction

5.1.1 This section of the TS assesses the likely traffic impact of the proposal.

5.2 **Existing Site Traffic**

- 5.2.1 The site is currently operating as a 42-space public car park and library, with 16 'park & stride' spaces for the Rabbsfarm School.
- 5.2.2 Previously, a car parking accumulation survey was undertaken on Thursday 4 July 2019 and Saturday 6 July 2019 to establish the current use of the car parking and a Manual Classified traffic Count (MCC) was also completed to determine the traffic flows using the site during the peak hours. The full traffic data is provided at **Appendix D**.
- 5.2.3 Further surveys of the car park were undertaken from Tuesday 29 June to Thursday 1 July 2021 to ascertain the car park usage and more specifically the usage of the Rabbsfarm School 'park & stride' spaces between the hours of 07:00 and 19:00. The full traffic data is provided at **Appendix E**.

Car Park Usage

5.2.4 The car park accumulation survey undertaken in 2021 showed that the during the weekday the main car park rarely reached its capacity, with the busiest periods recorded at around 08:30-08:45 and 14:30-15:00, coinciding with school drop-off and pick-up times. The Rabbsfarm School 'park & stride' spaces were quiet throughout the day but reached capacity at school drop-off and pick-up times. At its busiest, the joint parking stress for both car parks combined was around 84% in the morning. For the remainder of the study period there were many spaces available.

Traffic Generation of Existing Use

5.2.5 The results of the In and Out count of the Falling Lane Car Park for the morning and evening peak hours are summarised in **Table 5.1** below.



Table 5.1: Existing Traffic Generation (Weekday Average)

| | AM Peak Hour (0800 – 0900) | | | PM Peak Hour (1700 – 1800) | | |
|-----------------------------------|-------------------------------|-----|---------|-------------------------------|-----|---------|
| | ln | Out | Two Way | ln | Out | Two Way |
| Existing Car Park Traffic | 38 | 20 | 58 | 14 | 13 | 27 |
| Existing Park & Stride Traffic | 19 | 16 | 35 | 2 | 0 | 2 |
| Total | 57 | 36 | 93 | 16 | 13 | 29 |

Source: Advanced Traffic Research Traffic Surveys (2021)

Proposed Traffic Generation

- 5.3.1 The TRICS database has been used to extract residential trip rates for privately owned flats to represent the worst-case traffic generation. The sites have been filtered on the following parameters:
 - Residential Flats Privately Owned;
 - Sites in Greater London only;
 - Sites with a range of 20-100 units;
 - Weekday surveys only (Monday to Friday);
 - Town Centre and Edge of Town Locations
- 5.3.2 The full residential TRICS outputs are provided at **Appendix F**. A summary of the trip rates and generation is presented in **Table 5.2.**

Table 5.2: Flats Privately Owned (50 units)

| | AM Peak Hour (0800 – 0900) | | | PM Peak Hour (1700 – 1800) | | |
|----------------------------------|-------------------------------|-------|---------|-------------------------------|-------|---------|
| | In | Out | Two Way | ln | Out | Two Way |
| Trip Rate per dwelling | 0.036 | 0.088 | 0.124 | 0.104 | 0.062 | 0.176 |
| Traffic Generation (50 units) | 2 | 4 | 6 | 5 | 3 | 9 |

Source: TRICS

Note: Numbers may not sum due to rounding



5.4 **Net Traffic Impact**

- 5.4.1 Whilst the development proposal will replace the existing car park with residential units, the Rabbsfarm School Park & Stride spaces will be retained on site. These movements are therefore included in the proposed traffic movements.
- 5.4.2 The difference between the vehicular trip generation of the current use of site and the development proposal in presented in **Table 5.3**.

Table 5.3: Net Impact

| | AM Peak Hour (0800 – 0900) | | | PM Peak Hour (1700 – 1800) | | |
|------------------|-------------------------------|-----|---------|-------------------------------|-----|---------|
| | ln | Out | Two Way | ln | Out | Two Way |
| Existing Traffic | 57 | 36 | 93 | 16 | 13 | 27 |
| Proposed Traffic | 21 | 20 | 41 | 7 | 3 | 11 |
| Net Impact | -36 | -16 | -52 | -9 | -10 | -16 |

Source: Consultant's calculations

5.4.3 The results presented in **Table 5.3** above demonstrate that the proposed residential development will result in a reduction of vehicle trip generation to/from the site when compared to the existing use of the site. There will be a reduction of 52 trips during the morning peak hour and a reduction of 16 trips during the evening peak hour.

5.5 **Sensitivity Test**

- 5.5.1 It is however recognised that the change in vehicle numbers may not be quite as straight forward as this. Some of the existing users of the car park may still require access to the same destinations within Yiewsley with the re-development of the site as they did prior to the development.
- 5.5.2 It is possible that users of the car park would switch to using an alternative and more sustainable mode of transport to access the local facilities when the car park is re-developed, such as walking and cycling or public transport.
- 5.5.3 However, to ensure a robust assessment is undertaken a sensitivity test has been completed to assess capacity of the nearby Fairfield Road car park.



Fairfield Road car park assessment

- 5.5.4 Two full 12-hour parking accumulation surveys of the existing Fairfield Road Car Park were undertaken on Thursday 4 July 2019 and Saturday 6 July 2019 (both comfortably outside the school holiday period) to assess the weekday and weekend occupancy level of the car park.
- 5.5.5 The parking accumulation survey showed that the car park (which provides 159 spaces in total), did not reach more than 60% full at any time during the weekday and not more than 54% full at any time during the weekend survey, meaning there are ample (i.e. always over 60) spaces available in the car park. The full car park survey results are included in **Appendix F.**

5.6 **Summary**

- 5.6.1 The proposed development will result in a reduction of vehicle trip generation to/from the site when compared to the existing use of the site. There will be a reduction of 52 trips during the morning and 16 trips during the evening peak hours.
- 5.6.2 Any displaced drivers will be able to park in other nearby car parks including the Fairfield Road car park which has been shown to have spare capacity. There is no residual impact of the development on operation and safety of the local highway network surrounding the site and taken together, it is clear that in the context of the site access, its operation and the impact on the surrounding local highway network, the traffic impact arising from the redevelopment be imperceptible to road users and have no measurable impact on traffic, parking capacity or road safety.



SECTION 6 SUMMARY AND CONCLUSION

6.1 **Summary**

- 6.2 In summary, this TS has been prepared by i-Transport on behalf of the London Borough of Hillingdon to accompany a planning application for a residential-led scheme on the site of the Falling Lane Car Park and Yiewsley Library.
- The proposed development comprises of 50 new apartments. The development will also deliver 28 car parking spaces, of which 15 will be re-provided as Rabbsfarm School Park & Stride spaces, and 90 cycle spaces.

Accessibility

6.3.1 Footways are provided on both Falling Lane and High Street and access to the onward footway network in Yiewsley which provides a good range of everyday services and facilities which will be accessible to future residents of the site, on foot or by bicycle. The development proposal will provide pedestrian access to the local area where a large range of bus services can be accessed. Wider accessibility is good, with the site having excellent proximity to a wide range of bus routes and the wider London transport network.

Servicing / Parking

- 6.3.2 Access to the site is proposed via a new access on Falling Lane and in addition, two direct pedestrian accesses will be provided, one onto Falling Lane and the other onto High Street. Sufficient car and cycle parking is included and the scheme provides 15 car parking spaces for drop-off / pick-up activities associated with Rabbsfarm School.
- 6.3.3 Service and delivery access is provided in a safe and sufficient manner with weekly refuse collection accessed from a temporary storage area on Falling Lane provided in close proximity to where the refuse vehicle will momentarily wait.

Traffic Impact

6.3.1 The re-development will result in a reduction of vehicle trip generation to/from the site with a reduction of 52 trips during the morning and 16 trips during the evening peak hours. Any displaced drivers who previously used the on-site public car park will be able to park in other nearby car parks including the Fairfield Road car park which has been shown to have spare capacity.





6.3.2 In addition, a Travel Plan Statement has been prepared to accompany the planning application (i-Transport report ref: ITB14707-003A).

6.4 **Conclusion**


6.4.1 In conclusion, the proposed development compiles with the relevant national, regional and local policies and is considered acceptable in transport terms.

FIGURES





DRAWINGS



2022 January GV Layout update 2021 October GH Issued for planing. Site location plan updated. A 2021 September GH Issued for planning Revision Date Revision History

Issued for PLANNING 0 1m 5m 10m 2022 January

Layout update

Scale: 1:200

on site. This drawing is to be read in conjunction with all other relevant drawings and specifications. Hunters is

a trading name of Hunter & Partners

All rights reserved.


Limited. © Hunter & Partners Limited.


Space One Beadon Road London W6 0EA

mail@hunters.co.uk

www.hunters.co.uk

model ref: C:\Revit Local\M9534-Falling Lane_Central File-01_g.viscuso.rvt





APPENDIX A. Personal Injury Accident Data

Yiewsley C.Park_Falling Lane Junction Personal Injury Collisions 60 months to end of April 2021



SUMMARY OF COLLISIONS SELECTED SITE REFERENCE AND DESCRIPTION B26 SITE 3 GIS AREA B26 SITE 3(P)

DATE PERIOD60MTS TO APR/2021

COLLISION COUNT

8


THE DESCRIPTION OF HOW THE COLLISION OCCURRED AND THE CONTRIBUTORY FACTORS ARE THE REPORTING OFFICER'S OPINION AT THE TIME OF REPORTING AND MAY NOT BE THE RESULT OF EXTENSIVE INVESTIGATION. NOTE THAT SELF-REPORTED COLLISIONS (INTRODUCED IN SEPTEMBER 2016) MAY HAVE LIMITED INFORMATION. DESCRIPTIONS HAVE BEEN AUTOMATICALLY REDACTED TO REMOVE ALL PERSONALLY IDENTIFIABLE INFORMATION, BUT SHOULD YOU RECEIVE ANY IN ERROR PLEASE INFORM THE COLLISIONS DATA TEAM AS SOON AS PRACTICAL. SELF-REPORTED COLLISIONS INTRODUCED IN SEPTEMBER 2016 MAY HAVE LIMITED INFORMATION AND TEND TO BE LOWER IN QUALITY THAN POLICE REPORTS. THE INTRODUCTION OF ONLINE SELF-REPORTING HAS MADE IT EASIER FOR MEMBERS OF THE PUBLIC TO REPORT COLLISIONS TO THE POLICE. THERE HAVE BEEN YEAR ON YEAR INCREASES IN SELF-REPORTS SINCE THIS WAS INTRODUCED. THIS HAS CONTRIBUTED TO AN OVERALL INCREASE IN THE NUMBER OF CASUALTIES REPORTED ON LONDON'S ROADS.


| B26 SITE 3 GIS A | REA B26 SITE 3(P) | | | | 60MI | TS TO APR/2021 | | | |
|------------------|--------------------|------------------------------------|------------------|----------------------------------|--------------------|-----------------------|--------------------------------|---------------------------|---------------|
| 1 | INLA BZO SITE S(T) | | | | OOWII | 13 TO AFT02021 | | | |
| 01170067870 | THU 26/10/2017 | 13:30 | LIGHT | HIGH ST J/W TRO | OUT RD | | 26 NODE 72 | | 505950/180680 |
| SELF-REPORTED |) | ROAD-WET | RAINING | SINGLE CWY | CROSSROADS | AUTO SIG | NO XING FACIL | N 50M | NONE IN 50M |
| CASUALTY | 001 (001) | (25 YRS - M - RED | DA) | SLIGHT | DRIVER/RIDER | | | | |
| VEHICLE | 001 (000) | CAR BT - DRV NOT CO | NTACTED | (25 YRS - M - REDACT) | | G/AHEAD - OTHER | (SE TO NW) O/S HIT FIRST | J/P - UNKN JCT CLEARED | |
| VEHICLE | 002 (000) | VAN/GOODS => 3. BT - DRV NOT CO | | (? YRS - UNKNOWN - REDACT) | | O/TAKING - MOVING VEH | (SE TO NW) N/S HIT FIRST | J/P - UNKN JCT CLEARED | |
| 2 01170068055 | FRI 03/11/2017 1 | 5:15 | LIGHT | HIGH ST J/W FAL | LING LANE | | 26 NODE 72 | | 505942/180703 |
| POLICE - AT SCE | NE | ROAD-DRY | WEATHER- FINE | SINGLE CWY | CROSSROADS | AUTO SIG | NO XING FACIL | IN 50M | NONE IN 50M |
| CASUALTY | 001 (001) | (63 YRS - F - RED | (A) | SLIGHT | VEH/PILLION PAX | STANDING PASSENGER | | | |
| VEHICLE | 001 (000) | LONDON BUS BT - NOT REQ | | (26 YRS - M - REDACT) | | MOVING OFF | (N TO S) DID NOT IMPACT | J/P - UNKN JCT CLEARED | |
| C001 | В | 808 (CARELESS, | RECKLESS OR IN A | A HURRY) | | | | | |

| 3 | 0.10.47.40.00.47 | | D.A.D.V | | | | | 00 1100 5 70 | | 5050404400500 |
|-------------------------|------------------|-----------------------|--------------------------------------|----------------------------------|--------------------|-------------------------|---------|---------------------------------|-----------------------|---------------|
| 01170078793 | SUN 17/12/2017 | 20:50 | DARK | HIGH ST J/W HIC | SH RD | | | 26 NODE 72 | | 505940/180700 |
| POLICE - AT SCE | NE | ROAD-WET | WEATHER- FINE | SINGLE CWY | CROSSROADS | AUTO SIG | | PEDN PHASE A | TS | NONE IN 50M |
| CASUALTY | 001 (002) | (52 YRS - M - RE | DA) | SLIGHT | DRIVER/RIDER | | | | | |
| CASUALTY | 002 (002) | (51 YRS - F - RE | DA) | SLIGHT | VEH/PILLION PAX | FRONT SEAT PASSENGER | | | | |
| VEHICLE | 001 (000) | CAR BT - NOT REQ | | (18 YRS - M - REDACT) | | TURNING RIGHT | Г | (S TO N) N/S HIT FIRST | J/P - UNKN JCT MID | |
| VEHICLE | 002 (000) | CAR BT - NOT REQ | | (52 YRS - M - REDACT) | | G/AHEAD - OTHE | ER | (N TO S) FRONT HIT FIRST | COMMUTING JCT MID | |
| V001 V001 | B B | ` |) AUTOMATIC TRAFF JUDGE OTHER PER | FIC SIGNAL) RSON'S PATH OR SP | EED) | V001 V001 | B B | 405 (FAILED TO 509 (DISTRACT | | |
| 4 01180089034 | FRI 09/02/2018 1 | 0:40 | LIGHT | HIGH ST WEST I | DRAYTON J/W FALLIN | IG I ANE WEST DRA | AYTON | 26 NODE 72 | | 505953/180680 |
| POLICE - AT SCE | | ROAD-DRY | WEATHER- FINE | SINGLE CWY | CROSSROADS | STOP SGN | | NO XING FACIL | IN 50M | NONE IN 50M |
| NOT KNOWN HO | W COLLISION OCCU | JRRED | | | | | | | | |
| CASUALTY | 001 (001) | (59 YRS - F - RE | DA) | SLIGHT | DRIVER/RIDER | | | | | |
| VEHICLE | 001 (000) | CAR BT - NOT REQ | | (59 YRS - F - REDACT) | | WAITING - TURN | I RIGHT | (N TO S) N/S HIT FIRST | COMMUTING JCT APP | |
| VEHICLE | 002 (000) | CAR BT - DRV NOT C | ONTACTED | (42 YRS - M - REDACT) | | G/AHEAD - OTHE | ER | (W TO W) N/S HIT FIRST | J/P - UNKN JCT APP | |
| V001 | В | 405 (FAILED TO | LOOK PROPERLY) | | | V001 | В | 706 (DAZZLING | SUN) | |

| 5 | | | | | | | | | | |
|-----------------|------------------|------------------------------|------------------|-----------------------------------|------------------|-----------------|---------|--------------------------------|---------------------------|---------------|
| 01180100041 | THU 05/04/2018 | 12:00 | LIGHT | HIGH ST J/W FA | LING LANE | | | 26 NODE 72 | | 505946/180709 |
| POLICE - AT SCE | NE | ROAD-DRY | WEATHER- FINE | DUAL CWY | CROSSROADS | AUTO SIG | | ZEBRA XING | | NONE IN 50M |
| NOT KNOWN HO | W COLLISION OCCU | JRRED | | | | | | | | |
| CASUALTY | 001 (001) | (77 YRS - F - RE | EDA) | SLIGHT | PEDESTRIAN | | N BOUND | FROM DRIVERS | N/SIDE | |
| CASUALTY | 002 (002) | (31 YRS - M - RE | EDA) | SLIGHT | DRIVER/RIDER | | | | | |
| VEHICLE | 001 (000) | WC 126-500CC BT - NOT REQ | | (17 YRS - UNKNOWN - REDACT) | | MOVING OFF | | (N TO S) FRONT HIT FIRST | J/P - UNKN JCT APP | |
| VEHICLE | 002 (000) | CAR BT - NOT REQ | | (31 YRS - M - REDACT) | | MOVING OFF | | (N TO S) DID NOT IMPACT | JOURNEY P/O W JCT APP | /ORK |
| V001 | Α | 409 (SWERVED) |) | | | V001 | Α | 403 (POOR TUR | RN OR MANOEUVRE) | |
| 6 | | | | | | | | | | |
| 01180122882 | TUE 24/07/2018 | 10:02 | LIGHT | FALLING LANE J | /W YIEWSLEY HIGH | ST | | 26 NODE 72 | | 505940/180670 |
| POLICE - AT SCE | NE | ROAD-DRY | WEATHER- FINE | SINGLE CWY | CROSSROADS | AUTO SIG | | PEDN PHASE A | TS | NONE IN 50M |
| NOT KNOWN HO | W COLLISION OCCU | JRRED | | | | | | | | |
| CASUALTY | 001 (001) | (60 YRS - M - RE | EDA) | SLIGHT | PEDESTRIAN | | S BOUND | FROM DRIVERS | N/SIDE | |
| VEHICLE | 001 (000) | CAR BT - NOT REQ | | (66 YRS - M - REDACT) | SNGL TRAILER | G/AHEAD - OTHEI | R | (E TO W) O/S HIT FIRST | J/P - UNKN JCT CLEARED | |
| C001 | В | 802 (FAILED TO | LOOK PROPERLY) | | | V001 | В | 405 (FAILED TO | LOOK PROPERLY) | |

| 7 01190192960 | THU 11/07/2019 | 9 12:45 | LIGHT | HIGH ST, NR JU | NCT WTH FALLING L | ANE. | 26 NODE 72 | | 505941/180706 |
|-------------------------------|----------------------|-----------------------|------------------|--------------------------|-------------------|-------------------------|----------------------------------|---------------------------|---------------|
| POLICE - AT SCE | NE | ROAD-DRY | WEATHER- FINE | SINGLE CWY | CROSSROADS | AUTO SIG | PEDN PHASE AT | S | NONE IN 50M |
| NOT KNOWN HO | W COLLISION OCC | CURRED | | | | | | | |
| CASUALTY | 001 (001) | (76 YRS - M - R | EDA) | SLIGHT | DRIVER/RIDER | | | | |
| CASUALTY | 002 (002) | (37 YRS - M - R | EDA) | SLIGHT | DRIVER/RIDER | | | | |
| ÆHICLE | 001 (000) | CAR BT - NEG | | (76 YRS - M - REDACT) | | G/AHEAD - OTHER | (S TO N) FRONT HIT FIRST | JCT MID | |
| ÆHICLE | 002 (000) | CAR BT - NEG | | (37 YRS - M - REDACT) | | (' ') | | JOURNEY P/O W JCT MID | VORK |
| <i>/</i> 002 | Α | 403 (POOR TUF | RN OR MANOEUVRE |) | | V002 A | 405 (FAILED TO | LOOK PROPERLY) | |
| /002 | Α | 400 (FAILED TO | TODGE OTHER PE | RSON'S PATH OR SF | | | | | |
| 8 01190228966 | TUE 10/12/2019 | 9 14:45 | LIGHT | | NR JUNCT WTH FALL | LING LANE. (DESCRIPTION | 26 NODE 72 | | 505958/180714 |
| SELF-REPORTED NOT KNOWN HO | O W COLLISION OCC | ROAD-WET CURRED | RAINING | ONE-WAY ST | T/STAG JUN | AUTO SIG | PEDN PHASE AT | S | UNKNOWN S/R |
| CASUALTY | 001 (001) | (37 YRS - F - RI | EDA) | SLIGHT | DRIVER/RIDER | | | | |
| VEHICLE | 001 (000) | CAR BT - DRV NOT (| CONTACTED | (37 YRS - F - REDACT) | | UNKNOWN S/R | (MOVE UNKN) BACK HIT FIRST | COMMUTING UNKNOWN S/R | |
| VEHICLE | 002 (000) | CAR BT - DRV NOT (| | (? YRS - UNKNOWN - | | UNKNOWN S/R | (MOVE UNKN) FRONT HIT | J/P - UNKN UNKNOWN S/R | |





Yiewsley C.Park_Falling Lane Junction Personal Injury Collisions 60 months to end of April 2021



Summary of Collisions Selected Site Reference and Description B26 Site 3 GIS AREA B26 Site 3(P)

Date Period 60MTS TO Apr/2021 Collision Count


The description of how the collision occurred and the contributory factors are the reporting officer's opinion at the time of reporting and may not be the result of extensive investigation. Note that self-reported collisions (introduced in September 2016) may have limited information. Descriptions have been automatically redacted to remove all personally identifiable information, but should you receive any in error please inform the Collisions Data Team as soon as practical. Self-reported collisions introduced in September 2016 may have limited information and tend to be lower in quality than police reports. The introduction of online self-reporting has made it easier for members of the public to report collisions to the police. There have been year on year increases in self-reports since this was introduced. This has contributed to an overall increase in the number of casualties reported on London's roads.

| Pedestrian | 2 | 25% |
|------------|---|-----|
| Wet | 3 | 38% |
| Dark | 1 | 13% |

| Fatal | 0 | 0% |
|---------|---|------|
| Serious | 0 | 0% |
| Slight | 8 | 100% |


Please note that these figures represent the number of collisions that resulted in each type of casualty.


| | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 |
|---|--|--|--|--|--|---|---|--|
| Reference Day Date Time Light Conds Road Surface Severity | 01180100041 THURSDAY 05/04/2018 12:00 LIGHT DRY SLIGHT | 01190228966 TUESDAY 10/12/2019 14:45 LIGHT WET/DAMP SLIGHT | 01190192960 THURSDAY 11/07/2019 12:45 LIGHT DRY SLIGHT | 01180089034 FRIDAY 09/02/2018 10:40 LIGHT DRY SLIGHT | 01170068055 FRIDAY 03/11/2017 15:15 LIGHT DRY SLIGHT | 01170067870 THURSDAY 26/10/2017 13:30 LIGHT WET/DAMP SLIGHT | 01180122882 TUESDAY 24/07/2018 10:02 LIGHT DRY SLIGHT | 01170078793 SUNDAY 17/12/2017 20:50 DARK WET/DAMP SLIGHT |
| Conflict | | | | | | | | |
| Ped Location Contributory (* denotes pre- 2005) | X 409 V001 A 403 V001 A | | 403 V002 A 405 V002 A 406 V002 A | 405 V001 B 706 V001 B | 808 C001 B | | 50M 802 C001 B 405 V001 B | 301 V001 B 405 V001 B 406 V001 B 509 V001 B |
| Easting/Northing | 505946 180709 | 505958 180714 | 505941 180706 | 505953 180680 | 505942 180703 | 505950 180680 | 505940 180670 | 505940 180700 |



APPENDIX B. PTAL Assessment










| Mode | Stop | Route | Distance (metres) | Frequency(vph) | Walk Time (mins) | SWT (mins) | TAT (mins) | EDF | Weight | A |
|------|--------------------------|-----------------------|-------------------|----------------|------------------|------------|------------|------|--------|------|
| Bus | HIGH STREET/FALLING LANE | U5 | 69.77 | 5 | 0.87 | 8 | 8.87 | 3.38 | 0.5 | 1.69 |
| Bus | HIGH STREET/FALLING LANE | 222 | 69.77 | 7.5 | 0.87 | 6 | 6.87 | 4.37 | 1 | 4.37 |
| Bus | HIGH STREET/FALLING LANE | U3 | 69.77 | 5 | 0.87 | 8 | 8.87 | 3.38 | 0.5 | 1.69 |
| Bus | HIGH STREET/FALLING LANE | U1 | 69.77 | 4 | 0.87 | 9.5 | 10.37 | 2.89 | 0.5 | 1.45 |
| Rail | West Drayton | 'PADTON-OXFD 2N14' | 829.26 | 0.33 | 10.37 | 91.66 | 102.02 | 0.29 | 0.5 | 0.15 |
| Rail | West Drayton | 'PADTON-OXFD 2N16' | 829.26 | 0.33 | 10.37 | 91.66 | 102.02 | 0.29 | 0.5 | 0.15 |
| Rail | West Drayton | 'PADTON-OXFD 2N18' | 829.26 | 0.33 | 10.37 | 91.66 | 102.02 | 0.29 | 0.5 | 0.15 |
| Rail | West Drayton | 'PADTON-OXFD 2N22' | 829.26 | 0.67 | 10.37 | 45.53 | 55.89 | 0.54 | 0.5 | 0.27 |
| Rail | West Drayton | 'PADTON-OXFD 2N24' | 829.26 | 0.33 | 10.37 | 91.66 | 102.02 | 0.29 | 0.5 | 0.15 |
| Rail | West Drayton | 'RDNGSTN-PADTON 2P09' | 829.26 | 0.33 | 10.37 | 91.66 | 102.02 | 0.29 | 0.5 | 0.15 |
| Rail | West Drayton | 'OXFD-PADTON 2P11' | 829.26 | 0.33 | 10.37 | 91.66 | 102.02 | 0.29 | 0.5 | 0.15 |
| Rail | West Drayton | 'RDNGSTN-PADTON 2P12' | 829.26 | 0.33 | 10.37 | 91.66 | 102.02 | 0.29 | 0.5 | 0.15 |
| Rail | West Drayton | 'RDNGSTN-PADTON 2P14' | 829.26 | 1.33 | 10.37 | 23.31 | 33.67 | 0.89 | 0.5 | 0.45 |
| Rail | West Drayton | 'RDNGSTN-PADTON 2P17' | 829.26 | 0.33 | 10.37 | 91.66 | 102.02 | 0.29 | 0.5 | 0.15 |
| Rail | West Drayton | 'OXFD-PADTON 2P18' | 829.26 | 0.33 | 10.37 | 91.66 | 102.02 | 0.29 | 0.5 | 0.15 |
| Rail | West Drayton | 'BNBR-PADTON 2P20' | 829.26 | 0.33 | 10.37 | 91.66 | 102.02 | 0.29 | 0.5 | 0.15 |
| Rail | West Drayton | 'SLOUGH-PADTON 2P25' | 829.26 | 0.33 | 10.37 | 91.66 | 102.02 | 0.29 | 0.5 | 0.15 |
| Rail | West Drayton | 'SLOUGH-PADTON 2P32' | 829.26 | 0.33 | 10.37 | 91.66 | 102.02 | 0.29 | 0.5 | 0.15 |
| Rail | West Drayton | 'PADTON-RDNGSTN 2R13' | 829.26 | 1.67 | 10.37 | 18.71 | 29.08 | 1.03 | 1 | 1.03 |
| Rail | West Drayton | 'PADTON-TWYFORD 2R21' | 829.26 | 0.33 | 10.37 | 91.66 | 102.02 | 0.29 | 0.5 | 0.15 |

APPENDIX C. TIM Assessment








TIM output for 2031 (Forecast) Scenario: 2031 (Forecast) Mode: All public transport modes, Time of day. AM peak, Direction: Fromlocation Falling Lane Falling Ln, West Drayton UB7, UK Easting: 506372, Northing: 180924 Report generated: 19/07/2019 This information is produced using forecasting tools and is subject to uncertainty. Population and employment: GLA forecasts 2016 Town Centres: GLA 2016 Education: EduBase 2016 Health: NHS Direct, CQC 2016 Code: WE089A25E





Catchment data for your current selection












APPENDIX D. Falling Lane Car park and traffic data (2019)


Hillingdon, Greater London Car Park Accumulation Study

Site 1 of 3 Yiewsley Library Car Park

Date Thursday 04 July 2019

0700 - 1900 (Thursday 12H Session)






Date Saturday 06 July 2019

Weather Sunny Temp: 19°C





Hillingdon, Greater London Classified Junction Count

Site 1 of 4 Yiewsley Library Car Park (South) Yiewsley Library Car Park (North)



Lat/Long lat 51.515483° lon -0.473928°

Date Thursday 04 July 2019

Weather Sunny Temp: 18°C

0700 - 1900 (Thursday 12H Session)


| | | | | | nent A-B | | | | Urigir | nal Data |
|-------------------------------|---------|---------|------|------|----------|------|------|-----------|------------------|---------------|
| TIME | PICYCLE | M/CYCLE | CAR | TAXI | LGV | OGV1 | OGV2 | BUS/COACH | TOTAL | PCU TOTAL |
| 0700 - 0715 | 0 | 0 | 2 | 0 | 0 | 0 | 0 | 0 | 2 | 2.00 |
| 0715 - 0730 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0.00 |
| 0730 - 0745 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 1 | 1.00 |
| 0745 - 0800 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0.00 |
| Hourly Total | 0 | 0 | 3 | 0 | 0 | 0 | 0 | 0 | 3 | 3.00 |
| Hourly Average | 0.00 | 0.00 | 0.75 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.75 | 0.75 |
| 0800 - 0815 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 1 | 1.00 |
| 0815 - 0830 | 0 | 0 | 1 | 0 | 1 | 0 | 0 | 0 | 2 | 2.00 |
| 0830 - 0845 | 0 | 0 | 6 | 0 | 0 | 0 | 0 | 0 | 6 | 6.00 |
| 0845 - 0900 | 0 | 0 | 11 | 0 | 0 | 0 | 0 | 0 | 11 | 11.00 |
| Hourly Total | 0 | 0 | 19 | 0 | 1 | 0 | 0 | 0 | 20 | 20.00 |
| Hourly Average | 0.00 | 0.00 | 4.75 | 0.00 | 0.25 | 0.00 | 0.00 | 0.00 | 5.00 | 5.00 |
| 0900 - 0915 | 0 | 0 | 3 | 0 | 0 | 0 | 0 | 0 | 3 | 3.00 |
| 0915 - 0930 0930 - 0945 | 0 | 0 | 1 3 | 0 | 1 | 0 | 0 | 0 | 2 | 2.00 |
| | 0 | 0 | 3 | 0 | 0 | 0 | 0 | 0 | 3 | 3.00 |
| 0945 - 1000 | 0 | 0 | 10 | 0 | 0 | 0 | 0 | 0 | 3 11 | 3.00 |
| Hourly Total | 0.00 | 0.00 | 2.50 | 0.00 | 0.25 | 0.00 | 0.00 | 0.00 | 2.75 | 11.00 2.75 |
| Hourly Average 1000 - 1015 | 0.00 | 0.00 | 2.50 | 0.00 | 1 | 0.00 | 0.00 | 0.00 | 2.15 | 2.75 |
| 1015 - 1030 | 0 | 0 | 3 | 0 | 1 | 0 | 0 | 0 | 4 | 4.00 |
| 1030 - 1045 | 0 | Ö | 5 | 0 | 0 | 0 | 0 | 0 | 5 | 5.00 |
| 1045 - 1100 | 0 | Ö | 2 | Ü | 0 | 0 | 0 | i i | 2 | 2.00 |
| Hourly Total | 0 | 0 | 11 | 0 | 2 | 0 | 0 | 0 | 13 | 13.00 |
| | 0.00 | 0.00 | 2.75 | 0.00 | 0.50 | 0.00 | 0.00 | 0.00 | 3.25 | 3.25 |
| Hourly Average 1100 - 1115 | 0.00 | 0.00 | 12 | 0.00 | 0.50 | 0.00 | 0.00 | 0.00 | 12 | 12.00 |
| 1115 - 1130 | ŏ | ŏ | 2 | ő | ŏ | Ö | ő | i i | 2 | 2.00 |
| 1130 - 1145 | ŏ | ŏ | 3 | ů | ŏ | Ö | Ö | l ö | 3 | 3.00 |
| 1145 - 1200 | ŏ | ő | 3 | ŏ | 1 | ŏ | Ö | ŏ | 4 | 4.00 |
| Hourly Total | Ö | ŏ | 20 | 0 | 1 | 0 | 0 | Ö | 21 | 21.00 |
| Hourly Average | 0.00 | 0.00 | 5.00 | 0.00 | 0.25 | 0.00 | 0.00 | 0.00 | 5.25 | 5.25 |
| 1200 - 1215 | 0 | 1 | 4 | 0 | 0 | 0 | 0 | 0 | 5 | 4,40 |
| 1215 - 1230 | Ö | Ö | 2 | Ö | Ö | 0 | 0 | Ö | 2 | 2.00 |
| 1230 - 1245 | 0 | 0 | 4 | 0 | 0 | 0 | 0 | Ö | 4 | 4.00 |
| 1245 - 1300 | ő | ŏ | 5 | ŏ | ő | ŏ | ŏ | ŏ | 5 | 5.00 |
| Hourly Total | 0 | 1 | 15 | 0 | 0 | 0 | 0 | Ö | 16 | 15,40 |
| Hourly Average | 0.00 | 0.25 | 3.75 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 4.00 | 3.85 |
| 1300 - 1315 | 0 | 0 | 2 | 0 | 0 | 0 | 0 | 0 | 2 | 2.00 |
| 1315 - 1330 | Ö | Ö | 1 | 0 | 0 | 0 | Ö | Ö | 1 | 1.00 |
| 1330 - 1345 | Ö | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 1 | 1.00 |
| 1345 - 1400 | 0 | 0 | 1 | 0 | 1 | 0 | 0 | 0 | 2 | 2.00 |
| Hourly Total | 0 | 0 | 4 | 0 | 2 | 0 | 0 | 0 | 6 | 6.00 |
| Hourly Average | 0.00 | 0.00 | 1.00 | 0.00 | 0.50 | 0.00 | 0.00 | 0.00 | 1.50 | 1.50 |
| 1400 - 1415 | 0 | 0 | 2 | 0 | 1 | 0 | 0 | 0 | 3 | 3.00 |
| 1415 - 1430 | 0 | 0 | 6 | 0 | 1 | 0 | 0 | 0 | 7 | 7.00 |
| 1430 - 1445 | 0 | 0 | 3 | 0 | 0 | 0 | 0 | 0 | 3 | 3.00 |
| 1445 - 1500 | 0 | 0 | 7 | 0 | 0 | 0 | 0 | 0 | 7 | 7.00 |
| Hourly Total | 0 | 0 | 18 | 0 | 2 | 0 | 0 | 0 | 20 | 20.00 |
| Hourly Average | 0.00 | 0.00 | 4.50 | 0.00 | 0.50 | 0.00 | 0.00 | 0.00 | 5.00 | 5.00 |
| 1500 - 1515 | 0 | 0 | 3 | 0 | 0 | 0 | 0 | 0 | 3 | 3.00 |
| 1515 - 1530 | 0 | 0 | 19 | 0 | 0 | 0 | 0 | 0 | 19 | 19.00 |
| 1530 - 1545 | 0 | 0 | 12 | 0 | 0 | 0 | 0 | 0 | 12 | 12.00 |
| 1545 - 1600 | 0 | 0 | 3 | 0 | 0 | 0 | 0 | 0 | 3 | 3.00 |
| Hourly Total | 0 | 0 | 37 | 0 | 0 | 0 | 0 | 0 | 37 | 37.00 |
| Hourly Average | 0.00 | 0.00 | 9.25 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 9.25 | 9.25 |
| 1600 - 1615 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 1 | 1.00 |
| 1615 - 1630 | 0 | 0 | 7 | 0 | 0 | 0 | 0 | 0 | 7 | 7.00 |
| 1630 - 1645 | 0 | 0 | 2 | 0 | 0 | 0 | 0 | 0 | 2 | 2.00 |
| 1645 - 1700 | 0 | 0 | 5 | 0 | 0 | 0 | 0 | 0 | 5 | 5.00 |
| Hourly Total | 0 | 0 | 15 | 0 | 0 | 0 | 0 | 0 | 15 | 15.00 |
| Hourly Average | 0.00 | 0.00 | 3.75 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 3.75 | 3.75 |
| 1700 - 1715 1715 - 1730 | 0 | 1 0 | 3 | 0 | 0 | 0 | 0 | 0 | 3 | 2.40 3.00 |
| 1730 - 1745 | 0 | Ö | 3 | Ü | 0 | 0 | 0 | i i | 3 | 3.00 |
| 1745 - 1800 | 0 | ö | 0 | 0 | 0 | 0 | 0 | l ö | 0 | 0.00 |
| Hourly Total | 0 | 1 | 8 | 0 | 0 | 0 | 0 | 0 | 9 | 8.40 |
| Hourly Average | 0.00 | 0.25 | 2.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 2 25 | 2.10 |
| 1800 - 1815 | 0.00 | 0.25 | 2.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 3 | 2.10 |
| 1815 - 1830 | ò | ŏ | 2 | ů | ŏ | Ö | Ö | l ö | 2 | 2.00 |
| 1830 - 1845 | 0 | ő | 1 | ů | 0 | 0 | 0 | Ö | 1 | 1.00 |
| 1845 - 1900 | 0 | Ö | - | 0 | 0 | 0 | 0 | 0 | - i - | 1.00 |
| Hourly Total | ĭ | ŏ | 6 | ŏ | Ö | ŏ | ŏ | ŏ | 7 | 6.20 |
| Hourly Average | 0.25 | 0.00 | 1.50 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 1.75 | 1.55 |
| | | | | | | | | | | |
| | | | | | | | | | | |
| Session Total | 1 | 2 | 166 | 0 | 9 | 0 | 0 | 0 | 178 | 176.00 |

Date Saturday 06 July 2019 Weather Sunny Temp: 19°C 0700 - 1900 (Saturday 12H Session)

| | | | | Moven | ment A-B | | | | Origin | nal Data |
|-------------------------------|---------|---------|------------------|-------|----------|------|------|-----------|--------|--------------|
| TIME | PICYCLE | M/CYCLE | CAR | TAXI | LGV | OGV1 | OGV2 | BUSICOACH | TOTAL | PCU TOTAL |
| 0700 - 0715 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0.00 |
| 0715 - 0730 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0.00 |
| 0730 - 0745 | 0 | Ö | 0 | Ö | 0 | Ö | Ö | Ö | 0 | 0.00 |
| 0745 - 0800 | ŏ | ŏ | Ö | ŏ | ŏ | ŏ | ŏ | ŏ | ŏ | 0.00 |
| Hourly Total | 0 | Ö | 0 | Ö | Ö | Ö | Ö | Ö | ō | 0.00 |
| Hourly Average | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| 0800 - 0815 | 0.00 | 0.00 | 1 | 0 | 0.00 | 0.00 | 0.00 | 0 | 0.00 | 1.00 |
| 0815 - 0830 | Ö | ő | - i - | ŏ | i | ő | 0 | ŏ | 2 | 2.00 |
| 0830 - 0845 | ő | ŏ | -i- | ŏ | ò | ő | ŏ | ŏ | 1 | 1.00 |
| 0845 - 0900 | 0 | 0 | 0 | 0 | ő | Ö | 0 | ő | Ö | 0.00 |
| Hourly Total | 0 | Ö | 3 | 0 | 1 | 0 | 0 | 0 | 4 | 4.00 |
| | 0.00 | 0.00 | | | 0.25 | 0.00 | 0.00 | 0.00 | 1.00 | 1.00 |
| Hourly Average 0900 - 0915 | 0.00 | 0.00 | 0.75 0 | 0.00 | 0.25 | 0.00 | 0.00 | 0.00 | 0 | 0.00 |
| 0915 - 0930 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | |
| 0915 - 0930 | | 0 | | | | | 0 | | 0 | 0.00 |
| | 0 | | 1 | 0 | 0 | 0 | | 0 | 1 | 1.00 |
| 0945 - 1000 | 0 | 0 | 11 | 0 | 0 | 0 | 0 | 0 | 1 | 1.00 |
| Hourly Total | 0 | 0 | 2 | 0 | 0 | 0 | 0 | 0 | 2 | 2.00 |
| Hourly Average | 0.00 | 0.00 | 0.50 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.50 | 0.50 |
| 1000 - 1015 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0.00 |
| 1015 - 1030 | 0 | 0 | 2 | 0 | 0 | 0 | 0 | 0 | 2 | 2.00 |
| 1030 - 1045 | 0 | 1 | 3 | 0 | 0 | 0 | 0 | 0 | 4 | 3.40 |
| 1045 - 1100 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 1 | 1.00 |
| Hourly Total | 0 | 1 | 6 | 0 | 0 | 0 | 0 | 0 | 7 | 6.40 |
| Hourly Average | 0.00 | 0.25 | 1.50 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 1.75 | 1.60 |
| 1100 - 1115 | 0 | 0 | 2 | 0 | 0 | 0 | 0 | 0 | 2 | 2.00 |
| 1115 - 1130 | 0 | 0 | 5 | 0 | 0 | 0 | 0 | 0 | 5 | 5.00 |
| 1130 - 1145 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0.00 |
| 1145 - 1200 | 0 | 0 | 2 | 0 | Ö | 0 | 0 | 0 | 2 | 2.00 |
| Hourly Total | 0 | 0 | 9 | 0 | 0 | 0 | 0 | 0 | 9 | 9.00 |
| Hourly Average | 0.00 | 0.00 | 2.25 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 2.25 | 2.25 |
| 1200 - 1215 | 0 | 0 | 3 | 0 | 0 | 0 | 0 | 0 | 3 | 3.00 |
| 1215 - 1230 | 0 | ŏ | 1 | ŏ | ő | ő | ő | ŏ | ĭ | 1.00 |
| 1230 - 1245 | ŏ | ŏ | 5 | ŏ | ŏ | ŏ | ŏ | ŏ | 5 | 5.00 |
| 1245 - 1300 | ŏ | ŏ | ŏ | ŏ | ŏ | ŏ | ŏ | ŏ | ŏ | 0.00 |
| Hourly Total | 0 | ŏ | 9 | Ö | Ö | Ö | ő | Ö | 9 | 9.00 |
| Hourly Average | 0.00 | 0.00 | 2.25 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 2.25 | 2.25 |
| 1300 - 1315 | 2 | 0.00 | 2.23 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 4 | 2.40 |
| 1315 - 1330 | 0 | ŏ | 1 | 0 | Ö | 0 | 0 | 0 | 1 | 1.00 |
| 1330 - 1345 | 0 | 0 | 2 | 0 | 0 | 0 | 0 | 0 | 2 | 2.00 |
| 1330 - 1345 | 0 | 0 | 2 | 0 | 0 | 0 | 0 | 0 | 2 | 2.00 |
| | 2 | 0 | | 0 | 0 | 0 | 0 | 0 | 9 | |
| Hourly Total | 0.50 | | 1.75 | | 0.00 | 0.00 | 0.00 | | 2.25 | 7.40 1.85 |
| Hourly Average | | 0.00 | | 0.00 | | | 0.00 | 0.00 | | 1.85 |
| 1400 - 1415 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0.00 |
| 1415 - 1430 | 0 | 0 | 2 | Ô | 0 | 0 | Ö | 0 | 2 | 2.00 |
| 1430 - 1445 | 0 | 0 | 5 | 0 | 0 | 0 | 0 | 0 | 5 | 5.00 |
| 1445 - 1500 | 0 | 0 | 3 | 0 | 0 | 0 | 0 | 0 | 3 | 3.00 |
| Hourly Total | 0 | 0 | 10 | 0 | 0 | 0 | 0 | 0 | 10 | 10.00 |
| Hourly Average | 0.00 | 0.00 | 2.50 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 2.50 | 2.50 |
| 1500 - 1515 | 0 | 0 | 5 | 0 | 0 | 0 | 0 | 0 | 5 | 5.00 |
| 1515 - 1530 | 0 | 0 | 2 | 0 | 0 | 0 | Ö | 0 | 2 | 2.00 |
| 1530 - 1545 | 0 | 0 | 5 | 0 | 0 | 0 | 0 | 0 | 5 | 5.00 |
| 1545 - 1600 | 0 | 0 | 5 | 0 | 0 | 0 | 0 | 0 | 5 | 5.00 |
| Hourly Total | 0 | 0 | 17 | 0 | 0 | 0 | 0 | 0 | 17 | 17.00 |
| Hourly Average | 0.00 | 0.00 | 4.25 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 4.25 | 4.25 |
| 1600 - 1615 | 0 | 0 | 3 | 0 | 0 | 0 | 0 | 0 | 3 | 3.00 |
| 1615 - 1630 | 0 | Ö | 1 | Ö | 1 | Ö | Ö | Ö | 2 | 2.00 |
| 1630 - 1645 | 0 | Ö | 2 | Ö | Ó | Ö | Ö | Ö | 2 | 2.00 |
| 1645 - 1700 | 0 | Ö | 1 | Ö | Ö | Ö | Ö | Ö | 1 | 1.00 |
| Hourly Total | 0 | 0 | 7 | 0 | 1 | 0 | 0 | 0 | 8 | 8.00 |
| Hourly Average | 0.00 | 0.00 | 1.75 | 0.00 | 0.25 | 0.00 | 0.00 | 0.00 | 2.00 | 2.00 |
| 1700 - 1715 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0.20 |
| 1715 - 1730 | i i | ŏ | 0 | ŏ | ő | ő | ŏ | ŏ | i | 0.00 |
| 1730 - 1745 | 0 | ŏ | 0 | ő | ů i | ő | ŏ | ŏ | ő | 0.00 |
| 1745 - 1800 | 0 | ő | 3 | 0 | 0 | 0 | 0 | i i | 3 | 3.00 |
| Hourly Total | i | ŏ | 3 | Ö | Ö | ő | Ö | ŏ | 4 | 3.20 |
| Hourly Average | 0.25 | 0.00 | 0.75 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 1.00 | 0.80 |
| 1800 - 1815 | 0.25 | 0.00 | 0.75 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 1.00 | 1.00 |
| 1815 - 1830 | 0 | 0 | 2 | 0 | 0 | 0 | 0 | 0 | 2 | 2.00 |
| 1830 - 1845 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 2 | 1.00 |
| 1830 - 1845 1845 - 1900 | 0 | 0 | 1 | 1 | 0 | 0 | 0 | 0 | 2 | 2.00 |
| Hourly Total | 0 | 0 | 4 | 1 | 1 | 0 | 0 | 0 | 6 | 6.00 |
| | 0.00 | 0.00 | | | | | | 0.00 | | |
| Hourly Average | 0.00 | | 1.00 | 0.25 | 0.25 | 0.00 | 0.00 | 0.00 | 1.50 | 1.50 |
| Hourly Average | | | | | | | | | | |
| Session Total | 3 | 1 1 | 77 | 1 1 | 3 | 0 | 0 | 0 | 85 | 82.00 |

Hillingdon, Greater London Classified Junction Count

Site 1 of 4 Yiewsley Library Car Park (South) Yiewsley Library Car Park (North)



Lat/Long lat 51.515483° lon -0.473928°

Date Thursday 04 July 2019

Weather Sunny Temp: 18°C

0700 - 1900 (Thursday 12H Session)

| | | | | Mover | | | | | | nal Data |
|----------------|---------|---------|------|-------|------|------|------|-----------|-------|-----------|
| TIME | PICYCLE | M/CYCLE | CAR | TAXI | LGV | OGV1 | OGV2 | BUS/COACH | TOTAL | PCU TOTAL |
| 0700 - 0715 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0.00 |
| 0715 - 0730 | 0 | 0 | 0 | 0 | 0 | 0 | Ó | 0 | 0 | 0.00 |
| 0730 - 0745 | 0 | Ö | Ö | Ö | 0 | Ö | Ö | ō | 0 | 0.00 |
| 0745 - 0800 | ŏ | ŏ | ĭ | ő | ĭ | Ö | ő | ŏ | 2 | 2.00 |
| Hourly Total | , o | 0 | 1 | 0 | 1 | 0 | 0 | Ö | 2 | 2.00 |
| | U | U | | | | | | | | 2.00 |
| Hourly Average | 0.00 | 0.00 | 0.25 | 0.00 | 0.25 | 0.00 | 0.00 | 0.00 | 0.50 | 0.50 |
| 0800 - 0815 | 0 | 0 | 3 | 0 | 0 | 0 | 0 | 0 | 3 | 3.00 |
| 0815 - 0830 | 0 | 0 | 15 | 0 | 0 | 0 | 0 | 0 | 15 | 15.00 |
| 0830 - 0845 | 0 | 0 | 9 | 0 | 0 | 0 | 0 | 0 | 9 | 9.00 |
| 0845 - 0900 | 0 | 0 | 4 | 0 | 0 | 0 | Ó | 0 | 4 | 4.00 |
| Hourly Total | 0 | 0 | 31 | 0 | 0 | 0 | 0 | 0 | 31 | 31.00 |
| Hourly Average | 0.00 | 0.00 | 7.75 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 7.75 | 7.75 |
| 0900 - 0915 | 0.00 | 0.00 | 2 | 0 | 0.00 | 0.00 | 0.00 | 0.00 | 2 | 2.00 |
| 0915 - 0930 | - ŭ | 0 | 9 | 0 | 2 | 0 | 0 | ŏ | 11 | 11.00 |
| | | i i | | Ü | | | | | | |
| 0930 - 0945 | 0 | | 3 | | 0 | 0 | 0 | 0 | 3 | 3.00 |
| 0945 - 1000 | 0 | 0 | 3 | 0 | 0 | 0 | 0 | 0 | 3 | 3.00 |
| Hourly Total | 0 | 0 | 17 | 0 | 2 | 0 | 0 | 0 | 19 | 19.00 |
| Hourly Average | 0.00 | 0.00 | 4.25 | 0.00 | 0.50 | 0.00 | 0.00 | 0.00 | 4.75 | 4.75 |
| 1000 - 1015 | 0 | 0 | 1 | 0 | 1 | 0 | 0 | 0 | 2 | 2.00 |
| 1015 - 1030 | 0 | 0 | 4 | 0 | 0 | 0 | 0 | 0 | 4 | 4.00 |
| 1030 - 1045 | 0 | ů ů | 2 | 0 | 0 | ő | Ö | ŏ | 2 | 2.00 |
| 1045 - 1100 | ŏ | ő | 1 | ő | 0 | ő | ŏ | ŏ | 1 | 1.00 |
| | ŏ | ŏ | | Ö | ů | ő | ŏ | ŏ | 9 | 9.00 |
| Hourly Total | | | 8 | | | | | | | |
| Hourly Average | 0.00 | 0.00 | 2.00 | 0.00 | 0.25 | 0.00 | 0.00 | 0.00 | 2.25 | 2.25 |
| 1100 - 1115 | 0 | 0 | 4 | 0 | 1 | 0 | 0 | 0 | 5 | 5.00 |
| 1115 - 1130 | 0 | 0 | 4 | 0 | 0 | 0 | 0 | 0 | 4 | 4.00 |
| 1130 - 1145 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0.00 |
| 1145 - 1200 | 0 | 0 | 5 | 0 | 0 | 0 | 0 | 0 | 5 | 5.00 |
| Hourly Total | 0 | 0 | 13 | 0 | 1 | 0 | Ō | Ö | 14 | 14.00 |
| Hourly Average | 0.00 | 0.00 | 3.25 | 0.00 | 0.25 | 0.00 | 0.00 | 0.00 | 3.50 | 3.50 |
| 1200 - 1215 | 0.00 | 0.00 | 2 | 0 | 0.23 | 0.00 | 0.00 | 0.00 | 2 | 2.00 |
| | | | | | | | | | | |
| 1215 - 1230 | 0 | 0 | 3 | 0 | 1 | 0 | 0 | 0 | 4 | 4.00 |
| 1230 - 1245 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 1 | 1.00 |
| 1245 - 1300 | 0 | 0 | 3 | 0 | 0 | 0 | 0 | 0 | 3 | 3.00 |
| Hourly Total | 0 | 0 | 9 | 0 | 1 | 0 | 0 | 0 | 10 | 10.00 |
| Hourly Average | 0.00 | 0.00 | 2.25 | 0.00 | 0.25 | 0.00 | 0.00 | 0.00 | 2.50 | 2.50 |
| 1300 - 1315 | 0 | 0 | 3 | 0 | 0 | 0 | 0 | 0 | 3 | 3.00 |
| 1315 - 1330 | 0 | 0 | 1 | Ö | 0 | Ö | Ö | Ö | 1 | 1.00 |
| 1330 - 1345 | ŏ | ŏ | ò | ŏ | ő | ŏ | ŏ | ŏ | i i | 0.00 |
| 1345 - 1400 | ŏ | Ö | 3 | ő | 2 | ő | ŏ | ŏ | 5 | 5.00 |
| | | | | | | | | | | |
| Hourly Total | 0 | 0 | 7 | 0 | 2 | 0 | 0 | 0 | 9 | 9.00 |
| Hourly Average | 0.00 | 0.00 | 1.75 | 0.00 | 0.50 | 0.00 | 0.00 | 0.00 | 2.25 | 2.25 |
| 1400 - 1415 | 0 | 0 | 3 | 0 | 1 | 0 | 0 | 0 | 4 | 4.00 |
| 1415 - 1430 | 0 | 0 | 7 | 0 | 0 | 0 | 0 | 0 | 7 | 7.00 |
| 1430 - 1445 | 0 | 0 | 9 | 0 | 0 | 0 | 0 | 0 | 9 | 9.00 |
| 1445 - 1500 | 0 | 0 | 10 | 0 | 0 | 0 | 0 | 0 | 10 | 10.00 |
| Hourly Total | 0 | 0 | 29 | 0 | 1 | 0 | 0 | Ö | 30 | 30.00 |
| Hourly Average | 0.00 | 0.00 | 7.25 | 0.00 | 0.25 | 0.00 | 0.00 | 0.00 | 7.50 | 7.50 |
| 1500 - 1515 | 0.00 | 0.00 | 6 | 0.00 | 0.25 | 0.00 | 0.00 | 0 | 6 | 6.00 |
| 1510 - 1515 | 0 | 0 | | 0 | 0 | 0 | 0 | 0 | | |
| | | | 6 | | | | | | 6 | 6.00 |
| 1530 - 1545 | 0 | 0 | 4 | 0 | 0 | 0 | 0 | 0 | 4 | 4.00 |
| 1545 - 1600 | 0 | 0 | 2 | 0 | 0 | 0 | 0 | 0 | 2 | 2.00 |
| Hourly Total | 0 | 0 | 18 | 0 | 0 | 0 | 0 | 0 | 18 | 18.00 |
| Hourly Average | 0.00 | 0.00 | 4.50 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 4.50 | 4.50 |
| 1600 - 1615 | 0 | 0 | 2 | 0 | 0 | 0 | 0 | 0 | 2 | 2.00 |
| 1615 - 1630 | 0 | 1 | 7 | Ö | Ö | Ö | Ö | ō | 8 | 7.40 |
| 1630 - 1645 | 0 | i | ó | 0 | 0 | ő | ŏ | ŏ | 0 | 0.00 |
| 1645 - 1700 | ŏ | Ö | 5 | ő | 0 | ő | ő | ŏ | 5 | 5.00 |
| Hourly Total | 0 | i | 14 | 0 | 0 | 0 | 0 | ŏ | 15 | 14,40 |
| nourly rotal | 0.00 | 0.25 | 3.50 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 3,75 | 3.60 |
| Hourly Average | | | | | | | | | | |
| 1700 - 1715 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 11 | 1.00 |
| 1715 - 1730 | 0 | 0 | 2 | 0 | 0 | 0 | 0 | 0 | 2 | 2.00 |
| 1730 - 1745 | 1 | 0 | 2 | 0 | 0 | 0 | 0 | 0 | 3 | 2.20 |
| 1745 - 1800 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0.00 |
| Hourly Total | 1 | 0 | 5 | 0 | 0 | 0 | 0 | 0 | 6 | 5.20 |
| Hourly Average | 0.25 | 0.00 | 1.25 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 1.50 | 1.30 |
| 1800 - 1815 | 0.25 | 0.00 | 0 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | | 0.00 |
| | | | | | | | | | 0 | 0.00 |
| 1815 - 1830 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0.00 |
| 1830 - 1845 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 1 | 1.00 |
| 1845 - 1900 | 0 | 0 | 3 | 0 | 0 | 0 | 0 | 0 | 3 | 3.00 |
| Hourly Total | 0 | 0 | 4 | 0 | 0 | 0 | 0 | 0 | 4 | 4.00 |
| | | | | | | | | | | |
| | 0.00 | 0.00 | 1.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 1.00 | 1.00 |
| Hourly Average | 0.00 | 0.00 | 1.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 1.00 | 1.00 |
| | 0.00 | 0.00 | 1.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 1.00 | 1.00 |

Date Saturday 06 July 2019 Weather Sunny Temp: 19°C 0700 - 1900 (Saturday 12H Session)

| | | Movement B-A | | | | | | | | |
|----------------------------|---------|--------------|------|------|------|------|------|-----------|-------|-----------------------|
| TIME | PICYCLE | M/CYCLE | CAR | TAXI | LGV | OGV1 | OGV2 | BUSICOACH | TOTAL | nal Data PCU TOTAL |
| 0700 - 0715 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 1 | 1.00 |
| 0715 - 0730 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0.00 |
| 0730 - 0745 | ő | ŏ | 2 | ŏ | ő | ő | ő | ŏ | 2 | 2.00 |
| 0745 - 0800 | ő | ŏ | 1 | ŏ | i i | ő | ŏ | ŏ | 2 | 2.00 |
| Hourly Total | ŏ | ŏ | 4 | ŏ | 1 | ŏ | ŏ | ŏ | 5 | 5.00 |
| | | | | | | | | | | 1.25 |
| Hourly Average | 0.00 | 0.00 | 1.00 | 0.00 | 0.25 | 0.00 | 0.00 | 0.00 | 1.25 | 1.25 |
| 0800 - 0815 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0.00 |
| 0815 - 0830 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 1 | 1.00 |
| 0830 - 0845 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0.00 |
| 0845 - 0900 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0.00 |
| Hourly Total | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 1 | 1.00 |
| Hourly Average | 0.00 | 0.00 | 0.25 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.25 | 0.25 |
| 0900 - 0915 | 0 | 0 | 3 | 0 | 0 | 0 | 0 | 0 | 3 | 3.00 |
| 0915 - 0930 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0.00 |
| 0930 - 0945 | 0 | 0 | 1 | Ö | 0 | Ö | Ö | Ö | 1 | 1.00 |
| 0945 - 1000 | ő | ŏ | 2 | ŏ | ő | ŏ | ŏ | ŏ | 2 | 2.00 |
| Hourly Total | ŏ | ŏ | 6 | ŏ | ŏ | ŏ | ŏ | ŏ | 6 | 6.00 |
| Hourly Average | 0.00 | 0.00 | 1.50 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 1.50 | 1.50 |
| 1000 - 1015 | 0.00 | 0.00 | 1.50 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 1.30 | 1.00 |
| 1015 - 1030 | 0 | 1 | 2 | 0 | 0 | 0 | 0 | 0 | 3 | 2.40 |
| | | | | | | | | | | |
| 1030 - 1045 | 0 | 0 | 3 | 0 | 0 | 0 | 0 | 0 | 3 | 3.00 |
| 1045 - 1100 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 1 | 1.00 |
| Hourly Total | 0 | 1 | 7 | 0 | 0 | 0 | 0 | 0 | 8 | 7.40 |
| Hourly Average | 0.00 | 0.25 | 1.75 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 2.00 | 1.85 |
| 1100 - 1115 | 1 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 2 | 1.20 |
| 1115 - 1130 | 0 | 0 | 4 | 0 | 0 | 0 | 0 | 0 | 4 | 4.00 |
| 1130 - 1145 | 0 | 0 | 2 | 0 | 0 | Ö | Ö | Ö | 2 | 2.00 |
| 1145 - 1200 | 1 | Ö | 2 | Ö | 0 | Ö | Ö | Ö | 3 | 2.20 |
| Hourly Total | 2 | Ö | 9 | Ö | 0 | Ö | Ö | Ö | 11 | 9.40 |
| Hourly Average | 0.50 | 0.00 | 2.25 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 2.75 | 2.35 |
| 1200 - 1215 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0.00 |
| 1215 - 1230 | 0 | Ö | 6 | Ü | 0 | 0 | 0 | Ö | 6 | 6.00 |
| 1230 - 1245 | 0 | ŏ | 1 | Ö | 0 | 0 | Ö | Ö | 1 | 1.00 |
| 1230 - 1245 | 0 | 0 | 3 | 0 | 0 | 0 | 0 | 0 | 3 | 3.00 |
| | | | | | | | | | | |
| Hourly Total | 0 | 0 | 10 | 0 | 0 | 0 | 0 | 0 | 10 | 10.00 |
| Hourly Average | 0.00 | 0.00 | 2.50 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 2.50 | 2.50 |
| 1300 - 1315 | 0 | 0 | 3 | 0 | 0 | 0 | 0 | 0 | 3 | 3.00 |
| 1315 - 1330 | 0 | 0 | 2 | 0 | 0 | 0 | 0 | 0 | 2 | 2.00 |
| 1330 - 1345 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0.00 |
| 1345 - 1400 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 1 | 1.00 |
| Hourly Total | 0 | Ö | 6 | 0 | 0 | Ö | Ö | Ö | 6 | |
| Hourly Average | 0.00 | 0.00 | 1.50 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 1.50 | 6.00 1.50 |
| 1400 - 1415 | 0 | 0 | 2 | 0 | 0 | 0 | 0 | 0 | 2 | 2.00 |
| 1415 - 1430 | 0 | 0 | 6 | ő | ő | Ö | ő | ő | 6 | 6.00 |
| 1430 - 1445 | 1 1 | i i | 2 | i i | 0 | ő | ŏ | ň | 3 | 2.20 |
| 1445 - 1500 | ò | ŏ | 2 | ŏ | ő | ő | ŏ | ŏ | 2 | 2.00 |
| | | | | | | | | | | |
| Hourly Total | 1 | 0 | 12 | 0 | 0 | 0 | 0 | 0 | 13 | 12.20 |
| Hourly Average | 0.25 | 0.00 | 3.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 3.25 | 3.05 |
| 1500 - 1515 | 0 | 0 | 7 | 0 | 0 | 0 | 0 | 0 | 7 | 7.00 |
| 1515 - 1530 | 0 | 0 | 2 | 0 | 1 | 0 | 0 | 0 | 3 | 3.00 |
| 1530 - 1545 | 0 | 0 | 4 | 0 | 0 | 0 | 0 | 0 | 4 | 4.00 |
| 1545 - 1600 | 0 | 0 | 2 | 0 | 0 | 0 | 0 | 0 | 2 | 2.00 |
| Hourly Total | 0 | 0 | 15 | 0 | 1 | 0 | 0 | 0 | 16 | 16.00 |
| Hourly Average | 0.00 | 0.00 | 3.75 | 0.00 | 0.25 | 0.00 | 0.00 | 0.00 | 4.00 | 4.00 |
| 1600 - 1615 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 1 | 1.00 |
| 1615 - 1630 | ő | ŏ | 2 | ő | Ö | ő | ő | ŏ | 2 | 2.00 |
| 1630 - 1645 | 0 | i i | 1 | ŏ | ő | ő | ŏ | ő | 1 | 1.00 |
| 1645 - 1700 | ő | ŏ | Ó | ŏ | ő | ő | ŏ | ŏ | Ö | 0.00 |
| Hourly Total | Ö | ŏ | 4 | Ü | ů . | 0 | 0 | ő | 4 | 4.00 |
| | | | | | | | | | | |
| Hourly Average | 0.00 | 0.00 | 1.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 1.00 | 1.00 |
| 1700 - 1715 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0.00 |
| 1715 - 1730 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0.00 |
| 1730 - 1745 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 1 | 1.00 |
| 1745 - 1800 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 1 | 1.00 |
| Hourly Total | 0 | Ö | 2 | 0 | 0 | Ö | 0 | 0 | 2 | 2.00 |
| Hourly Average | 0.00 | 0.00 | 0.50 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.50 | 0.50 |
| 1800 - 1815 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 1 | 1.00 |
| 1815 - 1830 | 0 | 0 | - | 0 | 1 | 0 | 0 | Ö | 2 | 2.00 |
| 1830 - 1845 | 0 | ů i | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0.00 |
| 1830 - 1845 1845 - 1900 | 0 | 0 | 1 | 1 | 0 | 0 | 0 | 0 | 2 | 2.00 |
| | | | | | | | | | | |
| Hourly Total | 0 | 0 | 3 | 1 | 1 | 0 | 0 | 0 | 5 | 5.00 |
| Hourly Average | 0.00 | 0.00 | 0.75 | 0.25 | 0.25 | 0.00 | 0.00 | 0.00 | 1.25 | 1.25 |
| | | | | | | | | | | |
| | 3 | 1 1 | 79 | 1 | 3 | 0 | 0 | 0 | 87 | 84.00 |
| Session Total | | | | | | | | | | |

APPENDIX E. Falling Lane In/Out Parking Survey Data (2021)



Job Number & Name: 28021 Yiewsley

Site Number/Name: Yiewsley Library Car Park

Client: i-Transport

Date: 29/06/2021

Weather: Cloudy, Dry

Comments: None

Advanced Transport Research

Yiewsley Library Car Park

Job Number & Name: 28021 Yiewsley

Date: Tuesday 29 Jun 2021

Job Type:

Car Park Count

Co-ordinates:


0° 28' 26. 40"W 51° 30′ 55. 79″N,

Postcode:

UB7 7BE

Times:


0700-1900



| | Car Park | | |
|---------------|----------|------|--|
| Times | Entry | Exit | |
| 07:00 - 07:15 | 2 | 0 | |
| 07:15 - 07:30 | 0 | 2 | |
| 07:30 - 07:45 | 2 | 2 | |
| 07:45 - 08:00 | 1 | 3 | |
| 08:00 - 08:15 | 1 | 0 | |
| 08:15 - 08:30 | 18 | 2 | |
| 08:30 - 08:45 | 13 | 3 | |
| 08:45 - 09:00 | 7 | 19 | |
| 09:00 - 09:15 | 4 | 11 | |
| 09:15 - 09:30 | 0 | 7 | |
| 09:30 - 09:45 | 1 | 1 | |
| 09:45 - 10:00 | 2 | 1 | |
| 10:00 - 10:15 | 2 | 3 | |
| 10:15 - 10:30 | 0 | 1 | |
| 10:30 - 10:45 | 0 | 1 | |
| 10:45 - 11:00 | 2 | 0 | |
| 11:00 - 11:15 | 2 | 1 | |
| 11:15 - 11:30 | 3 | 2 | |
| 11:30 - 11:45 | 4 | 3 | |
| 11:45 - 12:00 | 2 | 3 | |
| 12:00 - 12:15 | 1 | 1 | |
| 12:15 - 12:30 | 4 | 3 | |
| 12:30 - 12:45 | 1 | 2 | |
| 12:45 - 13:00 | 4 | 2 | |
| 13:00 - 13:15 | 2 | 0 | |
| 13:15 - 13:30 | 1 | 2 | |
| 13:30 - 13:45 | 1 | 2 | |
| 13:45 - 14:00 | 2 | 0 | |
| 14:00 - 14:15 | 6 | 2 | |
| 14:15 - 14:30 | 8 | 3 | |
| 14:30 - 14:45 | 10 | 4 | |
| 14:45 - 15:00 | 11 | 3 | |
| 15:00 - 15:15 | 5 | 10 | |
| 15:15 - 15:30 | 8 | 29 | |
| 15:30 - 15:45 | 4 | 4 | |
| 15:45 - 16:00 | 0 | 3 | |
| 16:00 - 16:15 | 2 | 2 | |
| 16:15 - 16:30 | 4 | 4 | |
| 16:30 - 16:45 | 3 | 2 | |
| 16:45 - 17:00 | 3 | 1 | |
| 17:00 - 17:15 | 5 | 7 | |
| 17:15 - 17:30 | 3 | 3 | |
| 17:30 - 17:45 | 1 | 0 | |
| 17:45 - 18:00 | 5 | 2 | |
| 18:00 - 18:15 | 0 | 6 | |
| 18:15 - 18:30 | 0 | 0 | |
| 18:30 - 18:45 | 3 | 2 | |
| 18:45 - 19:00 | 2 | 1 | |

| 42 | Total Spaces | Park & Stride Area | | | | | |
|----|-----------------|--------------------|------------------|------|------------------|--|--|
| 4 | Cars in at Star | Entry | Vehicles with | Exit | Vehicles with | | |
| 6 | 14% | 0 | 0 | 0 | 0 | | |
| 4 | 10% | 0 | 0 | 0 | 0 | | |
| 4 | 10% | 1 | 0 | 0 | 0 | | |
| 2 | 5% | 0 | 0 | 1 | 0 | | |
| 3 | 7% | 1 | 0 | 0 | 0 | | |
| 19 | 45% | 12 | 8 | 1 | 0 | | |
| 29 | 69% | 4 | 3 | 0 | 0 | | |
| 17 | 40% | 4 | 3 | 12 | 0 | | |
| 10 | 24% | 3 | 3 | 5 | 0 | | |
| 3 | 7% | 0 | 0 | 4 | 0 | | |
| 3 | 7% | 0 | 0 | 1 | 0 | | |
| 4 | 10% | 0 | 0 | 1 | 0 | | |
| 3 | 7% | 1 | 0 | 0 | 0 | | |
| 2 | 5% | 0 | 0 | 0 | 0 | | |
| 1 | 2% | 0 | 0 | 0 | 0 | | |
| 3 | 7% | 0 | 0 | 0 | 0 | | |
| 4 | 10% | 0 | 0 | 0 | 0 | | |
| 5 | 12% | 1 | 0 | 0 | 0 | | |
| 6 | 14% | 1 | 0 | 1 | 0 | | |
| 5 | 12% | 0 | 0 | 0 | 0 | | |
| 5 | 12% | 0 | 0 | 0 | 0 | | |
| 6 | 14% | 1 | 0 | 2 | 0 | | |
| 5 | 12% | 1 | 0 | 0 | 0 | | |
| 7 | 17% | 1 | 0 | 0 | 0 | | |
| 9 | 21% | 2 | 0 | 0 | 0 | | |
| 8 | 19% | 0 | 0 | 0 | 0 | | |
| 7 | 17% | 0 | 0 | 1 | 0 | | |
| 9 | 21% | 0 | 0 | 0 | 0 | | |
| 13 | 31% | 3 | 0 | 0 | 0 | | |
| 18 | 43% | 6 | 0 | 0 | 0 | | |
| 24 | 57% | 2 | 0 | 1 | 0 | | |
| 32 | 76% | 1 | 0 | 0 | 0 | | |
| 27 | 64% | 2 | 0 | 3 | 2 | | |
| 6 | 14% | 1 | 0 | 15 | 11 0 | | |
| 6 | 14% 7% | 0 | 0 | 0 | 0 | | |
| 3 | 7% 7% | 0 | 0 | 1 | 0 | | |
| 3 | 7% 7% | 0 | 0 | 0 | 0 | | |
| 4 | 7% 10% | 0 | 0 | 0 | 0 | | |
| 6 | 14% | 0 | 0 | 0 | 0 | | |
| 4 | 10% | 0 | 0 | 0 | 0 | | |
| 4 | 10% | 0 | 0 | 0 | 0 | | |
| 5 | 12% | 0 | 0 | 0 | 0 | | |
| 8 | 19% | 0 | 0 | 0 | 0 | | |
| 2 | 5% | 0 | 0 | 0 | 0 | | |
| 2 | 5% | 0 | 0 | 0 | 0 | | |
| 3 | 7% | 0 | 0 | 0 | 0 | | |
| 4 | 10% | 0 | 0 | 0 | 0 | | |
| | | | - | | | | |
| 4 | Cars in at End | | | | | | |

| 16 | Total S | pace | es |
|---------|----------|------|-------|
| 1 | Cars in | at | Start |
| 1 | 6% | | |
| 1 | 6% | | |
| 2 | 13% | | |
| 1 | 6% | | |
| 2 | 13% | | |
| 13 | 81% | | |
| 17 | 106% | | |
| 9 | 56% | | |
| 7 | 44% | | |
| 3 | 19% | | |
| 2 | 13% | | |
| 1 | 6% | | |
| 2 | 13% | | |
| 2 | 13% | | |
| 2 | 13% | | |
| 2 | 13% | | |
| 2 | 13% | | |
| 3 | 19% | | |
| 3 | 19% | | |
| 3 | 19% | | |
| 3 | 19% | | |
| 2 | 13% | | |
| 3 | 19% | | |
| 4 | 25% | | |
| 6 | 38% | | |
| 6 | 38% | | |
| 5 | 31% | | |
| 5 | 31% | | |
| 8 | 50% | | |
| 14 | 88% | | |
| 15 | 94% | | |
| 16 | 100% | | |
| 15 1 | 94% | | |
| 1 | | | |
| 1 | 6% 6% | | |
| 0 | 0% | | |
| 0 | 0% | | |
| 0 | 0% | | |
| 0 | 0% | | |
| 0 | 0% | | |
| 0 | 0% | | |
| 0 | 0% | | |
| 0 | 0% | | |
| 0 | 0% | | |
| 0 | 0% | | |
| 0 | 0% | | |
| 0 | 0% | | |
| 0 | | at | End |
| ļ |] | | |





Job Number & Name: 28021 Yiewsley

Site Number/Name: Yiewsley Library Car Park

Client: i-Transport

Date: 30/06/2021

Weather: Cloudy, Dry

Comments: None

Advanced Transport Research

Job Number & Name: 28021 Yiewsley

Yiewsley Library Car Park

Date: Wednesday 30 Jun 2021

Job Type:

Car Park Count

Co-ordinates:


0° 28' 26. 40"W 51° 30′ 55. 79″N,

Postcode:

UB7 7BE

Times:


0700-1900



| | Car Park | | |
|--------------------------------|----------|------|--|
| Times | Entry | Exit | |
| 07:00 - 07:15 | 0 | 0 | |
| 07:15 - 07:30 | 2 | 0 | |
| 07:30 - 07:45 | 0 | 0 | |
| 07:45 - 08:00 | 1 | 0 | |
| 08:00 - 08:15 | 4 | 1 | |
| 08:15 - 08:30 | 15 | 5 | |
| 08:30 - 08:45 | 17 | 4 | |
| 08:45 - 09:00 | 6 | 18 | |
| 09:00 - 09:15 | 4 | 9 | |
| 09:15 - 09:30 | 2 | 7 | |
| 09:30 - 09:45 | 1 | 1 | |
| 09:45 - 10:00 | 4 | 3 | |
| 10:00 - 10:15 | 3 | 2 | |
| 10:15 - 10:30 | 1 | 6 | |
| 10:30 - 10:45 | 3 | 2 | |
| 10:45 - 11:00 | 1 | 5 | |
| 11:00 - 11:15 | 2 | 2 | |
| 11:15 - 11:30 | 2 | 1 | |
| 11:30 - 11:45 | 2 | 4 | |
| 11:45 - 12:00 | 2 | 0 | |
| 12:00 - 12:15 | 4 | 2 | |
| 12:15 - 12:30 | 1 | 0 | |
| 12:30 - 12:45 | 1 | 3 | |
| 12:45 - 13:00 | 4 | 3 | |
| 13:00 - 13:15 | 0 | 1 | |
| 13:15 - 13:30 | 4 | 1 | |
| 13:30 - 13:45 | 1 | 4 | |
| 13:45 - 14:00 | 3 | 1 | |
| 14:00 - 14:15 | 1 | 2 | |
| 14:15 - 14:30 | 14 | 1 | |
| 14:30 - 14:45 | 9 | 3 | |
| 14:45 - 15:00 | 10 | 4 | |
| 15:00 - 15:15 15:15 - 15:30 | 6 | 9 | |
| | 3 | 20 | |
| 15:30 - 15:45 15:45 - 16:00 | 5 | 1 5 | |
| 16:00 - 16:15 | 5 3 | 5 | |
| 16:15 - 16:30 | 7 | 2 | |
| 16:30 - 16:45 | 3 | 6 | |
| 16:45 - 17:00 | 2 | 4 | |
| 17:00 - 17:15 | 5 | 2 | |
| 17:15 - 17:30 | 1 | 6 | |
| 17:30 - 17:45 | 4 | 2 | |
| 17:45 - 18:00 | 6 | 1 | |
| 18:00 - 18:15 | 5 | 7 | |
| 18:15 - 18:30 | 2 | 2 | |
| 18:30 - 18:45 | 5 | 1 | |
| 18:45 - 19:00 | 2 | 12 | |
| | | | |

| 42 | Total Spaces | Park & Stride Area | | | | |
|----|-----------------|--------------------|------------------|------|------------------|--|
| 3 | Cars in at Star | Entry | Vehicles with | Exit | Vehicles with | |
| 3 | 7% | 0 | Sahaal 0 | 0 | Cohoo! | |
| 5 | 12% | 0 | 0 | 0 | 0 | |
| 5 | 12% | 0 | 0 | 0 | 0 | |
| 6 | 14% | 1 | 0 | 0 | 0 | |
| 9 | 21% | 1 | 0 | 0 | 0 | |
| 19 | 45% | 8 | 8 | 0 | 0 | |
| 32 | 76% | 7 | 7 | 0 | 0 | |
| 20 | 48% | 3 | 3 | 10 | 0 | |
| 15 | 36% | 1 | 0 | 6 | 0 | |
| 10 | 24% | 0 | 0 | 2 | 0 | |
| 10 | 24% | 0 | 0 | 1 | 0 | |
| 11 | <i>26</i> % | 0 | 0 | 0 | 0 | |
| 12 | 29% | 0 | 0 | 0 | 0 | |
| 7 | 17% | 0 | 0 | 1 | 0 | |
| 8 | 19% | 1 | 0 | 1 | 0 | |
| 4 | 10% | 0 | 0 | 0 | 0 | |
| 4 | 10% | 1 | 0 | 0 | 0 | |
| 5 | 12% | 0 | 0 | 0 | 0 | |
| 3 | 7% | 0 | 0 | 0 | 0 | |
| 5 | 12% | 1 | 0 | 0 | 0 | |
| 7 | 17% | 0 | 0 | 0 | 0 | |
| 8 | 19% | 0 | 0 | 1 | 0 | |
| 6 | 14% | 0 | 0 | 0 | 0 | |
| 7 | 17% | 1 | 0 | 0 | 0 | |
| 6 | 14% | 0 | 0 | 0 | 0 | |
| 9 | 21% | 0 | 0 | 0 | 0 | |
| 6 | 14% | 0 | 0 | 1 | 0 | |
| 8 | 19% | 2 | 0 | 0 | 0 | |
| 7 | 17% | 0 | 0 | 0 | 0 | |
| 20 | 48% | 11 | 0 | 0 | 0 | |
| 26 | 62% | 2 | 0 | 2 | 0 | |
| 32 | 76% | 3 | 0 | 2 | 0 | |
| 29 | 69% | 4 | 0 | 6 | 6 | |
| 12 | 29% | 0 | 0 | 12 | 13 | |
| 16 | 38% | 1 | 0 | 0 | 0 | |
| 16 | 38% | 0 | 0 | 1 | 0 | |
| 14 | 33% | 3 | 0 | 0 | 0 | |
| 19 | 45% | 0 | 0 | 1 | 0 | |
| 16 | 38% | 1 | 0 | 0 | 0 | |
| 14 | 33% | 0 | 0 | 2 | 0 | |
| 17 | 40% | 1 | 0 | 0 | 0 | |
| 12 | 29% | 0 | 0 | 1 | 0 | |
| 14 | 33% | 0 | 0 | 2 | 0 | |
| 19 | 45% | 2 | 0 | 0 | 0 | |
| 17 | 40% | 1 | 0 | 1 | 0 | |
| 17 | 40% | 0 | 0 | 1 | 0 | |
| 21 | 50% | 3 | 0 | 0 | 0 | |
| 11 | 26% | 0 | 0 | 3 | 0 | |
| 11 | Cars in at End | | | | | |

| 16 | Tota | l Sı | pace | es |
|----|------|------------|------|-------|
| 0 | Cars | in | at | Start |
| 0 | | 0% | | |
| 0 | | 0% | | |
| 0 | | 0% | | |
| 1 | | 6% | | |
| 2 | | 13% | | |
| 10 | | 63% | | |
| 17 | 1 | 06% | | |
| 10 | | 63% | | |
| 5 | | 31% | | |
| 3 | | 19% | | |
| 2 | | 13% | | |
| 2 | | 13% | | |
| 2 | | 13% | | |
| 1 | | 6% | | |
| 1 | | 6% | | |
| 1 | | 6% | | |
| 2 | | 13% | | |
| 2 | | 13% | | |
| 2 | | 13% | | |
| 3 | | 19% | | |
| 3 | | 19% | | |
| 2 | | 13% | | |
| 2 | | 13% | | |
| 3 | | 19% | | |
| 3 | | 19% | | |
| 3 | | 19% | | |
| 2 | | 13% | | |
| 4 | | 25% 25% | | |
| 15 | | 23% 94% | | |
| 15 | | 94% | | |
| 16 | , | 00% | | |
| 14 | 1 | 88% | | |
| 2 | | 13% | | |
| 3 | | 19% | | |
| 2 | | 13% | | |
| 5 | | 31% | | |
| 4 | | 25% | | |
| 5 | | 31% | | |
| 3 | | 19% | | |
| 4 | | 25% | | |
| 3 | | 19% | | |
| 1 | | 6% | | |
| 3 | | 19% | | |
| 3 | | 19% | | |
| 2 | | 13% | | |
| 5 | | 31% | | |
| 2 | | 13% | | |
| 2 | Cars | in | at | End |





Job Number & Name: 28021 Yiewsley

Site Number/Name: Yiewsley Library Car Park

Client: i-Transport

Date: 01/07/2021

Weather: Cloudy, Dry

Comments: None

Advanced Transport Research

Job Number & Name: 28021 Yiewsley

Yiewsley Library Car Park

Date: Thursday 01 Jul 2021

Job Type:

Car Park Count

Co-ordinates:


0° 28' 26. 40"W 51° 30′ 55. 79″N,

Postcode:

UB7 7BE

Times:


0700-1900



| | Car Park | | |
|--------------------------------|----------|------|--|
| Times | Entry | Exit | |
| 07:00 - 07:15 | 1 | 1 | |
| 07:15 - 07:30 | 0 | 0 | |
| 07:30 - 07:45 | 0 | 0 | |
| 07:45 - 08:00 | 1 | 0 | |
| 08:00 - 08:15 | 0 | 0 | |
| 08:15 - 08:30 | 14 | 0 | |
| 08:30 - 08:45 | 15 | 2 | |
| 08:45 - 09:00 | 5 | 16 | |
| 09:00 - 09:15 | 4 | 11 | |
| 09:15 - 09:30 | 1 | 10 | |
| 09:30 - 09:45 | 1 | 0 | |
| 09:45 - 10:00 | 0 | 0 | |
| 10:00 - 10:15 | 3 | 2 | |
| 10:15 - 10:30 | 0 | 0 | |
| 10:30 - 10:45 | 1 | 2 | |
| 10:45 - 11:00 | 2 | 1 | |
| 11:00 - 11:15 | 0 | 1 | |
| 11:15 - 11:30 | 2 | 2 | |
| 11:30 - 11:45 | 3 | 0 | |
| 11:45 - 12:00 | 1 | 1 | |
| 12:00 - 12:15 | 2 | 1 | |
| 12:15 - 12:30 | 2 | 1 | |
| 12:30 - 12:45 | 2 | 2 | |
| 12:45 - 13:00 | 2 | 1 | |
| 13:00 - 13:15 | 4 | 5 | |
| 13:15 - 13:30 | 2 | 1 | |
| 13:30 - 13:45 | 0 | 2 | |
| 13:45 - 14:00 | 3 | 1 | |
| 14:00 - 14:15 | 3 | 3 | |
| 14.10 14.00 | 4 | 0 | |
| 14.00 14.40 | 12 | 0 | |
| 14:45 - 15:00 15:00 - 15:15 | 3 | 3 | |
| 15:00 - 15:15 15:15 - 15:30 | 8 | 9 | |
| 15:30 - 15:45 | 6 | 23 | |
| 15:45 - 16:00 | 4 | 4 | |
| 16:00 - 16:15 | 4 | 1 | |
| 16:15 - 16:30 | 4 | 5 | |
| 16:30 - 16:45 | 2 | 0 | |
| 16:45 - 17:00 | 1 | 5 | |
| 17:00 - 17:15 | 5 | 7 | |
| 17:15 - 17:30 | 4 | 0 | |
| 17:30 - 17:45 | 1 | 2 | |
| 17:45 - 18:00 | 2 | 7 | |
| 18:00 - 18:15 | 0 | 1 | |
| 18:15 - 18:30 | 2 | 1 | |
| 18:30 - 18:45 | 11 | 5 | |
| 18:45 - 19:00 | 4 | 4 | |
| 10.20 - 19:00 | 4 | 4 | |

| 42 | Total Spaces | Park & Stride Area | | | | |
|----|-----------------|--------------------|------------------|------|------------------|--|
| 4 | Cars in at Star | Entry | Vehicles with | Exit | Vehicles with | |
| 4 | 10% | 0 | 0 | 0 | 0 | |
| 4 | 10% | 0 | 0 | 0 | 0 | |
| 4 | 10% | 0 | 0 | 0 | 0 | |
| 5 | 12% | 1 | 0 | 0 | 0 | |
| 5 | 12% | 0 | 0 | 0 | 0 | |
| 19 | 45% | 10 | 10 | 0 | 0 | |
| 32 | 76% | 6 | 6 | 1 | 0 | |
| 21 | 50% | 2 | 2 | 10 | 0 | |
| 14 | 33% | 3 | 2 | 5 | 0 | |
| 5 | 12% | 0 | 0 | 3 | 1 | |
| 6 | 14% | 1 | 0 | 0 | 0 | |
| 6 | 14% | 0 | 0 | 0 | 0 | |
| 7 | 17% | 0 | 0 | 1 | 0 | |
| 7 | 17% | 0 | 0 | 0 | 0 | |
| 6 | 14% | 0 | 0 | 1 | 0 | |
| 7 | 17% | 0 | 0 | 0 | 0 | |
| 6 | 14% | 0 | 0 | 0 | 0 | |
| 6 | 14% | 1 | 0 | 0 | 0 | |
| 9 | 21% | 1 | 0 | 0 | 0 | |
| 9 | 21% | 0 | 0 | 0 | 0 | |
| 10 | 24% | 0 | 0 | 1 | 0 | |
| 11 | 26% | 1 | 0 | 1 | 0 | |
| 11 | 26% | 1 | 0 | 1 | 0 | |
| 12 | 29% | 1 | 0 | 0 | 0 | |
| 11 | 26% | 0 | 0 | 0 | 0 | |
| 12 | 29% | 1 | 1 | 1 | 0 | |
| 10 | 24% | 0 | 0 | 1 | 0 | |
| 12 | 29% | 2 | 0 | 0 | 0 | |
| 12 | 29% | 2 | 0 | 1 | 0 | |
| 16 | 38% | 3 | 0 | 0 | 0 | |
| 28 | 67% | 7 | 0 | 0 | 0 | |
| 28 | 67% | 0 | 0 | 0 | 0 | |
| 27 | 64% | 1 | 0 | 2 | 2 | |
| 10 | 24% | 2 | 1 | 11 | 11 | |
| 12 | 29% | 0 | 0 | 0 | 0 | |
| 12 | 29% | 0 | 0 | 1 | 1 | |
| 15 | 36% | 0 | 0 | 0 | 0 | |
| 14 | 33% | 0 | 0 | 0 | 0 | |
| 16 | 38% | 0 | 0 | 0 | 0 | |
| 12 | 29% | 0 | 0 | 2 | 2 | |
| 10 | 24% | 1 | 0 | 2 | 1 | |
| 14 | 33% | 1 | 0 | 0 | 0 | |
| 13 | 31% | 0 | 0 | 1 | 0 | |
| 8 | 19% | 0 | 0 | 1 | 0 | |
| 7 | 17% | 0 | 0 | 0 | 0 | |
| 8 | 19% | 0 | 0 | 1 | 1 | |
| 14 | 33% | 0 | 0 | 0 | 0 | |
| 14 | 33% | 0 | 0 | 0 | 0 | |
| 14 | Cars in at End | | | | | |

| 16 | Total S _l | pace | es |
|--------|----------------------|------|-------|
| 0 | Cars in | at | Start |
| 0 | 0% | | |
| 0 | 0% | | |
| 0 | 0% | | |
| 1 | 6% | | |
| 1 | 6% | | |
| 11 | 69% | | |
| 16 | 100% | | |
| 8 | 50% | | |
| 6 | 38% | | |
| 3 | 19% | | |
| 4 | 25% | | |
| 4 | 25% | | |
| 3 | 19% | | |
| 3 | 19% | | |
| 2 | 13% | | |
| 2 | 13% | | |
| 2 | 13% | | |
| 3 | 19% | | |
| 4 | 25% | | |
| 4 | 25% | | |
| 3 | 19% | | |
| 3 | 19% | | |
| 3 | 19% | | |
| 4 | 25% | | |
| 4 | 25% | | |
| 4 | 25% | | |
| 3 | 19% | | |
| 5 | 31% | | |
| 6 | 38% | | |
| 9 | 56% | | |
| 16 | 100% | | |
| 16 | 100% | | |
| 15 | 94% 38% | | |
| 6 | | | |
| 6 5 | 38% 31% | | |
| 5 | 31% | | |
| 5 | 31% | | |
| 5 | 31% | | |
| 3 | 19% | | |
| 2 | 13% | | |
| 3 | 19% | | |
| 2 | 13% | | |
| 1 | 6% | | |
| 1 | 6% | | |
| 0 | 0% | | |
| 0 | 0% | | |
| 0 | 0% | | |
| 0 | | at | End |
| | 15 111 | | |



APPENDIX F. TRICS Output

Friday 03/09/21 Page 1

Licence No: 236603

i-Transport LLP 4 Lombard Street London

Calculation Reference: AUDIT-236603-210903-0944

TRIP RATE CALCULATION SELECTION PARAMETERS:

Land Use : 03 - RESIDENTIAL

Category : C - FLATS PRIVATELY OWNED

TOTAL VEHICLES

Selected regions and areas:

01 GREATER LONDON

BEXLEY BE 1 days **BARKING** BK 1 days HAMMERSMITH AND FULHAM HM 1 days НО **HOUNSLOW** 1 days ΚI KINGSTON 1 days WF WALTHAM FOREST 1 days

This section displays the number of survey days per TRICS® sub-region in the selected set

Primary Filtering selection:

This data displays the chosen trip rate parameter and its selected range. Only sites that fall within the parameter range are included in the trip rate calculation.

Parameter: No of Dwellings Actual Range: 20 to 86 (units:) Range Selected by User: 20 to 100 (units:)

Parking Spaces Range: All Surveys Included

Parking Spaces per Dwelling Range: All Surveys Included

Bedrooms per Dwelling Range: All Surveys Included

Percentage of dwellings privately owned: All Surveys Included

Public Transport Provision:

Selection by: Include all surveys

Date Range: 01/01/13 to 10/09/20

This data displays the range of survey dates selected. Only surveys that were conducted within this date range are included in the trip rate calculation.

Selected survey days:

Monday 1 days Tuesday 1 days Wednesday 3 days Thursday 1 days

This data displays the number of selected surveys by day of the week.

Selected survey types:

Manual count 6 days
Directional ATC Count 0 days

This data displays the number of manual classified surveys and the number of unclassified ATC surveys, the total adding up to the overall number of surveys in the selected set. Manual surveys are undertaken using staff, whilst ATC surveys are undertaking using machines.

Selected Locations:

Town Centre 3
Edge of Town Centre 3

This data displays the number of surveys per main location category within the selected set. The main location categories consist of Free Standing, Edge of Town, Suburban Area, Neighbourhood Centre, Edge of Town Centre, Town Centre and Not Known.

Selected Location Sub Categories:

Residential Zone 3
Built-Up Zone 1
High Street 1
No Sub Category 1

This data displays the number of surveys per location sub-category within the selected set. The location sub-categories consist of Commercial Zone, Industrial Zone, Development Zone, Residential Zone, Retail Zone, Built-Up Zone, Village, Out of Town, High Street and No Sub Category.

TRICS 7.8.2 210621 B20.20 Database right of TRICS Consortium Limited, 2021. All rights reserved

Friday 03/09/21 Page 2

Licence No: 236603

i-Transport LLP 4 Lombard Street London

Secondary Filtering selection:

Use Class: C3

C3 6 days

This data displays the number of surveys per Use Class classification within the selected set. The Use Classes Order 2005 has been used for this purpose, which can be found within the Library module of TRICS®.

Population within 500m Range:

All Surveys Included

Population within 1 mile:

 25,001 to 50,000
 3 days

 50,001 to 100,000
 2 days

 100,001 or More
 1 days

This data displays the number of selected surveys within stated 1-mile radii of population.

Population within 5 miles:

500,001 or More 6 days

This data displays the number of selected surveys within stated 5-mile radii of population.

Car ownership within 5 miles:

0.6 to 1.0 5 days 1.1 to 1.5 1 days

This data displays the number of selected surveys within stated ranges of average cars owned per residential dwelling, within a radius of 5-miles of selected survey sites.

Travel Plan:

Yes 1 days No 5 days

This data displays the number of surveys within the selected set that were undertaken at sites with Travel Plans in place, and the number of surveys that were undertaken at sites without Travel Plans.

PTAL Rating:

 2 Poor
 1 days

 3 Moderate
 2 days

 5 Very Good
 2 days

 6a Excellent
 1 days

This data displays the number of selected surveys with PTAL Ratings.

Covid-19 Restrictions

Yes

At least one survey within the selected data set was undertaken at a time of Covid-19 restrictions

i-Transport LLP 4 Lombard Street Licence No: 236603 London

LIST OF SITES relevant to selection parameters

BEXLEY BLOCKS OF FLATS

BE-03-C-01 CROOK LOG **BEXLEYHEATH**

Edge of Town Centre Residential Zone

Total No of Dwellings: 79

Survey date: WEDNESDAY 19/09/18 Survey Type: MANUAL

BK-03-C-01 **BLOCKS OF FLATS BARKING**

NORTH STREET BARKING

Town Centre No Sub Category

Total No of Dwellings: 40

Survey date: THURSDAY 10/09/20 Survey Type: MANUAL

HAMMERSMITH AND FULHAM HM-03-C-01 **BLOCK OF FLATS**

VANSTON PLACE

FULHAM

Town Centre High Street

Total No of Dwellings: 42

Survey date: WEDNESDAY 16/07/14 Survey Type: MANUAL

HO-03-C-02 **BLOCK OF FLATS** HOUNSLOW

HIGH STREET **BRENTFORD**

> Town Centre Built-Up Zone

Total No of Dwellings: 86

Survey Type: MANUAL Survey date: WEDNESDAY 03/09/14

KI-03-C-03 **BLOCK OF FLATS** KINGSTON

PORTSMOUTH ROAD

SURBITON

Edge of Town Centre Residential Zone

Total No of Dwellings: 20

Survey date: MONDAY 11/07/16 Survey Type: MANUAL WALTHAM FOREST

WF-03-C-01 **BLOCKS OF FLATS ERSKINE ROAD**

WALTHAMSTOW

Edge of Town Centre Residential Zone

Total No of Dwellings: 73

> Survey date: TUESDAY 05/11/19 Survey Type: MANUAL

This section provides a list of all survey sites and days in the selected set. For each individual survey site, it displays a unique site reference code and site address, the selected trip rate calculation parameter and its value, the day of the week and date of each survey, and whether the survey was a manual classified count or an ATC count.

i-Transport LLP 4 Lombard Street London

TRIP RATE for Land Use 03 - RESIDENTIAL/C - FLATS PRIVATELY OWNED

TOTAL VEHICLES

Calculation factor: 1 DWELLS

BOLD print indicates peak (busiest) period

| | | ARRIVALS | | Į. | DEPARTURES | , | | TOTALS | |
|---------------|------|----------|-------|------|------------|-------|------|--------|-------|
| | No. | Ave. | Trip | No. | Ave. | Trip | No. | Ave. | Trip |
| Time Range | Days | DWELLS | Rate | Days | DWELLS | Rate | Days | DWELLS | Rate |
| 00:00 - 01:00 | | | | | | | _ | | |
| 01:00 - 02:00 | | | | | | | | | |
| 02:00 - 03:00 | | | | | | | | | |
| 03:00 - 04:00 | | | | | | | | | |
| 04:00 - 05:00 | | | | | | | | | |
| 05:00 - 06:00 | | | | | | | | | |
| 06:00 - 07:00 | | | | | | | | | |
| 07:00 - 08:00 | 6 | 57 | 0.032 | 6 | 57 | 0.094 | 6 | 57 | 0.126 |
| 08:00 - 09:00 | 6 | 57 | 0.044 | 6 | 57 | 0.103 | 6 | 57 | 0.147 |
| 09:00 - 10:00 | 6 | 57 | 0.041 | 6 | 57 | 0.056 | 6 | 57 | 0.097 |
| 10:00 - 11:00 | 6 | 57 | 0.071 | 6 | 57 | 0.062 | 6 | 57 | 0.133 |
| 11:00 - 12:00 | 6 | 57 | 0.074 | 6 | 57 | 0.065 | 6 | 57 | 0.139 |
| 12:00 - 13:00 | 6 | 57 | 0.047 | 6 | 57 | 0.053 | 6 | 57 | 0.100 |
| 13:00 - 14:00 | 6 | 57 | 0.056 | 6 | 57 | 0.074 | 6 | 57 | 0.130 |
| 14:00 - 15:00 | 6 | 57 | 0.044 | 6 | 57 | 0.082 | 6 | 57 | 0.126 |
| 15:00 - 16:00 | 6 | 57 | 0.085 | 6 | 57 | 0.053 | 6 | 57 | 0.138 |
| 16:00 - 17:00 | 6 | 57 | 0.088 | 6 | 57 | 0.062 | 6 | 57 | 0.150 |
| 17:00 - 18:00 | 6 | 57 | 0.118 | 6 | 57 | 0.082 | 6 | 57 | 0.200 |
| 18:00 - 19:00 | 6 | 57 | 0.071 | 6 | 57 | 0.053 | 6 | 57 | 0.124 |
| 19:00 - 20:00 | 4 | 53 | 0.118 | 4 | 53 | 0.071 | 4 | 53 | 0.189 |
| 20:00 - 21:00 | 4 | 53 | 0.057 | 4 | 53 | 0.057 | 4 | 53 | 0.114 |
| 21:00 - 22:00 | | | | | | | | | |
| 22:00 - 23:00 | | | | | | | | | |
| 23:00 - 24:00 | | | | | | | | | |
| Total Rates: | | | 0.946 | | | 0.967 | | | 1.913 |

This section displays the trip rate results based on the selected set of surveys and the selected count type (shown just above the table). It is split by three main columns, representing arrivals trips, departures trips, and total trips (arrivals plus departures). Within each of these main columns are three sub-columns. These display the number of survey days where count data is included (per time period), the average value of the selected trip rate calculation parameter (per time period), and the trip rate result (per time period). Total trip rates (the sum of the column) are also displayed at the foot of the table.

To obtain a trip rate, the average (mean) trip rate parameter value (TRP) is first calculated for all selected survey days that have count data available for the stated time period. The average (mean) number of arrivals, departures or totals (whichever applies) is also calculated (COUNT) for all selected survey days that have count data available for the stated time period. Then, the average count is divided by the average trip rate parameter value, and multiplied by the stated calculation factor (shown just above the table and abbreviated here as FACT). So, the method is: COUNT/TRP*FACT. Trip rates are then rounded to 3 decimal places.

The survey data, graphs and all associated supporting information, contained within the TRICS Database are published by TRICS Consortium Limited ("the Company") and the Company claims copyright and database rights in this published work. The Company authorises those who possess a current TRICS licence to access the TRICS Database and copy the data contained within the TRICS Database for the licence holders' use only. Any resulting copy must retain all copyrights and other proprietary notices, and any disclaimer contained thereon.

The Company accepts no responsibility for loss which may arise from reliance on data contained in the TRICS Database. [No warranty of any kind, express or implied, is made as to the data contained in the TRICS Database.]

Parameter summary

Trip rate parameter range selected: 20 - 86 (units:)
Survey date date range: 01/01/13 - 10/09/20

Number of weekdays (Monday-Friday):6Number of Saturdays:0Number of Sundays:0Surveys automatically removed from selection:0Surveys manually removed from selection:0

This section displays a quick summary of some of the data filtering selections made by the TRICS® user. The trip rate calculation parameter range of all selected surveys is displayed first, followed by the range of minimum and maximum survey dates selected by the user. Then, the total number of selected weekdays and weekend days in the selected set of surveys are show. Finally, the number of survey days that have been manually removed from the selected set outside of the standard filtering procedure are displayed.

APPENDIX G. Fairfield Road car park data

Hillingdon, Greater London Car Park Accumulation Study

Site 2 of 3 Fairfield Road Car Park

 Capacity
 14

 Ordinary
 14

 Electric
 3

 Disabled
 11


 Reserved
 6


 Total
 156

Date Thursday 04 July 2019

Weather Sunny Temp: 18°C

0700 - 1900 (Thursday 12H Session)





Date Saturday 06 July 2019

Weather Sunny Temp: 19°C

0700 - 1900 (Saturday 12H Session)

