







EXISTING REAR ELEVATION



EXISTING RIGHT SIDE ELEVATION



EXISTING LEFT SIDE ELEVATION

All dimensions verified on site.
All work to comply with British Standards, Code of practice.
All internal works to be in accordance with client.
All external works to be in accordance with client.
All external surfacing to match existing.
All work to be to the satisfaction of the local authority-building surveyor.
Builder to serve building notice and comply fully in all respects.
Owner responsible for compliance with 1 Party Wall etc Act 1996. The Building Notice must be submitted to the Local Authority Building Control for approval.
Builder to ensure all work in compliance with Build Over agreement as approved by

Thames Water
All proprietary materials to
manufacture recommendations
Validated by Gas Safe registered
installer and to Gas Safe recommendations
and to Gas Safe recommendations
All wiring and electrical work will be designed,
installed, inspected and tested in accordance
with the requirements of BS 7671:2001 (2004),
with the requirements of BS 7671:2001 (2004),
with the requirements of BS 7671:2001 (2004),
Regulation Part P (Electrical Safety) by a
competent person registered with an electrical
self-certification scheme, (BRE, BSI, ELECSA,
NAPIT, or NICEIC), authorised by the Secretary
of State
The competent person is to send a self-
certification certificate to the Local Authority
Building Control Department within 30 days of
completion of the electrical works. The client
must receive both a copy of the self-certification
certificate and a BS 7671:2001 (2004) Electrical
Installation Certificate and a copy of the copies
to the Local Authority Building Control Dept.
These drawings for planning permission purposes
only. Owner to ensure all works remain within
boundary/corridor of site.

DATE	REVISION

COPYRIGHT:

JOB TITLE:
5 VICTORIA AVENUE HILLINGDON

DRAWING TITLE:
EXISTING ELEVATIONS

SCALE: 1:100

DATE: 09-03-2022

DRAWN BY:

DRG. NO.

2022/5/VAH/102

REV.