


Item Details

Doors - (D0.01)

1



D01 UCBH GF Rm1

Non-FSC

FD30S Non-Acoustic Paper Overlay faced Strebor 44mm door

2158mmx800mm

Inner Face: Paper Overlay, Primed

Outer Face: Paper Overlay, Primed

Concealed Steamed Beech lippings and hockey stick beads

Glazed with 7mm Pyrobelite Clear Glass EW30 - 3(B)3

2no. 195 x 1050

Tulipwood Lining, c/w 32mm x 12mm loose stops & 68mm x 18mm Once Pencil Round MDF architraves, Primed

Left Jamb: 200mm x 32mm

Right Jamb: 200mm x 32mm

Head Jamb: 200mm x 32mm

Stops and Architraves supplied in lengths to be cut on site.

Ready2Hang


Hinges: Arrone Lift Off Hinge

Drop Seal: STS 422GT Door Bottom Seal

Locks/Latches: Free Issue Mortice Sashlock.

Doors - (D0.02)

1



D02 UCBH GF Rm1 (2)

Non-FSC

FD30S Non-Acoustic Paper Overlay faced Strebor 44mm double doors

2158mmx618mm

Inner Face: Paper Overlay, Primed

Outer Face: Paper Overlay, Primed

Concealed Steamed Beech lippings and hockey stick beads

Glazed with 7mm Pyrobelite Clear Glass EW30 - 3(B)3

1no. 358 x 1050, 1no. 300 x 1050

Tulipwood Lining, c/w 32mm x 12mm loose stops & 68mm x 18mm Once Pencil Round MDF architraves, Primed

Left Jamb: 144mm x 32mm, 101mm x 18mm Extension Lining

Right Jamb: 144mm x 32mm, 101mm x 18mm Extension Lining

Head Jamb: 144mm x 32mm, 101mm Extension Lining

Stops and Architraves supplied in lengths to be cut on site.

Ready2Hang

Hinges: Arrone Lift Off Hinge


Drop Seal: STS 422GT Door Bottom Seal

Locks/Latches: Free Issue Mortice Sashlock.

Item Details

Doors - (D0.03)

1



D03 UCBH GF Rm2

Non-FSC

FD30S Non-Acoustic Paper Overlay faced Strebor 44mm door
2158mmx1010mm

Inner Face: Paper Overlay, Primed

Outer Face: Paper Overlay, Primed

Concealed Steamed Beech lippings and hockey stick beads

Glazed with 7mm Pyrobelite Clear Glass EW30 - 3(B)3

2no. 300 x 1050

Tulipwood Lining, c/w 32mm x 12mm loose stops & 68mm x 18mm Once Pencil Round MDF architraves, Primed

Left Jamb: 175mm x 32mm

Right Jamb: 175mm x 32mm

Head Jamb: 175mm x 32mm

Stops and Architraves supplied in lengths to be cut on site.

Ready2Hang


Hinges: Arrone Lift Off Hinge

Drop Seal: STS 422GT Door Bottom Seal

Locks/Latches: Free Issue Mortice Sashlock.

Doors - (D0.04)

1



D04 UCBH GF Rm3

Non-FSC

FD30S Non-Acoustic Paper Overlay faced Strebor 44mm door
2158mmx880mm

Inner Face: Paper Overlay, Primed

Outer Face: Paper Overlay, Primed

Concealed Steamed Beech lippings and hockey stick beads

Glazed with 7mm Pyrobelite Clear Glass EW30 - 3(B)3

2no. 235 x 1050

Tulipwood Lining, c/w 32mm x 12mm loose stops & 68mm x 18mm Once Pencil Round MDF architraves, Primed

Left Jamb: 145mm x 32mm

Right Jamb: 145mm x 32mm

Head Jamb: 145mm x 32mm

Stops and Architraves supplied in lengths to be cut on site.

Ready2Hang

Hinges: Arrone Lift Off Hinge


Drop Seal: STS 422GT Door Bottom Seal

Locks/Latches: Free Issue Mortice Sashlock.

Item Details

Doors - (D0.05)

1



D05 UCBH GF Rm4

Non-FSC

FD30S Non-Acoustic Paper Overlay faced Strebor 44mm door
1938mmx980mm

Inner Face: Paper Overlay, Primed

Outer Face: Paper Overlay, Primed

Concealed Steamed Beech lippings and hockey stick beads

Glazed with 7mm Pyrobelite Clear Glass EW30 - 3(B)3

2no. 285 x 950

Tulipwood Lining, c/w 32mm x 12mm loose stops & 68mm x 18mm Once Pencil Round MDF architraves, Primed

Left Jamb: 144mm x 32mm, 141mm x 18mm Extension Lining

Right Jamb: 144mm x 32mm, 141mm x 18mm Extension Lining

Head Jamb: 144mm x 32mm, 141mm Extension Lining

Stops and Architraves supplied in lengths to be cut on site.

Ready2Hang


Hinges: Arrone Lift Off Hinge

Drop Seal: STS 422GT Door Bottom Seal

Locks/Latches: Free Issue Mortice Sashlock.

Doors - (D0.06)

1



D06 UCBH GF Rm4 (2)

Non-FSC

FD30S Non-Acoustic Paper Overlay faced Strebor 44mm double doors
1938mmx698mm

Inner Face: Paper Overlay, Primed

Outer Face: Paper Overlay, Primed

Concealed Steamed Beech lippings and hockey stick beads

Glazed with 7mm Pyrobelite Clear Glass EW30 - 3(B)3

2no. 438 x 950

Tulipwood Lining, c/w 32mm x 12mm loose stops & 68mm x 18mm Once Pencil Round MDF architraves, Primed

Left Jamb: 175mm x 32mm

Right Jamb: 175mm x 32mm

Head Jamb: 175mm x 32mm

Stops and Architraves supplied in lengths to be cut on site.


Ready2Hang

Hinges: Arrone Lift Off Hinge

Drop Seal: STS 422GT Door Bottom Seal

Locks/Latches: Free Issue Mortice Sashlock.

Item Details



Doors - (D0.07)

1

D07 UCBH GF Rm5

Non-FSC

FD30S Non-Acoustic Paper Overlay faced Strebor 44mm door
2038mmx980mm

Inner Face: Paper Overlay, Primed

Outer Face: Paper Overlay, Primed

Concealed Steamed Beech lippings and hockey stick beads

Glazed with 7mm Pyrobelite Clear Glass EW30 - 3(B)3

2no. 285 x 1050

Tulipwood Lining, c/w 32mm x 12mm loose stops & 68mm x 18mm Once Pencil Round MDF architraves, Primed

Left Jamb: 100mm x 32mm

Right Jamb: 100mm x 32mm

Head Jamb: 100mm x 32mm


Stops and Architraves supplied in lengths to be cut on site.

Ready2Hang

Hinges: Arrone Lift Off Hinge

Drop Seal: STS 422GT Door Bottom Seal

Locks/Latches: Free Issue Mortice Sashlock.



Doors - (D0.08)

1

D08 UCBH GF Kitchen

Non-FSC

FD30S Non-Acoustic Paper Overlay faced Strebor 44mm door
2018mmx960mm

Inner Face: Paper Overlay, Primed

Outer Face: Paper Overlay, Primed

Concealed Steamed Beech lippings and hockey stick beads

Glazed with 7mm Pyrobelite Clear Glass EW30 - 3(B)3

2no. 275 x 950

Tulipwood Lining, c/w 32mm x 12mm loose stops & 68mm x 18mm Once Pencil Round MDF architraves, Primed

Left Jamb: 144mm x 32mm, 116mm x 18mm Extension Lining

Right Jamb: 144mm x 32mm, 116mm x 18mm Extension Lining

Head Jamb: 144mm x 32mm, 116mm Extension Lining

Stops and Architraves supplied in lengths to be cut on site.


Ready2Hang

Hinges: Arrone Lift Off Hinge

Drop Seal: STS 422GT Door Bottom Seal

Locks/Latches: Free Issue Mortice Sashlock.

Item Details



Doors - (D0.09)

1

D09 UCBH GF Rm6

Non-FSC

FD30S Non-Acoustic Paper Overlay faced Strebor 44mm door
2038mmx740mm

Inner Face: Paper Overlay, Primed

Outer Face: Paper Overlay, Primed

Concealed Steamed Beech lippings and hockey stick beads

Glazed with 7mm Pyrobelite Clear Glass EW30 - 3(B)3

2no. 165 x 1050

Tulipwood Lining, c/w 32mm x 12mm loose stops & 68mm x 18mm Once Pencil Round MDF architraves, Primed

Left Jamb: 125mm x 32mm

Right Jamb: 125mm x 32mm

Head Jamb: 125mm x 32mm


Stops and Architraves supplied in lengths to be cut on site.

Ready2Hang

Hinges: Arrone Lift Off Hinge

Drop Seal: STS 422GT Door Bottom Seal

Locks/Latches: Free Issue Mortice Sashlock.



Doors - (D0.10)

1

D10 UCBH GF Immersion

Non-FSC

FD30S Non-Acoustic Paper Overlay faced Strebor 44mm door
2043mmx715mm

Inner Face: Paper Overlay, Primed

Outer Face: Paper Overlay, Primed

Concealed Steamed Beech lippings and hockey stick beads

Glazed with 7mm Pyrobelite Clear Glass EW30 - 3(B)3

2no. 152 x 1050

Tulipwood Lining, c/w 32mm x 12mm loose stops & 68mm x 18mm Once Pencil Round MDF architraves, Primed

Left Jamb: 135mm x 32mm

Right Jamb: 135mm x 32mm

Head Jamb: 135mm x 32mm

Stops and Architraves supplied in lengths to be cut on site.


Ready2Hang

Hinges: Arrone Lift Off Hinge

Drop Seal: STS 422GT Door Bottom Seal

Locks/Latches: Free Issue Mortice Sashlock.

Item Details



Doors - (D0.11)

1

D11 UCBH GF Server

Non-FSC

FD30S Non-Acoustic Paper Overlay faced Strebor 44mm door
2038mmx845mm

Inner Face: Paper Overlay, Primed

Outer Face: Paper Overlay, Primed

Concealed Steamed Beech lippings and hockey stick beads

Glazed with 7mm Pyrobelite Clear Glass EW30 - 3(B)3

2no. 215 x 1050

Tulipwood Lining, c/w 32mm x 12mm loose stops & 68mm x 18mm Once Pencil Round MDF architraves, Primed

Left Jamb: 130mm x 32mm

Right Jamb: 130mm x 32mm

Head Jamb: 130mm x 32mm


Stops and Architraves supplied in lengths to be cut on site.

Ready2Hang

Hinges: Arrone Lift Off Hinge

Drop Seal: STS 422GT Door Bottom Seal

Locks/Latches: Free Issue Mortice Sashlock.



Doors - (D0.12)

1

D12 UCBH GF Lobby

Non-FSC

FD30S Non-Acoustic Paper Overlay faced Strebor 44mm door
2083mmx890mm

Inner Face: Paper Overlay, Primed

Outer Face: Paper Overlay, Primed

Concealed Steamed Beech lippings and hockey stick beads

Glazed with 7mm Pyrobelite Clear Glass EW30 - 3(B)3

2no. 240 x 1050

Tulipwood Lining, c/w 32mm x 12mm loose stops & 68mm x 18mm Once Pencil Round MDF architraves, Primed

Left Jamb: 100mm x 32mm

Right Jamb: 100mm x 32mm

Head Jamb: 100mm x 32mm

Stops and Architraves supplied in lengths to be cut on site.

Ready2Hang


Hinges: Arrone Lift Off Hinge

Drop Seal: STS 422GT Door Bottom Seal

Item Details

Doors - (D0.13)

1



D13 UCBH GF Kitchen2

Non-FSC

FD30S Non-Acoustic Paper Overlay faced Strebor 44mm door
2158mmx980mm

Inner Face: Paper Overlay, Primed

Outer Face: Paper Overlay, Primed

Concealed Steamed Beech lippings and hockey stick beads

Glazed with 7mm Pyrobelite Clear Glass EW30 - 3(B)3

2no. 285 x 1050

Tulipwood Lining, c/w 32mm x 12mm loose stops & 68mm x 18mm Once Pencil Round MDF architraves, Primed

Left Jamb: 144mm x 32mm, 186mm x 18mm Extension Lining

Right Jamb: 144mm x 32mm, 186mm x 18mm Extension Lining

Head Jamb: 144mm x 32mm, 186mm Extension Lining

Stops and Architraves supplied in lengths to be cut on site.

Ready2Hang



Hinges: Arrone Lift Off Hinge

Drop Seal: STS 422GT Door Bottom Seal

Locks/Latches: Free Issue Mortice Sashlock.

Doors - (D0.14)

1



D14 UCBH GF Main lobby D/D

Non-FSC

FD30S Non-Acoustic Paper Overlay faced Strebor 44mm double doors
2183mmx648mm

Inner Face: Paper Overlay, Primed

Outer Face: Paper Overlay, Primed

Concealed Steamed Beech lippings and hockey stick beads

Glazed with 7mm Pyrobelite Clear Glass EW30 - 3(B)3

1no. 300 x 1050, 1no. 388 x 1050

Tulipwood Lining, c/w 32mm x 12mm loose stops & 68mm x 18mm Once Pencil Round MDF architraves, Primed

Left Jamb: 144mm x 32mm, 106mm x 18mm Extension Lining

Right Jamb: 144mm x 32mm, 106mm x 18mm Extension Lining

Head Jamb: 144mm x 32mm, 106mm Extension Lining

Stops and Architraves supplied in lengths to be cut on site.


Ready2Hang

Hinges: Arrone Lift Off Hinge

Drop Seal: STS 422GT Door Bottom Seal

Locks/Latches: Free Issue Mortice Sashlock.

Item Details



Doors - (D0.15)

1

D15 UCBH GF Main entrance D/D

Non-FSC

FD30S Non-Acoustic Paper Overlay faced Strebor 44mm double doors
2183mmx643mm

Inner Face: Paper Overlay, Primed

Outer Face: Paper Overlay, Primed

Concealed Steamed Beech lippings and hockey stick beads

Glazed with 7mm Pyrobelite Clear Glass EW30 - 3(B)3

1no. 383 x 1050, 1no. 300 x 1050

Tulipwood Lining, c/w 32mm x 12mm loose stops & 68mm x 18mm Once Pencil Round MDF architraves, Primed

Left Jamb: 144mm x 32mm

Right Jamb: 144mm x 32mm

Head Jamb: 144mm x 32mm


Stops and Architraves supplied in lengths to be cut on site.

Ready2Hang

Hinges: Arrone Lift Off Hinge

Drop Seal: STS 422GT Door Bottom Seal

Locks/Latches: Free Issue Mortice Deadlock.



Doors - (D1.01)

1

D16 UCBH FF Rm1

Non-FSC

FD30S Non-Acoustic Paper Overlay faced Strebor 44mm door
1988mmx850mm

Inner Face: Paper Overlay, Primed

Outer Face: Paper Overlay, Primed

Concealed Steamed Beech lippings and hockey stick beads

Glazed with 7mm Pyrobelite Clear Glass EW30 - 3(B)3

2no. 220 x 950

Tulipwood Lining, c/w 32mm x 12mm loose stops & 68mm x 18mm Once Pencil Round MDF architraves, Primed

Left Jamb: 135mm x 32mm

Right Jamb: 135mm x 32mm

Head Jamb: 135mm x 32mm

Stops and Architraves supplied in lengths to be cut on site.


Ready2Hang

Hinges: Arrone Lift Off Hinge

Drop Seal: STS 422GT Door Bottom Seal

Locks/Latches: Free Issue Mortice Sashlock.

Item Details



Doors - (D1.02)

1

D17 UCBH FF Rm2

Non-FSC

FD30S Non-Acoustic Paper Overlay faced Strebor 44mm door
2043mmx850mm

Inner Face: Paper Overlay, Primed

Outer Face: Paper Overlay, Primed

Concealed Steamed Beech lippings and hockey stick beads

Glazed with 7mm Pyrobelite Clear Glass EW30 - 3(B)3

2no. 220 x 1050

Tulipwood Lining, c/w 32mm x 12mm loose stops & 68mm x 18mm Once Pencil Round MDF architraves, Primed

Left Jamb: 125mm x 32mm

Right Jamb: 125mm x 32mm

Head Jamb: 125mm x 32mm


Stops and Architraves supplied in lengths to be cut on site.

Ready2Hang

Hinges: Arrone Lift Off Hinge

Drop Seal: STS 422GT Door Bottom Seal

Locks/Latches: Free Issue Mortice Sashlock.



Doors - (D1.03)

1

D18 UCBH FF Rm3

Non-FSC

FD30S Non-Acoustic Paper Overlay faced Strebor 44mm door
2043mmx850mm

Inner Face: Paper Overlay, Primed

Outer Face: Paper Overlay, Primed

Concealed Steamed Beech lippings and hockey stick beads

Glazed with 7mm Pyrobelite Clear Glass EW30 - 3(B)3

2no. 220 x 1050

Tulipwood Lining, c/w 32mm x 12mm loose stops & 68mm x 18mm Once Pencil Round MDF architraves, Primed

Left Jamb: 125mm x 32mm

Right Jamb: 125mm x 32mm

Head Jamb: 125mm x 32mm

Stops and Architraves supplied in lengths to be cut on site.


Ready2Hang

Hinges: Arrone Lift Off Hinge

Drop Seal: STS 422GT Door Bottom Seal

Locks/Latches: Free Issue Mortice Sashlock.

Item Details



Doors - (D1.04)

1

D19 UCBH FF Rm4

Non-FSC

FD30S Non-Acoustic Paper Overlay faced Strebor 44mm door
1978mmx850mm

Inner Face: Paper Overlay, Primed

Outer Face: Paper Overlay, Primed

Concealed Steamed Beech lippings and hockey stick beads

Glazed with 7mm Pyrobelite Clear Glass EW30 - 3(B)3

2no. 220 x 950

Tulipwood Lining, c/w 32mm x 12mm loose stops & 68mm x 18mm Once Pencil Round MDF architraves, Primed

Left Jamb: 165mm x 32mm

Right Jamb: 165mm x 32mm

Head Jamb: 165mm x 32mm


Stops and Architraves supplied in lengths to be cut on site.

Ready2Hang

Hinges: Arrone Lift Off Hinge

Drop Seal: STS 422GT Door Bottom Seal

Locks/Latches: Free Issue Mortice Sashlock.



Doors - (D1.05)

1

D20 UCBH FF Rm5

Non-FSC

FD30S Non-Acoustic Paper Overlay faced Strebor 44mm door
2018mmx775mm

Inner Face: Paper Overlay, Primed

Outer Face: Paper Overlay, Primed

Concealed Steamed Beech lippings and hockey stick beads

Glazed with 7mm Pyrobelite Clear Glass EW30 - 3(B)3

2no. 182 x 950

Tulipwood Lining, c/w 32mm x 12mm loose stops & 68mm x 18mm Once Pencil Round MDF architraves, Primed

Left Jamb: 144mm x 32mm, 101mm x 18mm Extension Lining

Right Jamb: 144mm x 32mm, 101mm x 18mm Extension Lining

Head Jamb: 144mm x 32mm, 101mm Extension Lining

Stops and Architraves supplied in lengths to be cut on site.


Ready2Hang

Hinges: Arrone Lift Off Hinge

Drop Seal: STS 422GT Door Bottom Seal

Locks/Latches: Free Issue Mortice Sashlock.

Item Details



Doors - (D1.06)

1

D21 UCBH FF Rm6

Non-FSC

FD30S Non-Acoustic Paper Overlay faced Strebor 44mm door
2043mmx850mm

Inner Face: Paper Overlay, Primed

Outer Face: Paper Overlay, Primed

Concealed Steamed Beech lippings and hockey stick beads

Glazed with 7mm Pyrobelite Clear Glass EW30 - 3(B)3

2no. 220 x 1050

Tulipwood Lining, c/w 32mm x 12mm loose stops & 68mm x 18mm Once Pencil Round MDF architraves, Primed

Left Jamb: 125mm x 32mm

Right Jamb: 125mm x 32mm

Head Jamb: 125mm x 32mm


Stops and Architraves supplied in lengths to be cut on site.

Ready2Hang

Hinges: Arrone Lift Off Hinge

Drop Seal: STS 422GT Door Bottom Seal

Locks/Latches: Free Issue Mortice Sashlock.



Doors - (D1.07)

1

D22 UCBH FF Rm7

Non-FSC

FD30S Non-Acoustic Paper Overlay faced Strebor 44mm door
2043mmx825mm

Inner Face: Paper Overlay, Primed

Outer Face: Paper Overlay, Primed

Concealed Steamed Beech lippings and hockey stick beads

Glazed with 7mm Pyrobelite Clear Glass EW30 - 3(B)3

2no. 207 x 1050

Tulipwood Lining, c/w 32mm x 12mm loose stops & 68mm x 18mm Once Pencil Round MDF architraves, Primed

Left Jamb: 125mm x 32mm

Right Jamb: 125mm x 32mm

Head Jamb: 125mm x 32mm

Stops and Architraves supplied in lengths to be cut on site.


Ready2Hang

Hinges: Arrone Lift Off Hinge

Drop Seal: STS 422GT Door Bottom Seal

Locks/Latches: Free Issue Mortice Sashlock.

Item Details



Doors - (D1.08)

1

D23 UCBH FF Rm8

Non-FSC

FD30S Non-Acoustic Paper Overlay faced Strebor 44mm door
2018mmx710mm

Inner Face: Paper Overlay, Primed

Outer Face: Paper Overlay, Primed

Concealed Steamed Beech lippings and hockey stick beads

Glazed with 7mm Pyrobelite Clear Glass EW30 - 3(B)3

2no. 150 x 950

Tulipwood Lining, c/w 32mm x 12mm loose stops & 68mm x 18mm Once Pencil Round MDF architraves, Primed

Left Jamb: 165mm x 32mm

Right Jamb: 165mm x 32mm

Head Jamb: 165mm x 32mm


Stops and Architraves supplied in lengths to be cut on site.

Ready2Hang

Hinges: Arrone Lift Off Hinge

Drop Seal: STS 422GT Door Bottom Seal

Locks/Latches: Free Issue Mortice Sashlock.



Doors - (D1.09)

1

D24 UCBH FF Rm9

Non-FSC

FD30S Non-Acoustic Paper Overlay faced Strebor 44mm door
2058mmx830mm

Inner Face: Paper Overlay, Primed

Outer Face: Paper Overlay, Primed

Concealed Steamed Beech lippings and hockey stick beads

Glazed with 7mm Pyrobelite Clear Glass EW30 - 3(B)3

2no. 210 x 1050

Tulipwood Lining, c/w 32mm x 12mm loose stops & 68mm x 18mm Once Pencil Round MDF architraves, Primed

Left Jamb: 135mm x 32mm

Right Jamb: 135mm x 32mm

Head Jamb: 135mm x 32mm

Stops and Architraves supplied in lengths to be cut on site.


Ready2Hang

Hinges: Arrone Lift Off Hinge

Drop Seal: STS 422GT Door Bottom Seal

Locks/Latches: Free Issue Mortice Sashlock.

Item Details



Doors - (D1.10)

1

D25 UCBH FF Rm10

Non-FSC

FD30S Non-Acoustic Paper Overlay faced Strebor 44mm door
2053mmx720mm

Inner Face: Paper Overlay, Primed

Outer Face: Paper Overlay, Primed

Concealed Steamed Beech lippings and hockey stick beads

Glazed with 7mm Pyrobelite Clear Glass EW30 - 3(B)3

2no. 155 x 1050

Tulipwood Lining, c/w 32mm x 12mm loose stops & 68mm x 18mm Once Pencil Round MDF architraves, Primed

Left Jamb: 170mm x 32mm

Right Jamb: 170mm x 32mm

Head Jamb: 170mm x 32mm


Stops and Architraves supplied in lengths to be cut on site.

Ready2Hang

Hinges: Arrone Lift Off Hinge

Drop Seal: STS 422GT Door Bottom Seal

Locks/Latches: Free Issue Mortice Sashlock.



Doors - (D1.11)

1

D26 UCBH FF Rm11

Non-FSC

FD30S Non-Acoustic Paper Overlay faced Strebor 44mm door
2043mmx860mm

Inner Face: Paper Overlay, Primed

Outer Face: Paper Overlay, Primed

Concealed Steamed Beech lippings and hockey stick beads

Glazed with 7mm Pyrobelite Clear Glass EW30 - 3(B)3

2no. 225 x 1050

Tulipwood Lining, c/w 32mm x 12mm loose stops & 68mm x 18mm Once Pencil Round MDF architraves, Primed

Left Jamb: 145mm x 32mm

Right Jamb: 145mm x 32mm

Head Jamb: 145mm x 32mm

Stops and Architraves supplied in lengths to be cut on site.


Ready2Hang

Hinges: Arrone Lift Off Hinge

Drop Seal: STS 422GT Door Bottom Seal

Locks/Latches: Free Issue Mortice Sashlock.

Item Details



Doors - (D1.12)

1

D27 UCBH FF Rm12

Non-FSC

FD30S Non-Acoustic Paper Overlay faced Strebor 44mm door

2043mmx850mm

Inner Face: Paper Overlay, Primed

Outer Face: Paper Overlay, Primed

Concealed Steamed Beech lippings and hockey stick beads

Glazed with 7mm Pyrobelite Clear Glass EW30 - 3(B)3

2no. 220 x 1050

Tulipwood Lining, c/w 32mm x 12mm loose stops & 68mm x 18mm Once Pencil Round MDF architraves, Primed

Left Jamb: 144mm x 32mm, 101mm x 18mm Extension Lining

Right Jamb: 144mm x 32mm, 101mm x 18mm Extension Lining

Head Jamb: 144mm x 32mm, 101mm Extension Lining

Stops and Architraves supplied in lengths to be cut on site.

Ready2Hang

Hinges: Arrone Lift Off Hinge

Drop Seal: STS 422GT Door Bottom Seal

Locks/Latches: Free Issue Mortice Sashlock.

Notes

Frame depth required D.15?

2no Top VPs allowed for to single doors, utilising minimum margins of 130mm top and sides, 150mm in between glazing.

Double doors, 1no VP utilising minimum margins of 130mm top and sides.

Vision Panel Heights – I have tried to standardise these to 1050mm on doors 2038mm high and 950mm below this height.

Lock cutouts - I have tried to standardise these to 800mm on doors up to 2083mm high and 850mm on the door height of 2158mm & 2183mm. This means that they won't perfect to the centre.

Please note this quotation is based on overall (external) frame sizes, the structural opening tolerance we recommend is 10mm gap to the head & 7mm gap to each jamb.

Page 15 of 16

Jambs left long for site trimming unless specifically requested.
Intumescent (colour white) - Fire/smoke with fin seal supplied loose for site fitting.

Please note if quote contains ironmongery, we supply the doors in the following format:

Preparation of standard din lock case with no face penetration or preparation for keeps. Height to the centre of the spindle/cylinder unless stated otherwise.

To ensure your doorsets remain fully compliant with safety standards, we exclusively provide Essential ironmongery. This hardware is specifically tested and included within the doorset's certification. Non-essential hardware is excluded from our offering as it sits outside our certified range.