




CONSERVATION ROOFLIGHT
Suitable for plain roof tiles & to give a seamless flush finish.


To be double glazed + to meet 'U' value
min. 2.0W/m sq.K. All roof lights to be A-A
fire rated.

Fully thermally broken construction.

Double up rafters on the side of opening,
supporting double trimmers above & below
opening.
Bolt together with M12 bolts at 450 c/s.

Fixed in accordance with the
manufacturers instructions.

SECTION



49 KINGSEND

45 KINGSEND
Three Storey Flats

walls shown at
approx. 1.4m high

blue dotted line =
approx. 2m head height


REV E - 06/10/25
- Porch removed

REV D - 29/09/25
- Date updated

REV C - 07/08/25
- 47A annexe to be completely removed
- 47 to be one large detached property
for entire site

REV B - 23/06/25
- Porch canopy amended
- Garage door changed to window
- Side garage door added

REV A - 15/05/25
- 47A annexe added
- Front door side lights removed
- Matching wall materials used
- Matching window/door materials used




PROPOSED

14 PROP LOFT
Scale: 1:100



tel : 0796 222 3141
email : sandeep@sskarchitects.co.uk



scale - 1 : 100 @ A3

Purpose - Householder planning application

All dimensions to be checked on site. All omissions & discrepancies to be reported to the designer.	PROJECT: 47 Kingsend, Ruislip, HA4 7DD	DATE: 30/03/2025
© SSK architects owns the copyright of this drawing which must not be reproduced in whole or part without the written permission.	DWG NO: PROP LOFT 14	REVISION: E