




Location Plan

Scale 1:1250




SCALE BAR 1:1250



Block Plan

Scale 1:500



SCALE BAR 1:500

GENERAL NOTES

1. THIS DRAWING IS TO BE READ IN CONJUNCTION WITH ALL GENERAL ARRANGEMENT DRAWINGS, PROJECT DETAILS AND SPECIFICATIONS.
2. UNLESS NOTED OTHERWISE, ALL DIMENSIONS ARE TO STRUCTURAL FACES AND/OR PARTITION STUDS.
3. ALL DIMENSIONS TO BE CHECKED ON SITE PRIOR TO THE FABRICATION OF ANY WORK AND/OR ORDERING ANY MATERIAL.

4. ABBREVIATIONS USED:-
M1 MOVEMENT JOINT, HL AT HIGH LEVEL
AV1 AIR ADMITTANCE VALVE, SVP SOIL AND VENT PIPE
DP DRAINAGE POINT, RW1 RAIN WATER PIPE
W1 WINDOW REFERENCE

7. STRUCTURAL ENGINEER TO CONFIRM AND PROVIDE DETAILS OF ALL STEEL BEAMS, LINTELS, MOVEMENT JOINTS AND ALL STRUCTURAL INFORMATION.
8. ELECTRIC AND M&E WORK TO BE CARRIED OUT BY QUALIFIED AND REGISTERED SPECIALIST.
9. ALL DRAINAGE RUNS TO BE ABOVE FLOOR UNLESS STATED OTHERWISE.

INDICATES EXTRACT LOCATION

5. EXISTING
7.3 N/SQ. MM LOADBEARING AIRCRETE BLOCK (450 - 800 KG/M²) TO EXTERNAL CAVITY WALL TO CLIENT'S SPECIFICATION, BLOCK STRENGTH TO BE CONFIRMED AND DETAILED BY THE STRUCTURAL ENGINEER

10. KITCHEN LAYOUT TO SPECIALIST'S DESIGN AND DETAILS
11. MECHANICAL VENTILATION ALL EXTRACT DUCTS TO RUN BE WITHIN FLOORS AND ROOF VOID UNLESS STATED OTHERWISE.

12. ALL EXTERNAL MATERIALS AND DETAILS TO BE CONFIRMED BY THE END USER AND LOCAL AUTHORITY BEFORE PLACING ANY ORDER FOR MATERIALS OR COMMENCEMENT OF WORK ON SITE.

NEW NON-LOADBEARING PARTITION, 70MM TIMBER STUDS WITH 12.5MM SOUNDBLOC RAPID BOARD ON EACH SIDE, 12.5MM PLY BOARD TO BE USED TO SUPPORT MAIN WALL IN BEDROOMS AND ALL SIDES OF BATHROOM AND KITCHEN FOR APPLIANCES FIXTURES, PARTITION TO ACHIEVE MINIMUM 40DB SOUND REDUCTION, MR GRADE BOARD TO BE USED IN WET AREAS. (PLEASE CONFIRM FROM CLIENT IF TIMBER STUD TO BE REPLACED WITH GYPSUM/C STUDS)
50MM SOUND QUILT INSULATION TO BE FILLED AS INDICATED ON FLOOR PLANS

WALL FOR ATTIC ROOM, EXACT SIZE OF TIMBER TO BE CONFIRMED BY ENGINEER
DENOTES SPAN OF FLOOR OVER (TYPE STATED)

6. DENOTES STRUCTURAL STEEL BEAM/TIMBER
TIMBER OVER, ALL STEEL BEAMS TO HAVE MINIMUM 1 HOUR FIRE PROTECTION.
STEEL BEAM
CRANKED STEEL BEAM
TIMBER TRIMMER

REV	DESCRIPTION	REV	DATE



Client
Mr Jeevanathan Thirunavukarasu

Project
8 Burleigh Road
Uxbridge
UB10 9BG

Drawing Title LOFT EXTENSION LOCATION & BLOCK PLANS -			
Sheet 1 of 1			
Drawn	Name	Date	Scale 1:1250 / 1:500 @ A4
Design		File No.	N/A
Checked		Drawing Status	For Approval
Approved		For Approval	
Drawing No.	SCUK2021-0008_003		Revision
			-